

Feedback — Optional Week 8 Quiz (Part 1)

[Help Center](#)

You submitted this quiz on **Mon 9 Mar 2015 3:36 PM PDT**. You got a score of **4.00** out of **4.00**. However, you will not get credit for it, since it was submitted past the deadline.

Question 1

Which of the following are common components provided by a PaaS? (check all that apply)

Your Answer	Score	Explanation
<input checked="" type="checkbox"/> Distributed log management	✓ 0.25	
<input checked="" type="checkbox"/> A database	✓ 0.25	
<input checked="" type="checkbox"/> Deployment tools	✓ 0.25	
<input checked="" type="checkbox"/> Auto-scaling	✓ 0.25	
Total	1.00 / 1.00	

Question Explanation

See: Section 5 Module 3 Part 1: Google App Engine

Question 2

What is JDO?

Your Answer	Score	Explanation
<input type="checkbox"/> A Java REST API, similar to Spring Data Rest	✓ 0.25	
<input type="checkbox"/> A Java dependency injection API, similar to Spring IoC	✓ 0.25	
<input type="checkbox"/> A Java queue API, similar to Spring Queues	✓ 0.25	

☒ A Java persistence API, similar to JPA

✓ 0.25

Total

1.00 / 1.00

Question Explanation

See: Section 5 Module 3 Part 1: Google App Engine

Question 3

How are applications packaged in order to be deployed to Elastic Beanstalk? (check all that apply)

Your Answer		Score	Explanation
<input type="checkbox"/> As Zip files	✓	0.25	
<input type="checkbox"/> As GZip files	✓	0.25	
<input type="checkbox"/> As JAR files	✓	0.25	
<input checked="" type="checkbox"/> As WAR files	✓	0.25	
Total		1.00 / 1.00	

Question Explanation

See: Section 5 Module 3 Part 4: Deploying to Amazon Elastic Beanstalk

Question 4

Both App Engine and Elastic Beanstalk require a similar modification to a Spring Boot application, what is that modification?

Your Answer	Score	Explanation
<input type="checkbox"/> A manifest specifying the expected type of web application container that the application would like to be run in so that Tomcat or Jetty specific features can be used	✓ 0.25	

☒ A class or configuration file to tell the web application container to load Spring/Spring Boot, since an embedded application container is not being used. ✓ 0.25

☐ An application.properties file that correctly specifies the HTTP protocol to configure via a connector for the application ✓ 0.25

☐ A JAR file containing the queue setup for HTTP messages posted by the load balancer ✓ 0.25

Total 1.00 / 1.00

Question Explanation

See: Section 5 Module 3 Part 4: Deploying to Amazon Elastic Beanstalk