

# Bot Chat: Creating your first Slack bot

Brice McIver  
Keyhole Software  
August 4, 2017

# Outline

- Background
- Setup
- Post messages (incoming webhooks)
- Event Subscriptions
- Slack Developer Kit for Node.js
- Easier solutions :-)


# Background

- Launched in August 2013
- Started as an internal tool for collaboration
- Original backend was an IRC server



# Success

- Over 3 million users each work day
- Reached \$1 billion valuation in 15 months





# Prerequisites

- NodeJS
- IDE
- Browser /  
Testing tool



# Basic Node Express App









## EXPLORER

## OPEN EDITORS

{ } package.json

## SLACKBOT

## node\_modules

- .bin
- accepts
- array-flatten
- body-parser
- bytes
- content-disposition
- content-type
- cookie
- cookie-signature
- debug
- depd
- destroy
- ee-first
- encodeurl
- escape-html
- etag
- express
- finalhandler
- forwarded
- fresh
- http-errors
- iconv-lite
- inherits
- ipaddr.js
- media-typer
- merge-descriptors
- methods

{ } package.json x

```
1 {
2   "name": "slackbot",
3   "version": "1.0.0",
4   "description": "Bot that integrates with Slack",
5   "main": "index.js",
6   "scripts": {
7     "test": "echo \"Error: no test specified\" && exit 1"
8   },
9   "dependencies": {
10     "express": "^4.15.3",
11     "body-parser": "^1.17.2"
12   },
13   "author": "",
14   "license": "ISC"
15 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe



Windows PowerShell

Copyright (C) 2016 Microsoft Corporation. All rights reserved.

```
PS C:\workspace\slackbot> npm install
npm WARN slackbot@1.0.0 No repository field.
```

```
added 47 packages in 4.801s
PS C:\workspace\slackbot> 
```

📄

🔍

🔗

🔌

📦

⚙️

EXPLORER

OPEN EDITORS

JS app.js

SLACKBOT

node\_modules

JS app.js

package-lock.json

package.json

JS app.js

```
1 var express = require('express');
2 var bodyParser = require('body-parser');
3
4 var app = express();
5 var port = process.env.PORT || 3000;
6
7 app.use(bodyParser.json());
8
9 app.get('/', function (req, res) { res.status(200).send('Hello world!')});
10
11 app.use(function (err, req, res, next) {
12     console.error(err.stack);
13     res.status(400).send(err.message);
14 });
15
16 app.listen(port, function() {
17     console.log('Slack bot listening on port ' + port);
18 });
19
```

PROBLEMS

OUTPUT


DEBUG CONSOLE

TERMINAL

1: powershell.exe

PS C:\workspace\slackbot> node app
Slack bot listening on port 3000

Ln 9, Col 75 Spaces: 4 UTF-8 CRLF JavaScript



# Post Messages Using Incoming Webhooks



Runner

Import



A new version of Postman is available! [View Changelog](#)  
[Restart now to update.](#)



SYNC OFF

Sign In



Filter

History

Collections

Clear all

▼ Today

**POST** https://hooks.slack.com/services/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

**POST** https://hooks.slack.com/services/T59TGABHR/B5FN4EC6S/WynaxpMGgAc hzxOnAidqOsID

▼ May 17

**POST** https://hooks.slack.com/services/T59TGABHR/B5FN4EC6S/WynaxpMGgAc hzxOnAidqOsID

https://hooks.slack.co



No Environment



POST

https://hooks.slack.com/services/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

Params

Send



Save



Authorization

Headers (1)

Body

Pre-request Script

Tests

Cookies Code

☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary JSON (application/json)

```
1 {  
2   "text": "Welcome to the conference!"  
3 }
```

Body

Cookies

Headers (15)

Tests

Status: 200 OK Time: 249 ms Size: 567 B

Pretty

Raw

Preview

HTML



i 1 pk



**McIver Family** ▾

● bricem

📁 All Threads

**CHANNELS** ╕

# general

# helloworld

# random

**DIRECT MESSAGES** ╕

♥ slackbot

● bricem (you)

**+ Invite people**

**APPS** ╕



**#helloworld**

☆ | 👤 1 | 📌 0 | [Add a topic](#)



🔍 Search



**#helloworld**

You created this channel today. This is the very beginning of the [#helloworld](#) channel.

[🔗 Set a purpose](#) [+ Add an app](#) [👤 Invite others to this channel](#)

Today



**bricem** 3:25 PM ☆  
*joined #helloworld*



**bricem** 3:27 PM  
*added an integration to this channel: [HelloWorldKCDC](#)*








**HelloWorldKCDC** APP 3:36 PM  
Welcome to the conference!



Message #helloworld



# Event Subscriptions



EXPLORER

OPEN EDITORS

JS app.js

JS hellobot.js

Procfile

SLACKBOT

node\_modules

JS app.js

JS hellobot.js

package-lock.json

package.json

Procfile

JS app.js

JS hellobot.js

Procfile

```
1 var express = require('express');
2 var bodyParser = require('body-parser');
3 var hellobot = require('./hellobot');
4
5 var app = express();
6 var port = process.env.PORT || 3000;
7
8 app.use(bodyParser.json());
9
10 app.get('/', function (req, res) { res.status(200).send('Hello world!')});
11
12 app.post('/hello', hellobot);
13
14 app.use(function (err, req, res, next) {
15     console.error(err.stack);
16     res.status(400).send(err.message);
17 });
18
19 app.listen(port, function() {
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe

+

✖

⬆

✖

```
PS C:\workspace\slackbot> git init
```


Ln 1, Col 1

Spaces: 4







UTF-8

CRLF

JavaScript







EXPLORER

OPEN EDITORS

JS app.js

JS hellobot.js

Procfile

SLACKBOT

node\_modules

JS app.js

JS hellobot.js

package-lock.json

package.json

Procfile

JS app.js

JS hellobot.js x

Procfile

```
1 module.exports = function(req, res, next) {
2   console.log(JSON.stringify(req.body));
3   return res.status(200).end();
4 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe

+

🗑







⬆

✕

PS C:\workspace\slackbot> git init

0 0 0

Ln 3, Col 34 Spaces: 4 UTF-8 CRLF JavaScript



EXPLORER

OPEN EDITORS

JS app.js

JS hellobot.js

Procfile

SLACKBOT

node\_modules

JS app.js

JS hellobot.js

package-lock.json

package.json

Procfile

JS app.js

JS hellobot.js

Procfile

1 web: node app

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe

+

🗑

^

✕

PS C:\workspace\slackbot> git init

0 0 0

Ln 1, Col 14 Spaces: 4 UTF-8 CRLF Plain Text



EXPLORER

JS app.js

JS hellobot.js

Procfile

.gitignore x



## OPEN EDITORS

JS app.js

JS hellobot.js

Procfile

.gitignore



## SLACKBOT

node\_modules



.gitignore



JS app.js

JS hellobot.js

{ } package-lock.json

{ } package.json

Procfile



1 node\_modules/


PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe



```
PS C:\workspace\slackbot> git init
Initialized empty Git repository in C:/workspace/slackbot/.git/
PS C:\workspace\slackbot> heroku create
Creating app... done, pacific-fortress-27300
https://pacific-fortress-27300.herokuapp.com/ | https://git.heroku.com/pacific-fortress-27300.git
PS C:\workspace\slackbot> git push heroku master
error: src refspec master does not match any.
error: failed to push some refs to 'https://git.heroku.com/pacific-fortress-27300.git'
PS C:\workspace\slackbot> git add .
warning: LF will be replaced by CRLF in package-lock.json.
The file will have its original line endings in your working directory.
warning: LF will be replaced by CRLF in package.json.
The file will have its original line endings in your working directory.
PS C:\workspace\slackbot> git commit -am "first commit"
[master (root-commit) e12e2f6] first commit
6 files changed, 391 insertions(+)
create mode 100644 .gitignore
create mode 100644 Procfile
create mode 100644 app.js
create mode 100644 hellobot.js
create mode 100644 package-lock.json
create mode 100644 package.json
PS C:\workspace\slackbot> git push heroku master
Counting objects: 8, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (6/6), done.
Writing objects: 100% (8/8), 3.68 KiB | 0 bytes/s, done.
Total 8 (delta 0), reused 0 (delta 0)
remote: Compressing source files... done.
remote: Building source:
remote:
remote: -----> Node.js app detected
remote:
remote: -----> Creating runtime environment
remote:
remote:       NPM_CONFIG_LOGLEVEL=error
remote:       NPM_CONFIG_PRODUCTION=true
remote:       NODE_VERBOSE=false
remote:       NODE_ENV=production
```

master 0 0

Ln 1, Col 14 Spaces: 4 UTF-8 CRLF Plain Text





EXPLORER

JS app.js

JS hellobot.js

Procfile

.gitignore x



## OPEN EDITORS

JS app.js

JS hellobot.js

Procfile

.gitignore

## SLACKBOT

node\_modules

.gitignore

JS app.js

JS hellobot.js

{ } package-lock.json

{ } package.json

Procfile

1 node\_modules/

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe



```
create mode 100644 package.json
PS C:\workspace\slackbot> git push heroku master
Counting objects: 8, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (6/6), done.
Writing objects: 100% (8/8), 3.68 KiB | 0 bytes/s, done.
Total 8 (delta 0), reused 0 (delta 0)
remote: Compressing source files... done.
remote: Building source:
remote:
remote: -----> Node.js app detected
remote:
remote: -----> Creating runtime environment
remote:
remote:           NPM_CONFIG_LOGLEVEL=error
remote:           NPM_CONFIG_PRODUCTION=true
remote:           NODE_VERBOSE=false
remote:           NODE_ENV=production
remote:           NODE_MODULES_CACHE=true
remote:
remote: -----> Installing binaries
remote:           engines.node (package.json):  unspecified
remote:           engines.npm (package.json):   unspecified (use default)
remote:
remote:           Resolving node version 6.x...
remote:           Downloading and installing node 6.11.2...
remote:           Detected package-lock.json: defaulting npm to version 5.x.x
remote:           Bootstrapping npm 5.x.x (replacing 3.10.10)...
remote:           npm 5.3.0 installed
remote:
remote: -----> Restoring cache
remote:           Skipping cache restore (not-found)
remote:
remote: -----> Building dependencies
remote:           Installing node modules (package.json + package-lock)
remote:           added 47 packages in 2.915s
remote:
remote: -----> Caching build
remote:           Clearing previous node cache
```



master 0 0

Ln 1, Col 14 Spaces: 4 UTF-8 CRLF Plain Text



EXPLORER

JS app.js

JS hellobot.js

Procfile

.gitignore x



## OPEN EDITORS

JS app.js

JS hellobot.js

Procfile

.gitignore

## SLACKBOT

node\_modules

.gitignore

JS app.js

JS hellobot.js

{ } package-lock.json

{ } package.json

Procfile

1 node\_modules/

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe



```
remote: NODE_MODULES_CACHE=true
remote:
remote: -----> Installing binaries
remote: engines.node (package.json):  unspecified
remote: engines.npm (package.json):   unspecified (use default)
remote:
remote: Resolving node version 6.x...
remote: Downloading and installing node 6.11.2...
remote: Detected package-lock.json: defaulting npm to version 5.x.x
remote: Bootstrapping npm 5.x.x (replacing 3.10.10)...
remote: npm 5.3.0 installed
remote:
remote: -----> Restoring cache
remote: Skipping cache restore (not-found)
remote:
remote: -----> Building dependencies
remote: Installing node modules (package.json + package-lock)
remote: added 47 packages in 2.915s
remote:
remote: -----> Caching build
remote: Clearing previous node cache
remote: Saving 2 cacheDirectories (default):
remote:   - node_modules
remote:   - bower_components (nothing to cache)
remote:
remote: -----> Build succeeded!
remote: -----> Discovering process types
remote: Procfile declares types -> web
remote:
remote: -----> Compressing...
remote: Done: 15.9M
remote: -----> Launching...
remote: Released v3
remote: https://pacific-fortress-27300.herokuapp.com/ deployed to Heroku
remote:
remote: Verifying deploy... done.
remote: To https://git.heroku.com/pacific-fortress-27300.git
remote: * [new branch]      master -> master
PS C:\workspace\slackbot>
```



master



0 0 0

Ln 1, Col 14 Spaces: 4 UTF-8 CRLF Plain Text





EXPLORER

JS app.js

JS hellobot.js x

Procfile

.gitignore

OPEN EDITORS

JS app.js

JS hellobot.js

Procfile

.gitignore

SLACKBOT

node\_modules

.gitignore

app.js

hellobot.js

package-lock.json

package.json

Procfile

1 module.exports = function(req, res, next) {

2 if (req.body.type === 'url\_verification') {

3 return res.status(200).json(req.body.challenge);

4 }

5 console.log(JSON.stringify(req.body));

6 return res.status(200).end();

7 }

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe

+

✖

^

×

PS C:\workspace\slackbot> heroku logs

2017-08-03T21:32:30.215188+00:00 app[api]: Release v1 created by user heroku@bricemciver.com

2017-08-03T21:32:30.215188+00:00 app[api]: Initial release by user heroku@bricemciver.com

2017-08-03T21:32:30.354674+00:00 app[api]: Enable Logplex by user heroku@bricemciver.com

2017-08-03T21:32:30.354674+00:00 app[api]: Release v2 created by user heroku@bricemciver.com

2017-08-03T21:34:18.000000+00:00 app[api]: Build started by user heroku@bricemciver.com

2017-08-03T21:34:49.405099+00:00 app[api]: Release v3 created by user heroku@bricemciver.com

2017-08-03T21:34:49.405099+00:00 app[api]: Deploy e12e2f69 by user heroku@bricemciver.com

2017-08-03T21:34:49.419651+00:00 app[api]: Scaled to web1:Free by user heroku@bricemciver.com

2017-08-03T21:34:18.000000+00:00 app[api]: Build succeeded

2017-08-03T21:34:51.799295+00:00 heroku[web.1]: Starting process with command `node app`

2017-08-03T21:34:55.108848+00:00 app[web.1]: Slack bot listening on port 54191

2017-08-03T21:34:55.750430+00:00 heroku[web.1]: State changed from starting to up

2017-08-03T21:38:05.430687+00:00 heroku[router]: at=info method=GET path="/" host=pacific-fortress-27300.herokuapp.com request\_id=f34c50f0-43c5-4ffd-af2a-a050a6a95aec fwd="74.62.138.6" dyno=web.1 connect=0ms service=24ms status=200 bytes=211 protocol=https

2017-08-03T21:38:06.792008+00:00 heroku[router]: at=info method=GET path="/favicon.ico" host=pacific-fortress-27300.herokuapp.com request\_id=ee4c1652-a04c-4dbc-9c02-835643aa822d fwd="74.62.138.6" dyno=web.1 connect=1ms service=16ms status=404 bytes=394 protocol=https

2017-08-03T22:09:59.915231+00:00 heroku[web.1]: Idling

2017-08-03T22:09:59.915945+00:00 heroku[web.1]: State changed from up to down

2017-08-03T22:10:00.983057+00:00 heroku[web.1]: Stopping all processes with SIGTERM

2017-08-03T22:10:01.200312+00:00 heroku[web.1]: Process exited with status 143

2017-08-04T04:20:52.404210+00:00 heroku[web.1]: Unidling

2017-08-04T04:20:52.404594+00:00 heroku[web.1]: State changed from down to starting

2017-08-04T04:20:54.070687+00:00 heroku[web.1]: Starting process with command `node app`

2017-08-04T04:20:55.979965+00:00 app[web.1]: Slack bot listening on port 19195

2017-08-04T04:20:56.705101+00:00 heroku[web.1]: State changed from starting to up

2017-08-04T04:20:57.504862+00:00 heroku[router]: at=info method=POST path="/" host=pacific-fortress-27300.herokuapp.com request\_id=...

master

0

0

0

Ln 4, Col 6

Spaces: 4

UTF-8

CRLF

JavaScript

EXPLORER

OPEN EDITORS

SLACKBOT

node\_modules

package-lock.json

package.json

Procfile

JS app.js

JS hellobot.js x

Procfile

.gitignore

```
1 module.exports = function(req, res, next) {
2   if (req.body.type === 'url_verification') {
3     return res.status(200).json(req.body.challenge);
4   }
5   console.log(JSON.stringify(req.body));
6   return res.status(200).end();
7 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe

```
2017-08-04T04:20:56.705101+00:00 heroku[web.1]: State changed from starting to up
2017-08-04T04:20:57.504862+00:00 heroku[router]: at=info method=POST path="/" host=pacific-fortress-27300.herokuapp.com request_id=07879027-1790-4f61-950a-ff95e311645e fwd="54.165.241.61" dyno=web.1 connect=0ms service=51ms status=404 bytes=384 protocol=https
2017-08-04T04:20:57.718153+00:00 heroku[router]: at=info method=POST path="/" host=pacific-fortress-27300.herokuapp.com request_id=e5da5c77-76a7-4894-9660-29ca88085aeb fwd="54.209.231.248" dyno=web.1 connect=0ms service=5ms status=404 bytes=384 protocol=https
2017-08-04T04:21:06.310369+00:00 heroku[router]: at=info method=POST path="/hello" host=pacific-fortress-27300.herokuapp.com request_id=721a8aa3-8817-4527-88ff-44c222660018 fwd="54.165.241.61" dyno=web.1 connect=0ms service=2ms status=200 bytes=117 protocol=https
2017-08-04T04:21:06.306292+00:00 app[web.1]: {"token":"09x6jsuiYsQhZ5DI0WvyADyp","challenge":"saaYe3qVt9YdF0lADqPeScfMY27jNnkN3V702pwU4jY5WlTaqQXf","type":"url_verification"}
PS C:\workspace\slackbot> git add .
PS C:\workspace\slackbot> git commit -am "second commit"
[master 984ed5d] second commit
 1 file changed, 3 insertions(+)
PS C:\workspace\slackbot> git push heroku master
Counting objects: 3, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 418 bytes | 0 bytes/s, done.
Total 3 (delta 1), reused 0 (delta 0)
remote: Compressing source files... done.
remote: Building source:
remote:
remote: -----> Node.js app detected
remote:
remote: -----> Creating runtime environment
remote:
```

master

0

0

Ln 4, Col 6

Spaces: 4

UTF-8

CRLF

JavaScript

EXPLORER

JS app.js

JS hellobot.js x

Procfile

.gitignore

OPEN EDITORS

JS app.js

JS hellobot.js

Procfile

.gitignore

SLACKBOT

node\_modules

.gitignore

JS app.js

JS hellobot.js

package-lock.json

package.json

Procfile

1 module.exports = function(req, res, next) {

2 if (req.body.type === 'url\_verification') {

3 return res.status(200).json(req.body.challenge);

4 }

5 console.log(JSON.stringify(req.body));

6 return res.status(200).end();

7 }

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe

+

🗑

^

✕

remote: -----> Restoring cache

remote: Loading 2 from cacheDirectories (default):

remote: - node\_modules

remote: - bower\_components (not cached - skipping)

remote: -----> Building dependencies

remote: Installing node modules (package.json + package-lock)

remote: up to date in 0.568s

remote: -----> Caching build

remote: Clearing previous node cache

remote: Saving 2 cacheDirectories (default):

remote: - node\_modules

remote: - bower\_components (nothing to cache)

remote: -----> Build succeeded!

remote: -----> Discovering process types

remote: Procfile declares types -> web

remote: -----> Compressing...

remote: Done: 15.9M

remote: -----> Launching...

remote: Released v4

remote: https://pacific-fortress-27300.herokuapp.com/ deployed to Heroku

remote: Verifying deploy... done.

To https://git.heroku.com/pacific-fortress-27300.git

e12e2f6..984ed5d master -> master

PS C:\workspace\slackbot>

master

🔄

0

0

0

Ln 4, Col 6

Spaces: 4

UTF-8

CRLF

JavaScript

😊



EXPLORER

JS app.js

JS hellobot.js

Procfile

.gitignore

OPEN EDITORS

JS app.js

JS hellobot.js

Procfile

.gitignore

SLACKBOT

node\_modules

.gitignore

JS app.js

JS hellobot.js

package-lock.json

package.json

Procfile

JS app.js

JS hellobot.js

Procfile

.gitignore

1

2

3

4

5

6

7

module.exports = function(req, res, next) {

if (req.body.type === 'url\_verification') {

return res.status(200).json(req.body.challenge);

}

console.log(JSON.stringify(req.body));

return res.status(200).end();

}

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe

+

✖

⬆

✖

2017-08-04T04:27:37.000000+00:00 app[api]: Build started by user heroku@bricemciver.com

2017-08-04T04:28:04.984137+00:00 app[api]: Deploy 984ed5d2 by user heroku@bricemciver.com

2017-08-04T04:28:04.984137+00:00 app[api]: Release v4 created by user heroku@bricemciver.com

2017-08-04T04:28:05.235213+00:00 heroku[web.1]: Restarting

2017-08-04T04:28:05.236006+00:00 heroku[web.1]: State changed from up to starting

2017-08-04T04:28:05.718539+00:00 heroku[web.1]: Stopping all processes with SIGTERM

2017-08-04T04:28:05.821370+00:00 heroku[web.1]: Process exited with status 143

2017-08-04T04:27:37.000000+00:00 app[api]: Build succeeded

2017-08-04T04:28:06.708324+00:00 heroku[web.1]: Starting process with command `node app`

2017-08-04T04:28:08.739910+00:00 app[web.1]: Slack bot listening on port 51617

2017-08-04T04:28:10.338917+00:00 heroku[web.1]: State changed from starting to up

2017-08-04T04:31:56.698710+00:00 heroku[router]: at=info method=POST path="/hello" host=pacific-fortress-27300.herokuapp.com request\_id=4f4a1456-c69a-4afe-a388-2d81e58b3112 fwd="54.89.92.4" dyno=web.1 connect=0ms service=50ms status=200 bytes=261 protocol=https

2017-08-04T04:35:13.823386+00:00 heroku[router]: at=info method=POST path="/hello" host=pacific-fortress-27300.herokuapp.com request\_id=7f2f45a6-e80b-4d12-8888-2d6527bb0abb fwd="54.174.33.17" dyno=web.1 connect=0ms service=6ms status=200 bytes=117 protocol=https

2017-08-04T04:35:13.827212+00:00 app[web.1]: {"token":"09x6jsuiYsQhZ5DI0WvyADyp","team\_id":"T59TGABHR","api\_app\_id":"A6H8R2H1N","event":{"type":"member\_left\_channel","user":"U5AQA4Y7R","channel":"C6J2EEW5T","channel\_type":"C","event\_ts":"1501821313.871105"},"type":"event\_callback","authed\_users":["U5AQA4Y7R"],"event\_id":"Ev6K5T6P3R","event\_time":1501821313}

2017-08-04T04:35:25.304127+00:00 heroku[router]: at=info method=POST path="/hello" host=pacific-fortress-27300.herokuapp.com request\_id=a31b40cf-8e63-41a2-af66-00ad9582bdcb fwd="54.174.33.17" dyno=web.1 connect=0ms service=3ms status=200 bytes=117 protocol=https

2017-08-04T04:35:25.307879+00:00 app[web.1]: {"token":"09x6jsuiYsQhZ5DI0WvyADyp","team\_id":"T59TGABHR","api\_app\_id":"A6H8R2H1N","event":{"type":"member\_joined\_channel","user":"U5AQA4Y7R","channel":"C6J2EEW5T","channel\_type":"C","event\_ts":"1501821324.872866"},"type":"event\_callback","authed\_users":["U5AQA4Y7R"],"event\_id":"Ev6HGMP3R","event\_time":1501821324}

PS C:\workspace\slackbot>

master

0

0

0

Ln 4, Col 6

Spaces: 4

UTF-8

CRLF

JavaScript

EXPLORER

JS app.js JS hellobot.js Procfile .gitignore

OPEN EDITORS

- JS app.js
- JS hellobot.js
- Procfile
- .gitignore

SLACKBOT

- node\_modules
- .gitignore
- JS app.js
- JS hellobot.js
- package-lock.json
- package.json
- Procfile

```
1 var https = require('https');
2
3 module.exports = function(req, res, next) {
4   if (req.body.type === 'url_verification') {
5     return res.status(200).json(req.body.challenge);
6   }
7   if (req.body.type === 'event_callback') {
8     var postReq = https.request({
9       method: 'POST',
10      headers: {
11        'Content-Type': 'application/json'
12      },
13      host: 'hooks.slack.com',
14      path: '/services/T59TGABHR/B6HTY9RJ6/2n9dX062QSGWvMp8gAP4
15    });
16    if (req.body.event.type === 'member_joined_channel') {
17      postReq.write(JSON.stringify({'text': 'Welcome to the char
18      postReq.end();
19    }
20    if (req.body.event.type === 'member_left_channel') {
21      postReq.write(JSON.stringify({'text': 'Goodbye ' + req.boc
22      postReq.end();
23    }
24  }
25  console.log(JSON.stringify(req.body));
26  return res.status(200).end();
27 }
```

Ln 23, Col 10 Spaces: 4 UTF-8 CRLF JavaScript

## Mclver Family

bricem

All Threads

### CHANNELS

# general

# helloworld

# random

### DIRECT MESSAGES

slackbot

bricem (you)

+ Invite people

### APPS



## #helloworld

☆ | 1 | 0 | Add a topic



Search



Today



bricem 3:25 PM

joined #helloworld



bricem 3:27 PM

added an integration to this channel: [HelloWorldKCDC](#)



HelloWorldKCDC APP 3:36 PM

Welcome to the conference!



bricem 4:17 PM

added an integration to this channel: [HelloWorldKCDC](#)



bricem 11:33 PM

added an integration to this channel: [HelloWorldKCDC](#)



bricem 11:35 PM ☆

joined and left #helloworld



HelloWorldKCDC APP 11:54 PM

Goodbye U5AQA4Y7R



bricem 11:54 PM

joined #helloworld



HelloWorldKCDC APP 11:54 PM

Welcome to the channel, U5AQA4Y7R



new messages



Message #helloworld



# Slack Developer Kit



EXPLORER

OPEN EDITORS

JS app.js

JS hellobot.js

package.json

.gitignore

SLACKBOT

node\_modules

.gitignore

app.js

hellobot.js

package-lock.json

package.json

Procfile

JS app.js

JS hellobot.js x

package.json

.gitignore

```
1 var https = require('https');
2 var WebClient = require('@slack/client').WebClient;
3 var web = new WebClient('xoxp-179934351603-180826168263-221877348899-4e6b318b789af08273cc731e2595593e');
4
5 module.exports = function(req, res, next) {
6   if (req.body.type === 'url_verification') {
7     return res.status(200).json(req.body.challenge);
8   }
9   if (req.body.type === 'event_callback') {
10    web.users.info(req.body.event.user, function(err, res) {
11      if (err) {
12        console.log("Error:", err);
13      } else {
14        if (req.body.event.type === 'member_joined_channel') {
15          web.chat.postMessage(req.body.event.channel, 'Welcome to the channel, ' + res.user.name);
16        }
17        if (req.body.event.type === 'member_left_channel') {
18          web.chat.postMessage(req.body.event.channel, 'Goodbye ' + res.user.name);
19        }
20      }
21    });
22  }
23 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

1: powershell.exe

remote: https://pacific-fortress-27300.herokuapp.com/ deployed to Heroku  
remote: Verifying deploy... done.  
To https://git.heroku.com/pacific-fortress-27300.git  
fe33866..832d597 master -> master  
PS C:\workspace\slackbot>

Ln 8, Col 6 Spaces: 4 UTF-8 CRLF JavaScript

EXPLORER

JS app.js JS hellobot.js {} package.json x .gitignore

OPEN EDITORS

JS app.js JS hellobot.js {} package.json .gitignore

SLACKBOT

node\_modules .gitignore JS app.js JS hellobot.js {} package-lock.json {} package.json Profile

```
1 {
2   "name": "slackbot",
3   "version": "1.0.0",
4   "description": "Bot that integrates with Slack",
5   "main": "index.js",
6   "scripts": {
7     "test": "echo \"Error: no test specified\" && exit 1"
8   },
9   "dependencies": {
10    "express": "^4.15.3",
11    "body-parser": "^1.17.2",
12    "@slack/client": "^3.10.0"
13  },
14  "author": "",
15  "license": "ISC"
16 }
17
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

1: powershell.exe

2017-08-04T05:26:00.459813+00:00 app[web.1]: at Request.emit (events.js:188:7)

2017-08-04T05:26:00.459812+00:00 app[web.1]: at emitOne (events.js:96:13)

2017-08-04T05:26:00.459813+00:00 app[web.1]: at IncomingMessage.<anonymous> (/app/node\_modules/request/request.js:1091:12)

2017-08-04T05:26:00.459814+00:00 app[web.1]: at IncomingMessage.g (events.js:292:16)

2017-08-04T05:26:00.459814+00:00 app[web.1]: at emitNone (events.js:91:20)

PS C:\workspace\slackbot> git add .

PS C:\workspace\slackbot> git commit -am "slack lib commit"

On branch master

nothing to commit, working tree clean

PS C:\workspace\slackbot> git push heroku master

Everything up-to-date

PS C:\workspace\slackbot>

Ln 12, Col 5 (26 selected) Spaces: 2 UTF-8 LF JSON

## Mclver Family

bricem

All Threads

### CHANNELS

# general

# helloworld

# random

### DIRECT MESSAGES

slackbot

bricem (you)

+ Invite people

### APPS



## #helloworld

☆ | 1 | 0 | Add a topic



Search



Today

1 new message since 12:28 AM

Mark as read x



bricem 12:24 AM

added an integration to this channel: [HelloWorldKCDC](#)



bricem 12:24 AM

left and rejoined #helloworld



bricem 12:25 AM

added an integration to this channel: [HelloWorldKCDC](#)



bricem 12:25 AM

left and rejoined #helloworld



bricem 12:28 AM ☆

added an integration to this channel: [HelloWorldKCDC](#)



bricem 12:28 AM

left #helloworld



HelloWorldKCDC APP 12:28 AM

Goodbye bricem

new messages



bricem 12:28 AM

joined #helloworld



HelloWorldKCDC APP 12:28 AM

Welcome to the channel, bricem



Message #helloworld



Easier Solutions



# Bot Libraries

- Howdy's BotKit
- Microsoft Bot Framework
- Gupshup
- API.AI
- Wit.ai

## Visual-based

- TextIt
- Sonar
- Smooch
- Telegram

# Summary

- Incoming Webhooks
  - Simple to set up and a quick win for messaging needs
- Event subscriptions
  - More advanced functionality
- Unless you're sure that Slack is the only platform you want to support, use a library that supports multiple platforms