


F-715 A & B  
PARTICULATE FILTER  
SEPARATOR

SIZE: 18" O.D. x 42.5" T/T  
OPERATING: 230 PSIG  
DESIGN: 275 PSIG @ 100°F  
MDMT: -20°F @ 275 PSIG  
DESIGN CAP: 180 GPM @ 2.25 PSID CLEAN

47  
46  
45  
44  
43  
42  
41  
40  
39  
38  
37  
36  
35  
34  
33  
32  
31  
30  
29  
28  
27  
26  
25  
24  
23  
22  
21  
20  
19  
18  
17  
16  
15  
14  
13  
12  
11  
10  
9  
8  
7  
6  
5  
4  
3  
2  
1

47  
46  
45  
44  
43  
42  
41  
40  
39  
38  
37  
36  
35  
34  
33  
32  
31  
30  
29  
28  
27  
26  
25  
24  
23  
22  
21  
20  
19  
18  
17  
16  
15  
14  
13  
12  
11  
10  
9  
8  
7  
6  
5  
4  
3  
2  
1



PROJECT PIT.22.7136





MARCELLUS SHALE DEVELOPMENT  
MAJORSVILLE CGP  
PIPING & INSTRUMENTATION DIAGRAM  
PARTICULATE FILTER SEPARATORS

| REV. | DESCRIPTION             | BY  | CHK'D | APP'D | DATE     | DRAWN    | PH | 03/11/14 |
|------|-------------------------|-----|-------|-------|----------|----------|----|----------|
| 3    | AS-BUILT FOR PHA        | RCA | KBK   | JMM   | 04/01/22 |          |    |          |
| 2    | MOC# 05242016           | BMS | CB    | BMS   | 09/06/16 | CLIENT   | -  | -        |
| 1    | AS-BUILT                | CNH | KRE   | BMS   | 08/24/15 | APPROVED | JD | 03/11/14 |
| 0    | ISSUED FOR CONSTRUCTION | PH  | JC    | JD    | 03/11/14 | CHECKED  | JC | 03/11/14 |

JOB NO. 009963.001 DWG. NO. MJV-CGP-10-0297

P-745  
SUBMERSIBLE SUMP PUMP

V-745  
NGL STABILIZER  
30" OD X 55'-0" S/S TWO (2) 20' SECTIONS  
M.W.P.: 300 PSIG @ 375 F  
2" H



- NOTES:
1. VENDOR SUPPLIED PIPING.
  2. HIGH LEVEL WILL TURN ON SUMP PUMP. LOW LEVEL WILL TURN OFF SUMP PUMP.

| REV. | DESCRIPTION                             | BY  | CHK'D | APP'D | DATE     | DRAWN | PH | 03/11/14 |
|------|-----------------------------------------|-----|-------|-------|----------|-------|----|----------|
| 5    | REVISED PER PHA REDLINES                | RCA | KBK   | JMM   | 09/02/22 |       |    |          |
| 4    | AS-BUILT FOR PHA                        | RCA | KBK   | JMM   | 04/01/22 |       |    |          |
| 3    | REVISED FOR MOC # 08282015              | BMS | CB    | BMS   | 09/18/15 |       |    |          |
| 2    | AS-BUILT                                | CNH | KRE   | BMS   | 08/24/15 |       |    |          |
| 1    | IFC - REVISED PER HAZOP RECOMMENDATIONS | SS  | EH    | JC    | 04/18/14 |       |    |          |
| 0    | ISSUED FOR CONSTRUCTION                 | PH  | JC    | JD    | 03/11/14 |       |    |          |

PITTSBURGH - PHILADELPHIA - CHICAGO - DETROIT - ST. LOUIS - HOUSTON

PROJECT **PIT.22.7136**

Marcellus Shale Development  
MAJORSVILLE CGP  
PIPING & INSTRUMENTATION DIAGRAM  
NGL STABILIZER TOWER

|                  |            |          |
|------------------|------------|----------|
| CLIENT           | -          | -        |
| APPROVED         | JD         | 03/11/14 |
| CHECKED          | JC         | 03/11/14 |
| JOB NO.          | 009963.001 | DWG. NO. |
| MJV-CGP-10-0301B |            |          |

E-742  
NGL HEAT RECOVERY EXCHANGER  
4" X 3/4" X 240" 44MMBTU/HR  
MWP 300 PSIG @ 375° F. (SHELL)  
300 PSIG @ 250° F. (TUBE)  
1/16" C.A. (EXCL. TUBES)

