BBO's ACBL card: every slot, numbered

green: the BBO map covers it (237) red: nothing does (80) amber: a lead circle the round trip gets wrong (59) table on the next pages

SPECIAL DOUBLES

After Overcall: Penalty ☐
Negative ☐ thru
Responsive: ☐ thru Maximal ☐
Support: Dbl ☐ thru Rdbl ☐
Card-showing ☐ Min. Offshape T/O ☐

SIMPLE OVERCALL

1-level ___ to ___ HCP (usually)
Often 4 cards ☐ Very light style ☐

Responses

New Suit: Forcing ☐ NFConst ☐ NF ☐
Jump Raise: Forcing ☐ Inv. ☐ Weak ☐

JUMP OVERCALL

Strong ☐ Intermediate ☐ Weak ☐

OPENING PREEMPTS

	Sound	Light	Very Light
3/4-bids	☐	☐	☐

Conv./Resp.

DIRECT CUEBID

Over:	Minor	Major
Natural	☐	☐
Strong T/O	☐	☐
Michaels	☐	☐

NOTRUMP OVERCALLS

Direct: ___ to ___ Systems on ☐
Conv.
Balance: ___ to ___
Jump to 2NT: Minors ☐ 2 Lowest ☐
Conv.

DEFENSE VS NOTRUMP

vs:		
2♣		
2♦		
2♥		
2♠		
Dbl		

Other:

OVER OPP'S T/O DOUBLE

New Suit Forcing: 1-level ☐ 2-level ☐
Redouble implies no fit ☐

	Limit +	Limit	Weak
2NT Over Majors	☐	☐	☐
Minors	☐	☐	☐

Other:

VS OPENING PREEMPT DOUBLE IS

Takeout ☐ thru Penalty ☐
Conv. Takeout:
Lebensohl 2NT Response ☐
Other:

SLAM CONVENTIONS

Gerber ☐ 4NT: Blackwood ☐ RKC ☐ 1430 ☐

vs. Interference: DOPI ☐ DEPO ☐ Level: ROPI ☐

LEADS (click card led, if not in bold)

versus Suits

x x x	x x x x	x x x x	x x x x
x x x	x x x x	x x x x	x x x x
A K x	x x x x	A K x x	x x x x
K Q x	K x x x	A J x x	A 10 9 8
Q J x	K 10 x x	K Q J x	K Q 10 9
J 10 x	Q 10 9 x	K Q 10 x	A Q 10 8
K Q 10 9		J 10 9 x	10 9 8 x

versus Notrump

x x x	x x x x	x x x x	x x x x
x x x	x x x x	x x x x	x x x x
A K x	x x x x	A K x x	x x x x
K Q x	K x x x	A J x x	A 10 9 8
Q J x	K 10 x x	K Q J x	K Q 10 9
J 10 x	Q 10 9 x	K Q 10 x	A Q 10 8
K Q 10 9		J 10 9 x	10 9 8 x

Length Leads:

	vs Suits	vs NT
4th Best	☐	☐
3rd/5th Best	☐	☐
		Attitude vs NT ☐

Primary signal to partner's leads

Attitude ☐ Count ☐ Suit Preference ☐

DEFENSIVE CARDING

	vs Suits	vs NT
Standard:	☐	☐
Except ☐		
Upside-Down Count	☐	☐
Upside-Down Attitude	☐	☐

FIRST DISCARD

Lavinthal	☐	☐
Odd/Even	☐	☐

OTHER CARDING

Smith Echo	☐	☐
Trump Suit Pref.	☐	
Foster Echo	☐	☐

SPECIAL CARDING ☐ PLEASE ASK

NAMES

GENERAL APPROACH

Two Over One: Game Forcing ☐ Game Forcing Except When Suit Rebid ☐
VERY LIGHT: Openings ☐ 3rd Hand ☐ Overcalls ☐ Preempts ☐
FORCING OPENING: 1♣ ☐ 2♣ ☐ Natural 2 Bids ☐ Other ☐

NOTRUMP OPENING BIDS

1NT ___ to ___ to ___
5-Card Major Common ☐
System On Over
2♣ Stayman ☐ Puppet ☐
2♦ Transfer to ♥ ☐
Forcing Stayman ☐
2♥ Transfer to ♠ ☐
2♠
2NT

3♣
3♦
3♥
3♠

4♦, 4♥ Transfer ☐
Smolen ☐
Lebensohl ☐ (___ denies)
Negative Double ☐

2NT ___ to ___
Puppet Stayman ☐

Transfer Responses:
Jacoby ☐ Texas ☐

3♠

3NT ___ to ___

Conventional NT Openings

MAJOR OPENING

Expected Min. Length	4	5
1st/2nd	☐	☐
3rd/4th	☐	☐

RESPONSES

Double Raise: Force ☐ Inv. ☐ Weak ☐
After Overcall: Force ☐ Inv. ☐ Weak ☐
Conv. Raise: 2NT ☐ 3NT ☐ Splinter ☐
Other:
1NT: Forcing ☐ Semi-forcing ☐
2NT: Forcing ☐ Inv. ☐ ___ to ___
3NT: ___ to ___
Drury ☐ : Reverse ☐ 2-Way ☐ Fit ☐
Other:

MINOR OPENING

Expected Min. Length	4	3	NF 0-2 Conv.
1♣	☐	☐	☐
1♦	☐	☐	☐

RESPONSES

Double Raise: Force ☐ Inv. ☐ Weak ☐
After Overcall: Force ☐ Inv. ☐ Weak ☐
Forcing Raise: J/S in other minor ☐
Single raise ☐ Other:
Frequently bypass 4+♦ ☐
1NT/1♠: ___ to ___
2NT: Forcing ☐ Inv. ___ to ___
3NT: ___ to ___
Other:

DESCRIBE / RESPONSES/REBIDS

	DESCRIBE	RESPONSES/REBIDS
2♣ ___ to ___ HCP	Strong ☐ Other ☐	
	2♦ Response: Neg ☐ Waiting ☐	
2♦ ___ to ___ HCP	Natural: Weak ☐ Intermediate ☐ Strong ☐ Conv ☐	2NT Force ☐ New Suit NF ☐
2♥ ___ to ___ HCP	Natural: Weak ☐ Intermediate ☐ Strong ☐ Conv ☐	2NT Force ☐ New Suit NF ☐
2♠ ___ to ___ HCP	Natural: Weak ☐ Intermediate ☐ Strong ☐ Conv ☐	2NT Force ☐ New Suit NF ☐

OTHER CONV CALLS: New Minor Forcing ☐ 2-Way NMF ☐

Weak jump shifts: In Comp. ☐ Not In Comp. ☐
4th Suit Forcing: 1 Round ☐ To Game ☐

BBO's ACBL card: slots and the card fields they fill

376 slots on BBO's card: 109 text slots (E_), 168 checkboxes (C_), 99 lead circles (L_). Read from https://webutil.bridgebase.com/v2/acblcc/acblCC.html.
Mapped: 95 text slots, 102 checkboxes, 40 lead circles. A slot the map doesn't cover still goes back to BBO unchanged when the card came from BBO (the export starts from _bbo_raw); a card made in the editor has nothing for it.
Lead circles are read by a rule in js/bbo.js (ls-akx-a: vs suits, from AKx, the A), not by the map. Amber: the holding is not in the spec, or the export writes the circle under another key.
The 2C lines (2COther1-6) and the names slot are rules in js/bbo.js too.
The map names 9 slot(s) BBO's card does not have: C_drury2W, C_minorC5, C_minorD5, C_minorInvForcing, C_2CVeryStrong, C_systemOnB, E_vs1NT2N1, E_vs1NT2N2, E_dblOther6.
BBO's page uses the ids L_ls-kj10x-j, L_ls-kj10x-10 for two circles each (numbered a and b); BBO can only read the first.

#	BBO slot	Kind	On BBO's card	Card field	Spec label
1	C_dblPenalty	Tick	SPECIAL DOUBLES: Penalty	not mapped	
2	E_dblOther1	Text	SPECIAL DOUBLES: After Overcall	not mapped	
3	C_dblNegative	Tick	SPECIAL DOUBLES: Negative	doubles.negative.play	Negative doubles
4	E_dblOther2	Text	SPECIAL DOUBLES: thru	doubles.negative.through	Negative doubles through
5	C_dblResponsive	Tick	SPECIAL DOUBLES: Responsive	doubles.responsive.play	Responsive doubles
6	E_dblOther3	Text	SPECIAL DOUBLES: thru	doubles.responsive.through	Responsive doubles through
7	C_dblMaximal	Tick	SPECIAL DOUBLES: Maximal	doubles.maximal	Maximal doubles
8	C_dblSupport	Tick	SPECIAL DOUBLES: Support: Dbl	doubles.support.play	Support doubles
9	E_dblOther4	Text	SPECIAL DOUBLES: thru	doubles.support.through	Support doubles through
10	C_rdblSupport	Tick	SPECIAL DOUBLES: Rdbl	doubles.support.rdbl	Support redouble
11	C_dblCards	Tick	SPECIAL DOUBLES: Card-showing	not mapped	
12	C_dblTO	Tick	SPECIAL DOUBLES: Min. Offshape T/O	not mapped	
13	E_dblOther5	Text	SPECIAL DOUBLES: Other doubles	doubles.notes (line 1 of 2)	Double notes (card write-in)
14	E_ocallMin	Text	SIMPLE OVERCALL: 1-level	overcalls.one_level_min (the number)	1-level overcall: minimum
15	E_ocallMax	Text	SIMPLE OVERCALL: to	overcalls.one_level_max (the number)	1-level overcall: maximum
16	C_ocall4Cards	Tick	SIMPLE OVERCALL: Often 4 cards	not mapped	
17	C_ocallLight	Tick	SIMPLE OVERCALL: Very light style	not mapped	
18	C_ocallNSF	Tick	SIMPLE OVERCALL › Responses: New Suit: Forcing	overcalls.responses.new_suit = "forcing"	New-suit response
19	C_ocallNSC	Tick	SIMPLE OVERCALL › Responses: NFConst	overcalls.responses.new_suit = "nf_constructive"	New-suit response
20	C_ocallNSNF	Tick	SIMPLE OVERCALL › Responses: NF	not mapped	
21	C_ocallJRF	Tick	SIMPLE OVERCALL › Responses: Jump Raise: Forcing	not mapped	
22	C_ocallJRI	Tick	SIMPLE OVERCALL › Responses: Inv.	not mapped	
23	C_ocallJRW	Tick	SIMPLE OVERCALL › Responses: Weak	overcalls.responses.jump_raise = "weak"	Jump-raise response
24	E_ocallOther	Text	SIMPLE OVERCALL › Responses: Other special overcalls	overcalls.notes	Overcall notes (card write-in)
25	C_jOcallS	Tick	JUMP OVERCALL: Strong	overcalls.jump = "strong"	Jump overcalls
26	C_jOcallI	Tick	JUMP OVERCALL: Intermediate	overcalls.jump = "intermediate"	Jump overcalls
27	C_jOcallW	Tick	JUMP OVERCALL: Weak	overcalls.jump = "weak"	Jump overcalls
28	E_jOcallOther	Text	JUMP OVERCALL: Other jump overcalls	not mapped	
29	C_preS	Tick	OPENING PREEMPTS: Sound	preempts.three_level_style = "sound"	3-level style
30	C_preL	Tick	OPENING PREEMPTS: Light	preempts.three_level_style = "light"	3-level style
31	C_preVL	Tick	OPENING PREEMPTS: Very Light	preempts.three_level_style = "very_light"	3-level style
32	E_preOther	Text	OPENING PREEMPTS: Conv./Resp.	not mapped	
33	C_cueMinorN	Tick	DIRECT CUEBID: Minor cuebid = natural	not mapped	
34	C_cueMajorN	Tick	DIRECT CUEBID: Major cuebid = natural	not mapped	
35	C_cueMinorS	Tick	DIRECT CUEBID: Minor cuebid = strong T/O	not mapped	
36	C_cueMajorS	Tick	DIRECT CUEBID: Major cuebid = strong T/O	not mapped	
37	C_cueMinorM	Tick	DIRECT CUEBID: Minor cuebid = Michaels	direct_cuebids.nat_minors_michaels	Cue of a natural 1C/1D: Michaels (both majors)
38	C_cueMajorM	Tick	DIRECT CUEBID: Major cuebid = Michaels	direct_cuebids.nat_majors_michaels	Cue of 1H/1S: Michaels (the other major and a minor)
39	E_cueOther	Text	DIRECT CUEBID: Other direct cue bids	direct_cuebids.description	Direct cuebids: notes
40	E_1NOcallDMin	Text	NOTRUMP OVERCALLS › Direct: Direct	nt_overcalls.direct.range_min (the number)	Direct 1NT: minimum
				nt_overcalls.direct.range_min_plus (a + after it)	Direct 1NT: minimum has a plus
				nt_overcalls.direct.range_min_minus (a - after it)	Direct 1NT: minimum has a minus
41	E_1NOcallDMax	Text	NOTRUMP OVERCALLS › Direct: to	nt_overcalls.direct.range_max (the number)	Direct 1NT: maximum
				nt_overcalls.direct.range_max_plus (a + after it)	Direct 1NT: maximum has a plus
				nt_overcalls.direct.range_max_minus (a - after it)	Direct 1NT: maximum has a minus
42	C_systemOn	Tick	NOTRUMP OVERCALLS › Direct: Systems on	nt_overcalls.direct.systems_on	Direct 1NT: systems on
43	E_1NOcallOther1	Text	NOTRUMP OVERCALLS › Direct: Conv.	nt_overcalls.direct.conv_text	Direct 1NT: conventional
				nt_overcalls.notes (line 1 of 2, import only)	NT overcall notes (card write-in)
44	E_1NOcallBMin	Text	NOTRUMP OVERCALLS › Balance: Balance	nt_overcalls.balance.range_min (the number)	Balancing 1NT: minimum

BBO's ACBL card: slots and the card fields they fill

#	BBO slot	Kind	On BBO's card	Card field	Spec label
				nt_overcalls.balance.range_min_plus (a + after it)	Balancing 1NT: minimum has a plus
				nt_overcalls.balance.range_min_minus (a - after it)	Balancing 1NT: minimum has a minus
45	E_1NOcallBMax	Text	NOTRUMP OVERCALLS › Balance: to	nt_overcalls.balance.range_max (the number)	Balancing 1NT: maximum
				nt_overcalls.balance.range_max_plus (a + after it)	Balancing 1NT: maximum has a plus
				nt_overcalls.balance.range_max_minus (a - after it)	Balancing 1NT: maximum has a minus
46	C_2NTOcallMinors	Tick	NOTRUMP OVERCALLS › Balance: Jump to 2NT: Minors	not mapped	
47	C_2NTOcallLowest	Tick	NOTRUMP OVERCALLS › Balance: 2 Lowest	nt_overcalls.jump_2nt_lowest_unbid	Jump 2NT = two lowest unbid
48	E_1NOcallOther2	Text	NOTRUMP OVERCALLS › Balance: Conv.	nt_overcalls.balance.conv_text	Balancing 1NT: conventional
				nt_overcalls.notes (line 2 of 2, import only)	NT overcall notes (card write-in)
49	E_vs1NTHead1	Text	DEFENSE VS NOTRUMP › vs: NT defense heading 1	competitive.vs_1nt_strong.system	Defense vs strong 1NT
50	E_vs1NTHead2	Text	DEFENSE VS NOTRUMP › vs: NT defense heading 2	competitive.vs_1nt_weak.system	Defense vs weak 1NT
51	E_vs1NT2C1	Text	DEFENSE VS NOTRUMP › vs: 2C col 1	competitive.vs_1nt_strong.2c	Vs strong 1NT: 2C
52	E_vs1NT2C2	Text	DEFENSE VS NOTRUMP › vs: 2C col 2	competitive.vs_1nt_weak.2c	Vs weak 1NT: 2C
53	E_vs1NT2D1	Text	DEFENSE VS NOTRUMP › vs: 2D col 1	competitive.vs_1nt_strong.2d	Vs strong 1NT: 2D
54	E_vs1NT2D2	Text	DEFENSE VS NOTRUMP › vs: 2D col 2	competitive.vs_1nt_weak.2d	Vs weak 1NT: 2D
55	E_vs1NT2H1	Text	DEFENSE VS NOTRUMP › vs: 2H col 1	competitive.vs_1nt_strong.2h	Vs strong 1NT: 2H
56	E_vs1NT2H2	Text	DEFENSE VS NOTRUMP › vs: 2H col 2	competitive.vs_1nt_weak.2h	Vs weak 1NT: 2H
57	E_vs1NT2S1	Text	DEFENSE VS NOTRUMP › vs: 2S col 1	competitive.vs_1nt_strong.2s	Vs strong 1NT: 2S
58	E_vs1NT2S2	Text	DEFENSE VS NOTRUMP › vs: 2S col 2	competitive.vs_1nt_weak.2s	Vs weak 1NT: 2S
59	E_vs1NTDbl1	Text	DEFENSE VS NOTRUMP › vs: Double col 1	competitive.vs_1nt_strong.dbl	Vs strong 1NT: double
60	E_vs1NTDbl2	Text	DEFENSE VS NOTRUMP › vs: Double col 2	competitive.vs_1nt_weak.dbl	Vs weak 1NT: double
61	E_vs1NTOther1	Text	DEFENSE VS NOTRUMP › vs: Other	competitive.notes (line 1 of 2)	Defense vs 1NT notes (card write-in)
62	E_vs1NTOther2	Text	DEFENSE VS NOTRUMP › vs: Additional 1NT defense	competitive.notes (line 2 of 2)	Defense vs 1NT notes (card write-in)
63	C_vsTONSF1	Tick	OVER OPP'S T/O DOUBLE: New Suit Forcing 1-level	vs_to_double.new_suit_forcing_1lvl	Vs takeout double: new suit forcing at the 1-level
64	C_vsTONSF2	Tick	OVER OPP'S T/O DOUBLE: New Suit Forcing 2-level	vs_to_double.new_suit_forcing_2lvl	Vs takeout double: new suit forcing at the 2-level
65	C_vsTORdbl	Tick	OVER OPP'S T/O DOUBLE: Redouble implies no fit	vs_to_double.redouble.ten_plus	Vs takeout double: redouble shows 10+
66	C_vsTOMajorsLP	Tick	OVER OPP'S T/O DOUBLE: 2NT = Limit+ over Majors	vs_to_double.two_nt_raise_majors.limit_plus	Jordan (Truscott) 2NT
67	C_vsTOMajorsL	Tick	OVER OPP'S T/O DOUBLE: 2NT = Limit over Majors	not mapped	
68	C_vsTOMajorsW	Tick	OVER OPP'S T/O DOUBLE: 2NT = Weak over Majors	not mapped	
69	C_vsTOMinorsLP	Tick	OVER OPP'S T/O DOUBLE: 2NT = Limit+ over Minors	vs_to_double.two_nt_raise_minors.limit_plus	Vs takeout double: 2NT raise of a minor, limit or better
70	C_vsTOMinorsL	Tick	OVER OPP'S T/O DOUBLE: 2NT = Limit over Minors	not mapped	
71	C_vsTOMinorsW	Tick	OVER OPP'S T/O DOUBLE: 2NT = Weak over Minors	not mapped	
72	E_vsTOOther	Text	OVER OPP'S T/O DOUBLE: Other	vs_to_double.notes	Vs takeout double notes (card write-in)
73	C_vsPreTO	Tick	VS OPENING PREEMPT DOUBLE IS: Takeout	vs_preempts.takeout_double	Vs preempts: double is takeout
74	E_vsPreTOThru	Text	VS OPENING PREEMPT DOUBLE IS: thru	vs_preempts.takeout_double_thru	Vs preempts: takeout double through
75	C_vsPrePen	Tick	VS OPENING PREEMPT DOUBLE IS: Penalty	not mapped	
76	E_vsPreConv	Text	VS OPENING PREEMPT DOUBLE IS: Conv. Takeout	not mapped	
77	C_vsPreLeb	Tick	VS OPENING PREEMPT DOUBLE IS: Lebensohl 2NT Response	vs_preempts.lebensohl_response	Lebensohl after doubling a weak two
78	E_vsPreOther	Text	VS OPENING PREEMPT DOUBLE IS: Other	not mapped	
79	C_gerber	Tick	SLAM CONVENTIONS: SLAM CONVENTIONS Gerber	other_conventions.gerber.play	Gerber
80	C_blackwood	Tick	SLAM CONVENTIONS: SLAM CONVENTIONS Blackwood	slam.blackwood.play	Standard Blackwood
81	C_rkc	Tick	SLAM CONVENTIONS: SLAM CONVENTIONS RKC	slam.rkcb.play	Roman Keycard Blackwood
				slam.rkcb.style = "0314"	RKCB responses
82	C_1430	Tick	SLAM CONVENTIONS: SLAM CONVENTIONS 1430	slam.rkcb.play	Roman Keycard Blackwood
				slam.rkcb.style = "1430"	RKCB responses
83	E_slamOther1	Text	SLAM CONVENTIONS: Other Blackwood details	slam.control_bids	Control bids (notes)
84	E_slamOther2	Text	SLAM CONVENTIONS: Other Blackwood details line 2	slam.vs_interference	Vs interference
85	C_dopi	Tick	SLAM CONVENTIONS: vs. Interference DOPI	slam.dopi	DOPI
86	C_depo	Tick	SLAM CONVENTIONS: vs. Interference DEPO	slam.depo	DEPO
87	E_slamLevel	Text	SLAM CONVENTIONS: Level	slam.trump_level	Trump-level cutover
88	C_ropi	Tick	SLAM CONVENTIONS: ROPI	slam.ropi	ROPI
89	L_ls-xx-x1	Circle	Leads vs Suits: xx: x	leads.vs_suits.length.lead_choice_xx = 1	Lead vs suits from xx
90	L_ls-xx-x2	Circle	Leads vs Suits: xx: x	leads.vs_suits.length.lead_choice_xx = 2	Lead vs suits from xx
91	L_ls-xxxx-x1	Circle	Leads vs Suits: xxxx: x	leads.vs_suits.length.lead_choice_xxxx = 1	Lead vs suits from xxxx
92	L_ls-xxxx-x2	Circle	Leads vs Suits: xxxx: x	leads.vs_suits.length.lead_choice_xxxx = 2	Lead vs suits from xxxx

BBO's ACBL card: slots and the card fields they fill

#	BBO slot	Kind	On BBO's card	Card field	Spec label
93	L_ls-xxxx-x3	Circle	Leads vs Suits: xxxx: x	leads.vs_suits.length.lead_choice_xxxx = 3	Lead vs suits from xxxx
94	L_ls-xxxx-x4	Circle	Leads vs Suits: xxxx: x	leads.vs_suits.length.lead_choice_xxxx = 4	Lead vs suits from xxxx
95	L_ls-xxx-x1	Circle	Leads vs Suits: xxx: x	leads.vs_suits.length.lead_choice_xxx = 1	Lead vs suits from xxx
96	L_ls-xxx-x2	Circle	Leads vs Suits: xxx: x	leads.vs_suits.length.lead_choice_xxx = 2	Lead vs suits from xxx
97	L_ls-xxx-x3	Circle	Leads vs Suits: xxx: x	leads.vs_suits.length.lead_choice_xxx = 3	Lead vs suits from xxx
98	L_ls-xxxxx-x1	Circle	Leads vs Suits: xxxxx: x	leads.vs_suits.length.lead_choice_xxxxx = 1	Lead vs suits from xxxxx
99	L_ls-xxxxx-x2	Circle	Leads vs Suits: xxxxx: x	leads.vs_suits.length.lead_choice_xxxxx = 2	Lead vs suits from xxxxx
100	L_ls-xxxxx-x3	Circle	Leads vs Suits: xxxxx: x	leads.vs_suits.length.lead_choice_xxxxx = 3	Lead vs suits from xxxxx
101	L_ls-xxxxx-x4	Circle	Leads vs Suits: xxxxx: x	leads.vs_suits.length.lead_choice_xxxxx = 4	Lead vs suits from xxxxx
102	L_ls-xxxxx-x5	Circle	Leads vs Suits: xxxxx: x	leads.vs_suits.length.lead_choice_xxxxx = 5	Lead vs suits from xxxxx
103	L_ls-akx-a	Circle	Leads vs Suits: AKx: A	leads.vs_suits.honors.lead_choice_akx = 1	Lead vs suits from AKx
104	L_ls-akx-k	Circle	Leads vs Suits: AKx: K	leads.vs_suits.honors.lead_choice_akx = 2	Lead vs suits from AKx
105	L_ls-akx-x	Circle	Leads vs Suits: AKx: x	leads.vs_suits.honors.lead_choice_akx = 3	Lead vs suits from AKx; exports as L_ls-akx-x1
106	L_ls-109x-10	Circle	Leads vs Suits: 109x: 10	leads.vs_suits.honors.lead_choice_109x = 10	NOT IN THE SPEC
107	L_ls-109x-9	Circle	Leads vs Suits: 109x: 9	leads.vs_suits.honors.lead_choice_109x = 9	NOT IN THE SPEC
108	L_ls-109x-x	Circle	Leads vs Suits: 109x: x	leads.vs_suits.honors.lead_choice_109x = 4	NOT IN THE SPEC
109	L_ls-kqx-k	Circle	Leads vs Suits: KQx: K	leads.vs_suits.honors.lead_choice_kqx = 1	Lead vs suits from KQx
110	L_ls-kqx-q	Circle	Leads vs Suits: KQx: Q	leads.vs_suits.honors.lead_choice_kqx = 2	Lead vs suits from KQx
111	L_ls-kqx-x	Circle	Leads vs Suits: KQx: x	leads.vs_suits.honors.lead_choice_kqx = 3	Lead vs suits from KQx; exports as L_ls-kqx-x1
112	L_ls-kj10x-k	Circle	Leads vs Suits: KJ10x: K	leads.vs_suits.honors.lead_choice_kj10x = 1	NOT IN THE SPEC
113	L_ls-kj10x-j	Circle	Leads vs Suits: KJ10x: J	leads.vs_suits.honors.lead_choice_kj10x = 2	NOT IN THE SPEC
114	L_ls-kj10x-10	Circle	Leads vs Suits: KJ10x: 10	leads.vs_suits.honors.lead_choice_kj10x = 10	NOT IN THE SPEC
115	L_ls-kj10x-x	Circle	Leads vs Suits: KJ10x: x	leads.vs_suits.honors.lead_choice_kj10x = 5	NOT IN THE SPEC
116	L_ls-qjx-q	Circle	Leads vs Suits: QJx: Q	leads.vs_suits.honors.lead_choice_qjx = 1	Lead vs suits from QJx
117	L_ls-qjx-j	Circle	Leads vs Suits: QJx: J	leads.vs_suits.honors.lead_choice_qjx = 2	Lead vs suits from QJx
118	L_ls-qjx-x	Circle	Leads vs Suits: QJx: x	leads.vs_suits.honors.lead_choice_qjx = 3	Lead vs suits from QJx; exports as L_ls-qjx-x1
119	L_ls-k109x-k	Circle	Leads vs Suits: K109x: K	leads.vs_suits.honors.lead_choice_k109x = 1	NOT IN THE SPEC
120	L_ls-k109x-10	Circle	Leads vs Suits: K109x: 10	leads.vs_suits.honors.lead_choice_k109x = 10	NOT IN THE SPEC
121	L_ls-k109x-9	Circle	Leads vs Suits: K109x: 9	leads.vs_suits.honors.lead_choice_k109x = 9	NOT IN THE SPEC
122	L_ls-k109x-x	Circle	Leads vs Suits: K109x: x	leads.vs_suits.honors.lead_choice_k109x = 5	NOT IN THE SPEC
123	L_ls-j10x-j	Circle	Leads vs Suits: J10x: J	leads.vs_suits.honors.lead_choice_j10x = 1	NOT IN THE SPEC
124	L_ls-j10x-10	Circle	Leads vs Suits: J10x: 10	leads.vs_suits.honors.lead_choice_j10x = 10	NOT IN THE SPEC
125	L_ls-j10x-x	Circle	Leads vs Suits: J10x: x	leads.vs_suits.honors.lead_choice_j10x = 4	NOT IN THE SPEC
126	L_ls-q109x-q	Circle	Leads vs Suits: Q109x: Q	leads.vs_suits.honors.lead_choice_q109x = 1	NOT IN THE SPEC
127	L_ls-q109x-10	Circle	Leads vs Suits: Q109x: 10	leads.vs_suits.honors.lead_choice_q109x = 10	NOT IN THE SPEC
128	L_ls-q109x-9	Circle	Leads vs Suits: Q109x: 9	leads.vs_suits.honors.lead_choice_q109x = 9	NOT IN THE SPEC
129	L_ls-q109x-x	Circle	Leads vs Suits: Q109x: x	leads.vs_suits.honors.lead_choice_q109x = 5	NOT IN THE SPEC
130	L_ls-kq109-k	Circle	Leads vs Suits: KQ109: K	leads.vs_suits.honors.lead_choice_kq109 = 1	NOT IN THE SPEC
131	L_ls-kq109-q	Circle	Leads vs Suits: KQ109: Q	leads.vs_suits.honors.lead_choice_kq109 = 2	NOT IN THE SPEC
132	L_ls-kq109-10	Circle	Leads vs Suits: KQ109: 10	leads.vs_suits.honors.lead_choice_kq109 = 10	NOT IN THE SPEC
133	L_ls-kq109-9	Circle	Leads vs Suits: KQ109: 9	leads.vs_suits.honors.lead_choice_kq109 = 9	NOT IN THE SPEC
134	L_ln-xx-x1	Circle	Leads vs NT: xx: x	leads.vs_nt.length.lead_choice_xx = 1	Lead vs NT from xx
135	L_ln-xx-x2	Circle	Leads vs NT: xx: x	leads.vs_nt.length.lead_choice_xx = 2	Lead vs NT from xx
136	L_ln-xxxx-x1	Circle	Leads vs NT: xxxx: x	leads.vs_nt.length.lead_choice_xxxx = 1	Lead vs NT from xxxx
137	L_ln-xxxx-x2	Circle	Leads vs NT: xxxx: x	leads.vs_nt.length.lead_choice_xxxx = 2	Lead vs NT from xxxx
138	L_ln-xxxx-x3	Circle	Leads vs NT: xxxx: x	leads.vs_nt.length.lead_choice_xxxx = 3	Lead vs NT from xxxx
139	L_ln-xxxx-x4	Circle	Leads vs NT: xxxx: x	leads.vs_nt.length.lead_choice_xxxx = 4	Lead vs NT from xxxx
140	L_ln-xxx-x1	Circle	Leads vs NT: xxx: x	leads.vs_nt.length.lead_choice_xxx = 1	Lead vs NT from xxx
141	L_ln-xxx-x2	Circle	Leads vs NT: xxx: x	leads.vs_nt.length.lead_choice_xxx = 2	Lead vs NT from xxx
142	L_ln-xxx-x3	Circle	Leads vs NT: xxx: x	leads.vs_nt.length.lead_choice_xxx = 3	Lead vs NT from xxx
143	L_ln-xxxxx-x1	Circle	Leads vs NT: xxxxx: x	leads.vs_nt.length.lead_choice_xxxxx = 1	Lead vs NT from xxxxx
144	L_ln-xxxxx-x2	Circle	Leads vs NT: xxxxx: x	leads.vs_nt.length.lead_choice_xxxxx = 2	Lead vs NT from xxxxx
145	L_ln-xxxxx-x3	Circle	Leads vs NT: xxxxx: x	leads.vs_nt.length.lead_choice_xxxxx = 3	Lead vs NT from xxxxx
146	L_ln-xxxxx-x4	Circle	Leads vs NT: xxxxx: x	leads.vs_nt.length.lead_choice_xxxxx = 4	Lead vs NT from xxxxx
147	L_ln-xxxxx-x5	Circle	Leads vs NT: xxxxx: x	leads.vs_nt.length.lead_choice_xxxxx = 5	Lead vs NT from xxxxx

BBO's ACBL card: slots and the card fields they fill

#	BBO slot	Kind	On BBO's card	Card field	Spec label
148	L_ln-akjx-a	Circle	Leads vs NT: AKJx: A	leads.vs_nt.honors.lead_choice_akjx = 1	NOT IN THE SPEC
149	L_ln-akjx-k	Circle	Leads vs NT: AKJx: K	leads.vs_nt.honors.lead_choice_akjx = 2	NOT IN THE SPEC
150	L_ln-akjx-j	Circle	Leads vs NT: AKJx: J	leads.vs_nt.honors.lead_choice_akjx = 3	NOT IN THE SPEC
151	L_ln-akjx-x	Circle	Leads vs NT: AKJx: x	leads.vs_nt.honors.lead_choice_akjx = 4	NOT IN THE SPEC
152	L_ln-aqjx-a	Circle	Leads vs NT: AQJx: A	leads.vs_nt.honors.lead_choice_aqjx = 1	Lead vs NT from AQJx
153	L_ln-aqjx-q	Circle	Leads vs NT: AQJx: Q	leads.vs_nt.honors.lead_choice_aqjx = 2	Lead vs NT from AQJx
154	L_ln-aqjx-j	Circle	Leads vs NT: AQJx: J	leads.vs_nt.honors.lead_choice_aqjx = 3	Lead vs NT from AQJx
155	L_ln-aqjx-x	Circle	Leads vs NT: AQJx: x	leads.vs_nt.honors.lead_choice_aqjx = 4	Lead vs NT from AQJx; exports as L_ln-aqjx-x1
156	L_ln-aj109-a	Circle	Leads vs NT: AJ109: A	leads.vs_nt.honors.lead_choice_aj109 = 1	NOT IN THE SPEC
157	L_ln-aj109-j	Circle	Leads vs NT: AJ109: J	leads.vs_nt.honors.lead_choice_aj109 = 2	NOT IN THE SPEC
158	L_ln-aj109-10	Circle	Leads vs NT: AJ109: 10	leads.vs_nt.honors.lead_choice_aj109 = 10	NOT IN THE SPEC
159	L_ln-aj109-9	Circle	Leads vs NT: AJ109: 9	leads.vs_nt.honors.lead_choice_aj109 = 9	NOT IN THE SPEC
160	L_ln-a1098-a	Circle	Leads vs NT: A1098: A	leads.vs_nt.honors.lead_choice_a1098 = 1	NOT IN THE SPEC
161	L_ln-a1098-10	Circle	Leads vs NT: A1098: 10	leads.vs_nt.honors.lead_choice_a1098 = 10	NOT IN THE SPEC
162	L_ln-a1098-9	Circle	Leads vs NT: A1098: 9	leads.vs_nt.honors.lead_choice_a1098 = 9	NOT IN THE SPEC
163	L_ln-a1098-8	Circle	Leads vs NT: A1098: 8	leads.vs_nt.honors.lead_choice_a1098 = 8	NOT IN THE SPEC
164	L_ln-kqjx-k	Circle	Leads vs NT: KQJx: K	leads.vs_nt.honors.lead_choice_kqjx = 1	Lead vs NT from KQJx
165	L_ln-kqjx-q	Circle	Leads vs NT: KQJx: Q	leads.vs_nt.honors.lead_choice_kqjx = 2	Lead vs NT from KQJx
166	L_ln-kqjx-j	Circle	Leads vs NT: KQJx: J	leads.vs_nt.honors.lead_choice_kqjx = 3	Lead vs NT from KQJx
167	L_ln-kqjx-x	Circle	Leads vs NT: KQJx: x	leads.vs_nt.honors.lead_choice_kqjx = 4	Lead vs NT from KQJx; exports as L_ln-kqjx-x1
168	L_ln-kq109-k	Circle	Leads vs NT: KQ109: K	leads.vs_nt.honors.lead_choice_kq109 = 1	NOT IN THE SPEC
169	L_ln-kq109-q	Circle	Leads vs NT: KQ109: Q	leads.vs_nt.honors.lead_choice_kq109 = 2	NOT IN THE SPEC
170	L_ln-kq109-10	Circle	Leads vs NT: KQ109: 10	leads.vs_nt.honors.lead_choice_kq109 = 10	NOT IN THE SPEC
171	L_ln-kq109-9	Circle	Leads vs NT: KQ109: 9	leads.vs_nt.honors.lead_choice_kq109 = 9	NOT IN THE SPEC
172	L_ln-qj10x-q	Circle	Leads vs NT: QJ10x: Q	leads.vs_nt.honors.lead_choice_qj10x = 1	NOT IN THE SPEC
173	L_ln-qj10x-j	Circle	Leads vs NT: QJ10x: J	leads.vs_nt.honors.lead_choice_qj10x = 2	NOT IN THE SPEC
174	L_ln-qj10x-10	Circle	Leads vs NT: QJ10x: 10	leads.vs_nt.honors.lead_choice_qj10x = 10	NOT IN THE SPEC
175	L_ln-qj10x-x	Circle	Leads vs NT: QJ10x: x	leads.vs_nt.honors.lead_choice_qj10x = 5	NOT IN THE SPEC
176	L_ln-q1098-q	Circle	Leads vs NT: Q1098: Q	leads.vs_nt.honors.lead_choice_q1098 = 1	NOT IN THE SPEC
177	L_ln-q1098-10	Circle	Leads vs NT: Q1098: 10	leads.vs_nt.honors.lead_choice_q1098 = 10	NOT IN THE SPEC
178	L_ln-q1098-9	Circle	Leads vs NT: Q1098: 9	leads.vs_nt.honors.lead_choice_q1098 = 9	NOT IN THE SPEC
179	L_ln-q1098-8	Circle	Leads vs NT: Q1098: 8	leads.vs_nt.honors.lead_choice_q1098 = 8	NOT IN THE SPEC
180	L_ln-j109x-j	Circle	Leads vs NT: J109x: J	leads.vs_nt.honors.lead_choice_j109x = 1	NOT IN THE SPEC
181	L_ln-j109x-10	Circle	Leads vs NT: J109x: 10	leads.vs_nt.honors.lead_choice_j109x = 10	NOT IN THE SPEC
182	L_ln-j109x-9	Circle	Leads vs NT: J109x: 9	leads.vs_nt.honors.lead_choice_j109x = 9	NOT IN THE SPEC
183	L_ln-j109x-x	Circle	Leads vs NT: J109x: x	leads.vs_nt.honors.lead_choice_j109x = 5	NOT IN THE SPEC
184	L_ln-1098x-10	Circle	Leads vs NT: 1098x: 10	leads.vs_nt.honors.lead_choice_1098x = 10	NOT IN THE SPEC
185	L_ln-1098x-9	Circle	Leads vs NT: 1098x: 9	leads.vs_nt.honors.lead_choice_1098x = 9	NOT IN THE SPEC
186	L_ln-1098x-8	Circle	Leads vs NT: 1098x: 8	leads.vs_nt.honors.lead_choice_1098x = 8	NOT IN THE SPEC
187	L_ln-1098x-x	Circle	Leads vs NT: 1098x: x	leads.vs_nt.honors.lead_choice_1098x = 5	NOT IN THE SPEC
188	C_4thSuits	Tick	DEFENSIVE CARDING › Length Leads: vs Suits	leads.vs_suits.length.fourth_best	Length leads vs suits: fourth best
189	C_4thNT	Tick	DEFENSIVE CARDING › Length Leads: vs NT	leads.vs_nt.length.fourth_best	Length leads vs NT: fourth best
190	C_35thSuits	Tick	DEFENSIVE CARDING › Length Leads: vs Suits	not mapped	
191	C_35thNT	Tick	DEFENSIVE CARDING › Length Leads: vs NT	not mapped	
192	E_leadsOther	Text	DEFENSIVE CARDING › Length Leads: Other Leads	not mapped	
193	C_attitudeNT	Tick	DEFENSIVE CARDING › Length Leads: Attitude vs NT	not mapped	
194	C_primaryA	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Attitude	carding.partner_lead.attitude	Primary signal to partner's lead: attitude
195	C_primaryC	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Count	carding.partner_lead.count	Primary signal to partner's lead: count
196	C_primarySP	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Suit Preference	carding.partner_lead.suit_preference	Primary signal to partner's lead: suit preference
197	C_SCASuits	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Standard carding vs Suits	not mapped	
198	C_SCANT	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Standard carding vs NT	not mapped	
199	C_SCAExcept	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Except	not mapped	
200	E_signalsOther1	Text	DEFENSIVE CARDING › Primary signal to partner's leads: Standard carding exceptions	not mapped	
201	E_signalsOther2	Text	DEFENSIVE CARDING › Primary signal to partner's leads: Standard Carding exceptions line 2	not mapped	
202	C_UDCSuits	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Upside-down count vs Suits	carding.suits.upside_down_count	Upside-down count vs suits

BBO's ACBL card: slots and the card fields they fill

#	BBO slot	Kind	On BBO's card	Card field	Spec label
203	C_UDCNT	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Upside-down count vs NT	carding.nt.upside_down_count	Upside-down count vs NT
204	C_UDASuits	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Upside-down attitude vs Suits	carding.suits.upside_down_attitude	Upside-down attitude vs suits
205	C_UDANT	Tick	DEFENSIVE CARDING › Primary signal to partner's leads: Upside-down attitude vs NT	carding.nt.upside_down_attitude	Upside-down attitude vs NT
206	C_lavSuits	Tick	FIRST DISCARD: Lavinthal 1st discard vs Suits	not mapped	
207	C_lavNT	Tick	FIRST DISCARD: Lavinthal 1st discard vs NT	not mapped	
208	C_OESuits	Tick	FIRST DISCARD: Odd-Even 1st discard vs Suits	not mapped	
209	C_OENT	Tick	FIRST DISCARD: Odd-Even 1st discard vs NT	not mapped	
210	E_discardOther	Text	FIRST DISCARD: Other 1st discard description	carding.notes	Carding notes (card write-in)
211	C_discardSuits	Tick	FIRST DISCARD: Other 1st discard vs Suits	not mapped	
212	C_discardNT	Tick	FIRST DISCARD: Other 1st discard vs NT	not mapped	
213	C_smithSuits	Tick	OTHER CARDING: Smith Echo vs Suits	carding.smith_echo_suits	Smith echo vs suits
214	C_smithNT	Tick	OTHER CARDING: Smith Echo vs NT	carding.smith_echo_nt	Smith echo vs NT
215	C_trumpSP	Tick	OTHER CARDING: Trump Suit Pref.	carding.trump_suit_preference	Trump suit preference
216	C_fosterSuits	Tick	OTHER CARDING: Foster Echo vs Suits	not mapped	
217	C_fosterNT	Tick	OTHER CARDING: Foster Echo vs NT	not mapped	
218	C_specialCarding	Tick	OTHER CARDING: SPECIAL CARDING	not mapped	
219	E_names	Text	NAMES: NAMES	metadata.partner_names	card metadata
220	E_approach	Text	GENERAL APPROACH: GENERAL APPROACH	general.system	System
221	C_2over1GF	Tick	GENERAL APPROACH › Two Over One: Two Over One Game Forcing	major_openings.two_over_one.play	2/1 game force
222	C_2over1GFR	Tick	GENERAL APPROACH › Two Over One: Two Over One Game Forcing Except When Suit Rebid	not mapped	
223	C_VLOpen	Tick	VERY LIGHT: VERY LIGHT Openings	not mapped	
224	C_VL3rd	Tick	VERY LIGHT: VERY LIGHT 3rd Hand	not mapped	
225	C_VLOcall	Tick	VERY LIGHT: VERY LIGHT Overcalls	not mapped	
226	C_VLPre	Tick	VERY LIGHT: VERY LIGHT Preempts	not mapped	
227	C_F1C	Tick	FORCING OPENING: FORCING OPENING 1C	general.forcing_opening_1c	Forcing 1C opening
228	C_F2C	Tick	FORCING OPENING: FORCING OPENING 2C	general.forcing_opening_2c	Forcing 2C opening
229	C_F2B	Tick	FORCING OPENING: FORCING OPENING Natural 2 Bids	not mapped	
230	C_F2O	Tick	FORCING OPENING: FORCING OPENING Other	not mapped	
231	E_fOpenOther	Text	FORCING OPENING: Describe other forcing opening	not mapped	
232	E_1N3C	Text	NOTRUMP OPENING BIDS: 3C	notrump.responses.3c	3C response
233	E_2NTMin	Text	NOTRUMP OPENING BIDS: 2NT	notrump.two_nt.range_min (the number)	2NT range: minimum
				notrump.two_nt.range_min_plus (a + after it)	2NT range: minimum has a plus
				notrump.two_nt.range_min_minus (a - after it)	2NT range: minimum has a minus
234	E_2NTMax	Text	NOTRUMP OPENING BIDS: to	notrump.two_nt.range_max (the number)	2NT range: maximum
				notrump.two_nt.range_max_plus (a + after it)	2NT range: maximum has a plus
				notrump.two_nt.range_max_minus (a - after it)	2NT range: maximum has a minus
235	E_1NTMin1	Text	NOTRUMP OPENING BIDS: 1NT	notrump.one_nt.range_min (the number)	1NT range: minimum
				notrump.one_nt.range_min_plus (a + after it)	1NT range: minimum has a plus
				notrump.one_nt.range_min_minus (a - after it)	1NT range: minimum has a minus
236	E_1NTMax1	Text	NOTRUMP OPENING BIDS: to	notrump.one_nt.range_max (the number)	1NT range: maximum
				notrump.one_nt.range_max_plus (a + after it)	1NT range: maximum has a plus
				notrump.one_nt.range_max_minus (a - after it)	1NT range: maximum has a minus
237	E_1N3D	Text	NOTRUMP OPENING BIDS: 3D	notrump.responses.3d	3D response
238	C_2NPuppet	Tick	NOTRUMP OPENING BIDS: Puppet Stayman	notrump.stayman.puppet_2nt	2NT: Puppet Stayman (3C)
239	E_1NTMin2	Text	NOTRUMP OPENING BIDS: 1NT Minimum line 2	notrump.one_nt_alt.range_min (the number)	Alternate 1NT range: minimum
				notrump.one_nt_alt.range_min_plus (a + after it)	Alternate 1NT range: minimum has a plus
				notrump.one_nt_alt.range_min_minus (a - after it)	Alternate 1NT range: minimum has a minus
240	E_1NTMax2	Text	NOTRUMP OPENING BIDS: to	notrump.one_nt_alt.range_max (the number)	Alternate 1NT range: maximum
				notrump.one_nt_alt.range_max_plus (a + after it)	Alternate 1NT range: maximum has a plus
				notrump.one_nt_alt.range_max_minus (a - after it)	Alternate 1NT range: maximum has a minus
241	E_1N3H	Text	NOTRUMP OPENING BIDS: 3H	notrump.responses.3h	3H response
242	C_1N5M	Tick	NOTRUMP OPENING BIDS › Transfer Responses: 5-Card Major Common	notrump.one_nt.five_card_major = "sometimes"	1NT may contain a 5-card major
243	E_1N3S	Text	NOTRUMP OPENING BIDS › Transfer Responses: 3S	notrump.responses.3s	3S response
244	C_2NJacoby	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Jacoby	notrump.jacoby_transfers.over_2nt	Jacoby transfers over 2NT (3D/3H)
245	C_2NTexas	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Texas	notrump.texas.over_2nt	Texas transfers over 2NT (4D/4H)

BBO's ACBL card: slots and the card fields they fill

#	BBO slot	Kind	On BBO's card	Card field	Spec label
246	E_1NSysOn	Text	NOTRUMP OPENING BIDS › Transfer Responses: System On Over	notrump.one_nt.sys_on_vs	Systems on vs
247	E_1NOther1	Text	NOTRUMP OPENING BIDS › Transfer Responses: Other 1NT details line 1	notes.notrump_notes (line 1 of 5)	NT notes
248	E_2N3S	Text	NOTRUMP OPENING BIDS › Transfer Responses: 3S	notrump.two_nt.three_s_desc	2NT 3S relay notes
249	C_1NStayman	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Stayman	notrump.stayman.forcing	Stayman is forcing
250	C_1NPuppet	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Puppet	notrump.stayman.puppet	Puppet Stayman over 1NT (3C)
251	C_1N2DTrans	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Transfer to H	notrump.jacoby_transfers.play	Jacoby transfers
252	C_1N2DFStay	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Forcing Stayman	not mapped	
253	C_1N2HTrans	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Transfer to S	notrump.jacoby_transfers.play	Jacoby transfers
254	E_1N2S	Text	NOTRUMP OPENING BIDS › Transfer Responses: 2S	notrump.responses.2s_other	2S response
255	E_1N2N	Text	NOTRUMP OPENING BIDS › Transfer Responses: 2NT	notrump.responses.2nt_other	2NT response
256	E_1NOther2	Text	NOTRUMP OPENING BIDS › Transfer Responses: Other 1NT details line 2	notes.notrump_notes (line 2 of 5)	NT notes
257	C_1NTexas	Tick	NOTRUMP OPENING BIDS › Transfer Responses: 4D, 4H Transfer	notrump.texas.play	Texas transfers
258	C_1NSmolen	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Smolen	notrump.smolen.play	Smolen
259	C_1NLeb	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Lebensohl	notrump.lebensohl.play	Lebensohl over interference to 1NT
260	E_1NLebDenies	Text	NOTRUMP OPENING BIDS › Transfer Responses: denies	notrump.lebensohl.description	Lebensohl notes
261	C_1NNeg	Tick	NOTRUMP OPENING BIDS › Transfer Responses: Negative Double	notrump.dbl.negative	Double of 1NT interference: negative
262	E_1NNegOther	Text	NOTRUMP OPENING BIDS › Transfer Responses: 1NT Neg Dbl level	notrump.dbl.negative_desc	Negative double notes
263	E_1NOther3	Text	NOTRUMP OPENING BIDS › Transfer Responses: Additional 1NT details line 3	notes.notrump_notes (line 3 of 5)	NT notes
264	E_2NOther	Text	NOTRUMP OPENING BIDS › Transfer Responses: Additional 2NT details	notes.notrump_notes (line 4 of 5)	NT notes
265	E_3NTMin	Text	NOTRUMP OPENING BIDS › Transfer Responses: 3NT	not mapped	
266	E_3NTMax	Text	NOTRUMP OPENING BIDS › Transfer Responses: to	not mapped	
267	E_3NOther	Text	NOTRUMP OPENING BIDS › Transfer Responses: Additional 3NT details	notrump.gambling_3nt.description	Gambling 3NT notes
				notrump.gambling_3nt.play = true (when filled)	Gambling 3NT
268	E_CNTOther1	Text	NOTRUMP OPENING BIDS › Conventional NT Openings: Conventional NT Openings	notes.notrump_notes (line 5 of 5)	NT notes
269	E_CNTOther2	Text	NOTRUMP OPENING BIDS › Conventional NT Openings: Conventional NT Openings line 2	not mapped	
270	C_major12-4	Tick	MAJOR OPENING: 4-card Major 1st/2nd seat	major_openings.min_length_1st_2nd = 4	Min length 1st/2nd seat
271	C_major12-5	Tick	MAJOR OPENING: 5-card Major 1st/2nd seat	major_openings.min_length_1st_2nd = 5	Min length 1st/2nd seat
272	C_major34-4	Tick	MAJOR OPENING: 4-card Major 3rd/4th seat	major_openings.min_length_3rd_4th = 4	Min length 3rd/4th seat
273	C_major34-5	Tick	MAJOR OPENING: 5-card Major 3rd/4th seat	major_openings.min_length_3rd_4th = 5	Min length 3rd/4th seat
274	C_major2RaiseF	Tick	MAJOR OPENING › RESPONSES: Double Raise Force	not mapped	
275	C_major2RaiseI	Tick	MAJOR OPENING › RESPONSES: Double Raise Inv.	major_openings.jump_raise.inv	Jump raise: invitational
276	C_major2RaiseW	Tick	MAJOR OPENING › RESPONSES: Double Raise Weak	major_openings.jump_raise.weak	Jump raise: weak
277	C_majorO2RaiseF	Tick	MAJOR OPENING › RESPONSES: After Overcall Force	not mapped	
278	C_majorO2RaiseI	Tick	MAJOR OPENING › RESPONSES: After Overcall Inv.	major_openings.jump_raise_after_overcall.inv	Jump raise after overcall: invitational
279	C_majorO2RaiseW	Tick	MAJOR OPENING › RESPONSES: After Overcall Weak	major_openings.jump_raise_after_overcall.weak	Jump raise after overcall: weak
280	C_major2NTRaise	Tick	MAJOR OPENING › RESPONSES: Conv. Raise 2NT	major_openings.jacoby_2nt.play	Jacoby 2NT
281	C_major3NTRaise	Tick	MAJOR OPENING › RESPONSES: Conv. Raise 3NT	major_openings.three_nt_raise.play	3NT artificial raise (4-3-3-3)
282	C_majorSplinter	Tick	MAJOR OPENING › RESPONSES: Conv. Raise Splinter	major_openings.splinters.play	Splinters
283	E_majorOther1	Text	MAJOR OPENING › RESPONSES: Other	notes.major_notes (line 1 of 2)	Major opening notes
284	C_major1NTF	Tick	MAJOR OPENING › RESPONSES: Forcing	major_openings.one_nt_response.forcing	Forcing 1NT response
285	C_major1NTSF	Tick	MAJOR OPENING › RESPONSES: Semi-forcing	major_openings.one_nt_response.semi_forcing	Semi-forcing 1NT response
286	C_major2NTF	Tick	MAJOR OPENING › RESPONSES: 2NT Forcing	not mapped	
287	C_major2NTI	Tick	MAJOR OPENING › RESPONSES: 2NT Inv.	not mapped	
288	E_major2NTMin	Text	MAJOR OPENING › RESPONSES: 2NT over Major Min	not mapped	
289	E_major2NTMax	Text	MAJOR OPENING › RESPONSES: to	not mapped	
290	E_major3NTMin	Text	MAJOR OPENING › RESPONSES: 3NT	major_openings.three_nt_raise.range_min (the number)	3NT artificial raise: minimum
291	E_major3NTMax	Text	MAJOR OPENING › RESPONSES: to	major_openings.three_nt_raise.range_max (the number)	3NT artificial raise: maximum
292	C_drury	Tick	MAJOR OPENING › RESPONSES: Drury	major_openings.drury.play	Drury
293	C_druryRev	Tick	MAJOR OPENING › RESPONSES: Reverse	major_openings.drury.play	Drury
				major_openings.drury.reverse	Reverse Drury
294	C_druryFit	Tick	MAJOR OPENING › RESPONSES: 2-Way	not mapped	
295	C_drury2Way	Tick	MAJOR OPENING › RESPONSES: Fit	not mapped	
296	E_majorOther2	Text	MAJOR OPENING › RESPONSES: Other	notes.major_notes (line 2 of 2)	Major opening notes
297	C_minorC4	Tick	MINOR OPENING: 1C = 4+ cards	minor_openings.one_club.min_length = 4	1C min length
298	C_minorC3	Tick	MINOR OPENING: 1C = 3+ cards	minor_openings.one_club.min_length = 3	1C min length

BBO's ACBL card: slots and the card fields they fill

#	BBO slot	Kind	On BBO's card	Card field	Spec label
299	C_minorCO	Tick	MINOR OPENING: 1C = 0-2 cards non-forcing	not mapped	
300	C_minorCC	Tick	MINOR OPENING: 1C = Conventional	not mapped	
301	C_minorD4	Tick	MINOR OPENING: 1D = 4+ cards	minor_openings.one_diamond.min_length = 4	1D min length
302	C_minorD3	Tick	MINOR OPENING: 1D = 3+ cards	minor_openings.one_diamond.min_length = 3	1D min length
303	C_minorDO	Tick	MINOR OPENING: 1D = 0-2 cards non-forcing	not mapped	
304	C_minorDC	Tick	MINOR OPENING: 1D = Conventional	not mapped	
305	C_minor2RaiseF	Tick	MINOR OPENING › RESPONSES: Double Raise Force	not mapped	
306	C_minor2RaiseI	Tick	MINOR OPENING › RESPONSES: Double Raise Inv.	minor_openings.one_club.jump_raise.inv	1C jump raise: invitational
307	C_minor2RaiseW	Tick	MINOR OPENING › RESPONSES: Double Raise Weak	minor_openings.one_club.jump_raise.weak	1C jump raise: weak
308	C_minorO2RaiseF	Tick	MINOR OPENING › RESPONSES: After Overcall Force	not mapped	
309	C_minorO2RaiseI	Tick	MINOR OPENING › RESPONSES: After Overcall Inv.	minor_openings.one_club.jump_raise_after_overcall.inv	1C jump raise after overcall: invitational
310	C_minorO2RaiseW	Tick	MINOR OPENING › RESPONSES: After Overcall Weak	minor_openings.one_club.jump_raise_after_overcall.weak	1C jump raise after overcall: weak
311	C_jsOtherMinor	Tick	MINOR OPENING › RESPONSES: Forcing Raise J/S in other minor	not mapped	
312	C_minorSingleRaise	Tick	MINOR OPENING › RESPONSES: Single raise	minor_openings.one_club.single_raise.nf	1C single raise: non-forcing
313	E_minorOther1	Text	MINOR OPENING › RESPONSES: Other	notes.minor_notes (line 1 of 2)	Minor opening notes
314	C_bypassDs	Tick	MINOR OPENING › RESPONSES: Frequently bypass 4+D	minor_openings.bypass_5_plus	Bypass 5+ D to bid 1H/1S
315	E_minor1NTMin	Text	MINOR OPENING › RESPONSES: 1NT/1C	minor_openings.one_club.one_nt_range_min (the number)	1C–1NT range: minimum
316	E_minor1NTMax	Text	MINOR OPENING › RESPONSES: to	minor_openings.one_club.one_nt_range_max (the number)	1C–1NT range: maximum
317	C_minor2NTF	Tick	MINOR OPENING › RESPONSES: 2NT Forcing	not mapped	
318	C_minor2NTI	Tick	MINOR OPENING › RESPONSES: 2NT Inv.	not mapped	
319	E_minor2NTMin	Text	MINOR OPENING › RESPONSES: 2NT over minor minimum HCP	minor_openings.one_club.two_nt_range_min (the number)	1C–2NT range: minimum
320	E_minor2NTMax	Text	MINOR OPENING › RESPONSES: to	minor_openings.one_club.two_nt_range_max (the number)	1C–2NT range: maximum
321	E_minor3NTMin	Text	MINOR OPENING › RESPONSES: 3NT	minor_openings.one_club.three_nt_range_min (the number)	1C–3NT range: minimum
322	E_minor3NTMax	Text	MINOR OPENING › RESPONSES: to	minor_openings.one_club.three_nt_range_max (the number)	1C–3NT range: maximum
323	E_minorOther2	Text	MINOR OPENING › RESPONSES: Other	notes.minor_notes (line 2 of 2)	Minor opening notes
324	E_2CMin	Text	DESCRIBE | RESPONSES/REBIDS: 2C	two_level.two_clubs.min_hcp_str (as typed)	2C minimum (text)
325	E_2CMax	Text	DESCRIBE | RESPONSES/REBIDS: to	two_level.two_clubs.max_hcp (as typed)	2C maximum (text)
326	E_2COther1	Text	DESCRIBE | RESPONSES/REBIDS: 2C description line 1	two_level.two_clubs.description (2C describe, line 1)	2C: describe
327	E_2COther4	Text	DESCRIBE | RESPONSES/REBIDS: 2C responses line 1	two_level.two_clubs.notes (2C responses, line 1)	2C: responses / rebids
328	C_2CStrong	Tick	DESCRIBE | RESPONSES/REBIDS: Strong	two_level.two_clubs.meaning = "strong"	2C meaning
329	C_2COther	Tick	DESCRIBE | RESPONSES/REBIDS: Other	not mapped	
330	E_2COther2	Text	DESCRIBE | RESPONSES/REBIDS: 2C description line 2	two_level.two_clubs.continuation_describe (2C describe, line 2)	2C: describe (second line)
331	E_2COther5	Text	DESCRIBE | RESPONSES/REBIDS: 2C responses line 2	two_level.two_clubs.continuation_response (2C responses, line 2)	2C: responses / rebids (second line)
332	C_2DNeg	Tick	DESCRIBE | RESPONSES/REBIDS: 2D Response Neg	two_level.two_clubs.2d_response = "negative"	2C–2D response
333	C_2DWaiting	Tick	DESCRIBE | RESPONSES/REBIDS: 2D Response Waiting	two_level.two_clubs.2d_response = "waiting"	2C–2D response
334	E_2COther3	Text	DESCRIBE | RESPONSES/REBIDS: 2C description line 3	two_level.two_clubs.continuation_describe (2C describe, line 3 (with line 2))	2C: describe (second line)
335	E_2COther6	Text	DESCRIBE | RESPONSES/REBIDS: 2C responses line 3	two_level.two_clubs.continuation_describe (2C responses, line 3 (import only))	2C: describe (second line)
336	E_2DMin	Text	DESCRIBE | RESPONSES/REBIDS: 2D	two_level.two_diamonds.min_hcp (the number)	2D range: minimum
337	E_2DMax	Text	DESCRIBE | RESPONSES/REBIDS: to	two_level.two_diamonds.max_hcp (the number)	2D range: maximum
338	E_2DOther1	Text	DESCRIBE | RESPONSES/REBIDS: 2D description	two_level.two_diamonds.description	2D: describe
339	E_2DOther2	Text	DESCRIBE | RESPONSES/REBIDS: 2D responses	two_level.two_diamonds.notes	2D: responses / rebids
340	C_2DWeak	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Weak	two_level.two_diamonds.meaning = "weak"	2D meaning
341	C_2DInt	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Intermediate	not mapped	
342	C_2DStrong	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Strong	not mapped	
343	C_2DConv	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Conv	not mapped	
344	C_2D2NT	Tick	DESCRIBE | RESPONSES/REBIDS: 2NT Force	two_level.two_diamonds.two_nt_force	2D: 2NT response forcing
345	C_2DNew	Tick	DESCRIBE | RESPONSES/REBIDS: New Suit NF	two_level.two_diamonds.new_suit_nf	2D: new suit non-forcing
346	E_2HMin	Text	DESCRIBE | RESPONSES/REBIDS: 2H	two_level.two_hearts.min_hcp (the number)	2H range: minimum
347	E_2HMax	Text	DESCRIBE | RESPONSES/REBIDS: to	two_level.two_hearts.max_hcp (the number)	2H range: maximum
348	E_2HOther1	Text	DESCRIBE | RESPONSES/REBIDS: 2H description	two_level.two_hearts.description	2H: describe
349	E_2HOther2	Text	DESCRIBE | RESPONSES/REBIDS: 2H responses	two_level.two_hearts.notes	2H: responses / rebids
350	C_2HWeak	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Weak	two_level.two_hearts.meaning = "weak"	2H meaning
351	C_2HInt	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Intermediate	not mapped	
352	C_2HStrong	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Strong	not mapped	
353	C_2HConv	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Conv	not mapped	

BBO's ACBL card: slots and the card fields they fill

#	BBO slot	Kind	On BBO's card	Card field	Spec label
354	C_2H2NT	Tick	DESCRIBE | RESPONSES/REBIDS: 2NT Force	two_level.two_hearts.two_nt_force	2H: 2NT response forcing
355	C_2HNew	Tick	DESCRIBE | RESPONSES/REBIDS: New Suit NF	two_level.two_hearts.new_suit_nf	2H: new suit non-forcing
356	E_2SMin	Text	DESCRIBE | RESPONSES/REBIDS: 2S	two_level.two_spades.min_hcp (the number)	2S range: minimum
357	E_2SMax	Text	DESCRIBE | RESPONSES/REBIDS: to	two_level.two_spades.max_hcp (the number)	2S range: maximum
358	E_2SOther1	Text	DESCRIBE | RESPONSES/REBIDS: 2S description	two_level.two_spades.description	2S: describe
359	E_2SOther2	Text	DESCRIBE | RESPONSES/REBIDS: 2S responses	two_level.two_spades.notes	2S: responses / rebids
360	C_2SWeak	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Weak	two_level.two_spades.meaning = "weak"	2S meaning
361	C_2SInt	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Intermediate	not mapped	
362	C_2SStrong	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Strong	not mapped	
363	C_2SConv	Tick	DESCRIBE | RESPONSES/REBIDS: Natural Conv	not mapped	
364	C_2S2NT	Tick	DESCRIBE | RESPONSES/REBIDS: 2NT Force	two_level.two_spades.two_nt_force	2S: 2NT response forcing
365	C_2SNew	Tick	DESCRIBE | RESPONSES/REBIDS: New Suit NF	two_level.two_spades.new_suit_nf	2S: new suit non-forcing
366	C_NMF	Tick	OTHER CONV CALLS: OTHER CONV CALLS New Minor Forcing	other_conventions.new_minor_forcing.play	New minor forcing
367	C_NMF2	Tick	OTHER CONV CALLS: OTHER CONV CALLS 2-Way NMF	other_conventions.two_way_nmf	Two-way new minor forcing
368	E_other1	Text	OTHER CONV CALLS: NMF description	other_conventions.nmf_notes	New minor forcing notes
369	C_WJSComp	Tick	OTHER CONV CALLS: Weak jump shifts In Comp.	other_conventions.weak_jump_shifts_in_comp	Weak jump shifts in competition
370	C_WJS	Tick	OTHER CONV CALLS: Weak jump shifts Not In Comp.	other_conventions.weak_jump_shifts_not_in_comp	Weak jump shifts (not in competition)
371	E_other2	Text	OTHER CONV CALLS: WJS description	other_conventions.weak_jump_shifts_notes	Weak jump shift notes
372	C_FSF1	Tick	OTHER CONV CALLS: 1 Round	other_conventions.fourth_suit_forcing.one_round	Fourth suit forcing (1 round)
373	C_FSFG	Tick	OTHER CONV CALLS: To Game	other_conventions.fourth_suit_forcing.game_force	Fourth suit forcing (game force)
374	E_other3	Text	OTHER CONV CALLS: 4th Suit Forcing description	other_conventions.fourth_suit_forcing.notes	Fourth suit forcing notes
375	E_other4	Text	OTHER CONV CALLS: Other conventions line 1	other_conventions.notes_line_1	Other conventions (write-in line 1)
376	E_other5	Text	OTHER CONV CALLS: Other conventions line 2	other_conventions.notes_line_2	Other conventions (write-in line 2)