

D4D generation arms — cross-arm comparison

Regenerated 2026-08-31 from the provenance records (scripts/arm_comparison.py + scripts/arm_deck.py). STATUS: INTERMEDIATE — the v7 production arm (2026-08-31 matrix) is in progress; v7 bars are the excluded 2026-08-28 exploratory canaries unless labeled production.

Arms: v4 API (2026-08-13) · v5 API (2026-08-22c) · v5 agentic (2026-08-24) · v6 agentic (2026-08-28, receipt protocol) · v7 API (receipt protocol).

Since the 2026-08-27 deck: chunk manifests and coverage receipts on BOTH arms (#707-#710), the d4d-review-record pass (17 records), the rubric-vs-review cross-read (#815: rubric scores track the project, not the record), and the v7 production protocol (#838/#849).

Receipts: the like-for-like grounding measurement


Both arms now write a coverage receipt per chunk against the same manifest and validator. Aggregates (records · snippets verified/total · leaf coverage):

API v7 canary (excluded)	5 records · snippets 824/859 · slots with receipt 607/1764 (34%)
agentic v6	12 records · snippets 3400/3400 · slots with receipt 2820/5846 (48%)


The agentic arm's 3,400/3,400 verbatim snippets vs the API canaries' adjacent/mismatched residue is the grounding story the rubric pages cannot see — see the cross-read slide.

populated leaves (coverage)


populated leaves (full record) — mean $\pm$ SD over measured replicates; dots = replicates, hollow = unmeasured



rubric10-semantic (canonical records)




rubric20-semantic (canonical records)




slots without a receipt

slots without a receipt — mean $\pm$ SD over measured replicates; dots = replicates, hollow = unmeasured




chunks unreviewed [intermediate]

chunks unreviewed — mean $\pm$ SD over measured replicates; dots = replicates, hollow = unmeasured




snippets unverified

snippets unverified — mean $\pm$ SD over measured replicates; dots = replicates, hollow = unmeasured




snippets not in the chunk cited

snippets not in the chunk cited — mean $\pm$ SD over measured replicates; dots = replicates, hollow = unmeasured




GC label variants (reported)

GC label variants (reported) — mean $\pm$ SD over measured replicates; dots = replicates, hollow = unmeasured



d4d-review-record: slot adverse rate [intermediate]

d4d-review-record slot adverse rate — mean, dots = records; sample of 50 slots/record ($\pm 2-6$ pp SE)
INTERMEDIATE: v7 arm partial (5 canaries), fan-out pending



cross-read: rubric score vs review adverse rate

