

```
# Copyright 2019 Google Inc.

#

# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at

#

# https://www.apache.org/licenses/LICENSE-2.0

#

# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
```

```
alias k='kubectl'
alias ksys='kubectl --namespace=kube-system'
alias ka='kubectl apply --recursive -f'
alias ksysa='kubectl --namespace=kube-system apply --recursive -f'
alias kak='kubectl apply -k'
alias kk='kubectl kustomize'
alias kex='kubectl exec -i -t'
alias ksysex='kubectl --namespace=kube-system exec -i -t'
alias klo='kubectl logs -f'
alias ksyslo='kubectl --namespace=kube-system logs -f'
alias klop='kubectl logs -f -p'
alias ksyslop='kubectl --namespace=kube-system logs -f -p'
alias kp='kubectl proxy'
alias kpf='kubectl port-forward'
alias kg='kubectl get'
alias ksysg='kubectl --namespace=kube-system get'
alias kd='kubectl describe'
```

```
alias ksysd='kubectl --namespace=kube-system describe'
alias krm='kubectl delete'
alias ksysrm='kubectl --namespace=kube-system delete'
alias krun='kubectl run --rm --restart=Never --image-pull-policy=IfNotPresent -i -t'
alias ksysrun='kubectl --namespace=kube-system run --rm --restart=Never --image-pull-policy=IfNotPresent -i -t'
alias kgpo='kubectl get pods'
alias ksysgpo='kubectl --namespace=kube-system get pods'
alias kdpo='kubectl describe pods'
alias ksysdpo='kubectl --namespace=kube-system describe pods'
alias krmpo='kubectl delete pods'
alias ksysrmpo='kubectl --namespace=kube-system delete pods'
alias kgdep='kubectl get deployment'
alias ksysgdep='kubectl --namespace=kube-system get deployment'
alias kddep='kubectl describe deployment'
alias ksysddep='kubectl --namespace=kube-system describe deployment'
alias krmdep='kubectl delete deployment'
alias ksysrmddep='kubectl --namespace=kube-system delete deployment'
alias kgsvc='kubectl get service'
alias ksysgsvc='kubectl --namespace=kube-system get service'
alias kdsvc='kubectl describe service'
alias ksysdsvc='kubectl --namespace=kube-system describe service'
alias krmsvc='kubectl delete service'
alias ksysrmsvc='kubectl --namespace=kube-system delete service'
alias kging='kubectl get ingress'
alias ksysging='kubectl --namespace=kube-system get ingress'
alias kding='kubectl describe ingress'
alias ksysding='kubectl --namespace=kube-system describe ingress'
alias krming='kubectl delete ingress'
alias ksysrming='kubectl --namespace=kube-system delete ingress'
alias kgcm='kubectl get configmap'
```

```
alias ksysgcm='kubectl --namespace=kube-system get configmap'
alias kdcmm='kubectl describe configmap'
alias ksysdcm='kubectl --namespace=kube-system describe configmap'
alias krmcm='kubectl delete configmap'
alias ksysrmcm='kubectl --namespace=kube-system delete configmap'
alias kgsec='kubectl get secret'
alias ksysgsec='kubectl --namespace=kube-system get secret'
alias kdsec='kubectl describe secret'
alias ksysdsec='kubectl --namespace=kube-system describe secret'
alias krmsec='kubectl delete secret'
alias ksysrmsec='kubectl --namespace=kube-system delete secret'
alias kgno='kubectl get nodes'
alias kdno='kubectl describe nodes'
alias kgns='kubectl get namespaces'
alias kdns='kubectl describe namespaces'
alias krmns='kubectl delete namespaces'
alias kgoyaml='kubectl get -o=yaml'
alias ksysgoyaml='kubectl --namespace=kube-system get -o=yaml'
alias kgpooyaml='kubectl get pods -o=yaml'
alias ksysgpooyaml='kubectl --namespace=kube-system get pods -o=yaml'
alias kgdepoyaml='kubectl get deployment -o=yaml'
alias ksysgdepoyaml='kubectl --namespace=kube-system get deployment -o=yaml'
alias kgsvcyaml='kubectl get service -o=yaml'
alias ksysgsvcyaml='kubectl --namespace=kube-system get service -o=yaml'
alias kgingoyaml='kubectl get ingress -o=yaml'
alias ksysgingoyaml='kubectl --namespace=kube-system get ingress -o=yaml'
alias kgcmoyaml='kubectl get configmap -o=yaml'
alias ksysgcmoyaml='kubectl --namespace=kube-system get configmap -o=yaml'
alias kgsecyaml='kubectl get secret -o=yaml'
alias ksysgsecyaml='kubectl --namespace=kube-system get secret -o=yaml'
alias kgnooyaml='kubectl get nodes -o=yaml'
```

```
alias kgnsoyaml='kubectl get namespaces -o=yaml'
alias kgowide='kubectl get -o=wide'
alias ksysgowide='kubectl --namespace=kube-system get -o=wide'
alias kgpoowide='kubectl get pods -o=wide'
alias ksysgpoowide='kubectl --namespace=kube-system get pods -o=wide'
alias kgdepowide='kubectl get deployment -o=wide'
alias ksysgdepowide='kubectl --namespace=kube-system get deployment -o=wide'
alias kgsvcowide='kubectl get service -o=wide'
alias ksysgsvcowide='kubectl --namespace=kube-system get service -o=wide'
alias kgingowide='kubectl get ingress -o=wide'
alias ksysgingowide='kubectl --namespace=kube-system get ingress -o=wide'
alias kgcmowide='kubectl get configmap -o=wide'
alias ksysgcmowide='kubectl --namespace=kube-system get configmap -o=wide'
alias kgsecowide='kubectl get secret -o=wide'
alias ksysgsecowide='kubectl --namespace=kube-system get secret -o=wide'
alias kgnoowide='kubectl get nodes -o=wide'
alias kgnsowide='kubectl get namespaces -o=wide'
alias kgojson='kubectl get -o=json'
alias ksysgojson='kubectl --namespace=kube-system get -o=json'
alias kgpoojson='kubectl get pods -o=json'
alias ksysgpoojson='kubectl --namespace=kube-system get pods -o=json'
alias kgdepojson='kubectl get deployment -o=json'
alias ksysgdepojson='kubectl --namespace=kube-system get deployment -o=json'
alias kgsvcjson='kubectl get service -o=json'
alias ksysgsvcjson='kubectl --namespace=kube-system get service -o=json'
alias kgingojson='kubectl get ingress -o=json'
alias ksysgingojson='kubectl --namespace=kube-system get ingress -o=json'
alias kgcmjson='kubectl get configmap -o=json'
alias ksysgcmjson='kubectl --namespace=kube-system get configmap -o=json'
alias kgsecojson='kubectl get secret -o=json'
alias ksysgsecojson='kubectl --namespace=kube-system get secret -o=json'
```

```
alias kgnoojson='kubectl get nodes -o=json'
alias kgnsojson='kubectl get namespaces -o=json'
alias kgall='kubectl get --all-namespaces'
alias kdall='kubectl describe --all-namespaces'
alias kgpoall='kubectl get pods --all-namespaces'
alias kdpoall='kubectl describe pods --all-namespaces'
alias kgdepall='kubectl get deployment --all-namespaces'
alias kddepall='kubectl describe deployment --all-namespaces'
alias kgsvcall='kubectl get service --all-namespaces'
alias kdsvcall='kubectl describe service --all-namespaces'
alias kgingall='kubectl get ingress --all-namespaces'
alias kdingall='kubectl describe ingress --all-namespaces'
alias kgcmall='kubectl get configmap --all-namespaces'
alias kdcmall='kubectl describe configmap --all-namespaces'
alias kgsecall='kubectl get secret --all-namespaces'
alias kdsecall='kubectl describe secret --all-namespaces'
alias kgnsall='kubectl get namespaces --all-namespaces'
alias kdnsall='kubectl describe namespaces --all-namespaces'
alias kgsl='kubectl get --show-labels'
alias ksysgsl='kubectl --namespace=kube-system get --show-labels'
alias kgposl='kubectl get pods --show-labels'
alias ksysgposl='kubectl --namespace=kube-system get pods --show-labels'
alias kgdepsl='kubectl get deployment --show-labels'
alias ksysgdepsl='kubectl --namespace=kube-system get deployment --show-labels'
alias krmall='kubectl delete --all'
alias ksysrmall='kubectl --namespace=kube-system delete --all'
alias krmpoall='kubectl delete pods --all'
alias ksysrmpoall='kubectl --namespace=kube-system delete pods --all'
alias krmdepall='kubectl delete deployment --all'
alias ksysrmdepall='kubectl --namespace=kube-system delete deployment --all'
alias krmsvcall='kubectl delete service --all'
```

alias ksysrmsvcall='kubectl --namespace=kube-system delete service --all'

alias krmingall='kubectl delete ingress --all'

alias ksysrmingall='kubectl --namespace=kube-system delete ingress --all'

alias krmcmall='kubectl delete configmap --all'

alias ksysrmcmall='kubectl --namespace=kube-system delete configmap --all'

alias krmsecall='kubectl delete secret --all'

alias ksysrmsecall='kubectl --namespace=kube-system delete secret --all'

alias krmnsall='kubectl delete namespaces --all'

alias kgw='kubectl get --watch'

alias ksysgw='kubectl --namespace=kube-system get --watch'

alias kgpow='kubectl get pods --watch'

alias ksysgpow='kubectl --namespace=kube-system get pods --watch'

alias kgdepw='kubectl get deployment --watch'

alias ksysgdepw='kubectl --namespace=kube-system get deployment --watch'

alias kgsvcw='kubectl get service --watch'

alias ksysgsvcw='kubectl --namespace=kube-system get service --watch'

alias kgingw='kubectl get ingress --watch'

alias ksysgingw='kubectl --namespace=kube-system get ingress --watch'

alias kgcmw='kubectl get configmap --watch'

alias ksysgcmw='kubectl --namespace=kube-system get configmap --watch'

alias kgsecw='kubectl get secret --watch'

alias ksysgsecw='kubectl --namespace=kube-system get secret --watch'

alias kgnow='kubectl get nodes --watch'

alias kgnsnw='kubectl get namespaces --watch'

alias kgoyamlall='kubectl get -o=yaml --all-namespaces'

alias kgpooyamlall='kubectl get pods -o=yaml --all-namespaces'

alias kgdepoyamlall='kubectl get deployment -o=yaml --all-namespaces'

alias kgsvcyamlall='kubectl get service -o=yaml --all-namespaces'

alias kgingoyamlall='kubectl get ingress -o=yaml --all-namespaces'

alias kgcmoyamlall='kubectl get configmap -o=yaml --all-namespaces'

alias kgsecyamlall='kubectl get secret -o=yaml --all-namespaces'

```
alias kgnsoyamlall='kubectl get namespaces -o=yaml --all-namespaces'
alias kgalloyaml='kubectl get --all-namespaces -o=yaml'
alias kgpoalloyaml='kubectl get pods --all-namespaces -o=yaml'
alias kgdepalloyaml='kubectl get deployment --all-namespaces -o=yaml'
alias kgsvcalloyaml='kubectl get service --all-namespaces -o=yaml'
alias kgingalloyaml='kubectl get ingress --all-namespaces -o=yaml'
alias kgcmalloyaml='kubectl get configmap --all-namespaces -o=yaml'
alias kgsecalloyaml='kubectl get secret --all-namespaces -o=yaml'
alias kgnsalloyaml='kubectl get namespaces --all-namespaces -o=yaml'
alias kgwoyaml='kubectl get --watch -o=yaml'
alias ksysgwoyaml='kubectl --namespace=kube-system get --watch -o=yaml'
alias kgpowoyaml='kubectl get pods --watch -o=yaml'
alias ksysgpwoyaml='kubectl --namespace=kube-system get pods --watch -o=yaml'
alias kgdepwoyaml='kubectl get deployment --watch -o=yaml'
alias ksysgdepwoyaml='kubectl --namespace=kube-system get deployment --watch -o=yaml'
alias kgsvcwoyaml='kubectl get service --watch -o=yaml'
alias ksysgsvcwoyaml='kubectl --namespace=kube-system get service --watch -o=yaml'
alias kgingwoyaml='kubectl get ingress --watch -o=yaml'
alias ksysgingwoyaml='kubectl --namespace=kube-system get ingress --watch -o=yaml'
alias kgcmwoyaml='kubectl get configmap --watch -o=yaml'
alias ksysgcmwoyaml='kubectl --namespace=kube-system get configmap --watch -o=yaml'
alias kgsecwoyaml='kubectl get secret --watch -o=yaml'
alias ksysgsecwoyaml='kubectl --namespace=kube-system get secret --watch -o=yaml'
alias kgnwoyaml='kubectl get nodes --watch -o=yaml'
alias kgnswoyaml='kubectl get namespaces --watch -o=yaml'
alias kgowideall='kubectl get -o=wide --all-namespaces'
alias kgpoowideall='kubectl get pods -o=wide --all-namespaces'
alias kgdepowideall='kubectl get deployment -o=wide --all-namespaces'
alias kgsvcowideall='kubectl get service -o=wide --all-namespaces'
alias kgingowideall='kubectl get ingress -o=wide --all-namespaces'
alias kgcmowideall='kubectl get configmap -o=wide --all-namespaces'
```

```
alias kgsecowideall='kubectl get secret -o=wide --all-namespaces'
alias kgnsowideall='kubectl get namespaces -o=wide --all-namespaces'
alias kgallowwide='kubectl get --all-namespaces -o=wide'
alias kgpoallowwide='kubectl get pods --all-namespaces -o=wide'
alias kgdepallowwide='kubectl get deployment --all-namespaces -o=wide'
alias kgsvcallowwide='kubectl get service --all-namespaces -o=wide'
alias kgingallowwide='kubectl get ingress --all-namespaces -o=wide'
alias kgcmallowwide='kubectl get configmap --all-namespaces -o=wide'
alias kgsecallowwide='kubectl get secret --all-namespaces -o=wide'
alias kgnsallowwide='kubectl get namespaces --all-namespaces -o=wide'
alias kgowidesl='kubectl get -o=wide --show-labels'
alias ksysgowidesl='kubectl --namespace=kube-system get -o=wide --show-labels'
alias kgpoowidesl='kubectl get pods -o=wide --show-labels'
alias ksysgpoowidesl='kubectl --namespace=kube-system get pods -o=wide --show-labels'
alias kgdepowidesl='kubectl get deployment -o=wide --show-labels'
alias ksysgdepowidesl='kubectl --namespace=kube-system get deployment -o=wide --show-labels'
alias kgslowide='kubectl get --show-labels -o=wide'
alias ksysgslowide='kubectl --namespace=kube-system get --show-labels -o=wide'
alias kgposlowide='kubectl get pods --show-labels -o=wide'
alias ksysgposlowide='kubectl --namespace=kube-system get pods --show-labels -o=wide'
alias kgdepslowide='kubectl get deployment --show-labels -o=wide'
alias ksysgdepslowide='kubectl --namespace=kube-system get deployment --show-labels -o=wide'
alias kgwowide='kubectl get --watch -o=wide'
alias ksysgwowide='kubectl --namespace=kube-system get --watch -o=wide'
alias kgpowowide='kubectl get pods --watch -o=wide'
alias ksysgpowowide='kubectl --namespace=kube-system get pods --watch -o=wide'
alias kgdepwowide='kubectl get deployment --watch -o=wide'
alias ksysgdepwowide='kubectl --namespace=kube-system get deployment --watch -o=wide'
alias kgsvcwowide='kubectl get service --watch -o=wide'
alias ksysgsvcwowide='kubectl --namespace=kube-system get service --watch -o=wide'
alias kgingwowide='kubectl get ingress --watch -o=wide'
```



```
alias ksysgingwowide='kubectl --namespace=kube-system get ingress --watch -o=wide'
alias kgcmwowide='kubectl get configmap --watch -o=wide'
alias ksysgcmwowide='kubectl --namespace=kube-system get configmap --watch -o=wide'
alias kgsecwowide='kubectl get secret --watch -o=wide'
alias ksysgsecwowide='kubectl --namespace=kube-system get secret --watch -o=wide'
alias kgnwowide='kubectl get nodes --watch -o=wide'
alias kgnswowide='kubectl get namespaces --watch -o=wide'
alias kgojsonall='kubectl get -o=json --all-namespaces'
alias kgpoojsonall='kubectl get pods -o=json --all-namespaces'
alias kgdepojsonall='kubectl get deployment -o=json --all-namespaces'
alias kgsvcjsonall='kubectl get service -o=json --all-namespaces'
alias kgingojsonall='kubectl get ingress -o=json --all-namespaces'
alias kgcmojsonall='kubectl get configmap -o=json --all-namespaces'
alias kgsecojsonall='kubectl get secret -o=json --all-namespaces'
alias kgnsojsonall='kubectl get namespaces -o=json --all-namespaces'
alias kgallojson='kubectl get --all-namespaces -o=json'
alias kgpoallojson='kubectl get pods --all-namespaces -o=json'
alias kgdepallojson='kubectl get deployment --all-namespaces -o=json'
alias kgsvcallojson='kubectl get service --all-namespaces -o=json'
alias kgingallojson='kubectl get ingress --all-namespaces -o=json'
alias kgcmallojson='kubectl get configmap --all-namespaces -o=json'
alias kgsecallojson='kubectl get secret --all-namespaces -o=json'
alias kgnsallojson='kubectl get namespaces --all-namespaces -o=json'
alias kgwojson='kubectl get --watch -o=json'
alias ksysgwojson='kubectl --namespace=kube-system get --watch -o=json'
alias kgpowojson='kubectl get pods --watch -o=json'
alias ksysgpowojson='kubectl --namespace=kube-system get pods --watch -o=json'
alias kgdepwojson='kubectl get deployment --watch -o=json'
alias ksysgdepwojson='kubectl --namespace=kube-system get deployment --watch -o=json'
alias kgsvcwojson='kubectl get service --watch -o=json'
alias ksysgsvcwojson='kubectl --namespace=kube-system get service --watch -o=json'
```

```
alias kgingwojson='kubectl get ingress --watch -o=json'
alias ksysgingwojson='kubectl --namespace=kube-system get ingress --watch -o=json'
alias kgcmwojson='kubectl get configmap --watch -o=json'
alias ksysgcmwojson='kubectl --namespace=kube-system get configmap --watch -o=json'
alias kgsecwojson='kubectl get secret --watch -o=json'
alias ksysgsecwojson='kubectl --namespace=kube-system get secret --watch -o=json'
alias kgnowojson='kubectl get nodes --watch -o=json'
alias kgnswojson='kubectl get namespaces --watch -o=json'
alias kgallsl='kubectl get --all-namespaces --show-labels'
alias kgpoallsl='kubectl get pods --all-namespaces --show-labels'
alias kgdepallsl='kubectl get deployment --all-namespaces --show-labels'
alias kgsllsl='kubectl get --show-labels --all-namespaces'
alias kgposllsl='kubectl get pods --show-labels --all-namespaces'
alias kgdeplllsl='kubectl get deployment --show-labels --all-namespaces'
alias kgallw='kubectl get --all-namespaces --watch'
alias kgpoallw='kubectl get pods --all-namespaces --watch'
alias kgdepallw='kubectl get deployment --all-namespaces --watch'
alias kgsvcallw='kubectl get service --all-namespaces --watch'
alias kgingallw='kubectl get ingress --all-namespaces --watch'
alias kgcmallw='kubectl get configmap --all-namespaces --watch'
alias kgsecallw='kubectl get secret --all-namespaces --watch'
alias kgnsallw='kubectl get namespaces --all-namespaces --watch'
alias kgwall='kubectl get --watch --all-namespaces'
alias kgpowall='kubectl get pods --watch --all-namespaces'
alias kgdepwall='kubectl get deployment --watch --all-namespaces'
alias kgsvcwall='kubectl get service --watch --all-namespaces'
alias kgingwall='kubectl get ingress --watch --all-namespaces'
alias kgcmwall='kubectl get configmap --watch --all-namespaces'
alias kgsecwall='kubectl get secret --watch --all-namespaces'
alias kgnswall='kubectl get namespaces --watch --all-namespaces'
alias kgsllw='kubectl get --show-labels --watch'
```

```
alias ksysgslw='kubectl --namespace=kube-system get --show-labels --watch'
alias kgposlw='kubectl get pods --show-labels --watch'
alias ksysgposlw='kubectl --namespace=kube-system get pods --show-labels --watch'
alias kgdepslw='kubectl get deployment --show-labels --watch'
alias ksysgdepslw='kubectl --namespace=kube-system get deployment --show-labels --watch'
alias kgwsl='kubectl get --watch --show-labels'
alias ksysgwsl='kubectl --namespace=kube-system get --watch --show-labels'
alias kgpowsl='kubectl get pods --watch --show-labels'
alias ksysgpowl='kubectl --namespace=kube-system get pods --watch --show-labels'
alias kgdepwsl='kubectl get deployment --watch --show-labels'
alias ksysgdepwsl='kubectl --namespace=kube-system get deployment --watch --show-labels'
alias kgallwoyaml='kubectl get --all-namespaces --watch -o=yaml'
alias kgpoallwoyaml='kubectl get pods --all-namespaces --watch -o=yaml'
alias kgdepallwoyaml='kubectl get deployment --all-namespaces --watch -o=yaml'
alias kgsvcallwoyaml='kubectl get service --all-namespaces --watch -o=yaml'
alias kgingallwoyaml='kubectl get ingress --all-namespaces --watch -o=yaml'
alias kgcmallwoyaml='kubectl get configmap --all-namespaces --watch -o=yaml'
alias kgsecallwoyaml='kubectl get secret --all-namespaces --watch -o=yaml'
alias kgnsallwoyaml='kubectl get namespaces --all-namespaces --watch -o=yaml'
alias kgwoyamlall='kubectl get --watch -o=yaml --all-namespaces'
alias kgpowoyamlall='kubectl get pods --watch -o=yaml --all-namespaces'
alias kgdepwoyamlall='kubectl get deployment --watch -o=yaml --all-namespaces'
alias kgsvcwoyamlall='kubectl get service --watch -o=yaml --all-namespaces'
alias kgingwoyamlall='kubectl get ingress --watch -o=yaml --all-namespaces'
alias kgcmwoyamlall='kubectl get configmap --watch -o=yaml --all-namespaces'
alias kgsecwoyamlall='kubectl get secret --watch -o=yaml --all-namespaces'
alias kgnswoyamlall='kubectl get namespaces --watch -o=yaml --all-namespaces'
alias kgwalloyaml='kubectl get --watch --all-namespaces -o=yaml'
alias kgpowalloyaml='kubectl get pods --watch --all-namespaces -o=yaml'
alias kgdepwalloyaml='kubectl get deployment --watch --all-namespaces -o=yaml'
alias kgsvcwalloyaml='kubectl get service --watch --all-namespaces -o=yaml'
```

alias kgingwalloyaml='kubectl get ingress --watch --all-namespaces -o=yaml'

alias kgcmwalloyaml='kubectl get configmap --watch --all-namespaces -o=yaml'

alias kgsecwalloyaml='kubectl get secret --watch --all-namespaces -o=yaml'

alias kgnswalloyaml='kubectl get namespaces --watch --all-namespaces -o=yaml'

alias kgowideallsl='kubectl get -o=wide --all-namespaces --show-labels'

alias kgpoowideallsl='kubectl get pods -o=wide --all-namespaces --show-labels'

alias kgdepowideallsl='kubectl get deployment -o=wide --all-namespaces --show-labels'

alias kgowideslall='kubectl get -o=wide --show-labels --all-namespaces'

alias kgpoowideslall='kubectl get pods -o=wide --show-labels --all-namespaces'

alias kgdepowideslall='kubectl get deployment -o=wide --show-labels --all-namespaces'

alias kgallowidesl='kubectl get --all-namespaces -o=wide --show-labels'

alias kgpoallowidesl='kubectl get pods --all-namespaces -o=wide --show-labels'

alias kgdepallowidesl='kubectl get deployment --all-namespaces -o=wide --show-labels'

alias kgallslowide='kubectl get --all-namespaces --show-labels -o=wide'

alias kgpoallslowide='kubectl get pods --all-namespaces --show-labels -o=wide'

alias kgdepallslowide='kubectl get deployment --all-namespaces --show-labels -o=wide'

alias kgsllowideall='kubectl get --show-labels -o=wide --all-namespaces'

alias kgposllowideall='kubectl get pods --show-labels -o=wide --all-namespaces'

alias kgdepsllowideall='kubectl get deployment --show-labels -o=wide --all-namespaces'

alias kgsllallowide='kubectl get --show-labels --all-namespaces -o=wide'

alias kgposllallowide='kubectl get pods --show-labels --all-namespaces -o=wide'

alias kgdepsllallowide='kubectl get deployment --show-labels --all-namespaces -o=wide'

alias kgallwowide='kubectl get --all-namespaces --watch -o=wide'

alias kgpoallwowide='kubectl get pods --all-namespaces --watch -o=wide'

alias kgdepallwowide='kubectl get deployment --all-namespaces --watch -o=wide'

alias kgsvcallwowide='kubectl get service --all-namespaces --watch -o=wide'

alias kgingallwowide='kubectl get ingress --all-namespaces --watch -o=wide'

alias kgcmallwowide='kubectl get configmap --all-namespaces --watch -o=wide'

alias kgsecallwowide='kubectl get secret --all-namespaces --watch -o=wide'

alias kgnsallwowide='kubectl get namespaces --all-namespaces --watch -o=wide'

alias kgwowieall='kubectl get --watch -o=wide --all-namespaces'

```
alias kgpowowideall='kubectl get pods --watch -o=wide --all-namespaces'
alias kgdepwowideall='kubectl get deployment --watch -o=wide --all-namespaces'
alias kgsvcwowideall='kubectl get service --watch -o=wide --all-namespaces'
alias kgingwowideall='kubectl get ingress --watch -o=wide --all-namespaces'
alias kgcmwowideall='kubectl get configmap --watch -o=wide --all-namespaces'
alias kgsecwowideall='kubectl get secret --watch -o=wide --all-namespaces'
alias kgnswowideall='kubectl get namespaces --watch -o=wide --all-namespaces'
alias kgwallowide='kubectl get --watch --all-namespaces -o=wide'
alias kgpowallowide='kubectl get pods --watch --all-namespaces -o=wide'
alias kgdepwallowide='kubectl get deployment --watch --all-namespaces -o=wide'
alias kgsvcwallowide='kubectl get service --watch --all-namespaces -o=wide'
alias kgingwallowide='kubectl get ingress --watch --all-namespaces -o=wide'
alias kgcmwallowide='kubectl get configmap --watch --all-namespaces -o=wide'
alias kgsecwallowide='kubectl get secret --watch --all-namespaces -o=wide'
alias kgnswallowide='kubectl get namespaces --watch --all-namespaces -o=wide'
alias kgsllowide='kubectl get --show-labels --watch -o=wide'
alias ksysgslowide='kubectl --namespace=kube-system get --show-labels --watch -o=wide'
alias kgposllowide='kubectl get pods --show-labels --watch -o=wide'
alias ksysgposllowide='kubectl --namespace=kube-system get pods --show-labels --watch -o=wide'
alias kgdepsllowide='kubectl get deployment --show-labels --watch -o=wide'
alias ksysgdepsllowide='kubectl --namespace=kube-system get deployment --show-labels --watch -o=wide'
alias kgwowidesl='kubectl get --watch -o=wide --show-labels'
alias ksysgwowidesl='kubectl --namespace=kube-system get --watch -o=wide --show-labels'
alias kgpowowidesl='kubectl get pods --watch -o=wide --show-labels'
alias ksysgpowowidesl='kubectl --namespace=kube-system get pods --watch -o=wide --show-labels'
alias kgdepwowidesl='kubectl get deployment --watch -o=wide --show-labels'
alias ksysgdepwowidesl='kubectl --namespace=kube-system get deployment --watch -o=wide --show-labels'
alias kgwslowide='kubectl get --watch --show-labels -o=wide'
alias ksysgwslowide='kubectl --namespace=kube-system get --watch --show-labels -o=wide'
alias kgpowslowide='kubectl get pods --watch --show-labels -o=wide'
```

alias ksysgpowslowide='kubectl --namespace=kube-system get pods --watch --show-labels -o=wide'

alias kgdepwslowide='kubectl get deployment --watch --show-labels -o=wide'

alias ksysgdepwslowide='kubectl --namespace=kube-system get deployment --watch --show-labels -o=wide'

alias kgallwojson='kubectl get --all-namespaces --watch -o=json'

alias kgpoallwojson='kubectl get pods --all-namespaces --watch -o=json'

alias kgdepallwojson='kubectl get deployment --all-namespaces --watch -o=json'

alias kgsvcallwojson='kubectl get service --all-namespaces --watch -o=json'

alias kgingallwojson='kubectl get ingress --all-namespaces --watch -o=json'

alias kgcmallwojson='kubectl get configmap --all-namespaces --watch -o=json'

alias kgsecallwojson='kubectl get secret --all-namespaces --watch -o=json'

alias kgnsallwojson='kubectl get namespaces --all-namespaces --watch -o=json'

alias kgwojsonall='kubectl get --watch -o=json --all-namespaces'

alias kgpowojsonall='kubectl get pods --watch -o=json --all-namespaces'

alias kgdepwojsonall='kubectl get deployment --watch -o=json --all-namespaces'

alias kgsvcwojsonall='kubectl get service --watch -o=json --all-namespaces'

alias kgingwojsonall='kubectl get ingress --watch -o=json --all-namespaces'

alias kgcmwojsonall='kubectl get configmap --watch -o=json --all-namespaces'

alias kgsecwojsonall='kubectl get secret --watch -o=json --all-namespaces'

alias kgnswojsonall='kubectl get namespaces --watch -o=json --all-namespaces'

alias kgwallojson='kubectl get --watch --all-namespaces -o=json'

alias kgpowallojson='kubectl get pods --watch --all-namespaces -o=json'

alias kgdepwallojson='kubectl get deployment --watch --all-namespaces -o=json'

alias kgsvcwallojson='kubectl get service --watch --all-namespaces -o=json'

alias kgingwallojson='kubectl get ingress --watch --all-namespaces -o=json'

alias kgcmwallojson='kubectl get configmap --watch --all-namespaces -o=json'

alias kgsecwallojson='kubectl get secret --watch --all-namespaces -o=json'

alias kgnswallojson='kubectl get namespaces --watch --all-namespaces -o=json'

alias kgallslw='kubectl get --all-namespaces --show-labels --watch'

alias kgpoallslw='kubectl get pods --all-namespaces --show-labels --watch'

alias kgdepallslw='kubectl get deployment --all-namespaces --show-labels --watch'

```
alias kgallwsl='kubectl get --all-namespaces --watch --show-labels'
alias kgpoallwsl='kubectl get pods --all-namespaces --watch --show-labels'
alias kgdepallwsl='kubectl get deployment --all-namespaces --watch --show-labels'
alias kgslllw='kubectl get --show-labels --all-namespaces --watch'
alias kgposlllw='kubectl get pods --show-labels --all-namespaces --watch'
alias kgdepslllw='kubectl get deployment --show-labels --all-namespaces --watch'
alias kgsllwall='kubectl get --show-labels --watch --all-namespaces'
alias kgposllwall='kubectl get pods --show-labels --watch --all-namespaces'
alias kgdepsllwall='kubectl get deployment --show-labels --watch --all-namespaces'
alias kgwallsl='kubectl get --watch --all-namespaces --show-labels'
alias kgpowallsl='kubectl get pods --watch --all-namespaces --show-labels'
alias kgdepwallsl='kubectl get deployment --watch --all-namespaces --show-labels'
alias kgwslall='kubectl get --watch --show-labels --all-namespaces'
alias kgpowslall='kubectl get pods --watch --show-labels --all-namespaces'
alias kgdepwslall='kubectl get deployment --watch --show-labels --all-namespaces'
alias kgallslwowe='kubectl get --all-namespaces --show-labels --watch -o=wide'
alias kgpoallslwowe='kubectl get pods --all-namespaces --show-labels --watch -o=wide'
alias kgdepallslwowe='kubectl get deployment --all-namespaces --show-labels --watch -o=wide'
alias kgallwowedsl='kubectl get --all-namespaces --watch -o=wide --show-labels'
alias kgpoallwowedsl='kubectl get pods --all-namespaces --watch -o=wide --show-labels'
alias kgdepallwowedsl='kubectl get deployment --all-namespaces --watch -o=wide --show-labels'
alias kgallwslowe='kubectl get --all-namespaces --watch --show-labels -o=wide'
alias kgpoallwslowe='kubectl get pods --all-namespaces --watch --show-labels -o=wide'
alias kgdepallwslowe='kubectl get deployment --all-namespaces --watch --show-labels -o=wide'
alias kgslllwowe='kubectl get --show-labels --all-namespaces --watch -o=wide'
alias kgposlllwowe='kubectl get pods --show-labels --all-namespaces --watch -o=wide'
alias kgdepslllwowe='kubectl get deployment --show-labels --all-namespaces --watch -o=wide'
alias kgsllwoweall='kubectl get --show-labels --watch -o=wide --all-namespaces'
alias kgposllwoweall='kubectl get pods --show-labels --watch -o=wide --all-namespaces'
alias kgdepsllwoweall='kubectl get deployment --show-labels --watch -o=wide --all-namespaces'
alias kgsllwallowe='kubectl get --show-labels --watch --all-namespaces -o=wide'
```

```
alias kgposlallowide='kubectl get pods --show-labels --watch --all-namespaces -o=wide'
alias kgdepslallowide='kubectl get deployment --show-labels --watch --all-namespaces -o=wide'
alias kgwowlallsl='kubectl get --watch -o=wide --all-namespaces --show-labels'
alias kgpowowlallsl='kubectl get pods --watch -o=wide --all-namespaces --show-labels'
alias kgdepowlallsl='kubectl get deployment --watch -o=wide --all-namespaces --show-labels'
alias kgwowlallsl='kubectl get --watch -o=wide --show-labels --all-namespaces'
alias kgpowowlallsl='kubectl get pods --watch -o=wide --show-labels --all-namespaces'
alias kgdepowlallsl='kubectl get deployment --watch -o=wide --show-labels --all-namespaces'
alias kgwallowidesl='kubectl get --watch --all-namespaces -o=wide --show-labels'
alias kgpowallowidesl='kubectl get pods --watch --all-namespaces -o=wide --show-labels'
alias kgdepallowidesl='kubectl get deployment --watch --all-namespaces -o=wide --show-labels'
alias kgwallslowide='kubectl get --watch --all-namespaces --show-labels -o=wide'
alias kgpowallslowide='kubectl get pods --watch --all-namespaces --show-labels -o=wide'
alias kgdepwallslowide='kubectl get deployment --watch --all-namespaces --show-labels -o=wide'
alias kgwslowideall='kubectl get --watch --show-labels -o=wide --all-namespaces'
alias kgpowslowideall='kubectl get pods --watch --show-labels -o=wide --all-namespaces'
alias kgdepwslowideall='kubectl get deployment --watch --show-labels -o=wide --all-namespaces'
alias kgwslallowide='kubectl get --watch --show-labels --all-namespaces -o=wide'
alias kgpowslallowide='kubectl get pods --watch --show-labels --all-namespaces -o=wide'
alias kgdepwslallowide='kubectl get deployment --watch --show-labels --all-namespaces -o=wide'
alias kgf='kubectl get --recursive -f'
alias kdf='kubectl describe --recursive -f'
alias krmf='kubectl delete --recursive -f'
alias kgoyamlf='kubectl get -o=yaml --recursive -f'
alias kgowidef='kubectl get -o=wide --recursive -f'
alias kgjsonf='kubectl get -o=json --recursive -f'
alias kgslf='kubectl get --show-labels --recursive -f'
alias kgwf='kubectl get --watch --recursive -f'
alias kgwoyamlf='kubectl get --watch -o=yaml --recursive -f'
alias kgowideslf='kubectl get -o=wide --show-labels --recursive -f'
alias kgslowidef='kubectl get --show-labels -o=wide --recursive -f'
```



```
alias kgwowlf='kubectl get --watch -o=wide --recursive -f'
alias kgwojsonf='kubectl get --watch -o=json --recursive -f'
alias kgslwf='kubectl get --show-labels --watch --recursive -f'
alias kgwslf='kubectl get --watch --show-labels --recursive -f'
alias kgslwowlf='kubectl get --show-labels --watch -o=wide --recursive -f'
alias kgwowlfslf='kubectl get --watch -o=wide --show-labels --recursive -f'
alias kgwslowlf='kubectl get --watch --show-labels -o=wide --recursive -f'
alias kgl='kubectl get -l'
alias ksysgl='kubectl --namespace=kube-system get -l'
alias kdl='kubectl describe -l'
alias ksysdl='kubectl --namespace=kube-system describe -l'
alias krml='kubectl delete -l'
alias ksysrml='kubectl --namespace=kube-system delete -l'
alias kgpol='kubectl get pods -l'
alias ksysgpod='kubectl --namespace=kube-system get pods -l'
alias kdpol='kubectl describe pods -l'
alias ksysdpod='kubectl --namespace=kube-system describe pods -l'
alias krmpod='kubectl delete pods -l'
alias ksysrmpod='kubectl --namespace=kube-system delete pods -l'
alias kgdepl='kubectl get deployment -l'
alias ksysgdepl='kubectl --namespace=kube-system get deployment -l'
alias kddepl='kubectl describe deployment -l'
alias ksysddepl='kubectl --namespace=kube-system describe deployment -l'
alias krmdpl='kubectl delete deployment -l'
alias ksysrmdpl='kubectl --namespace=kube-system delete deployment -l'
alias kgsvc='kubectl get service -l'
alias ksysgsvc='kubectl --namespace=kube-system get service -l'
alias kdsvc='kubectl describe service -l'
alias ksysdsvc='kubectl --namespace=kube-system describe service -l'
alias krmsvc='kubectl delete service -l'
alias ksysrmsvc='kubectl --namespace=kube-system delete service -l'
```

alias kgingl='kubectl get ingress -l'
alias ksysgingl='kubectl --namespace=kube-system get ingress -l'
alias kdingl='kubectl describe ingress -l'
alias ksysdingl='kubectl --namespace=kube-system describe ingress -l'
alias krmingl='kubectl delete ingress -l'
alias ksysrmingl='kubectl --namespace=kube-system delete ingress -l'
alias kgcml='kubectl get configmap -l'
alias ksysgcml='kubectl --namespace=kube-system get configmap -l'
alias kdcml='kubectl describe configmap -l'
alias ksysdcml='kubectl --namespace=kube-system describe configmap -l'
alias krmcml='kubectl delete configmap -l'
alias ksysrmcml='kubectl --namespace=kube-system delete configmap -l'
alias kgsecl='kubectl get secret -l'
alias ksysgsecl='kubectl --namespace=kube-system get secret -l'
alias kdsecl='kubectl describe secret -l'
alias ksysdsecl='kubectl --namespace=kube-system describe secret -l'
alias krmsecl='kubectl delete secret -l'
alias ksysrmsecl='kubectl --namespace=kube-system delete secret -l'
alias kgnol='kubectl get nodes -l'
alias kdnol='kubectl describe nodes -l'
alias kgns1='kubectl get namespaces -l'
alias kdns1='kubectl describe namespaces -l'
alias krmns1='kubectl delete namespaces -l'
alias kgoyaml='kubectl get -o=yaml -l'
alias ksysgoyaml='kubectl --namespace=kube-system get -o=yaml -l'
alias kgpooyaml='kubectl get pods -o=yaml -l'
alias ksysgpooyaml='kubectl --namespace=kube-system get pods -o=yaml -l'
alias kgdepoyaml='kubectl get deployment -o=yaml -l'
alias ksysgdepoyaml='kubectl --namespace=kube-system get deployment -o=yaml -l'
alias kgsvcyaml='kubectl get service -o=yaml -l'
alias ksysgsvcyaml='kubectl --namespace=kube-system get service -o=yaml -l'

```
alias kgingoyaml='kubectl get ingress -o=yaml -l'
alias ksysgingoyaml='kubectl --namespace=kube-system get ingress -o=yaml -l'
alias kgcmoyaml='kubectl get configmap -o=yaml -l'
alias ksysgcmoyaml='kubectl --namespace=kube-system get configmap -o=yaml -l'
alias kgsecoyaml='kubectl get secret -o=yaml -l'
alias ksysgsecoyaml='kubectl --namespace=kube-system get secret -o=yaml -l'
alias kgnooyaml='kubectl get nodes -o=yaml -l'
alias kgnsoyaml='kubectl get namespaces -o=yaml -l'
alias kgowidel='kubectl get -o=wide -l'
alias ksysgowidel='kubectl --namespace=kube-system get -o=wide -l'
alias kgpoowidel='kubectl get pods -o=wide -l'
alias ksysgpoowidel='kubectl --namespace=kube-system get pods -o=wide -l'
alias kgdepowidel='kubectl get deployment -o=wide -l'
alias ksysgdepowidel='kubectl --namespace=kube-system get deployment -o=wide -l'
alias kgsvcowidel='kubectl get service -o=wide -l'
alias ksysgsvcowidel='kubectl --namespace=kube-system get service -o=wide -l'
alias kgingowidel='kubectl get ingress -o=wide -l'
alias ksysgingowidel='kubectl --namespace=kube-system get ingress -o=wide -l'
alias kgcmowidel='kubectl get configmap -o=wide -l'
alias ksysgcmowidel='kubectl --namespace=kube-system get configmap -o=wide -l'
alias kgsecowidel='kubectl get secret -o=wide -l'
alias ksysgsecowidel='kubectl --namespace=kube-system get secret -o=wide -l'
alias kgnooowidel='kubectl get nodes -o=wide -l'
alias kgnsoowidel='kubectl get namespaces -o=wide -l'
alias kgojsonl='kubectl get -o=json -l'
alias ksysgojsonl='kubectl --namespace=kube-system get -o=json -l'
alias kgpoojsonl='kubectl get pods -o=json -l'
alias ksysgpoojsonl='kubectl --namespace=kube-system get pods -o=json -l'
alias kgdepojsonl='kubectl get deployment -o=json -l'
alias ksysgdepojsonl='kubectl --namespace=kube-system get deployment -o=json -l'
alias kgsvcjsonl='kubectl get service -o=json -l'
```

alias ksysgsvcojsonl='kubectl --namespace=kube-system get service -o=json -l'
alias kgingojsonl='kubectl get ingress -o=json -l'
alias ksysgingojsonl='kubectl --namespace=kube-system get ingress -o=json -l'
alias kgcmjsonl='kubectl get configmap -o=json -l'
alias ksysgcmjsonl='kubectl --namespace=kube-system get configmap -o=json -l'
alias kgsecojsonl='kubectl get secret -o=json -l'
alias ksysgsecojsonl='kubectl --namespace=kube-system get secret -o=json -l'
alias kgnoojsonl='kubectl get nodes -o=json -l'
alias kgnsojsonl='kubectl get namespaces -o=json -l'
alias kgsll='kubectl get --show-labels -l'
alias ksysgsl='kubectl --namespace=kube-system get --show-labels -l'
alias kgposll='kubectl get pods --show-labels -l'
alias ksysgposll='kubectl --namespace=kube-system get pods --show-labels -l'
alias kgdepsll='kubectl get deployment --show-labels -l'
alias ksysgdepsll='kubectl --namespace=kube-system get deployment --show-labels -l'
alias kgwl='kubectl get --watch -l'
alias ksysgwl='kubectl --namespace=kube-system get --watch -l'
alias kgpowl='kubectl get pods --watch -l'
alias ksysgpowl='kubectl --namespace=kube-system get pods --watch -l'
alias kgdepwl='kubectl get deployment --watch -l'
alias ksysgdepwl='kubectl --namespace=kube-system get deployment --watch -l'
alias kgsvcwl='kubectl get service --watch -l'
alias ksysgsvcwl='kubectl --namespace=kube-system get service --watch -l'
alias kgingwl='kubectl get ingress --watch -l'
alias ksysgingwl='kubectl --namespace=kube-system get ingress --watch -l'
alias kgcmwl='kubectl get configmap --watch -l'
alias ksysgcmwl='kubectl --namespace=kube-system get configmap --watch -l'
alias kgsecwl='kubectl get secret --watch -l'
alias ksysgsecwl='kubectl --namespace=kube-system get secret --watch -l'
alias kgnowl='kubectl get nodes --watch -l'
alias kgnswl='kubectl get namespaces --watch -l'

alias kgwoyaml='kubectl get --watch -o=yaml -l'

alias ksysgwoyaml='kubectl --namespace=kube-system get --watch -o=yaml -l'

alias kgpowoaml='kubectl get pods --watch -o=yaml -l'

alias ksysgpwoyaml='kubectl --namespace=kube-system get pods --watch -o=yaml -l'

alias kgdepwoyaml='kubectl get deployment --watch -o=yaml -l'

alias ksysgdepwoyaml='kubectl --namespace=kube-system get deployment --watch -o=yaml -l'

alias kgsvcwoyaml='kubectl get service --watch -o=yaml -l'

alias ksysgsvcwoyaml='kubectl --namespace=kube-system get service --watch -o=yaml -l'

alias kgingwoyaml='kubectl get ingress --watch -o=yaml -l'

alias ksysgingwoyaml='kubectl --namespace=kube-system get ingress --watch -o=yaml -l'

alias kgcmwoyaml='kubectl get configmap --watch -o=yaml -l'

alias ksysgcmwoyaml='kubectl --namespace=kube-system get configmap --watch -o=yaml -l'

alias kgsecwoyaml='kubectl get secret --watch -o=yaml -l'

alias ksysgsecwoyaml='kubectl --namespace=kube-system get secret --watch -o=yaml -l'

alias kgnowoaml='kubectl get nodes --watch -o=yaml -l'

alias kgnswoyaml='kubectl get namespaces --watch -o=yaml -l'

alias kgowidesl='kubectl get -o=wide --show-labels -l'

alias ksysgowidesl='kubectl --namespace=kube-system get -o=wide --show-labels -l'

alias kgpoowidesl='kubectl get pods -o=wide --show-labels -l'

alias ksysgpooowidesl='kubectl --namespace=kube-system get pods -o=wide --show-labels -l'

alias kgdepowidesl='kubectl get deployment -o=wide --show-labels -l'

alias ksysgdepowidesl='kubectl --namespace=kube-system get deployment -o=wide --show-labels -l'

alias kgsloowidel='kubectl get --show-labels -o=wide -l'

alias ksysgsloowidel='kubectl --namespace=kube-system get --show-labels -o=wide -l'

alias kgposloowidel='kubectl get pods --show-labels -o=wide -l'

alias ksysgposloowidel='kubectl --namespace=kube-system get pods --show-labels -o=wide -l'

alias kgdepsloowidel='kubectl get deployment --show-labels -o=wide -l'

alias ksysgdepsloowidel='kubectl --namespace=kube-system get deployment --show-labels -o=wide -l'

alias kgwowidel='kubectl get --watch -o=wide -l'

alias ksysgwowidel='kubectl --namespace=kube-system get --watch -o=wide -l'

alias kgpowowidel='kubectl get pods --watch -o=wide -l'

```
alias ksysgpowowidel='kubectl --namespace=kube-system get pods --watch -o=wide -l'
alias kgdepwowidel='kubectl get deployment --watch -o=wide -l'
alias ksysgdepwowidel='kubectl --namespace=kube-system get deployment --watch -o=wide -l'
alias kgsvcwowidel='kubectl get service --watch -o=wide -l'
alias ksysgsvcwowidel='kubectl --namespace=kube-system get service --watch -o=wide -l'
alias kgingwowidel='kubectl get ingress --watch -o=wide -l'
alias ksysgingwowidel='kubectl --namespace=kube-system get ingress --watch -o=wide -l'
alias kgcmwowidel='kubectl get configmap --watch -o=wide -l'
alias ksysgcmwowidel='kubectl --namespace=kube-system get configmap --watch -o=wide -l'
alias kgsecwowidel='kubectl get secret --watch -o=wide -l'
alias ksysgsecwowidel='kubectl --namespace=kube-system get secret --watch -o=wide -l'
alias kgnwowidel='kubectl get nodes --watch -o=wide -l'
alias kgnswowidel='kubectl get namespaces --watch -o=wide -l'
alias kgwojsonl='kubectl get --watch -o=json -l'
alias ksysgwojsonl='kubectl --namespace=kube-system get --watch -o=json -l'
alias kgpowojsonl='kubectl get pods --watch -o=json -l'
alias ksysgpowojsonl='kubectl --namespace=kube-system get pods --watch -o=json -l'
alias kgdepwojsonl='kubectl get deployment --watch -o=json -l'
alias ksysgdepwojsonl='kubectl --namespace=kube-system get deployment --watch -o=json -l'
alias kgsvcwojsonl='kubectl get service --watch -o=json -l'
alias ksysgsvcwojsonl='kubectl --namespace=kube-system get service --watch -o=json -l'
alias kgingwojsonl='kubectl get ingress --watch -o=json -l'
alias ksysgingwojsonl='kubectl --namespace=kube-system get ingress --watch -o=json -l'
alias kgcmwojsonl='kubectl get configmap --watch -o=json -l'
alias ksysgcmwojsonl='kubectl --namespace=kube-system get configmap --watch -o=json -l'
alias kgsecwojsonl='kubectl get secret --watch -o=json -l'
alias ksysgsecwojsonl='kubectl --namespace=kube-system get secret --watch -o=json -l'
alias kgnwojsonl='kubectl get nodes --watch -o=json -l'
alias kgnswojsonl='kubectl get namespaces --watch -o=json -l'
alias kgslwl='kubectl get --show-labels --watch -l'
alias ksysgslwl='kubectl --namespace=kube-system get --show-labels --watch -l'
```

```
alias kgposlwl='kubectl get pods --show-labels --watch -l'
alias ksysgposlwl='kubectl --namespace=kube-system get pods --show-labels --watch -l'
alias kgdeplwl='kubectl get deployment --show-labels --watch -l'
alias ksysgdeplwl='kubectl --namespace=kube-system get deployment --show-labels --watch -l'
alias kgwsl='kubectl get --watch --show-labels -l'
alias ksysgwsl='kubectl --namespace=kube-system get --watch --show-labels -l'
alias kgpowl='kubectl get pods --watch --show-labels -l'
alias ksysgpowl='kubectl --namespace=kube-system get pods --watch --show-labels -l'
alias kgdepwl='kubectl get deployment --watch --show-labels -l'
alias ksysgdepwl='kubectl --namespace=kube-system get deployment --watch --show-labels -l'
alias kgsllwidel='kubectl get --show-labels --watch -o=wide -l'
alias ksysgslwidel='kubectl --namespace=kube-system get --show-labels --watch -o=wide -l'
alias kgposllwidel='kubectl get pods --show-labels --watch -o=wide -l'
alias ksysgposllwidel='kubectl --namespace=kube-system get pods --show-labels --watch -o=wide -l'
alias kgdepllwidel='kubectl get deployment --show-labels --watch -o=wide -l'
alias ksysgdepllwidel='kubectl --namespace=kube-system get deployment --show-labels --watch -o=wide -l'
alias kgwllwidesl='kubectl get --watch -o=wide --show-labels -l'
alias ksysgwllwidesl='kubectl --namespace=kube-system get --watch -o=wide --show-labels -l'
alias kgpowlwidesl='kubectl get pods --watch -o=wide --show-labels -l'
alias ksysgpowlwidesl='kubectl --namespace=kube-system get pods --watch -o=wide --show-labels -l'
alias kgdepwllwidesl='kubectl get deployment --watch -o=wide --show-labels -l'
alias ksysgdepwllwidesl='kubectl --namespace=kube-system get deployment --watch -o=wide --show-labels -l'
alias kgwslwidel='kubectl get --watch --show-labels -o=wide -l'
alias ksysgwslwidel='kubectl --namespace=kube-system get --watch --show-labels -o=wide -l'
alias kgpowlwidel='kubectl get pods --watch --show-labels -o=wide -l'
alias ksysgpowlwidel='kubectl --namespace=kube-system get pods --watch --show-labels -o=wide -l'
alias kgdepwslwidel='kubectl get deployment --watch --show-labels -o=wide -l'
```

alias ksysgdepwslowidel='kubectl --namespace=kube-system get deployment --watch --show-labels -o=wide -l'

alias kexn='kubectl exec -i -t --namespace'

alias klon='kubectl logs -f --namespace'

alias kpfm='kubectl port-forward --namespace'

alias kgn='kubectl get --namespace'

alias kdn='kubectl describe --namespace'

alias krmn='kubectl delete --namespace'

alias kgpon='kubectl get pods --namespace'

alias kdpon='kubectl describe pods --namespace'

alias krmpon='kubectl delete pods --namespace'

alias kgdepn='kubectl get deployment --namespace'

alias kddepn='kubectl describe deployment --namespace'

alias krmdepn='kubectl delete deployment --namespace'

alias kgsvcn='kubectl get service --namespace'

alias kdsvcn='kubectl describe service --namespace'

alias krmsvcn='kubectl delete service --namespace'

alias kgingn='kubectl get ingress --namespace'

alias kdingn='kubectl describe ingress --namespace'

alias krmingn='kubectl delete ingress --namespace'

alias kgcmn='kubectl get configmap --namespace'

alias kdcmn='kubectl describe configmap --namespace'

alias krmcmn='kubectl delete configmap --namespace'

alias kgsecn='kubectl get secret --namespace'

alias kdsecn='kubectl describe secret --namespace'

alias krmsecn='kubectl delete secret --namespace'

alias kgoyamln='kubectl get -o=yaml --namespace'

alias kgpooyamln='kubectl get pods -o=yaml --namespace'

alias kgdepoyamln='kubectl get deployment -o=yaml --namespace'

alias kgsvcoyamln='kubectl get service -o=yaml --namespace'

alias kgingoyamln='kubectl get ingress -o=yaml --namespace'


```
alias kgcmoyaml='kubectl get configmap -o=yaml --namespace'
alias kgsecoyaml='kubectl get secret -o=yaml --namespace'
alias kgowiden='kubectl get -o=wide --namespace'
alias kgpoowiden='kubectl get pods -o=wide --namespace'
alias kgdepowiden='kubectl get deployment -o=wide --namespace'
alias kgsvcowiden='kubectl get service -o=wide --namespace'
alias kgingowiden='kubectl get ingress -o=wide --namespace'
alias kgcmowiden='kubectl get configmap -o=wide --namespace'
alias kgsecowiden='kubectl get secret -o=wide --namespace'
alias kgjsonn='kubectl get -o=json --namespace'
alias kgpojsonn='kubectl get pods -o=json --namespace'
alias kgdepojsonn='kubectl get deployment -o=json --namespace'
alias kgsvcjsonn='kubectl get service -o=json --namespace'
alias kgingojsonn='kubectl get ingress -o=json --namespace'
alias kgcmjsonn='kubectl get configmap -o=json --namespace'
alias kgsecojsonn='kubectl get secret -o=json --namespace'
alias kgsln='kubectl get --show-labels --namespace'
alias kgposln='kubectl get pods --show-labels --namespace'
alias kgdepsln='kubectl get deployment --show-labels --namespace'
alias kgwn='kubectl get --watch --namespace'
alias kgpown='kubectl get pods --watch --namespace'
alias kgdepwn='kubectl get deployment --watch --namespace'
alias kgsvcwn='kubectl get service --watch --namespace'
alias kgingwn='kubectl get ingress --watch --namespace'
alias kgcmwn='kubectl get configmap --watch --namespace'
alias kgsecwn='kubectl get secret --watch --namespace'
alias kgwoyaml='kubectl get --watch -o=yaml --namespace'
alias kgpowoyaml='kubectl get pods --watch -o=yaml --namespace'
alias kgdepwoyaml='kubectl get deployment --watch -o=yaml --namespace'
alias kgsvcwoyaml='kubectl get service --watch -o=yaml --namespace'
alias kgingwoyaml='kubectl get ingress --watch -o=yaml --namespace'
```

```
alias kgcmwoyamln='kubectl get configmap --watch -o=yaml --namespace'
alias kgsecwoyamln='kubectl get secret --watch -o=yaml --namespace'
alias kgowidesln='kubectl get -o=wide --show-labels --namespace'
alias kgpoowidesln='kubectl get pods -o=wide --show-labels --namespace'
alias kgdepowidesln='kubectl get deployment -o=wide --show-labels --namespace'
alias kgslowiden='kubectl get --show-labels -o=wide --namespace'
alias kgposlowiden='kubectl get pods --show-labels -o=wide --namespace'
alias kgdepslowiden='kubectl get deployment --show-labels -o=wide --namespace'
alias kgwowiden='kubectl get --watch -o=wide --namespace'
alias kgpowowiden='kubectl get pods --watch -o=wide --namespace'
alias kgdepwowiden='kubectl get deployment --watch -o=wide --namespace'
alias kgsvcowowiden='kubectl get service --watch -o=wide --namespace'
alias kgingwowiden='kubectl get ingress --watch -o=wide --namespace'
alias kgcmwowiden='kubectl get configmap --watch -o=wide --namespace'
alias kgsecwowiden='kubectl get secret --watch -o=wide --namespace'
alias kgwojsonn='kubectl get --watch -o=json --namespace'
alias kgpowojsonn='kubectl get pods --watch -o=json --namespace'
alias kgdepwojsonn='kubectl get deployment --watch -o=json --namespace'
alias kgsvcowojsonn='kubectl get service --watch -o=json --namespace'
alias kgingwojsonn='kubectl get ingress --watch -o=json --namespace'
alias kgcmwojsonn='kubectl get configmap --watch -o=json --namespace'
alias kgsecwojsonn='kubectl get secret --watch -o=json --namespace'
alias kgsln='kubectl get --show-labels --watch --namespace'
alias kgposln='kubectl get pods --show-labels --watch --namespace'
alias kgdepsln='kubectl get deployment --show-labels --watch --namespace'
alias kgwsln='kubectl get --watch --show-labels --namespace'
alias kgpowsln='kubectl get pods --watch --show-labels --namespace'
alias kgdepwsln='kubectl get deployment --watch --show-labels --namespace'
alias kgslnowiden='kubectl get --show-labels --watch -o=wide --namespace'
alias kgposlnowiden='kubectl get pods --show-labels --watch -o=wide --namespace'
alias kgdepslnowiden='kubectl get deployment --show-labels --watch -o=wide --namespace'
```

```
alias kgwowidesln='kubectl get --watch -o=wide --show-labels --namespace'
```

```
alias kgpowowidesln='kubectl get pods --watch -o=wide --show-labels --namespace'
```

```
alias kgdepwowidesln='kubectl get deployment --watch -o=wide --show-labels --namespace'
```

```
alias kgwslowiden='kubectl get --watch --show-labels -o=wide --namespace'
```

```
alias kgpowslowiden='kubectl get pods --watch --show-labels -o=wide --namespace'
```

```
alias kgdepwslowiden='kubectl get deployment --watch --show-labels -o=wide --namespace'
```