


VPS: 43.156.108.96

```
USER BROWSER
=====
```



```

POST /diagnostics/run    deep diagnostic
POST /diagnostics/free/run  free diagnostic
POST /blueprints/generate  AI blueprint
POST /workflows/synthesize workflow JSON gen
POST /workflows/draft-test copilot sandbox test
CRUD /agents/*            agent management
POST /bridge/aira         general Aira entry
POST /bridge/kiro         Kiro routing
POST /context/ui-state    UI state awareness


```

Clients:

```

zeroclawStreamingClient --> Zeroclaw (AI orchestrator)
openrouterClient -----> OpenRouter API
n8nClient -----> n8n :5678 (workflow CRUD)
n8nMcpClient -----> n8n MCP (node search)
n8nAsCodeServiceClient --> n8n-as-code :3500
agentsRepository -----> file-based agent store

```



DATA FLOW: Workflow Copilot Pipeline

User designs workflow on canvas

Next.js /api/copilot-test

n8nAsCodeClient.ts

```

----> :3500 /drafts/build    (create draft + metadata)
----> :3500 /drafts/test     (real n8n sandbox execution)
----> :3500 /drafts/bind-cred (match credentials)

```

```

      |
      v
Return: { draft_id, testResult, credentials, readyToDeploy }
      |
      v (user clicks "Deploy")
Next.js /api/copilot-apply
      |
      v
n8nAsCodeClient.ts
      |
      +---> :3500 /drafts/deploy      (inject creds + POST to n8n + activate)
      |
      v
Return: { workflowId, workflowUrl, activated }
```

DATA FLOW: AI Console Chat

=====

```

User types message
      |
      v
Next.js /api/console/stream
      |
      v
VPS Bridge :3003 /console/stream
      |
      v
zeroclawStreamingClient
      |
      v
Zeroclaw orchestrator --> OpenRouter (Qwen) --> SSE back to browser
```

PORT MAP

=====

```

:3000 Next.js Console (dev, or Vercel in prod)
:3003 VPS Bridge (Express gateway)
:3500 n8n-as-code-service (workflow copilot backend)
:5678 n8n (workflow automation engine)
:8081 Python backend (legacy diagnostics/blueprint)
```