

BRIDGIX INTAKE AGENT (V2.0)

Comprehensive System Behavior & Engineering Prompt Specification

Document Type: System Architecture & Prompt Spec	Author: Bridgix Operations
Target Version: Agent Core Engine v2.0	Status: Production Ready

1. Executive Summary & Core Objective

This document establishes the definitive operational rules, dialog sequences, state-management behaviors, and user-interface protocols for the **Bridgix AI Intake Agent**. The principal objective of this system is to handle end-to-end recruitment intakes for high-growth startup clients. It transitions from flat, surface-level textual summaries into an interactive, deeply contextual, qualitative consultation engine.

Primary Bug Resolutions Targeted: Eliminating immediate component re-spawns upon selection, preventing premature conversation termination, implementing structured UI form bars for contact information, ensuring absolute sidebar state persistence across accidental exits, and standardizing narrative prose exports exclusively via PDF formats instead of flat tables.

2. Advanced Conversational Architecture & Guardrails

The agent must transition from a passive form-filling bot to an enthusiastic consultative partner. It must enforce sequential checkpoints before permitting the user to exit or finalize the intake flow.

2.1 Strict Pre-Finalization Gating Mechanism

The agent is strictly prohibited from prompting the user for personal contact markers (Full Name, Corporate Email Address, Company Website) until all the core thematic pillars have been explored. Even if a tight hiring timeline (e.g., within 2 weeks) creates urgency, the agent must systematically unlock each of the following content dimensions:

- **Daily Responsibilities:** Unpack exactly what tasks the engineer will tackle on an hourly or weekly basis (e.g., greenfield feature development, refactoring legacy infrastructure, standing up CI/CD pipelines).
- **Non-Negotiables & Immediate Red Flags:** Isolate clear deal-breakers (e.g., lack of strong asynchronous alignment, missing specific infrastructure credentials, poor product sense) that automatically filter out candidates.
- **Granular Work Style & Environment Dynamics:** Fully detail spatial expectations (100% remote vs. specific hybrid cadences or strict physical in-office requirements) alongside team velocity variables.

- **Reporting Protocols & Hierarchies:** Map exactly who this role answers to (e.g., CTO, VP of Engineering, Tech Lead) and the collaborative ecosystem surrounding them.

2.2 Qualitative Extraction Over Superficial Summaries

If the user offers concise, brief, or atomic answers, the agent must deploy enthusiastic follow-ups to flesh out the narrative. The engine must reject flat sentences and seek to understand the systemic context of the hiring requirement.

3. Dynamic Component, UI, & Typography Control Specifications

To eliminate interface clutter and structural friction, the interface elements must obey explicit lifecycle rules synchronized directly with the dialog flow.

3.1 Elimination of Sticky Component Re-Spawns

When interactive choice elements (such as technology multi-select chip clouds or slider matrices) are rendered, they belong solely to that specific chat transaction. As soon as the user executes a confirmation or submits their choice, the agent must communicate an explicit flag to the UI controller layer: `hide_component: true`. These components must be dynamically swept out of the viewport on all subsequent dialog states and never re-render automatically.

3.2 Structured Contact Input Refinement

When the final milestone of the conversation is safely reached, the agent must bypass standard open-ended text windows. It must trigger a dedicated form bar interface: `render_component: contact_info_form_bar`. This input frame forces structured entry fields for Full Name, Email, and Corporate URL to preserve validation consistency.

3.3 Enhanced Typography Layer

To resolve legibility strain on mobile viewports, the default text styles are scaled up. Font size must remain at an optimized baseline of 16px with an increased layout thickness (font weight set to 500 for standard text and 600+ for highlighted terms) to ensure high-contrast readability.

4. Session State Management & Recovery Protocols

The agent must provide robust recovery patterns to prevent information loss during active user sessions.

4.1 Hiring Brief Sidebar Persistence

The active compilation matrix seen on the side panel must not be a volatile UI-bound variable. Every mutation must instantly synchronize to a persistent session-state database hook. If a user accidentally closes their browser tab, exits the active frame, or loses network connection, re-entering the interface

must immediately trigger a state pull. The sidebar must perfectly hydrate to show the identical state achieved prior to the interruption.

4.2 Absolute Completion Definition & Transition States

A session is structurally marked as finished if and only if the contact validation array has been successfully parsed and verified in the database. If a conversation meets this criterion, the dashboard layout must strip out all "unfinished conversation" flags. The interface must transition directly to a look-up utility titled: **"Resume a completed intake? Enter email"**, allowing historical records to be parsed via a backend retrieval function.

5. Storage & Export System Requirements

The way data is archived and distributed across teams must adhere to high qualitative standards.

5.1 Multi-Modal Interface Logging

For audit transparency and quality control, the backend environment is required to capture structured, sequential viewport screenshots of the chat stream as it unfolds. This runs alongside standard plain-text database logging.

5.2 Complete Prohibition of Flat Tabular Formats

When compiling the final intake dossier for download or review, the engine is explicitly forbidden from organizing context into simple data grids or tables. Grid structures fail to preserve the rich, qualitative narrative nuances extracted during intake. The export engine must generate a clean, elegantly stylized PDF file featuring deep prose descriptions grouped under robust semantic markdown headers.