

**SAMSUNG**



# **SAMSUNG A22 5G A226B**

**FRP BYPASS UNLOCK  
GOOGLE ACCOUNT  
ANDROID 13**

Bad English google-translate of  
<https://youtu.be/zS5wx8-0M3A>

**NO BOX  
NO TEST POINT  
by scatter file**

**BOUDALI OMAR**

0:00 / 8:20



ALL IN ONE

*telephone astuce*  
**BOUDALI OMAR**

إحترف صيانة الموبايل.



Bypass Google account on Samsung Galaxy A22  
5G SM-A226B android 13

تخطي حساب جوجل على samsung galaxy A22  
5G SM-A226B android 13

After the latest update for this device, all loopholes have been closed  
Previously used to bypass Google account. So a tool  
47Wad is no longer a work or even a loophole  
.Package\_bDisabler\_Pro  
He lost a block

بعد التحديث الأخير لهذا الجهاز تم سد كل الثغرات  
المستعملة سابقا لتخطي حساب جوجل. فإداة  
samfw لم تعد عمل ولا حتى ثغرة  
.Package\_Disabler\_Pro  
فقد سدة



Today, God willing, I will share with you the file for deleting a Google account using a tool  
.spflash tools  
.test point You do not need a box or to open the device to make

اليوم إن شاء الله أشاركم ملف حذف حساب جوجل عن طريق أداة  
.spflash tools  
فلمست بحاجة لبوكس ولا لفتح الجهاز لعمل .test point



## Customize your Install

EN

Please select a directory to install to, and choose which drivers should be installed

Install directory:

C:\Program Files (x86)\Chimera\

☒ Create a shortcut on the desktop

Drivers:

Install	Name	Installed Version	Version
<input checked="" type="checkbox"/>	SmartCard, UART cable drivers	n/a	28.0
<input checked="" type="checkbox"/>	ADB driver	n/a	24.0
<input type="checkbox"/>	HTC driver	n/a	13.0
<input type="checkbox"/>	LG driver	n/a	13.0
<input type="checkbox"/>	Huawei driver	n/a	13.0
<input checked="" type="checkbox"/>	MediaTek (MTK) driver	n/a	13.0
<input checked="" type="checkbox"/>	Samsung driver	n/a	8.0
<input checked="" type="checkbox"/>	Qualcomm driver	n/a	6.0
<input type="checkbox"/>	BlackBerry OS10 driver	n/a	5.0
<input type="checkbox"/>	BlackBerry OS7 driver	n/a	3.4
<input type="checkbox"/>	UsbDk driver	n/a	3.0
<input type="checkbox"/>	Unisoc driver	n/a	1.0
<input type="checkbox"/>	Motorola driver	n/a	1.0

☐ Select All

Back

Next

Cancel

## Device Manager

File Action View Help

- Devices by type
- Devices by connection
- Devices by container
- Resources by type
- Resources by connection

☒ Show hidden devices

Customise...

Human Interface Devices

~~Portable Devices~~

Ports (COM & LPT)

- MediaTek PreLoader USB VCOM (Android) (COM12)
- MediaTek PreLoader USB VCOM (Android) (COM8)
- MediaTek PreLoader USB VCOM (Android) (COM9)
- MediaTek USB Port (COM11)
- MediaTek USB Port (COM13)
- USB Serial Device (COM5)

Print queues

This page is NOT in the video!

Install the drivers with the Chimeratool  
- but after that, you do not need to even  
open this app, or to pay for it!

<https://chimeratool.com/en/download>

Just be happy for all the nice drivers,  
and the easy installation procedure :).





You should first know that this device carries handles  
It is therefore different from devices mediatek  
Samsung and then mtk you have to install definitions if not  
You wouldn't have done it.

يجب أن تعرف في البداية أن هذا الجهاز يحمل معالج  
**mediatek**. فهو بالتالي مختلف عن أجهزة  
السامسونج ومن ثم عليك تثبيت تعريفات **mtk** إن لم  
تكن قد فعلته.



Ca PC



Tel Browser



Corbelle



Start Top Browser



Google Chrome




samsung



Apowersoft Erregiptr...



Nouveau dossier



VLC media player



uTorrent



Chrome



Easy Samsung FRP Tool V2...



Xiaomi\_SideLo...



MTKAuthType...



mtk\_bypass\_rev4



SamFw\_Tool\_v...



Samsung\_Mal...



SP\_Flash\_Tool...



Odin\_v3.13.1



Miracle\_Thunder - Raccourci



IFT

Download link for all  
Files in a box  
the description. \_

رابط تحميل كل  
الملفات في صندوق  
الوصف.


[https://mediafire.com/file/wl2p24qfryyfrul/Samsung\\_A226B\\_FRP\\_Reset\\_File.rar/file](https://mediafire.com/file/wl2p24qfryyfrul/Samsung_A226B_FRP_Reset_File.rar/file)



Item	Modified	Type	Size
Auth Bypass	23/01/2022 10:51	Document texte	1 Ko
Scatter File	23/01/2022 10:51	Document texte	1 Ko
FRP Formatting	23/01/2022 10:51	Document texte	1 Ko
libusb-win32	23/01/2022 10:51	Application	627 Ko
MTX_AdbOne_DA.bin	26/12/2021 04:52	Fichier BIN	10 170 Ko
Samsung Android R, 10, 11 en U	23/02/2022 12:11	Document texte	1 Ko
SP_Flash_Tool_v5.2152_Win	15/03/2022 12:52	WinRAR ZIP archive	50 001 Ko

The second step is to confirm the definition of libusb driver talaa  
Very necessary. Otherwise, your computer will not recognize your device


الخطوة الثانية يجب تثبيت تعريف libusb driver فهذا  
ضروري جدا. وإلا فلن يتعرف الكمبيوتر على جهازك



First we open this tool. Its role is essential in the operation. It removes the protection from Processor This is so that the computer can Connecting to the device.

نفتح أولاً هذه الأداة. ودورها أساسي في العملية. إذ أنها تقوم بفك الحماية عن المعالج وهذا حتى يتمكن الكمبيوتر من الإتصال بالجهاز.







Video asks you to open this tool now,  
but it will first be used later.  
This tool was where I was then stuck,  
just forever "Waiting..."  
Adding the Chimera drivers made  
the tool recognize my phone port!

Video says press Vol Up and Down, but for my  
phone, I had to only keep Vol Down continuously  
pressed, and then insert the USB.










Windows Explorer window showing the contents of a folder named "Flash Tool" (v5.2152\_Win). The address bar shows the path: Samsung\_A220R\_FRP\_Reset\_File > Samsung\_A220R\_FRP\_Reset\_File > Samsung\_A220R\_FRP\_Reset\_File > SP\_Flash\_Tool\_v5.2152\_Win > SP\_Flash\_Tool\_v5.2152\_Win.


Nom	Modifié le	Type	Taille
codecs	26/12/2021 04:52	Dossier de fichiers	
Driver	23/07/2021 11:12	Dossier de fichiers	
imageformats	26/12/2021 04:52	Dossier de fichiers	
spdrivers	26/12/2021 04:52	Dossier de fichiers	
existant	26/12/2021 04:52	Application	1 181 Ko
BromAdapterTool	26/12/2021 04:52	Paramètres de co...	1 Ko
console_mode.xml	26/12/2021 04:52	Fichier XML	29 Ko
Credits	02/10/2018 01:11	Document texte	1 Ko
Curl	26/12/2021 04:52	Application	1 Ko
DA_FLEA	26/12/2021 04:52	Fichier BIN	10 108 Ko
DA_CRYPTOMAX	26/12/2021 04:52	Fichier BIN	10 108 Ko
DA_SWSEC.bin	26/12/2021 04:52	Fichier BIN	2 144 Ko
DA_SWSEC_CRYPTOS.bin	26/12/2021 04:52	Fichier BIN	2 144 Ko
dl_without_scatter	26/12/2021 04:52	Fichier XML	2 Ko
download_scene	26/12/2021 04:52	Paramètres de co...	1 Ko
Flash Tool	26/12/2021 04:52	Application	10 258 Ko
FlashTool.qch	26/12/2021 04:52	Fichier QCH	8 172 Ko
FlashTool.qhc	26/12/2021 04:52	Fichier QHC	12 Ko
FlashToolLib.dll	26/12/2021 04:52	Extension de l'app...	1 801 Ko
FlashToolLibv1.dll	26/12/2021 04:52	Extension de l'app...	2 914 Ko
FlashToolLibEx.dll	26/12/2021 04:52	Extension de l'app...	4 888 Ko
How to Use	24/05/2018 22:10	Raccourci Internet	1 Ko
key	26/12/2021 04:52	Paramètres de co...	1 Ko
libary32.dll	26/12/2021 04:52	Extension de l'app...	1 293 Ko
mcuq30.dll	26/12/2021 04:52	Extension de l'app...	558 Ko
mcuq90.dll	26/12/2021 04:52	Extension de l'app...	541 Ko
MTK_AllWinOne_DA.bin	26/12/2021 04:52	Fichier BIN	10 170 Ko
option	26/12/2021 04:52	Paramètres de co...	1 Ko
phonem4.dll	26/12/2021 04:52	Extension de l'app...	261 Ko
platform	26/12/2021 04:52	Fichier XML	32 Ko
QCLucene4.dll	26/12/2021 04:52	Extension de l'app...	373 Ko
QCore4.dll	26/12/2021 04:52	Extension de l'app...	2 228 Ko
QGui4.dll	26/12/2021 04:52	Extension de l'app...	8 021 Ko
QHelp4.dll	26/12/2021 04:52	Extension de l'app...	419 Ko
QNetwork4.dll	26/12/2021 04:52	Extension de l'app...	952 Ko

46 élément(s) 1 élément sélectionné 10,1 Mo



Type text here







Grunt file deletion  
From this box

نخر ملف الحذف  
من هذه الخانة





Type text here



Easy Samsung

Xiaomi\_Side...

MTKAuthBypa...

mtk\_bypas...

MTK Auth Bypass Tool V7.8.0.5

Smart Phone Flash Tool(Runtime Trace Mode)

Open Samsung...

Samsung\_A2268\_FRP\_Reset\_File

Organiser Nouveau dossier

Favoris  
Bureau  
Emplacements r...  
Téléchargement

Ce PC  
Bureau  
Documents  
Images  
Musique  
Téléchargement  
Vidéos  
wind (C:)  
win7 (D:)

Nom	Modifié le	Type	Taille
Samsung_A2268_FRP_Reset_File	06/05/2023 18:08	Dossier de fichiers	

Nom du fichier:

Map File (\*.dat \*.aml)

Ouvrir

Annuler

0.0k


0 bytes

High Speed

0.00

Windows 8.1





MTK Auth Bypass Tool V7.8.0.5

Smart Phone Flash Tool(Runtime Trace Mode)

Open Scatter File

Samsung\_A218\_PFP... Samsung\_A218\_PFP\_Reset\_File

Organiser Nouveau dossier

Favorites	Nom	Modifié le	Type	Taille
Bureau	Auth Bypass Tool	06/05/2022 10:09	Dossier de fichiers	
Emplacements récents	Scatter File	23/02/2022 10:30	Dossier de fichiers	
Téléchargements	SP_Flash_Tool-v5.2152_Win	06/05/2022 10:09	Dossier de fichiers	
	PFP Formatting Address	23/02/2022 10:30	Document texte	1 Ko
Ce PC	Samsung Android 9, 10, 11 or 12 Pfp Bypass...	23/02/2022 13:11	Document texte	1 Ko
Bureau				
Documents				
Images				
Musique				
Téléchargements				
Vidéos				
win8 (C:)				
win7 (D:)				

Nom du fichier :

Map File (\*.dat \*.amli)

Ouvrir

Annuler

0.0k

0 bytes


High-Speed

0:00

Windows 8.1










The code definition file is in .scatter

ملف حذف الحساب بصيغة  
.scatter



This field has been deleted

ثم نخر هذه الخانة



We enter this theme

نقوم بإدخال هذه القيمة





MT6833

☐ Validation

☐ Auto Format Flash

☒ Manual Format Flash

Specify the region, begin address and length of the format area.

Region: EMMC\_USER

Begin Address(HEX): 0x2000000

Format Length(HEX): 0x1000000

WARNING: Calibration data is

0 B/s, 0 Bytes, EMMC, High-Speed, 0:00, USB: D4 Download All (high speed, auto detect)

Undo, Ctrl+Z

Redo, Ctrl+Y

Cut, Ctrl+X

Copy, Ctrl+C

Paste, Ctrl+V

Delete

Select All, Ctrl+A

Fichier, Edition

0x10000000

0x000000


Good, now everything is ready. sp flashtool  
Leave the tool aside. We start with the decryption tool first.

جيد الآن كل شيء جاهز.  
نترك أداة sp flashtool جانبا. ونبدء  
بأداة فك الحماية أولا.



نقوم بتوقيف الجهاز ثم نضغط على هذه الخانة  
من الأداة ثم نضغط على زر رفع الصوت و زر  
خفض الصوت ثم نوصل الكابل.

We stop the device and then click on this box  
From the tool, we press the volume up button  
and the button  
Lower the volume and then connect the cable.





هذه البيانات دليل أن الأداة قامت بعملها  
وتم فك الحماية وبإمكانك تمرير ملف  
الحذف

This evidence is proof that the tool has done its  
job. The protection has been removed and you  
can pass a file Delete


MTK Auth Bypass Tool V7.8.0.5

```
Waiting for mtk usb device... ok
BootMode : [BootLoader(CM9)]
USBDriver : <usb_vendor_0-1.1.0.0/00/00/00>
Sync with bootrom started...
• Chipset MTK6583
• Identifier Dimensity 790
• Info SAMSUNG, SAMSUNG, Palms
Switch preloader to bootrom... crash success!
Waiting for mtk usb device... ok
BootMode : [BootLoader(CM9)]
USBDriver : <usb_vendor_0-1.1.0.0/00/00/00>
Sync with bootrom started...
• Chipset MTK6583
• Identifier Dimensity 790
• Info SAMSUNG, SAMSUNG, Palms
• SecCFG SEC+SDA
Disable boot protection.
Bypass Payload ACK = 0x00000001
MTK Secure Boot Bypass success!
now you can use SP Flash Tool or any MTK Tool
```

Successful Attack: [Elapsed time : (00:00:00.00) from start] Stop Screen Shot

Disable Auth: Read Preloader: Crash PL Only: Virus Remove

<https://www.facebook.com/mtkauthbypass/>



شرا

Mode 16

Windows 8.1 Professional

Id 96

6/11

إضغط على star

start

Now click on start

إضغط الآن على star

Start

MTK Auth Bypass Tool V7.8.0.5

```
Waiting for mtk usb device... ok
BootMode = [Bootloader][COM9]
USBDriver = [usb_driver2.0.1136.006/30/0014]
Sync with bootloader started...
• Chipset: MTK6532
• Identifier: Dimensity 790
• Info: SAMP (X80, 8000, Palms)
Switch preloader to bootloader...[success]
Waiting for mtk usb device... ok
BootMode = [Bootloader][COM9]
USBDriver = [usb_driver2.0.1136.006/30/0014]
Sync with bootloader started...
• Chipset: MTK6532
• Identifier: Dimensity 790
• Info: SAMP (X80, 8000, Palms)
• SecCFG: SEC+SDA
Disable secure protection.
Bypass Payload ACE = [success]
MTX Secure Boot Bypass success!
now you can use SP Flash Tool or any MTK Tool
```

MTK Auth Bypass

Elapsed time : (00:00:00.23) seconds

Stop

Screen Shot

Disable Auth

Read Preloader

Crash PL Only

Win Device Remove

<https://www.facebook.com/mtkauthbypass/>

SAM

load All(high speed,auto detect)

شرا

Mode 16


Windows 8.1 Professional

Id 96

Id 96

Id 96

5:20 / 8:20







SUBSCRIBED



all redmi xiaomi frp bypass remove google

account account تخطي حساب جوجل على كافة اجهزة الشاومي بضغطة زر واحدة.

تخطي حساب  
جوجل على كافة  
أجهزة الشاومي  
بضغطة زر واحدة.



BOUDALI OMAR



6.24