

SPECIFICATION

•

BEFORE IMPLEMENTATION

The Auxion Design System.

Every value here is implemented, unchanged, across all eight screens — the DNA, the Command Center, and the six operational surfaces. This is the contract for implementation: one product, one system.

01

TYPOGRAPHY

3 FAMILIES

•

10 STEPS

Space Grotesk for display and the AUX core; IBM Plex Sans for prose and UI; IBM Plex Mono for data, labels, and states. No other families. Sizes use clamp() for fluid scaling at the ranges shown.

TOKEN	FAMILY	SIZE / LEADING / TRACK	SPECIMEN
Display XL	Space Grotesk 700	clamp 64–84 / .85 / -.03em	Ag Auxion
Display L	Space Grotesk 700	clamp 40–60 / .96 / -.03em	Ag Auxion
Title	Space Grotesk 600	24–30 / 1.02 / -.015em	Ag Auxion
Heading	Space Grotesk 600	16–20 / 1.3 / -.01em	Ag Auxion
Section label	Space Grotesk 600	15 / +.02em	Ag Auxion
Body L	IBM Plex Sans 400	17–18 / 1.55	Ag Auxion
Body	IBM Plex Sans 400	15–16 / 1.5	Ag Auxion
Small	IBM Plex Sans 400	13–14 / 1.5	Ag Auxion
Mono label	IBM Plex Mono 500	10–12 / +.1–.16em	Ag Auxion
Mono data	IBM Plex Mono 600	12–13	Ag Auxion

02

SPACING

4PX BASE

A strict 4px grid governs every padding, gap, and rhythm value. Section rhythm is 36px; card padding 24px; content gutters 32px.

4px		hairline gap
8px		tight gap
12px		chip pad-y
16px		card pad / gap
20px		inset
24px		card pad-x
32px		content gutter
44px		section gap
64px		hero pad

03 COLOR TOKENS

DARK · SHOWN

Every color is a token with a light and dark value and identical hierarchy across themes. One amber signal is the only accent — used as an indicator, never decoration. Swatches show the dark theme; light hex is listed beside each.


NEUTRALS

--bg Page canvas L #F3F1EC D #0B0C0F	--surface Cards & panels L #FBFAF8 D #14161B	--surface-2 Recessed / chips L #EDEAE3 D #1C1F26	--ink Primary text L #16181D D #ECEDEF
--ink-2 Secondary text L #55585F D #A2A6AE	--ink-3 Muted / meta L #8A8D94 D #6C7079	--line Hairline L 11% ink D 9% white	--line-strong Strong border L 20% ink D 18% white

ACTION & SIGNAL





SEMANTIC



04 ELEVATION & RADIUS

3 SHADOWS · 5 RADII

Elevation is soft in light and structural in dark; three levels only. Radii are restrained and role-based.



- 6-8 Controls · buttons, toggles, search
- 11 Small cards, inner panels
- 14 Standard cards & ledgers
- 16-18 Hero sheets
- 999 Pills · chips, badges

05 MOTION

3 CURVES

Three named easing curves cover every transition; each has one job. Durations are fixed to the values below.



Precise
`cubic-bezier(.2,.8,.2,1)` · 240ms
 Hovers, controls, focus — a decisive settle



Orchestrate
`cubic-bezier(.65,0,.35,1)` · 440ms
 State changes — theme, assembling, activation



Enter
`cubic-bezier(.16,1,.3,1)` · 640ms
 Content arrival — never bouncy

Motion only ever reports state, sequence, or transformation — never decoration. Reduce-motion collapses all durations to ~0 and gates staged sequences. Keyframes: auxRise (content enter), auxPulse (live core), auxBlink (assembling / loading).

06 COMPONENT RULES

FROZEN

The component vocabulary is fixed. New screens compose these — they do not invent new ones.

App shell	248px rail (identity console + nav + operator) · 60px topbar · scrolling main on the blueprint dot-grid. Portals drop the rail for a centered read.
Card	1px --line border, --surface fill, 14px radius, 24px padding, --shadow-1 at rest, --shadow-2 on hover (translateY -2px).
Section rule	§NN in mono/--signal + Space Grotesk 600 label + hairline fill + right-aligned mono meta. 36px above content.
Status chip	Neutral pill: --surface-2 fill, 1px --line border, 999px radius, colored dot + colored mono text. Never colored-fill behind colored text.
Button	Primary --action-bg/--action-fg; secondary --surface + --line-strong border; ghost transparent. 8–10px radius, Precise transitions.

System Map	Ticked instrument bezel + orbit + amber Index gauge arc to target tick + 7 named nodes + AUX core. Lit = amber, planned = dashed.
Ledger	Header row on --surface-2 with mono column labels; hairline rows; hover = inset 2px --signal + --surface-2. overflow-x auto below min-width.
Decision brief (Move)	Why · Evidence (data trace) · What changes (now→after) · Scope · Reversibility · Projected impact · Audit. Simulate before Approve. Never a chat bubble.

07 RESPONSIVE RULES

DESKTOP-FIRST · 1440

Screens are authored at 1440 and degrade gracefully — nothing critical clips at narrower widths.

Fluid grids	repeat(auto-fit, minmax(Npx, 1fr)) so multi-column regions wrap and stack; no fixed 2-track grids that overflow.
Flexible chrome	Topbar search/command flexes with min-width:0 so the theme toggle is never clipped.
Data ledgers	Wrapped in overflow-x:auto with a min-width floor — columns scroll rather than collide.
Type	clamp() scales headlines between the stated min/max; body stays fixed for readability.
Stacking	Two-column workspaces (queue+focus, chart+drivers) collapse to one column below ~740px.

08 ACCESSIBILITY

BUILT IN

Legibility and control are first-class, in both themes.

Contrast	Status uses neutral-pill chips so colored text always sits on a neutral surface — legible in light and dark. Body text meets AA on its surface.
-----------------	---

State is redundant	Every state carries a dot + a text label, never color alone — safe for color-blind operators.
Reduce motion	reduceMotion tweak (and prefers-reduced-motion) collapses durations to ~0 and skips staged animation; all content remains reachable.
Focus & hit area	Inputs show a --signal ring on focus; interactive rows and controls meet a comfortable target size.
Theme parity	Light and dark share identical hierarchy, spacing, and component behavior — no feature is theme-only.
Language	Voice is plain and specific; the client portal translates operator lexicon into plain terms without losing meaning.