

HANDOFF · READY FOR IMPLEMENTATION

Rebrand & migration to Auxion.

Everything an engineer needs to migrate an existing product identity onto the Auxion design system: the rename map from generic terms to the Auxion lexicon, the design-token migration, the component-level changes, a file inventory, and a step-by-step checklist. Pair this with `Auxion DNA` and `Auxion Design System` as the binding references.

01 RENAME MAP

Generic term → Auxion identifier.

Rename user-facing strings and, where practical, code identifiers. The right-hand column is the suggested symbol to use in components, routes, and analytics events.

GENERIC	AUXION TERM	CODE SYMBOL
Project	System	System
Workflow	Orchestration	Orchestration
Dashboard	Console	ConsoleView
KPI / Metric	Signal	Signal
Automation	Routine	Routine
Recommendation	Move	Move
AI-Agent	Auxiliary	Auxiliary
Deployment	Activation	activate()
Health-score	The Index	systemIndex
Success (state)	Operating	state: 'operating'
Failure (state)	Fault	state: 'fault'
In-progress	Assembling	state: 'assembling'

02

TOKEN MIGRATION

Old variables → Auxion tokens.

Replace legacy CSS variables with the Auxion token set. Every token resolves in both
 `[data-theme="light"]`
 and
 `[data-theme="dark"]`
 — never hard-code a hex. Full values live in
 `Auxion Design System`.

LEGACY	AUXION TOKEN	NOTE
<code>--color-bg</code>	 <code>--bg</code>	Page canvas. Architectural paper (light) / command-center black (dark).
<code>--color-card</code>	 <code>--surface</code>	Cards, panels, sheets.
<code>--color-muted-bg</code>	 <code>--surface-2</code>	Recessed rows, chip fills, table headers.
<code>--color-text</code>	 <code>--ink</code>	Primary text. Three-step ink ramp: <code>--ink</code> / <code>--ink-2</code> / <code>--ink-3</code> .
<code>--color-primary</code>	 <code>--signal</code>	The single accent — system state only, never decoration.
<code>--color-primary-soft</code>	 <code>--signal-tint</code>	Active surfaces, evidence areas. 12% (L) / 16% (D).
<code>--color-success</code>	 <code>--positive</code>	Operating / healthy.
<code>--color-warning</code>	 <code>--caution</code>	Degraded / needs attention.
<code>--color-danger</code>	 <code>--critical</code>	Fault / risk.

03 COMPONENT CHANGES

What each part becomes.

Card MINOR

1px `--line` border, `--surface` fill, 14px radius, 24px padding, `--shadow-1` at rest → `--shadow-2` on hover (`translateY -2px`). Swap any legacy elevation/radius for these exact values.

Status chip BREAKING

Convert every colored-fill badge to a neutral pill: `--surface-2` fill + 1px `--line` border + colored dot + colored mono text. This is the single most common migration edit.

Button MINOR

Primary = `--action-bg`/`--action-fg`; secondary = `--surface` + `--line-strong` border; ghost = transparent. 8–10px radius, Precise (240ms) transition.

App shell STRUCTURAL

248px rail (identity console + nav + operator) · 60px topbar · scrolling main on the blueprint dot-grid. Client-facing views drop the rail for a centered read.

System Map NEW

Instrument bezel + orbit + amber Index gauge arc to a target tick + 7 named nodes + AUX core. Lit = amber fill, planned = dashed. Reused across most screens.

Type families BREAKING

Space Grotesk (display) · IBM Plex Sans (body/UI) · IBM Plex Mono (data/labels/states). Remove all other families — no Inter/Roboto/Arial.

△ THE ONE HARD RULE

Status is never colored-fill behind colored text. Every chip is a neutral pill — `--surface-2` fill, 1px `--line` border, colored dot + colored mono text. This is what keeps status legible in both themes; a same-hue tint goes muddy in dark mode.

04 FILE INVENTORY

What ships in the system.

#	FILE	ROLE
00	Auxion Design System	Visual spec — the contract
01	Auxion Business Scan	Diagnose stage
02	Auxion Activation	Deploy stage
03	Auxion Command Center	Benchmark screen
04	Auxion Orchestration Detail	Decision-brief workspace
05	Auxion Moves Workspace	Operational triage
06	Auxion Transformation Index	Executive altitude view
07	Auxion Client Portal	Outward-facing view
08	Auxion DNA	Source of truth
09	This handoff	Migration reference

05 MIGRATION CHECKLIST

Order of operations.

- ☐ **Adopt the token block**
Copy the exact [data-theme] light + dark token block from Auxion Design System into your global stylesheet. Delete legacy color variables.
- ☐ **Wire the three fonts**
Add the Space Grotesk / IBM Plex Sans / IBM Plex Mono links; remove any other font families from the bundle.
- ☐ **Add the motion curves**
Define --ease-precise / --ease-orchestrate / --ease-enter and the auxRise / auxPulse / auxBlink keyframes.

**Run the rename map**

Find-and-replace user-facing strings and code symbols per §01. Update routes and analytics event names.

**Migrate status chips**

The breaking change — convert every colored-fill badge to the neutral-pill pattern. Grep for `background:var(--*-tint)` behind text.

**Rebuild the app shell**

248px rail + 60px topbar + dot-grid main. Client-facing surfaces use the centered no-rail variant.

**Drop in shared instruments**

Reuse the System Map builder and status-dot/badge/state-chip helpers rather than rewriting them per screen.

**Verify both themes + reduce-motion**

Every screen must ship identical hierarchy in light and dark, plus a `reduceMotion` path that collapses durations to ~0.