



Public Health
Environmental Health Services

385 N. Arrowhead Ave. 2nd floor, San Bernardino, CA 92415

Email: PHS.Customer.Service@snbcounty.gov

Website: phs.snbcounty.gov

Tel/Call: 800.442.2283

Fax: 909.387.4323

APPLICATION FOR WELL PERMIT

THIS SECTION TO BE COMPLETED BY APPLICANT - HEALTH PERMITS ARE NOT TRANSFERABLE			
SECTION 1 PROPERTY INFORMATION			
Property Owner: Jason Redmond			Phone Number: 909-736-7856
Site Address: Old Glen Rd. 36941 PISGAH PEAK RD		City: San Dimas YUCAIPA	State: CA Zip: 92506 92399
Assessor's Parcel Number: 0521-261-41		Email: Jasonredmond505@gmail.com	
Township: North/South Tier T1S		East/West Range: R1W	Section: S33
Well Head Latitude (decimal): 34.03711		Longitude (decimal): -116.998304	
Property Owner's Mailing Address: 36941 PISGAH PEAK RD		City: YUCAIPA	State: CA Zip: 92399
SECTION 2 CONSULTANT INFORMATION			
Name of Consultant:		Email:	Phone Number:
Address:		City:	State: Zip:
SECTION 3 REGISTERED WELL DRILLER INFORMATION			
Name of Driller: Southern California Well Service LLC, Travis Sego			Phone Number: 760-571-7808
Email: Shamoy Sego			C-57 License Number: 1086994
Return Well Permit To: ☒ Well Driller ☐ Consultant ☐ Property Owner		Return by: ☐ Mail ☐ Email	
SECTION 4 TYPE OF WORK			
☒ New ☐ Reconstruction ☐ Destruction			
Start Date: TBD		Completion Date: TBD	Estimated Groundwater Depth: 400
SECTION 5 WELL TYPE			
☐ Agriculture - Specify Use		☐ Geothermal	
☐ Cathodic		☐ Horizontal	
☐ Community/PWS/City - Specify Use Below		☒ Residential - cannot be used as a community well	
☐ Use		☐ Industrial	
		☐ Monitoring/Observation	
		☐ Test	
		☐ Other	
SECTION 6 ANNULAR SEAL			
Seal Depth (ft.): 40		Annular Seal Thickness: 3	
Sealing Material (must be placed in one continuous pour): 10 Sack Cement			
Driven Conductor Diameter (in): 8.625			
Wall (gauge) (in): 100 Thickness (in): 100 Drilling Method: Full Rotary			
SECTIONS 7 THROUGH 10 TO BE ESTIMATED FOR NEW WELLS. EXACT FOR ALL OTHER WELLS			
SECTION 7 DIMENSIONS			
Proposed Depth of Well (ft.): 400		Existing Depth of Well (ft.): 0	
Diameter of Bore (in.): 11.75 Interval: 14.5 External			
SECTION 8 CASING INSTALLED			
☐ Casing Material: PVC ☐ ASTM/AWWA/APPI			
From (ft.): 0	To (ft.): 20	Diameter (in.): 4.5	Wall (Gauge): Sdr17
From (ft.): 300	To (ft.): 400	Diameter (in.): 8.625	Wall (Gauge): 188
Gravel Pack: ☒ Yes ☐ No		From (ft.): 0	To (ft.): 400
Specify Other Backfill Material: 2/8 Gravel		From (ft.):	To (ft.):
SECTION 9 PERFORATIONS (list all if applicable)			
From (ft.): 200	To (ft.): 400	Well Screen Size: 0.032	Pumping Rate (gpm): 15-20
SECTION 10 SEALED ZONES (list all if applicable)			
From (ft.): 0		To (ft.): 20	

SECTION 11	PLOT PLAN		
A. In perspective to the well site, sketch and label the following items on a separate paper: well lot property lines, other wells (include abandoned wells), sewage disposal systems (sewers, septic tanks, leaching fields, seepage pits, cesspools), lakes and ponds, watercourses and animals or fowl kept. B. Indicate the distance in feet, of any of the above that are within 500 ft. of the well site. The plot plan needs to be drawn to scale (1/2 inch = 100 feet). Show the approximate drainage pattern of the property and show access roads to the well site within 500 feet. C. ☐ None of the above is within 500 feet. D. Solid or Liquid Disposal Site within Two Miles: ☐ Yes ☒ No Location: _____			
SECTION 12	METHOD OF CONSTRUCTION OR DESTRUCTION		
Provide the method of construction/destruction on a separate sheet of paper and submit it with the application. The method must be in accordance with the standards recommended in the California Department of Water Resources Bulletin No. 74-81 and 74-90. Title 22 standards must also be followed for public water supply wells. I will submit water well drillers report to Environmental Health Services (EHS) within 30 days of completion and will construct or destroy well/borings in accordance with the Application for Well Permit and Water Well Standards Bulletin 74-81 & 74-90.			
SECTION 13	MOJAVE WATER AGENCY SERVICE AREA ONLY		
Any person who intends to construct a water well within the Mojave Water Agency Service Area must submit the Notice of Intent to Extract or Divert Water form. ☐ By checking this box, I confirm that I intend to construct a water well within the Mojave Water Agency Service Area and have included the Notice of Intent to Extract or Divert Water with this application as required.			
SECTION 14	LEGAL PURPOSES DECLARATION		
☒ As the owner of the proposed well or existing well to be altered, I hereby declare that the well will not be used for illegal purposes. Printed Name: <u>Jason Redmond</u> Signature: <u>[Signature]</u> Date: <u>10/15/2025</u>			
SECTION 15	AGREEMENT AND SIGNATURE		
Indemnification – The Contractor agrees to indemnify, defend (with counsel reasonably approved by County) and hold harmless the County and its authorized officers, employees, agents and volunteers from any and all claims, actions, losses, damages, and/or liability arising out of this contract from any cause whatsoever, including the acts, errors or omissions of any person and for any costs or expenses incurred by the County on account of any claim except where such indemnification is prohibited by law. This indemnification provision shall apply regardless of the existence or degree of fault of indemnitees. The Contractor's indemnification obligation applies to the County's "active" as well as "passive" negligence but does not apply to the County's "sole negligence" or "willful misconduct" within the meaning of Civil Code Section 2782. I have read this application and agree to comply with all laws regulating the type of work being performed, I understand: - This permit does not absolve or replace any obligations or requirements from applicable water districts/other agencies. - That all completed work must meet the requirements as stated in this well application and that the property owner has given authorization to install the well on their property in accordance with all applicable laws and regulations. ☐ Electronic Signature Only: By checking this box, I confirm I am submitting this application electronically and that the information on this form is true and correct. I also acknowledge that I have read, understand and accept any terms and conditions of this form. C-57 Contractor's Signature: <u>Travis Sego</u> Date: <u>10/15/25</u> Print Contractor's Name: <u>Travis Sego</u>			
For Office Use Only – Disposition of Permit			
☒ Sent to Water Agency		Permit Number:	<u>2025110446</u>
☒ Approved subject to the following:		Expiration Date:	<u>05/14/2026</u>
A. ☒ Notify EHS at (800) 442-2283 at least 72 hours in advance to inspection. Failure to cancel or reschedule appointments may result in an additional hourly fee. Inspections are conducted Monday – Friday between 8:00 a.m. to 5:00 p.m. for the following operations:		WP Number:	<u>WP0040421</u>
☒ Prior to sealing of the annular space or filling of the conductor casing. ☒ After installation of the surface protective slab and pumping equipment. ☒ After installation of the surface features. ☐ During destruction of wells, prior to pouring the sealing material.			
B. ☒ Submit a copy of the Water Well Driller's Report to EHS within 30 days of the completion of work.			
C. ☐ This parcel falls within _____ area. Contact _____ prior to construction.			
Comments: This parcel is within a water company connection, you must contact them prior to the construction of this well. Permit is approved on the condition that the well location meets all setback requirements per the California Well Standards and the San Bernardino County, California Code of Ordinances. Ensure that the well will be used for the purposes you are applying for. If at any step of the well permit application and inspection process, it is discovered that the well is not intended for residential purposes only, the owner and driller will be required to submit further documentation. Permit amendment reviews will be billed at our hourly fee. This permit does not relieve the property owner of the responsibility to comply with any requirements from other agencies, such as the water purveyor or the local building department.			
For Office Use Only			
Fee \$501	FA Number:	Designated Employee:	PE Number: <u>4554</u>
Late Fee: ☐ Y ☒ N	Record ID:	Received By: <u>C. LANE</u>	Date: <u>XXXXXX 10.17.25</u>
Check One: ☒ New ☐ Transfer ☐ Reactivate	Changes (please specify): <u>SR0136538</u>		

Jason Redmond
APN031-261-41-0000
0 Oak Glen Rd.
Oak Glen, Ca. 92399

Legend

- 34.037101, -116.998304
- Feature 1
- Measure
- Property Line
- Proposed Well Location



Google Earth

New Well Construction Diagram

Jason Redmond
APN 0321-261-63

3/8"- 8 Lodi 8
8.625 / .188"

10.3 Sack
Cement

GRAVEL PACKING
STEEL CONDUCTOR CASING
3" CEMENT

20' sanitary Seal

14.75" borehole

INNER BORE FOR
PVC AND GRAVEL PACK
7 7/8"

4 1/2"

LINER

300-400
PERFORATION

.032" Slot

ID

8"

4.9"

6x6x6 Slab

WELL DEPTH

400'

200-400

TRAVIS Sego
Owner/Operator

travis@scwellservice.com
info@scwellservice.com

(760) 239-8159
(760) 440-8520

**SOUTHERN CALIFORNIA
WELL SERVICE**

PVC CAP



Southern California Well Service LLC

57174 US Hwy 371

Anza, Ca. 92536

Re: Method OF Construction of Residential Well

Owner: Jason Redmond

APN: ~~0321-261-40-0000~~ 0321261410000

~~Big Bear City, Ca. 92314~~

To Whom It May Concern:

This letter is in reference to the proposed construction of a residential water well for APN 0313-161-27, 351 ~~E. North Shore Dr. Big Bear City, Ca. 92314~~

36941 PISGAH PEAK RD YUCAIPA CA 92399

Drill a 14.75 -inch hole 20 feet deep.

1. Install 20 feet of 8.625-inch .188 wall steel casing, concrete
2. Install 3-inch annular Seal around 8-inch casing down 20 feet.
3. Go inside 8-inch steel casing with a 7 7/8 -inch bit.
4. Drill from -20 feet to 200 feet.
5. Install 4.5-inch PVC SDR 17 casing in well. 0-300' Blank, 300-400 Screen
6. Gravel Pack around PVC casing 3/8"
7. Develop the well.
8. Once completed, a 6x6x4 inch concrete slab with a 3 percent slope away from the casing will be Installed.

If you have any questions regarding this proposal, please feel free to contact me.

Travis Sego

Contractor License Holder