# Predictive Books Database Schema

## Account Subschema

| | |
|---|---|
| Asset | y |
| Liabilitiy | n |
| Equity | n |
| Revenue | n |
| Expense | y |
| Gain | n |
| Loss | y |

**ELEMENT**

| | | |
|---|---|---|
| element | char 20 | * |
| accumulate_debit_yn | char 1 | |

optional folder
lookup before drop down

**FUND**

| | | |
|---|---|---|
| fund | char 20 | * |

**SUBCLASSIFICATION**

| | | |
|---|---|---|
| subclassification | char 35 | * |
| element | char 20 | |
| display_order | integer | |

pair one to m

**TAX_FORM_LINE_ACCOUNT**

| | | |
|---|---|---|
| tax_form | char 20 | * |
| tax_form_line | char 5 | * |
| account | char 60 | * |

**ACCOUNT**

| | | |
|---|---|---|
| account | char 60 | * |
| fund | char 20 | |
| subclassification | char 35 | |
| hard_coded_account_key | char 40 | |

ajax fill drop down

**TAX_FORM_LINE**

| | | |
|---|---|---|
| tax_form | char 20 | * |
| tax_form_line | char 5 | * |
| tax_form_description | char 35 | |
| itemize_accounts_yn | char 1 | |

additional unique index

optional attribute

Cash
Receivable
Long-term investment
Property, plant, and equipment (Fixed asset)
Intangible asset
Current liability
Long-term liability
Contributed capital
Retained earnings
Revenue
Cost of goods sold
Operating expense
Administrative expense
Financial expense
Home business expense
Excise tax expense
Income tax expense
Gain
Loss

lookup before drop down

**CONTRA_ACCOUNT**

| | | |
|---|---|---|
| contra_to_account | char 60 | * |
| account | char 60 | |

**TAX_FORM**

| | | |
|---|---|---|
| tax_form | char 20 | * |

5/30/2018

# Predictive Books Database Schema

One row for the organization running PredictiveBooks.

## SELF

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| inventory_cost_method | char 15 | |
| payroll_pay_period | char 15 | |
| payroll_beginning_day | char 9 | |
| social_security_combined_tax_rate | float | |
| social_security_payroll_ceiling | integer | |
| medicare_combined_tax_rate | float | |
| medicare_additional_withholding_rate | float | |
| medicare_additional_gross_pay_floor | integer | |
| federal_withholding_allowance_period_value | float | |
| federal_nonresident_withholding_income_premium | float | |
| state_withholding_allowance_period_value | float | |
| state_itemized_allowance_period_value | float | |
| federal_unemployment_wage_base | integer | |
| federal_unemployment_tax_standard_rate | float | |
| federal_unemployment_threshold_rate | float | |
| federal_unemployment_tax_minimum_rate | float | |
| state_unemployment_wage_base | integer | |
| state_unemployment_tax_rate | float | |
| state_sales_tax_rate | float | |
| energy_charge_kilowatts_per_hour | float | |

For 2017/CA/weekly

| value | |
|---|---|
| 0.124 | |
| 127200 | |
| 0.029 | |
| 0.009 | |
| 200000 | |
| 77.90 | |
| 44.20 | |
| 2.35 | |
| 19.50 | |
| 7000 | |
| 0.060 | |
| 0.054 | |
| 0.006 | |
| 7000 | |
| 0.034 | |
| 0.085 | |
| 0.131 | |

## DAY

| | |
|---|---|
| day | char 9* |

sunday
monday
tuesday
wednesday
thursday
friday
saturday

weekly
biweekly
semimonthly
monthly
} Required if hourly employees.

## INVENTORY_COST_METHOD

| | | |
|---|---|---|
| inventory_cost_method | char 15 | * |

FIFO
LIFO
Average

isa

## ENTITY

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| login_name | char 40 | |
| unit | char 6 | |
| city | char 20 | |
| state_code | char 2 | |
| zip_code | char 6 | |
| phone_number | char 15 | |
| cell_number | char 15 | |
| email_address | char 50 | |

additional unique index

## PAYROLL_PAY_PERIOD

| | | |
|---|---|---|
| payroll_pay_period | char 15 | * |

1:1

## APPASERVER_USER

| | |
|---|---|
| login_name | char 40 * |

5/30/2018

# Predictive Books Database Schema

**EMPLOYEE**

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |
| job_title | char 20 |
| hourly_wage | float |
| period_salary | float |
| commission_sum_extension_percent | float |
| gross_pay_year_to_date | float |
| net_pay_year_to_date | float |
| federal_marital_status | char 25 |
| federal_withholding_allowances | integer |
| federal_withholding_additional_period_amount | integer |
| state_withholding_exempt_yn | char 1 |
| state_marital_status | char 40 |
| state_withholding_allowances | integer |
| state_itemized_deduction_allowances | integer |
| retirement_contribution_plan_employee_period_amount | integer |
| retirement_contribution_plan_employer_period_amount | integer |
| health_insurance_employee_period_amount | integer |
| health_insurance_employer_period_amount | integer |
| union_dues_period_amount | integer |
| terminated_date | date |

omit insert
omit update

isa

row level non-owner forbid

**ENTITY**

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |

**FEDERAL_INCOME_TAX_WITHHOLDING**

| | |
|---|---|
| federal_marital_status | char 25 * |
| income_over | integer * |
| income_not_over | integer |
| tax_fixed_amount | float |
| tax_percentage_amount | float |

single
married
married_but_single_rate

**FEDERAL_MARITAL_STATU**

| | |
|---|---|
| federal_marital_status | char 25 * |

single_or_married_with_multiple_incomes
married_one_income
unmarried_head_of_household

**JOB_TITLE**

| | |
|---|---|
| job_title | char 20 * |

**STATE_MARITAL_STATUS**

| | |
|---|---|
| state_marital_status | char 40 * |

**STATE_INCOME_TAX_WITHHOLDING**

| | |
|---|---|
| state_marital_status | char 40 * |
| income_over | integer * |
| income_not_over | integer |
| tax_fixed_amount | float |
| tax_percentage_amount | float |

**STATE_STANDARD_DEDUCTION_TABLE**

| | |
|---|---|
| state_marital_status | char 40* |
| state_withholding_allowances | integer* |
| state_standard_deduction_amount | float |

# Predictive Books Database Schema

**CUSTOMER**

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |
| sales_representative_full_name | char 60 |
| sales_representative_street_address | char 60 |
| sales_tax_exempt_yn | char 1 |

isa

**SALES_REPRESENTATIV**

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |

isa

**ENTITY**

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |

isa

**VENDOR**

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |

isa

**EMPLOYEE**

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |

isa

**FINANCIAL_INSTITUTION**

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |

**PROGRAM**

| | |
|---|---|
| program | char 30 * |

**ENTITY**

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |

lookup before drop down

**TRANSACTION**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time 19 | * |
| transaction_amount | float | |
| check_number | integer | |
| memo | char 60 | |
| program | char 30 | |
| lock_transaction_yn | char 1 | |

optional folder

additional unique index

omit insert
omit update

pair one to m

**JOURNAL_LEDGER**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time 19 | * |
| account | char 60 | * |
| previous_balance | float | |
| debit_amount | float | |
| credit_amount | float | |
| balance | float | |

**ACCOUNT**

| | |
|---|---|
| account | char 60 * |

5/30/2018

# Predictive Books Database Schema

**ENTITY**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |

**REOCCURRING_TRANSACTION**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_description | char 20 | * |
| debit_account | char 60 | |
| credit_account | char 60 | |
| transaction_amount | float | |
| bank_upload_search_phrase | char 50 | |
| accrued_daily_amount | float(10.2) | |
| accrued_monthly_amount | float(10,2) | |

mutually exclusive {

Restriction: this cannot be a VENDOR.

For this liability account (taxes payable), pay this governmental entity.

**LIABILITY_ACCOUNT_ENTITY**

| | | |
|---|---|---|
| account | char 60 | * |
| full_name | char 60 | |
| street_address | char 40 | |

**ACCOUNT**

| | | |
|---|---|---|
| account | char 60 | * |

where account.subclassification = 'current_liability'

omit lookup before drop down

**ACCOUNT**

| | | |
|---|---|---|
| account | char 60 | * |

Some PredictiveBooks folders are subsidiary transactions. Set the trans-
actions' debit and credit accounts here. See PRIOR_FIXED_ASSET and
CUSTOMER_PAYMENT.

The datatype=float attribute that
becomes TRANSACTION.amount.

**SUBSIDIARY_TRANSACTION**

| | | |
|---|---|---|
| folder | char 50 | * |
| attribute | char 40 | |
| debit_account | char 60 | |
| debit_account_folder | char 50 | |
| credit_account | char 60 | |

mutually
exclusive

**FOLDER_ATTRIBUTE**

| | | |
|---|---|---|
| folder | char 50 | * |
| attribute | char 60 | * |

**FOLDER**

| | | |
|---|---|---|
| folder | char 50 | * |

**ACCOUNT**

| | | |
|---|---|---|
| account | char 60 | * |

5/30/2018

# Predictive Books Database Schema

**Bank Upload Subschema**

optional folder
lookup before drop down

**BANK_UPLOAD**

| | | |
|---|---|---|
| bank_date | date | * |
| bank_description | char 140 | * |
| sequence_number | reference_number | |
| bank_amount | double(12,2) | |
| bank_running_balance | double(12,2) | |
| fund | char 20 | |
| posted_yn | char 1 | |

omit insert
omit update

**FUND**

| | | |
|---|---|---|
| fund | char 20 | * |

**RECEIPT_UPLOAD**

| | | |
|---|---|---|
| receipt_upload_filename | char 80 | * |
| upload_date | date | * |
| fund | char 20 | |
| posted_yn | char 1 | |

**RECEIPT_UPLOAD_TRANSACTION**

| | | |
|---|---|---|
| receipt_upload_filename | char 80 | * |
| upload_date | date | * |
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

**TRANSACTION**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

# Predictive Books Database Schema

**Purchase Subschema**

**VENDOR**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |

optional folder

lookup before drop down

optional folder

**TITLE_PASSAGE_RULE**

| | | |
|---|---|---|
| title_passage_rule | char 15 | * |
| title_passage_date | char 15 | |

**PURCHASE_ORDER**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| fund | char 20 | |
| sum_extension | float | |
| sales_tax | float | |
| freight_in | float | |
| title_passage_rule | char 15 | |
| shipped_date | date | |
| arrived_date_time | date_time19 | |
| purchase_amount | float | |
| amount_due | float | |
| transaction_date_time | date_time19 | |

**FUND**

| | | |
|---|---|---|
| fund | char 20 | * |

1:1

**TRANSACTION**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

FOB_shipping   shipped_date
FOB_destination   arrived_date

additional unique index

omit insert
omit update

pair one to m

Title passage rule null   purchase_date_time
FOB_shipping   shipped_date + current_time
FOB_destination   arrived_date_time

**VENDOR_PAYMENT**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| payment_date_time | date_time19 | * |
| payment_amount | float | |
| check_number | integer | |
| transaction_date_time | date_time19 | |

1:1

**TRANSACTION**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

omit insert
omit update

5/30/2018

# Predictive Books Database Schema

## Inventory Purchase Subschema (1)

add proportion of
freight_in +
sales_tax

Implementational restriction warning:
inventory_purchase purchase orders
should **not** be comingled with other pur-
chase orders.

### INVENTORY_PURCHASE

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| inventory_name | char 60 | * |
| ordered_quantity | integer | |
| arrived_quantity | integer | |
| missing_quantity | integer | |
| unit_cost | float | |
| capitalized_unit_cost | float | |
| extension | float | |
| quantity_on_hand | integer | |
| average_unit_cost | float | |

omit insert
omit update

lookup before drop down

### INVENTORY

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| inventory_account | char 60 | |
| cost_of_goods_sold_account | char 60 | |
| inventory_category | char 30 | |
| retail_price | float | |
| reorder_quantity | integer | |
| labor_charge | float | |
| quantity_on_hand | integer | |
| average_unit_cost | float | |
| total_cost_balance | float | |

optional
attribute

omit insert
omit update

pair one to m

### PURCHASE_ORDER

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |

lookup before drop down

pair one to m

omit lookup before drop down

ajax fill drop down

### ACCOUNT

| | | |
|---|---|---|
| account | char 60 | * |

### INVENTORY_CATEGORY

| | | |
|---|---|---|
| inventory_category | char 30 | * |

### SPECIFIC_INVENTORY_PURCHASE

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| serial_number | char 10 | * |
| full_name | char 60 | |
| street_address | char 40 | |
| purchase_date_time | date_time19 | |
| extension | float | |
| retail_price | float | |
| capitalized_extension | float | |

See INVENTORY_PURCHASE.capitalized_unit_cost

where account.subclassification = 'inventory' or
account.subclassification = 'cost_of_goods_sold'

### SPECIFIC_INVENTORY

| | | |
|---|---|---|
| inventory_name | char 60 | * |

5/30/2018

add proportion of
freight_in +
sales_tax

Implementational restriction warning:
materials_inventory_purchase purchase
orders should **not** be comingled with other
purchase orders.

## MATERIALS_INVENTORY_PURCHASE

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| inventory_name | char 60 | * |
| ordered_quantity | integer | |
| arrived_quantity | integer | |
| missing_quantity | integer | |
| unit_cost | float | |
| capitalized_unit_cost | float | |
| extension | float | |
| quantity_on_hand | integer | |
| average_unit_cost | float | |

lookup before drop down

omit insert
omit update

## MATERIAL_INVENTORY

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| inventory_account | char 60 | |
| cost_of_goods_sold_account | char 60 | |
| reorder_quantity | integer | |
| quantity_on_hand | integer | |
| average_unit_cost | float | |
| total_cost_balance | float | |

omit insert
omit update

pair one to m

## PURCHASE_ORDER

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |

pair one to m

## COMPONENT_INVENTORY_PURCHASE

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| serial_number | char 10 | * |
| full_name | char 60 | |
| street_address | char 40 | |
| purchase_date_time | date_time19 | |
| extension | float | |
| capitalized_extension | float | |

omit lookup before drop down

## ACCOUNT

| | |
|---|---|
| account | char 60 * |

where account.subclassification = 'inventory' or
account.subclassification = 'cost_of_goods_sold'

See INVENTORY_PURCHASE.capitalized_unit_cost

## COMPONENT_INVENTORY

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| average_unit_cost | float | |

omit insert
omit update

5/30/2018

# Predictive Books Database Schema

**Supply/Service Purchase Subschema**

where account.subclassification = 'supply_expense'

lookup before drop down

### ACCOUNT

| | |
|---|---|
| account | char 60 * |

omit lookup before drop down

### SUPPLY_PURCHASE

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| supply_name | char 30 | * |
| quantity | integer | |
| unit_cost | float | |
| extension | float | |

### PURCHASE_ORDER

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |

### SUPPLY

| | | |
|---|---|---|
| supply_name | char 30 | * |
| account | char 60 | |

pair one to m

where account.subclassification = 'service_expense'

lookup before drop down

### ACCOUNT

| | |
|---|---|
| account | char 60 * |

### SERVICE_PURCHASE

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| account | char 60 | * |
| service_description | notepad | |
| extension | float | |

### PURCHASE_ORDER

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |

omit lookup before drop down

pair one to m

# Predictive Books Database Schema

**Fixed Asset Subschema**

Lookup before drop-down

where account.subclassification = 'property_plant_equipment'

## ACCOUNT

account     char 60  *

## FIXED_ASSET_PURCHASE

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| asset_name | char 30 | * |
| serial_number | char 10 | * |
| extension | float | |
| estimated_useful_life_years | integer | |
| estimated_useful_life_units | integer | |
| estimated_residual_value | float | |
| declining_balance_n | integer | |
| depreciation_method | char 25 | |
| disposal_date | date | |
| accumulated_depreciation | float | |

## PURCHASE_ORDER

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |

omit lookup before drop down

## FIXED_ASSET

| | | |
|---|---|---|
| asset_name | char 30 | * |
| account | char 60 | |
| energy_kilowatt_draw | float | |
| depreciation_per_hour | float | |

omit insert
omit update

pair one to m

omit insert
omit update
omit delete

## DEPRECIATION

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| asset_name | char 30 | * |
| serial_number | char 10 | * |
| depreciation_date | date | * |
| depreciation_amount | float | |
| transaction_date_time | date_time19 | |

m:1

## TRANSACTION

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

## DEPRECIATION_METHOD

depreciation_method     char 25     *

Straight line
Units of production
Double decling balance
N decling balance
Sum of year digits

omit insert
omit update

**Debit**
Depreciation expense
**Credit**
Accumulated depreciation

5/30/2018

# Predictive Books Database Schema

header_navigationPage 14

**Prior Fixed Asset Subschema**

Lookup before drop-down

where account.subclassification = 'property_plant_equipment'

The organization's fixed assets owned prior to using PredictiveBooks are stored here. Subsiquent purchases are stored in FIXED_ASSET_PURCHASE.

### ACCOUNT

account     char 60  *

### PRIOR_FIXED_ASSET

| | | |
|---|---|---|
| asset_name | char 30 | * |
| serial_number | char 10 | * |
| estimated_purchase_date | date | |
| extension | float | |
| estimated_useful_life_years | integer | |
| estimated_useful_life_units | integer | |
| estimated_residual_value | float | |
| declining_balance_n | integer | |
| depreciation_method | char 25 | |
| disposal_date | date | |
| full_name | char 60 | |
| street_address | char 40 | |
| transaction_date_time | date_time19 | |
| accumulated_depreciation | float | |

omit lookup before drop down

omit insert
omit update

### FIXED_ASSET

| | | |
|---|---|---|
| asset_name | char 30 | * |
| account | char 60 | |

1:1

### TRANSACTION

| | |
|---|---|
| full_name | char 60* |
| street_address | char 40* |
| transaction_date_time | date_time19* |

**Debit**
FIXED_ASSET.account
**Credit**
Owner's Equity

### DEPRECIATION_METHOD

depreciation_method     char 25     *

### SELF

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |

### PRIOR_FIXED_ASSET_DEPRECIATION

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| asset_name | char 30 | * |
| serial_number | char 10 | * |
| depreciation_date | date | * |
| depreciation_amount | float | |
| transaction_date_time | date_time19 | |

omit insert
omit update
omit delete

m:1

### TRANSACTION

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

**Debit**
Depreciation expense
**Credit**
Accumulated depreciation

omit insert
omit update

© 2012-2018 Tim Riley                    5/30/2018

**Prepaid Asset Subschema**

where account.subclassification = 'prepaid_asset'
or account.subclassification = 'discretionary'

Lookup before drop-down

## ACCOUNT

| | | |
|---|---|---|
| account | char 60 | * |

## PREPAID_ASSET_PURCHASE

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| asset_name | char 30 | * |
| extension | float | |
| accrual_period_years | float | |
| accumulated_accrual | float | |

## PURCHASE_ORDER

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |

omit lookup before drop down

## PREPAID_ASSET

| | | |
|---|---|---|
| asset_name | char 30 | * |
| asset_account | char 60 | |
| expense_account | char 60 | |

omit insert
omit update

pair one2m

## PREPAID_ASSET_ACCRUAL

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| purchase_date_time | date_time19 | * |
| asset_name | char 30 | * |
| accrual_date | date | * |
| accrual_amount | float | |
| transaction_date_time | date_time19 | |

1:1

## TRANSACTION

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

omit insert
omit update

5/30/2018

# Predictive Books Database Schema

Lookup before drop-down

**CUSTOMER**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |

**CUSTOMER_SALE**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| sale_date_time | date_time19 | * |
| fund | char 20 | |
| sum_extension | float | |
| sales_tax | float | |
| shipping_revenue | float | |
| invoice_amount | float | |
| ttile_passage_rule | char 15 | |
| total_payment | float | |
| amount_due | float | |
| completed_date_time | date_time19 | |
| shipped_date_time | date_time19 | |
| arrived_date | date_time19 | |
| uncollectible_writeoff_date | date | |
| transaction_date_time | date_time19 | |

**FUND**

| | | |
|---|---|---|
| fund | char 20 | * |

additional unique index

1:1

**TRANSACTION**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

**Debit**
A/R
CGS
**Credit**
Revenue
Inventory

omit insert
omit update

optional folder

Title passage time null        completed_date_time
FOB_shipping                   shipped_date_time
FOB_destination                arrived_date + current_time

pair one2m

**TITLE_PASSAGE_RULE**

| | | |
|---|---|---|
| title_passage_rule | char 15 | * |
| title_passage_date | char 15 | |

**INVENTORY_SALE**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| sale_date_time | date_time19 | * |
| inventory_name | char 60 | * |
| quantity | integer | |
| retail_price | float | |
| discount_amount | float | |
| extension | float | |
| cost_of_goods_sold | float | |

copy common attributes

**INVENTORY**

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| inventory_category | char 30 | |
| retail_price | float | |

**INVENTORY_CATEGORY**

| | | |
|---|---|---|
| inventory_category | char 30 | * |

ajax fill drop down

5/30/2018

# Predictive Books Database Schema

**APPASERVER_USER**

login_name char 20 *

**HOURLY_SERVICE_WORK**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| sale_date_time | date_time19 | * |
| service_name | char 30 | * |
| description | char 60 | * |
| begin_work_date_time | date_time(16) | * |
| end_work_date_time | date_time(16) | |
| login_name | char 20 | |
| work_hours | float | |

omit insert
omit update

**CUSTOMER_SALE**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| sale_date_time | date_time19 | * |

row level non-owner view only

**FIXED_SERVICE_WORK**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| sale_date_time | date_time19 | * |
| service_name | char 30 | * |
| begin_work_date_time | date_time(16) | * |
| end_work_date_time | date_time(16) | |
| login_name | char 20 | |
| work_hours | float | |

omit insert
omit

pair one2m

pair one2m

row level non-owner view only

copy common attributes

Lookup before drop-down

**HOURLY_SERVICE**

| | | |
|---|---|---|
| service_name | char 30 | * |
| service_category | char 30 | |
| hourly_rate | float | |
| activity | char 30 | |

**HOURLY_SERVICE_SALE**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| sale_date_time | date_time19 | * |
| service_name | char 30 | * |
| description | char 60 | * |
| estimated_hours | float | |
| hourly_rate | float | |
| work_hours | float | |
| extension | float | |

omit insert
omit update

**FIXED_SERVICE_SALE**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| sale_date_time | date_time19 | * |
| service_name | char 30 | * |
| discount_amount | float | |
| retail_price | float | |
| work_hours | float | |
| extension | float | |

omit insert
omit update

ajax fill drop down

**ACTIVITY**

activity char 30 *

**HOURLY_SERVICE_C ATEGORY**

service_category char 30 *

**FIXED_SERVICE_CATEGORY**

service_category char 30 *

ajax fill drop down

**FIXED_SERVICE**

| | | |
|---|---|---|
| service_name | char 30 | * |
| service_category | char 30 | |
| retail_price | float | |
| activity | char 30 | |

copy common attributes

5/30/2018

## CUSTOMER_SALE

| | |
|---|---|
| full_name | char 60* |
| street_address | char 40* |
| sale_date_time | date_time19* |

pair one2m

## SPECIFIC_INVENTORY_SALE

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| sale_date_time | date_time19 | * |
| inventory_name | char 30 | * |
| serial_number | char 10 | * |
| retail_price | float | |
| discount_amount | float | |
| extension | float | |

copy common attributes

## SPECIFIC_INVENTORY_PURCHASE

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| serial_number | char 10 | * |
| retail_price | float | |

## SPECIFIC_INVENTORY

| | | |
|---|---|---|
| inventory_name | char 60 | * |

```
                    ┌──────────────────────────────────────┐
                    │           CUSTOMER_SALE              │
                    ├──────────────────────────────────────┤
                    │  full_name          char 60      *   │
                    │  street_address     char 40      *   │
                    │  sale_date_time     date_time19  *   │
                    └──────────────────────────────────────┘
```

pair one2m

```
                    ┌──────────────────────────────────────┐
                    │         CUSTOMER_PAYMENT             │
                    ├──────────────────────────────────────┤
                    │  full_name              char 60      *   │
                    │  street_address         char 40      *   │
                    │  sale_date_time         date_time19  *   │
                    │  payment_date_time      date_time19  *   │
                    │  payment_amount         float            │
                    │  check_number           integer          │
                    │  transaction_date_time  date_time19      │
                    └──────────────────────────────────────┘
```

omit insert
omit update

1:1

```
                    ┌──────────────────────────────────────┐
                    │            TRANSACTION               │
                    ├──────────────────────────────────────┤
                    │  full_name              char 60      *   │
                    │  street_address         char 40      *   │
                    │  transaction_date_time  date_time19  *   │
                    └──────────────────────────────────────┘
```

{ **Debit**
Cash
**Credit**
A/R

5/30/2018

# Predictive Books Database Schema

**Payroll Subschema**

process insert

## PAYROLL_POSTING

| | | |
|---|---|---|
| payroll_year | integer | * |
| payroll_period_number | integer | * |
| posting_date_time | date_time19 | |
| begin_work_date | date | |
| end_work_date | date | |
| regular_work_hours | float | |
| overtime_work_hours | float | |
| commission_sum_extension | float | |
| gross_pay | float | |
| net_pay | float | |
| payroll_tax_amount | float | |
| federal_tax_withholding_amount | float | |
| state_tax_withholding_amount | float | |
| social_security_employee_tax_amount | float | |
| social_security_employer_tax_amount | float | |
| medicare_employee_tax_amout | float | |
| medicare_employer_tax_amount | float | |
| retirement_contribution_plan_employee_amount | integer | |
| retirement_contribution_plan_employer_amount | integer | |
| health_insurance_employee_amount | integer | |
| health_insurance_employer_amount | integer | |
| federal_unemployment_tax_amount | float | |
| state_unemployment_tax_amount | float | |
| union_dues_amount | integer | |

## EMPLOYEE_WORK_PERIOD

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| payroll_year | integer | * |
| payroll_period_number | integer | * |
| begin_work_date | date | |
| end_work_date | date | |
| regular_work_hours | float | |
| overtime_work_hours | float | |
| commission_sum_extension | float | |
| gross_pay | float | |
| net_pay | float | |
| payroll_tax_amount | float | |
| federal_tax_withholding_amount | float | |
| state_tax_withholding_amount | float | |
| social_security_employee_tax_amount | float | |
| social_security_employer_tax_amount | float | |
| medicare_employee_tax_amout | float | |
| medicare_employer_tax_amount | float | |
| retirement_contribution_plan_employee_amount | integer | |
| retirement_contribution_plan_employer_amount | integer | |
| health_insurance_employee_amount | integer | |
| health_insurance_employer_amount | integer | |
| federal_unemployment_tax_amount | float | |
| state_unemployment_tax_amount | float | |
| union_dues_amount | integer | |
| transaction_date_time | date_time19 | |

omit insert
omit update

## EMPLOYEE

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |

row level non-owner forbid

## EMPLOYEE_WORK_DAY

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| begin_work_date_time | current_date_time(16) | * |
| end_work_date_time | date_time(16) | |
| employee_work_hours | float | |
| overtime_work_day_yn | char 1 | |

omit insert

omit insert
omit update

1:1

## TRANSACTION

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

© 2012-2018 Tim Riley          5/30/2018

# Predictive Books Database Schema

**Investment Subschema**

## FINANCIAL_INSTITUTIO

| | |
|---|---|
| full_name | char 60 * |
| street_address | char 40 * |

## INVESTMENT_ACCOUNT

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| account_number | char 50 | * |
| classification | char 15 | |
| investment_account | char 60 | |
| fair_value_adjustment_account | char 60 | |
| certificate_maturity_months | integer | |
| certificate_maturity_date | date | |
| interest_rate | double(5,3) | |

## INVESTMENT_CLASSIFICATION

| | |
|---|---|
| classification | char 15 * |

checking
savings
money_market
certificate
mutual_fund
stock

A business checking account would be the business' cash account and the owner's investment.

## ACCOUNT

| | |
|---|---|
| account | char 60 * |

{ where subclassification like '%investment%

## EQUITY_ACCOUNT_BALANCE

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| account_number | char 50 | * |
| date_time | date_time19 | * |
| investment_operation | char 15 | |
| share_price | double(12,4) | |
| share_quantity_change | double(12,4) | |
| share_quantity_balance | double(13,4) | |
| marke___g | double(13,4) | |
| book___e_change | double(12,4) | |
| book___e_balance | double(13,4) | |
| movin___are_price | double(13,5) | |
| c_____ | double(14,5) | |
| un____d_gain_change | double(12,4) | |
| unrea___gain_balance | double(12,4) | |
| relaiz____ain | double(12,4) | |
| transa___n_date_time | date_time19 | |

omit insert
omit update

## TRANSACTION

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time19 | * |

1:1

## INVESTMENT_OPERATION

| | |
|---|---|
| investment_operation | char 15 * |

purchase
sale
time_passage
transfer

5/30/2018

# Predictive Books Database Schema

## Activity Based Costs Subschema (1)

**EMPLOYEE**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| job_title | char 20 | |

isa

**ENTITY**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| login_name | char 20 | |

1:1

**TITLE_ACTIVITY**

| | | |
|---|---|---|
| job_title | char 20 | * |
| activity | char 30 | * |

**JOB_TITLE**

| | | |
|---|---|---|
| job_title | char 20 | * |

**APPASERVER_USER**

| | | |
|---|---|---|
| login_name | char 20 | * |

**ACTIVITY**

| | | |
|---|---|---|
| activity | char 30 | * |

bookkeeping    programming
buying         receiving
cleaning       recording
coordinating   reporting
delivering     researching
designing      resting
fixing         reworking
idling         setting up
improving      storing
inspecting     supervising
operating      supporting
packaging
picking

**ACTIVITY_WORK**

omit insert
omit update

| | | |
|---|---|---|
| login_name | char 20 | * |
| begin_work_date_time | date_time(16) | * |
| end_work_date_time | date_time(16) | |
| job_title | char 20 | |
| activity | char 30 | |
| work_hours | float | |
| inventory_quantity | integer | |
| asset_name | char 30 | |
| inventory_name | char 60 | |
| inventory_category | char 30 | |
| full_name | char 60 | |
| street_address | char 40 | |

mutually
exclusive

Accumulate a history of
time it takes to perform
activities.

row level non-owner view only

**FIXED_ASSET**

| | | |
|---|---|---|
| asset_name | char 30 | * |

batch level

**INVENTORY**

| | | |
|---|---|---|
| inventory_name | char 60 | * |

product level

**INVENTORY_CATEGORY**

| | | |
|---|---|---|
| inventory_category | char 30 | * |

product-line level

**CUSTOMER**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |

5/30/2018

**Activity Based Costs Subschema (2)**

## TITLE_ACTIVITY

| | | |
|---|---|---|
| job_title | char 20 | * |
| activity | char 30 | * |

## CUSTOMER

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |

## JOB_PROPOSAL

| | | |
|---|---|---|
| job_name | char 60 | * |
| full_name | char 60 | * |
| street_address | char 40 | * |
| total_cost | float | |

## JOB_ACTIVITY

| | | |
|---|---|---|
| job_name | char 60 | * |
| full_name | char 60 | * |
| street_address | char 60 | * |
| job_title | char 20 | * |
| activity | char 60 | * |
| activities_per_job | float | |
| dollars_per_hour | float | |
| hours_per_activity | float | |
| activity_cost | float | |

omit insert
omit update

omit insert
omit update

If not FIXED_ASSET nor
INVENTORY nor
INVENTORY_CATEGORY

5/30/2018

# Predictive Books Database Schema

**Activity Based Costs Subschema (3)**

**JOB_PROPOSAL**

| | | |
|---|---|---|
| job_name | char 60 | * |
| full_name | char 60 | * |
| street_address | char 40 | * |
| total_cost | float | |

omit insert
omit update

**JOB_INVENTORY**

| | | |
|---|---|---|
| job_name | char 60 | * |
| full_name | char 60 | * |
| street_address | char 60 | * |
| inventory_name | char 60 | * |
| job_quantity | integer | |
| materials_cost | float | |
| component_cost | float | |
| value_added_cost | float | |
| inventory_cost | float | |

omit insert
omit update

**INVENTORY**

| | | |
|---|---|---|
| inventory_name | char 60 | * |

**INVENTORY_CONTAINS_MATERIAL**

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| material_inventory_name | char 60 | * |
| units_per_product | float | |

**MATERIAL_INVENTORY**

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| average_unit_cost | float | |

**COMPONENT_INVENTORY**

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| average_unit_cost | float | |

**INVENTORY_CONTAINS_COMPONENT**

| | | |
|---|---|---|
| inventory_name | char 60 | * |
| component_inventory_name | char 60 | * |
| units_per_product | integer | |

5/30/2018

**JOB_PROPOSAL**

| | | |
|---|---|---|
| job_name | char 60 | * |
| full_name | char 60 | * |
| street_address | char 40 | * |

**JOB_POWER_CONSUMPTION**

| | | |
|---|---|---|
| job_name | char 60 | * |
| full_name | char 60 | * |
| street_address | char 60 | * |
| asset_name | char 30 | * |
| hours_per_job | integer | |
| power_cost | float | |

omit insert
omit update

**JOB_ASSET_DEPRECIATION**

| | | |
|---|---|---|
| job_name | char 60 | * |
| full_name | char 60 | * |
| street_address | char 60 | * |
| asset_name | char 30 | * |
| hours_per_job | integer | |
| depreciation_cost | float | |

omit insert
omit update

**FIXED_ASSET**

| | | |
|---|---|---|
| asset_name | char 30 | * |
| energy_kilowatt_draw | float | |
| depreciation_per_hour | float | |

# Predictive Books Database Schema

**Rental Property Subschema**

**ENTITY**

| | | |
|---|---|---|
| full_name | char 50 | * |
| street_address | char 40 | * |

isa

lookup before drop down

**TRANSACTION**

| | | |
|---|---|---|
| full_name | char 50 | * |
| street_address | char 40 | * |
| transaction_date_time | date_time(19) | * |
| rental_property_street_address | char 60 | |

**OCCUPANT**

| | | |
|---|---|---|
| full_name | char 50 | * |
| street_address | char 40 | * |
| rental_property_street_address | char 60 | |
| lease_start_date | date | |
| lease_end_date | date | |

**REOCCURRING_TRANSACTION**

| | | |
|---|---|---|
| full_name | char 60 | * |
| street_address | char 40 | * |
| transaction_description | char 20 | * |
| debit_account | char 60 | |
| credit_account | char 60 | |
| transaction_amount | float | |
| bank_upload_search_phrase | char 50 | |
| accrued_daily_amount | float(10.2) | |
| rental_property_street_address | char 40 | |

**RENTAL_PROPERTY**

| | | |
|---|---|---|
| rental_property_street_address | char 40 | * |
| city | char 20 | |
| state_code | char 2 | |
| zip_code | char 6 | |
| property_acquired_date | date | |
| property_disposal_date | date | |

**ACCOUNT**

| | | |
|---|---|---|
| account | char 60 | * |

5/30/2018