



Account Subschema




Tax Subschema








Entity Subschema (3)



Transaction Subschema (1)





Transaction Subschema (2)




Transaction Subschema (3)

Some PredictiveBooks folders are subsidiary transactions. Set the transactions' debit and credit accounts here. See PRIOR_FIXED_ASSET and CUSTOMER_PAYMENT.







Bank Upload Subschema (2)




Bank Upload Subschema (3)




Bank Upload Subschema (4)




Receipt Upload Subschema



Purchase Subschema




Inventory Purchase Subschema (1)




where account.subclassification = 'inventory' or account.subclassification = 'cost of goods sold'

Inventory Purchase Subschema (2)




Inventory Purchase Subschema (3) add proportion of freight in + MATERIALS_INVENTORY_PURCHASE sales_tax Implementational restriction warning: full name char 60 materials inventory purchase purchase street address char 40 orders should **not** be comingled with other purchase date time date time19 purchase orders. inventory name char 60 ordered quantity integer arrived quantity integer lookup before drop down missing quantity integer unit cost float capitalized unit cost float extension float omit insert quantity on hand integer omit update average_unit_cost float **PURCHASE_ORDER MATERIAL_INVENTORY** full name char 60 char 40 street address pair one to m purchase date time date time19 * inventory name char 60 * inventory account char 60 cost of goods sold account char 60 reorder quantity integer pair one to m quantity on hand integer omit insert average unit cost float omit update COMPONENT_INVENTORY_PURCHASE total cost balance float omit lookup before drop down inventory name char 60 serial number char 10 full name char 60 street address char 40 purchase date time date time19 float extension **ACCOUNT** capitalized extension float account char 60 * See INVENTORY PURCHASE capitalized unit cost **COMPONENT_INVENTORY** where account.subclassification = 'inventory' or account.subclassification = 'cost_of_goods_sold' inventory name char 60 * omit insert average unit cost float omit update Tim Riley © 2012-2019 3/10/2019

Supply/Service Purchase Subschema



Fixed Asset Subschema (1)



Straight line

Units of production


Double decling balance

N decling balance

Sum of year digits

not working yet

Fixed Asset Subschema (2)



char 60

Property Subschema (1) lookup before drop down where account.subclassification = 'property plant equipment' **PROPERTY_PURCHASE ACCOUNT** additional index property street address char 40 full name char 60 PURCHASE_ORDER account char 60 * street address char 40 purchase date time date time19 service placement date date full name char 60 structure cost float 14,2 street address char 40 land cost fload 14,2 date_time19 * purchase_date_time estimated_useful_life_years integer row security role update estimated residual value float declining balance n integer If this is populated, then only supervisor can update. depreciation method char 25 Warning: you may have to redo the depreciation. tax cost basis float 12, 2 tax_recovery period char 10 1:1 ajax fill drop down yn = 'n' disposal date date finance accumulated depreciation float 10,2 Ltax accumulated depreciation float 10,2 **PROPERTY** omit insert property street address char 40 * omit update char 20 city state_code char 2 TAX_RECOVERY_PERIOD zip code char 6

DEPRECIATION_METHOD


char 25 *

depreciation method

tax recovery period char 10 *

account

Property Subschema (2)



tax recovery period char 10 *

Prior Fixed Asset Subschema (1) lookup before drop down The organization's fixed assets owned prior to using PredictiveBooks are stored here. Sub-PRIOR_FIXED_ASSET siquent purchases are stored in FIXED_ASSET_PURCHASE. asset name char 30 serial number char 10 service placement date date extension float estimated useful life years integer row security role update 1:1 estimated useful life units integer estimated residual value float If this is populated, then only supervisor can update. declining balance n integer Warning: you may have to redo the depreciation. depreciation method char 25 **TRANSACTION** tax cost basis float 12, 2 optional attribute tax recovery period char 10 full name char 60 disposal date date street address char 40 fund char 20 transaction date time date time19 * full name char 60 FIXED_ASSET street address char 40 omit insert date time19 transaction date time omit update float finance accumulated depreciation char 30 * asset name tax accumulated depreciation float FIXED ASSET.account optional folder Credit Owner's Equity **FUND** fund char 20 * TAX_RECOVERY_PERIOD

depreciation method

DEPRECIATION METHOD

char 25

SELF

char 60


char 40

full name


street address


Prior Fixed Asset Subschema (2) TAX_PRIOR_FIXED_ASSET_RECOVERY asset name char 30 serial number char 10 PRIOR_FIXED_ASSET tax year integer recovery_percent float 6,3 recovery amount float 6,2 char 30 * asset name serial number char 10 * omit insert omit update omit delete **TRANSACTION** full name char 60 street address char 40 m:1 PRIOR_FIXED_ASSET_DEPRECIATION transaction date time date time19 * asset name char 30 serial number char 10 Debit depreciation date date Depreciation expense full name char 60 Credit street address char 40 Accumulated depreciation units produced integer depreciation amount float transaction_date_time date time19 omit insert not working yet omit update **SELF** full name char 60 street address char 40


Prior Property Subschema (1) lookup before drop down The organization's properties owned prior to using PredictiveBooks are stored here. Sub-**PRIOR PROPERTY** siquent purchases are stored in PROPERTY_PURCHASE. property street address char 40 service placement date date structure cost float 14,2 land cost fload 14,2 estimated useful life years integer row security role update 1:1 estimated_residual_value float declining balance n integer If this is populated, then only supervisor can update. depreciation method char 25 Warning: you may have to redo the depreciation. tax cost basis float 12. 2 **TRANSACTION** tax recovery period char 10 optional attribute disposal date date full name char 60 fund char 20 street address char 40 full name char 60 transaction date time date time19 * street address char 40 omit insert transaction date time date time19 omit update finance accumulated depreciation float float tax accumulated depreciation 1:1 PROPERTY.account Credit Owner's Equity **PROPERTY** property_street_address char 40 * TAX_RECOVERY_PERIOD optional folder **DEPRECIATION_METHOD SELF** tax recovery period char 10 * depreciation method full name char 25 char 60 **FUND** street address char 40 char 20 * fund




Prepaid Asset Subschema












Sale Subschema (4)




Customer Payment Subschema







omit insert




Activity Based Costs Subschema (1)



Activity Based Costs Subschema (2)





Activity Based Costs Subschema (4)

