

Community Medicine Past Questions Compilation 2026

MCQ Past Questions Compilation — 256 Questions

Discipline 1: Epidemiology, Biostatistics, and Study Designs

1. Which of the following statements is True? The case fatality rate:
 - a. measures the rate of new deaths in a community
 - b. None of the other options
 - c. measures the rate of all deaths in a community
 - d. is used to express the burden of a disease
2. A study was carried out to investigate the effect of hypertension on stroke. Which of the following studies can be used to determine hypertension as an etiology of stroke?
 - a. Case-control study
 - b. Cross-sectional study
 - c. Case-series study
 - d. Cohort study
3. What is the Incidence rate of Cholera in a population of 20,000 where 100 new cases were recorded in one month?
 - a. 5 / 1,000 population
 - b. 50/1,000 population
 - c. 200/1,000 population
 - d. 20/1,000 population
4. Which of the following about graphs is UNTRUE?
 - a. Line graphs are used for continuous data sets
 - b. Frequency polygons are used for continuous data sets
 - c. Pie charts can be used for discrete data sets
 - d. Bar charts can be used for continuous data sets
5. A study was conducted to compare serum iron levels in the blood of children before and after they start iron supplementation. Which study design is appropriate?
 - a. quasi-experimental
 - b. Pseudo-randomised
 - c. Cross-over
 - d. Cluster-randomised
6. Which of the following statements is TRUE?
 - a. Recall bias is a limitation in randomised controlled trials
 - b. Loss to follow-up is not a limitation in cohort studies
 - c. Bias in randomised control trials can be minimised by ensuring that the participants know which treatment they are receiving
 - d. Recall bias is a limitation in case-control studies
7. Determine the Case fatality rate of Cholera where 100 new cases were recorded out of which 20 deaths were recorded:

- a. 20%
- b. 50%
- c. 20 / 1,000 population
- d. 50 / 1,000 population

8. The distribution of all individuals' haemoglobin values in Amoma is skewed. A student repeatedly selected 50 individuals randomly for 100 times to estimate the mean. The mean haemoglobin values of the samples have a distribution with:

- a. mean same as the population mean
- b. variance same as the population variance
- c. mode same as the population mode
- d. standard deviation same as the population standard deviation

9. A validated scale was used to assess new treatment received by 15 children with autism. The children were followed over a period of 6 weeks and any improvement or side effect was recorded. This study is:

- a. Cross-sectional
- b. ecological
- c. Cohort
- d. Case series

10. Which of the following is not an instrument for collecting Qualitative data?

- a. Focus group discussions
- b. Mapping
- c. Key informants interview
- d. Questionnaire

11. A study investigated the correlation between average sales of anti-asthma drugs and the occurrence of unusually high asthmatic deaths. This is a/an:

- a. experimental
- b. ecological
- c. cross-sectional
- d. case series

12. All the following are primary data sources EXCEPT:

- a. interviews
- b. checklist
- c. records
- d. observation

13. Intervention studies:

- a. are limited to testing individual level interventions such as new drugs
- b. are usually retrospective since most information exists at the start of the study
- c. measure incidence of new events in the intervention and comparison groups
- d. tend to be inexpensive

14. What statistical test is appropriate for comparing proportion of malaria cases between communities Y and Z?

- a. Chi-squared test
- b. Paired t-test

- c. F-test
- d. Oneway anova test

15. The distribution of all individuals' haemoglobin values in Amoma is skewed. A student repeatedly selected 50 individuals randomly for 100 times to estimate the mean. Therefore, the mean haemoglobin values of the samples have a distribution with a:

- a. variance
- b. standard error
- c. coefficient of variation
- d. standard deviation

16. Which of the following about Graphs is UNTRUE?

- a. Creates attention to the problem.
- b. Displays data which gives meaning to the data
- c. Used as a pictorial representation of data.
- d. Useful during allocation of financial resources.

17. The following statements are True, EXCEPT prevalence data:

- a. it is used to express the burden of a disease
- b. is a tool for determining the manpower needs
- c. measures the chance of people having a disease
- d. is used to measure one's risk to a disease

18. Research compared mean peak flow among different workers. The p-value was 0.025. Which statement is true?

- a. This result proves that working underground improves lung function
- b. The greater the sample size the less likely we are to find significant differences
- c. It is unlikely that this difference was due to chance
- d. The probability of the null hypothesis being true is less than 5%

19. All the following statements are TRUE, EXCEPT: Incidence data:

- a. indirectly measures None of the other options
- b. directly measures one's risk to a disease
- c. are used for etiological studies in acute diseases
- d. are used for etiological studies in chronic diseases

20. Regarding study designs, the following are true EXCEPT:

- a. loss to follow-up is not important in a retrospective cohort study
- b. cross-sectional studies are useful to generate hypotheses
- c. it is important to study new health interventions using an RCT
- d. case-control studies should only be performed if you have a lot of time and money

21. Solomon had existing data and wanted to examine the relationship between diabetes status (2 categories) and age (3 categories) of 500 individuals. Which statistical test is appropriate?

- a. Paired t-test
- b. Unpaired t-test
- c. Chi square
- d. Oneway anova

22. The upper quartile of the systolic blood pressure (SBP) of 80 staff was found to be 120 mm/Hg. This means that:

- a. 75% of the staff had SBP above 80 mm/Hg
- b. None of the other options
- c. 25% of the staff had SBP below 80 mm/Hg
- d. 25% of the staff had SBP above 120 mm/Hg

23. Which of the following assumptions underpinning the chi square test is TRUE?

- a. The Fisher's exact test is used if any of the expected frequencies is less than 5
- b. The test becomes invalid if 20% of expected frequencies are less than 5
- c. All the expected frequencies of the cells should be less than 5
- d. The chi square test becomes invalid if one of the expected frequencies is one

24. What descriptive statistics should be used to assess the changes in percentage of infants mortality over a period?

- a. Scatter graph
- b. Line graph
- c. Box graph
- d. Bar graph

25. Weights of 100 underweight children were measured, given supplements for 6 months, and measured again. What statistical test is suitable for comparing the first and second means?

- a. Oneway anova test
- b. Chi-square test
- c. Unpaired t-test
- d. Paired t-test

26. The systolic blood pressure (SBP) of 50 officers, 50 clerks, 50 laboratory technicians and 50 attendants was recorded. Which test is appropriate for comparing their SBP levels?

- a. Chisquare test
- b. Unpaired t-test
- c. Paired t-test
- d. Oneway anova test

27. The clinical stage of disease begins with:

- a. the patient's first symptoms
- b. pathological changes
- c. the time of diagnosis
- d. exposure to the agent

28. The period between exposure and first symptoms is the:

- a. stage of disability
- b. subclinical stage of disease
- c. stage of clinical disease
- d. stage of susceptibility

29. A health worker obtains weights of all children in a clinic to represent the town. This is:

- a. random sampling

- b. systematic sampling
- c. convenience sampling
- d. stratified sampling

30. In a study of head injuries by examining hospital records from the past five years, the study is:
- a. prospective
 - b. retrospective
 - c. cross-sectional
 - d. experimental

Discipline 2: Public Health Concepts and Ethics

31. Public health aims to improve the health of:
- a. Individuals with strategies that focus solely on individuals
 - b. Communities with strategies that do not focus solely on individuals
 - c. Individuals with strategies that do not focus solely on individuals
 - d. Communities with strategies that focus solely on individuals
32. The principle of 'least restrictive or coercive means' implies:
- a. Public health measures should infringe on individual rights as minimally as possible
 - b. Public health authorities should ignore individual rights in the pursuit of health outcomes
 - c. Governments should not interfere in citizens' lives
 - d. Public health measures should resort to force if need be
33. All these are theories of ethics EXCEPT:
- a. Utilitarianism
 - b. Virtue theory
 - c. Deontology
 - d. Social justice
34. What ethical framework is commonly used to address public health issues?
- a. Utilitarianism
 - b. Relativism
 - c. Virtue ethics
 - d. Deontology
35. Which ethical principle emphasizes maximizing benefits for the greatest number of people?
- a. Justice
 - b. Beneficence
 - c. Non-maleficence
 - d. Autonomy
36. Which of the following best describes the scope of bioethics?
- a. Concerned with ethical dilemmas related to biology and medicine
 - b. Focuses on ethical issues arising within healthcare institutions
 - c. Focuses solely on individual patient care
 - d. Deals with legal issues surrounding public health

37. Which of the following is NOT a core function of public health?
- a. Policy
 - b. Assessment
 - c. Authority
 - d. Assurance
38. All the following statements about the notion of 'public' in public health are true EXCEPT:
- a. The political public refers to what is done by political parties to achieve population health
 - b. The numerical public refers to an aggregate of individuals to which population health measurements refer.
 - c. The communal public includes all other forms of social and community activities to promote health
 - d. The political public refers to what is done collectively through public agencies and governments
39. Which of the following is NOT a tension in public health ethics?
- a. Healthcare practitioners' convenience vs. patient care
 - b. Individual liberties vs. collective responsibility
 - c. Evidence-based approaches vs. traditional practices
 - d. Autonomy vs. paternalism
40. The universal declaration of human rights states that:
- a. All have a right to just treatment but share the responsibility to ensure justice
 - b. Saving a life comes before all other religious acts
 - c. Individual liberties and privacy should be respected, and individuals protected from harm
 - d. All humans deserve the protection of life, health, and well-being
41. Which of the following best describes public health ethics?
- a. Focuses on individual patient care
 - b. Centers on ethical issues in medical research
 - c. Considers financial aspects of healthcare
 - d. Concerned with the health of populations
42. Because of the collective nature of public health interventions they often:
- a. avoid legislative authority
 - b. infringe on the rights of individuals
 - c. require legislative authority
 - d. raise distinctive ethical challenges
43. A core principle of public health ethics states that public health should:
- a. prioritize the interests of the health department
 - b. promote the availability of information to the public
 - c. disregard the principles of respect for individuals
 - d. encourage the development of new medicines
44. What is the primary focus of public health ethics?
- a. Community health and well-being
 - b. Healthcare policy reform
 - c. Individual patient care
 - d. Medical research ethics

45. What is the primary goal of public health ethics?
- a. Advancing medical technology
 - b. Preventing disease and promoting health
 - c. Advocating for healthcare professionals' interests
 - d. Promoting individual patient rights
46. In clinical ethics, justice is concerned with treating patients equally while in public health ethics:
- a. Social Justice is concerned with achieving equality
 - b. Social Justice is concerned with achieving autonomy
 - c. Social Justice is concerned with achieving equity
 - d. Social Justice is concerned with achieving informed consent
47. How does public health ethics differ from medical ethics?
- a. In public health interventions, individuals are mostly the target
 - b. Public health interventions are potentially pervasive, individuals can't refuse participation
 - c. Public health interventions are aimed at individuals, and not the community
 - d. In public health, the initiative comes from the patient
48. In public health ethics, what is the main focus of the precautionary principle?
- a. Prioritizing cost-effectiveness
 - b. Maximizing personal freedoms
 - c. Upholding individual autonomy
 - d. Minimizing harm in the face of uncertainty
49. Which of these influenza virus causes a severe disease?
- a. Influenza virus A
 - b. Influenza virus D
 - c. Influenza virus B
 - d. Influenza virus C
50. The principle that a person should be free to make his or her own decisions is:
- a. Principlism
 - b. Teleology
 - c. Autonomy
 - d. Parentalism
51. Utilitarianism is a population-based ethical theory that focuses on the:
- a. Agent
 - b. Duties
 - c. Minority
 - d. Results
52. The natural law theory of ethics posits that:
- a. man should live life according to an inherent human nature
 - b. a person's moral excellence would determine what he does
 - c. the most important aspects of our lives are governed by certain unbreakable moral rules
 - d. adherents should work for those outcomes that will most advantage the majority

53. This perspective of public health ethics involves taking a stand for the goals and interventions most likely to achieve moral aims:
- Critical ethics
 - Applied ethics
 - Advocacy ethics
 - Professional ethics
54. The elimination of health disparities among groups of people is most consistent with:
- prevention justice
 - Population justice
 - market justice
 - social justice
55. Which of the following is NOT one of the core functions of public health?
- Policy
 - Assessment
 - Authority
 - Assurance
56. The mandate of the intergovernmental panel on climate change is to ensure scientific data is:
- collected and analyzed
 - reviewed and analyzed
 - collected and synthesized
 - reviewed and synthesized
57. As part of commitment to global environmental health, Ghana initiated a ban on fishing. This contributes to SDG:
- twelve (12)
 - fifteen (15)
 - fourteen (14)
 - thirteen (13)
58. Which statement distinguishes public health ethics from medical ethics?
- Public health ethics is focused on societal well-being, while medical ethics is focused on individual patient care
 - Public health ethics is based on religious principles
 - Public health ethics concerns only research ethics
 - They are synonymous terms
59. Which of following activities on the environment is LEAST likely to increase the spread of diseases?
- Cutting down forests for charcoal production
 - Building homes in areas previously inhabited by wildlife
 - Building homes in areas previously used as lorry parks
 - Cutting down forests for wood processing
60. Public health dilemmas often involve balancing individual rights with:
- Economic interests
 - Societal interests

- c. Government regulations
- d. Healthcare provider preferences

Discipline 3: Environmental and Occupational Medicine

61. Marine dumping refers to collecting household garbage and dumping it into:
- a. Oceans
 - b. Rivers
 - c. Landfills
 - d. Septic tanks
62. Which of the following is NOT classified as fossil fuel?
- a. Wood
 - b. Oil
 - c. Coal
 - d. Gas
63. An occupational health professional teaching employees about proper sitting posture and body mechanics for lifting is conducting:
- a. tertiary prevention
 - b. primary prevention
 - c. pre-mordial prevention
 - d. secondary prevention
64. The IPAT model explaining global environmental changes is a function of all EXCEPT:
- a. environmental impact
 - b. consumption patterns
 - c. population numbers
 - d. technological advancements
65. According to the IPAT model, the impact of 'second world' countries is largely based on growth in:
- a. technology
 - b. affluence
 - c. population
 - d. all the other options
66. Which of the following is NOT true of urban water supply?
- a. Damming of rivers and streams offer sustained supply
 - b. Drilling of bore holes offer better and sustained water supply
 - c. Chlorination offers a safer supply
 - d. Activated charcoal reduces odour and improves taste
67. Which of the following is TRUE of the aeration chamber in water purification?
- a. It allows for the Chlorination process
 - b. Water exposed to air converts ferrous to ferric resulting in sedimentation
 - c. It improves only the taste
 - d. Potassium Permanganate is rarely necessary
68. In Comparing groundwater and river/stream for public water supply, which is NOT TRUE?

- a. Groundwater can provide for a large population
- b. Streams are easily contaminated
- c. Home consumption requires that groundwater should always be treated with chlorine
- d. Siting waste disposal near groundwater can contaminate it

69. In water treatment, which of the following is NOT true?

- a. Ozone is effective at the source and in pipes
- b. Chlorine is effective in the plant and pipes
- c. Hydrated lime increases the PH and enhances the chlorination process
- d. None of the above

70. Which process in water purification facilitates filtration and sedimentation while covering a large surface area?

- a. Damming
- b. Aeration
- c. Coagulation
- d. Ozonation

71. Which of the following is a primary requirement for conducting screening for disease control?

- a. The disease should be serious.
- b. Prevalence of the disease should be high in the population.
- c. The government should fund the program.
- d. There should be a favourable prognosis.

72. In classification of healthcare waste, sorting infectious waste involves which color?

- a. Black
- b. Yellow
- c. Brown
- d. Red

73. The primary epidemiological goal of all toilets is to:

- a. Maintain a definitive barrier between humans and their excreta
- b. Provide comfort
- c. Conserve water
- d. Dispose of solid waste

74. Which legislation mandates that every person in Ghana has the right to work under safe conditions?

- a. 1992 Constitution
- b. Labour Act 2003
- c. Public Health Act
- d. Factory Act

75. What is a hazard in occupational health?

- a. Anything that might cause harm
- b. The chance of harm actually occurring
- c. A workplace injury
- d. An unpreventable accident

76. The relationship between work and health includes:

- a. Both health affecting work and work affecting health
- b. Only work affecting health
- c. Only health affecting work
- d. Neither

77. Which member of the occupational health team quantifies workplace exposure to dust and noise?

- a. Physician
- b. Nurse
- c. Occupational Hygienist
- d. Toxicologist

78. Which of the following is an obstacle to occupational health in developing countries?

- a. Limited allocated resource for OH prevention
- b. Too many trained professionals
- c. Strong law enforcement
- d. High political commitment

79. Clinical occupational health activities include all EXCEPT:

- a. Pre-employment health screening
- b. Periodic medical examinations
- c. Corporate image management
- d. Post-sickness absence review

80. Hazardous waste can be managed through:

- a. Incineration
- b. Recycling
- c. Pyrolysis
- d. All of the above

Discipline 4: Medical Microbiology, Parasitology, and Disease Transmission

81. Which vector-borne pathogen is NOT transmitted through the parenteral route?

- a. Schistosomiasis
- b. Trachoma
- c. Onchocerciasis
- d. Bancroftiasis

82. Which of the following pathogens is correctly paired with its form for faecal-oral transmission?

- a. Entamoeba histolytica – Trophozoite
- b. Cryptosporidium species – Sporozoite
- c. Giardia lamblia – Cyst
- d. Ascaris lumbricoides – Larva

83. Which of the following organisms have potential for causing nosocomial outbreaks EXCEPT:

- a. Treponema pallidum
- b. Monkey poxvirus
- c. SARS-CoV-2
- d. Acinetobacter species

84. What is the parenteral route transmission mechanism for Arboviruses?
- a. Direct contact
 - b. Blood transfusion
 - c. Faecal-oral
 - d. Aerosol
85. Keeping the frequency of illness within acceptable limits is best described as:
- a. Prevention
 - b. Eradication
 - c. Surveillance
 - d. Control
86. Which of the following pathogens is commonly associated with the faecal-oral route?
- a. *Escherichia coli*
 - b. *Taenia saginata*
 - c. *Clostridium difficile*
 - d. *Staphylococcus aureus*
87. Infection involving Orthomyxoviruses is mainly through:
- a. blood
 - b. faecal oral
 - c. aerosol
 - d. sexual intercourse
88. Which of the following is a risk factor for Schistosomiasis?
- a. Receiving blood transfusions
 - b. Wearing protective clothing
 - c. Contact with contaminated freshwater sources
 - d. Swimming in chlorinated pools
89. A zoonosis is:
- a. A disease that can be transmitted from animals to humans
 - b. A disease from zoo animals only
 - c. A disease from humans to animals
 - d. A disease only for zoo animals
90. All the following factors must be present for disease transmission to occur EXCEPT:
- a. reservoir
 - b. pathogen
 - c. immune host
 - d. susceptible host
91. Which of the following is a risk factor for Trypanosomiasis (Sleeping sickness)?
- a. Insecticide-treated nets
 - b. Air-conditioned offices
 - c. Traveling to rural areas with tsetse fly infestations
 - d. Living in urban areas

92. The type of transmission whereby individuals acquire infection from contaminated inanimate objects is:
- a. vector
 - b. droplet
 - c. fomite
 - d. vertical
93. The portal of entry for diseases transmitted by contact with contaminated fomite is mainly by the:
- a. nose
 - b. Skin
 - c. Gastrointestinal system
 - d. Eyes
94. Which of the following does NOT apply in Cholera outbreak?
- a. It is linked to the dry season
 - b. It is linked to poor environmental sanitation
 - c. Health education is a key control measure
 - d. It is linked to inadequate clean water supply
95. Transmission of an infectious disease is most likely during the:
- a. incubation period
 - b. acute period
 - c. convalesce period
 - d. prodromal period
96. Host determinants of emerging diseases include:
- a. co-pathogenesis
 - b. cell tropism
 - c. variable infectivity
 - d. animal exposures
97. Elimination of reservoir is possible in:
- a. Measles
 - b. Rabies
 - c. Polio
 - d. Dracunculosis
98. The source of a propagated epidemic is:
- a. Person-to-person exposure
 - b. Continuous common source
 - c. Intermittent common source
 - d. Point source exposure
99. A carrier host is an individual who:
- a. is immune to all diseases
 - b. is resistant to specific pathogens
 - c. spreads a disease but shows no clinical presentations
 - d. presents no risk to people around them

100. Isolation is NOT carried out in which of the following:

- a. AIDS
- b. Plague
- c. Chicken pox
- d. Cholera

Discipline 5: General Community Nutrition

101. Which of the clinical signs of the hair is associated with Vitamin C and A deficiency?

- a. hair pulls out easily
- b. spares hair
- c. thin hair
- d. corkscrew and coil hair

102. Which sign of the mouth is attributed to Vitamin B12, 6, C, niacin, folic acid, and iron deficiency?

- a. Glossitis
- b. leukoplakia
- c. Bleeding and spongy gum
- d. Sore mouth and tongue

103. Which of the functional indicators is attributed to zinc and protein deficiency?

- a. Work capacity
- b. Host defence
- c. Nerve function
- d. Haemostasis

104. Which of the following is NOT an underlying cause of malnutrition according to the UNICEF framework?

- a. Food security
- b. Capacity and financial resources
- c. Access to health services
- d. Feeding resources

105. Malnutrition indicators include all EXCEPT:

- a. Waist to Hip ratio
- b. Adult obesity
- c. Childhood wasting
- d. low birth weight

106. Which measurement alone can be used to assess obesity in adults?

- a. height
- b. hip
- c. weight
- d. waist

107. We need this measure to calculate energy requirements and determine ideal body weight:

- a. weight
- b. waist

- c. hip
- d. height

108. Which parameter is associated with Protein deficiency?

- a. Serum albumen
- b. Serum carotenoid
- c. Serum alkaline phosphatase
- d. Haematocrit

109. Which parameter is associated with Vitamin A deficiency?

- a. Serum albumen
- b. Serum carotenoid
- c. Serum alkaline phosphatase
- d. Haematocrit

110. Which parameter is associated with Vitamin D deficiency?

- a. Serum albumen
- b. Serum carotenoid
- c. Serum alkaline phosphatase
- d. Haematocrit

111. Which nutritional assessment method has limitations like inter-observer errors and problems with reference standards?

- a. anthropometry
- b. clinical signs
- c. Dietary intake
- d. Biochemical

112. The loss of body fat and low activity in SAM increase the risk of:

- a. hypothermia
- b. hyperlipidemia
- c. hypoglycemia
- d. dehydration

113. 'Iceberg of malnutrition' priorities include:

- a. Kwashiorkor and marasmus
- b. Xerophthalmia
- c. Nutritional anemias and endemic goiter
- d. All of the above

114. Immediate causes of malnutrition are:

- a. Inadequate dietary intake and diseases
- b. Household food insecurity
- c. Poor financial resources
- d. Social context

115. Which of the following is a long-term consequence of childhood malnutrition?

- a. Reduced cognitive ability
- b. Increased risk of metabolic diseases

- c. Reduced economic productivity
- d. All of the above

Discipline 6: Malnutrition Online Assessment Course

116. What is the definition of severe acute malnutrition?
- a. Being 'badly nourished'
 - b. Having severe wasting and/or stunting
 - c. Having a low weight for age
 - d. Having severe wasting and/or oedema.
117. Which of the following are common causes of death in children with SAM? (Select all that apply)
- a. Hypoglycaemia
 - b. Hyperthermia
 - c. Missed infection
 - d. Iron deficiency
118. Why do severely malnourished children need different care? (Select all that apply)
- a. Because of visible changes in the body
 - b. Because they are stunted
 - c. Because infections may be hidden
 - d. Because heart and kidney function is impaired.
119. Which statements are correct regarding chronic malnutrition? (Select all that apply)
- a. Chronic malnutrition is common in famine
 - b. Malnutrition is linked to poor feeding practices, poor hygiene and illness.
 - c. Inadequate nutrition during pregnancy can lead to poor appetite in the offspring
 - d. Chronic malnutrition leads to stunting.
120. Which visible changes may arise as a result of SAM? (Select all that apply)
- a. Poor appetite
 - b. Dehydration
 - c. Loose skin
 - d. Irritable
 - e. Stops growing
121. Which are invisible changes in SAM? (Select all that apply)
- a. Liver makes glucose less easily.
 - b. Heart pumps slower.
 - c. Loss of appetite
 - d. Increased activity inside cells
 - e. Oedema
122. Which conditions denote SAM 'with complications'?
- a. Severe anaemia, Poor appetite, Generalised oedema
 - b. Bulimia
 - c. Loose stools

123. MAM can be assessed by: (Select all that apply)

- a. MUAC < 115 mm
- b. Weight-for-height between -2 and -3SD
- c. Weight-for-height between -1 and -2SD
- d. MUAC between 115 and 125 mm.

124. Dory is a 23 month old girl. Length 67 cm, weight 3.9 kg. Which category?

- a. Not malnourished
- b. Mild acute malnutrition
- c. Moderate acute malnutrition
- d. Severe acute malnutrition

125. Which statements about SAM treatment are correct? (Select all that apply)

- a. They should be rehydrated more slowly than well-nourished children.
- b. They should be fed normal foods but more frequently.
- c. Specific nutrients should be given to correct electrolyte imbalances.
- d. Once they become stabilised, they should be kept warm.
- e. They should be given iron in the rehabilitation phase of treatment.

126. Which indices assess severity of acute malnutrition? (Select all that apply)

- a. Mid Upper Arm Circumference (MUAC)
- b. Ulna length
- c. Weight-for-height
- d. Height/length-for-age
- e. Weight-for-age

127. Which statements are true regarding growth measurements? (Select all that apply)

- a. Length-for-age is used for children below 2 years and is measured lying down.
- b. Height-for-age is used for children over 2 years and is measured standing.
- c. Length is the same as height but taken in a different position.
- d. For a child aged 2 or older who is too weak to stand, length should be measured and 0.7cm subtracted.

128. Hassan is 18 months old. Length 65 cm, weight 4.8 kg. Which indicators to determine SAM? (Select all that apply)

- a. Bilateral pitting oedema
- b. Visible severe wasting
- c. Height/length-for-age < -3SD
- d. Weight-for-age < -3SD
- e. Weight-for-length < -3SD

129. Which indicator identifies stunted children?

- a. Height/length-for-age
- b. Weight-for-age
- c. Weight-for-height/length
- d. MUAC

130. When is weight-for-age most appropriate? (Select all that apply)

- a. In surveys of nutritional status
- b. For growth monitoring
- c. In clinics to assess severity
- d. In nutritional surveys to determine levels of stunting
- e. To assess wasting

131. Which statement is FALSE?

- a. Intravenous fluids are helpful in stopping watery stools.
- b. It is difficult to tell if a SAM child is responding to rehydration fluid.
- c. Stop rehydration if a SAM child shows signs of fluid overload.
- d. Signs of hydration are passing urine, faster skin pinch, and being less thirsty.

132. Why must a SAM child with poor appetite be admitted to inpatient?

- a. Because feeding is difficult to administer at home
- b. Because lack of appetite is a sign of profound metabolic changes or an infection.
- c. Because the child needs special energy-dense food
- d. Because it often leads to heart failure

133. Seth: 18 months, 65 cm, 4.8 kg. WFL <-3SD, loss of appetite. Where to treat?

- a. Inpatient facility
- b. Outpatient facility
- c. Community based management facility
- d. At home

134. Which WHO 10 steps can be managed in the community? (Select all that apply)

- a. Treat and prevent hypothermia
- b. Correct electrolyte imbalance
- c. Correct micronutrient deficiencies
- d. Start cautious feeding
- e. Treat and prevent dehydration

135. Choose the steps that fall into the stabilisation phase:

- a. a, b, c, d, e, g
- b. b, d, g, h, i, j (Dehydration, Hypoglycaemia, Electrolyte imbalance, Cautious feeding, Loving care, Micronutrients)
- c. a, c, e, f, h, i

136. Essential components of CMAM: (Select all that apply)

- a. Community outreach
- b. Supplementary feeding programme (SFP)
- c. Outpatient care for SAM children with no complications
- d. Inpatient care or stabilisation centres
- e. Medical equipment

137. Andre (74 cm, 6.0 kg, WFL <-4SD) lethargic, cannot be roused. How to treat?

- a. Give 30 ml of 10% sterile glucose solution immediately IV.
- b. Give 60 ml of ReSoMal immediately IV.
- c. Give 50 ml of 10% glucose solution immediately IV or by mouth.

d. Dissolve 5g of sugar in 50 ml of water and give to Andre.

138. Which statement about electrolyte imbalance in SAM is true?

- a. SAM children have too little sodium and too much potassium.
- b. Signs of electrolyte imbalance are oedema, apathy, and poor appetite.
- c. Diuretics are good for treating oedema and help correct electrolyte imbalance.
- d. Rehydrate with ReSoMal and prepare food with salt.

139. Stabilisation phase feeding management: (Select all that apply)

- a. The feeding should provide 100kcal/kg/day and 1-1.5g protein/kg/day.
- b. Give F100 for the first few days every 2-3 hours.
- c. Give SAM children with no oedema 130 ml F75/kg/day to meet targets.
- d. For SAM children with generalised oedema, give 130ml F75 /kg/day.

140. Jenny (67cm, 6.5kg, generalised oedema). Calculate F75 (3-hourly):

- a. Total: 845 ml/day, Per feed: 106 ml
- b. Total: 650 ml/day, Per feed: 81 ml
- c. Total: 832 ml/day, Per feed: 1005 ml

141. Electrolytes in deficit in SAM: (Select all that apply)

- a. Potassium
- b. Magnesium
- c. Chloride
- d. Sodium

142. Conscious child with hypoglycemia treated with:

- a. 50 ml of 10% glucose solution by mouth
- b. 50 ml of F100
- c. F75 immediately and every 30 minutes

143. MUAC Red indicates:

- a. severe acute malnutrition
- b. moderate acute malnutrition
- c. normal nutritional status

144. MUAC Yellow indicates:

- a. severe acute malnutrition
- b. moderate acute malnutrition
- c. normal nutritional status

145. MUAC Green indicates:

- a. severe acute malnutrition
- b. moderate acute malnutrition
- c. normal nutritional status

146. For children >5 years, which index is used instead of weight-for-height?

- a. Body Mass Index (BMI)-for-age Z-score
- b. MUAC
- c. Weight-for-age

d. Head circumference

147. Admission criteria for SAM in-patient care includes:

- a. Severe oedema (+++)
- b. Anorexia (not able to feed orally)
- c. Severe dehydration
- d. All of the above

148. Discharge criteria for SAM treatment includes:

- a. MUAC $\geq$ 12.5cm for 3 consecutive days
- b. No edema for at least 2 weeks
- c. Clinically well and alert
- d. All of the above

149. The transition phase in SAM treatment involves:

- a. Moving from F75 to F100 or RUTF
- b. Decreasing feed frequency
- c. Stopping all micronutrients
- d. Restricting water intake

150. Which of these is a nutrition-specific intervention?

- a. Vitamin A supplementation
- b. Classroom education
- c. Clean water and sanitation
- d. Maternal mental health

Section 7: Additional Questions

151. On average an adult person can be infectious and yet asymptomatic with HIV infection for:

- a. 15-20 years
- b. 1-2 years
- c. 8-10 years
- d. 3-5 years

152. Which serotype of Coronavirus is pathogenic?

- a. Omicron virus
- b. NL63 virus
- c. OC43 virus
- d. 229E virus

153. Which of the following is irrelevant in community pathology?

- a. highlights the needs and concerns of the community
- b. indicates the resource allocation and work plans
- c. prioritizes areas for interventions
- d. to access indicators for the community

154. At which stages can contamination of food and water with faecal-oral pathogens occur?

- a. exclusively at point of consumption

- b. only during preparation
- c. multiple stages, including production, processing, storage, transportation, and preparation
- d. limited to the farm source

155. Which influenza virus composition change is responsible for the periodic need for new global vaccines?

- a. Host range shift
- b. Replication
- c. Antigenic drift
- d. Genetic recombination

156. The term reproductive tract infections (RTIs) is preferable to STIs because it:

- a. helps to reduce the stigma which can be a barrier to seeking care
- b. makes contact tracing no longer necessary
- c. reminds workers to examine the reproductive tract
- d. indicates infections affect only the tract

157. The sequence involved in community pathology is:

- a. Data collection and analysis, Dissemination and Initiation
- b. Initiation, Data collection, Data analysis and Dissemination
- c. Data analysis, data collection, Initiation and Dissemination
- d. Initiation, Dissemination, Data Analysis and Data Collection

158. The public health impact of an intervention as one moves down the health impact pyramid.

- a. decreases
- b. disappears
- c. increases
- d. stagnates

159. Which of the following pathogens is correctly paired with its form that facilitates faecal-oral transmission?

- a. Entamoeba histolytica – Trophozoite
- b. Cryptosporidium species – Sporozoite
- c. Giardia lamblia – Cyst
- d. Ascaris lumbricoides – Larva

160. Which of the following is NOT one of the key principles for safer food outlined by WHO?

- a. Cook food thoroughly.
- b. Separate raw and cooked food
- c. Use safe water and raw materials
- d. Store food at room temperature.

161. In port health, which major legislation covers practices in Ghana?

- a. Factory Act
- b. Public Health Act and IHR 2005
- c. Criminal Code
- d. Environmental Protection Act

162. Which flag is hoisted by a ship entering the ports to indicate it is healthy but 'suspect'?

- a. Yellow triangular flag with blue at the edges
- b. Black and yellow quarters flag
- c. Solid red flag
- d. Green and white flag

163. The mission of public health according to WHO is to:

- a. provide maximum benefit for the largest number of people
- b. treat individual patients effectively
- c. advance medical technology
- d. increase pharmaceutical profits

164. In providing justification for a public health decision, all these are questions to ask EXCEPT:

- a. Is the action necessary?
- b. What are the short and long-term options?
- c. Is the public health action likely to be effective?
- d. Is the public health action the least restrictive means?

165. The 'epidemiologic triad' includes all the following EXCEPT:

- a. Agent
- b. behavioural factors
- c. environment
- d. host

166. The attack rate in susceptible people who have been exposed to a primary case is:

- a. The secondary attack rate.
- b. The attack rate.
- c. The person-to-person attack rate
- d. The post primary attack rate

167. Which of the following scientific disciplines are the best combination for One Health?

- a. Medical, biological, and ecological
- b. Veterinary, biological, and ecological
- c. Veterinary, biological, and environmental
- d. Medical, veterinary, and environmental

168. Component Two of the IMNCI strategy includes improved:

- a. referral system
- b. availability of drugs and logistics
- c. supervisory practices
- d. management of fevers at home

169. A pharmacist decided to find numerical summary measures for plasma concentration over time as depicted in the figure below (C_{max} , AUC, t_{max} vs Time). Which of the following will be the appropriate numerical summary measures?

- a. Geometric mean and standard deviation
- b. Median and interquartile range
- c. Proportion and interquartile range
- d. Arithmetic mean and standard deviation

Section 8: Additional Questions II

170. Which serotype of Coronavirus is associated with unusually high asthmatic deaths in the ecological study?

- a. Omicron
- b. NL63
- c. OC43
- d. 229E

171. Which nutrition assessment method is associated with inter-observer measurement errors?

- a. Anthropometry
- b. clinical signs
- c. Dietary intake
- d. Biochemical

172. Which sign of the mouth is associated with iron deficiency?

- a. Glossitis
- b. leukoplakia
- c. Bleeding gums
- d. Sore mouth and tongue

173. The slogan for malaria case management in Ghana is:

- a. test, treat and check
- b. take good history, test, and refer
- c. take good history, treat and check
- d. test, treat and track

174. Which of the following is NOT classified as a fossil fuel?

- a. Wood
- b. Oil
- c. Coal
- d. Gas

175. Which level of prevention involves blood pressure screening for adults?

- a. primary
- b. secondary
- c. tertiary
- d. focused

176. Fecundity rate is which type of indicator?

- a. Morbidity
- b. Mortality
- c. Fertility/Natality
- d. Disability

177. Which of the following is not a morbidity indicator?

- a. Fecundity rate
- b. Prevalence rate

- c. Attendance rate
- d. Admission rate

178. The primary goal of public health ethics is:

- a. Advancing technology
- b. Preventing disease and promoting health
- c. Individual rights protection
- d. Provider advocacy

179. Community-based participatory action research (CBPAR) involves:

- a. all stakeholders in its research approach
- b. academic access to local data
- c. benefits to all partners
- d. no use of control groups

180. Which of the following pathogens is Parenterally transmitted?

- a. Schistosomiasis
- b. Onchocerciasis
- c. Bancroftiasis
- d. All of the above

181. A community is defined as a group with (select the UNTRUE option):

- a. common values and interest
- b. members who interact
- c. common geographic boundaries
- d. members who are unknown to themselves

182. A carrier host:

- a. is immune
- b. is resistant
- c. spreads disease but shows no presentation
- d. presents no risk

183. Which vaccine was added to EPI in Ghana in 2002?

- a. Hep B & Hib
- b. Rotavirus
- c. Yellow fever
- d. Polio

184. The 'greatest good for the greatest number' is the motto of:

- a. Deontology
- b. Utilitarianism
- c. Virtue theory
- d. Principlism

185. Industrialization brought a transition from:

- a. infectious to chronic illnesses
- b. chronic to infectious
- c. emerging to re-emerging

d. health to poverty

186. Which sign of the hair is associated with Vitamin C deficiency?

- a. corkscrew and coil hair
- b. thin hair
- c. hair pulls out easily
- d. spares hair

187. 'Do no harm' in public health implies:

- a. Policies should minimize harm while maximizing benefits
- b. No drop in health stock prices
- c. Strict rules for non-compliance
- d. Policies must always benefit

188. Which of the following is a Disability rate?

- a. No. of days of activity
- b. Expectation of life free of disability
- c. Both a and b
- d. Bed occupancy rate

189. Which historical highlight is the ODD one? (All are valid highlights)

- a. 1854 Public Health Act UK
- b. Polio vaccine 1955
- c. EPA founded 1970
- d. Greeks/Romans sanitation 500 BCE

190. The correct arrangement of the three-step approach to public health decision-making is:

- a. Analyze ethical dimensions, Formulate alternative courses, Provide justification
- b. Provide justification, Analyze, Formulate
- c. Formulate, Provide justification, Analyze

Section 8: Additional Questions II (continued)

191. The study conducted to test the efficacy of a drug Y used participants' day of birth to randomise them into control and intervention arms. This study is known as:

- a. Community trial
- b. Randomised controlled trial
- c. Quasi-experimental trial
- d. Pseudo-randomised controlled trial

192. Which of these best describes the public health principle of proportionality?

- a. Reduce harm and burdens of disease and suffering.
- b. Honest and truthfulness in the manner and context in which decisions are made must be clear and accountable
- c. Duty to take preventive action to avoid harm even before scientific certainty has been established
- d. Restriction on civil liberties must be legal, legitimate, necessary, and use the least restrictive means available

193. In the Biblical era of public health history, which of the following correctly describes the approach used? (Select the TRUE statement)

- a. Social action and systems approach were used to enhance public health
- b. Personal approaches to health were key in Israel
- c. Egypt was well known for developments in public health
- d. Israel spearheaded the development of medicine

194. Which of these are the most economic and best screening method?

- a. Mass screening
- b. High risk screening
- c. Multiphasic screening
- d. Any of the above

195. A level 400 student carried out a study to ascertain whether an experimental drug Q was more efficacious than an existing drug R. He randomised 300 study participants into control and intervention groups (150 each). Control received drug R; intervention received drug Q. State the alternative hypothesis of the study:

- a. There is no association between the efficacy of the drugs
- b. There is no statistically significant difference between the efficacy of the drugs
- c. There is a statistically significant difference between the efficacy of the drugs
- d. There is an association between the efficacy of the drugs

196. Using the data in Q195, under what condition can one suggest that drug Q is more efficacious than drug R?

- a. When we fail to reject the null hypothesis
- b. When more individuals recover after taking drug R
- c. When there are more recoveries after taking drug Q
- d. When there is association between drug Q and R

197. Using the data in Q195, what is the appropriate statistical test to determine whether drug Q is more efficacious?

- a. Chi-squared test
- b. Paired t-test
- c. Two-way ANOVA
- d. Unpaired t-test

198. Which of the following about randomization in a clinical trial is FALSE?

- a. Reduces the effects of bias
- b. Controls confounding
- c. Reduces the effect of loss to follow-up
- d. Achieves comparability between the treatment and the placebo groups

199. The population in Akotokyer has a mean weight of 70.1 kg. Three different samples randomly selected had mean weights of 70 kg, 66.7 kg and 60 kg respectively. Therefore, there is:

- a. high sampling error
- b. high sampling variation
- c. high random variation
- d. high systematic error

200. The population in Akotokyer has a mean weight of 70.1 kg. Three different samples had means of 70 kg, 66.7 kg and 60 kg. Therefore, 66.7 kg is a:

- a. statistic
- b. population parameter
- c. sampling error
- d. standard error

201. The population in Akotokyer has a mean weight of 70.1 kg. Three different samples had means of 70 kg, 66.7 kg and 60 kg. Therefore, the difference between 70.1 kg and 60 kg is:

- a. sampling error
- b. sampling variation
- c. standard error
- d. standard deviation

202. The distribution of haemoglobin values in Amoma is skewed. A student repeatedly selected 50 individuals for 100 times. Therefore, the mean haemoglobin values of the samples are:

- a. normally distributed
- b. right skewed
- c. left skewed
- d. bimodal

203. Suppose you had data on 50 sprinters regarding time taken to cover two successive practice sprints. What test would you use to see if there was a difference between the two times?

- a. One-way ANOVA
- b. Unpaired sample t-test
- c. Chi-squared test
- d. Paired sample t-test

204. All the following are characteristics of a good indicator EXCEPT: It should:

- a. Reflect changes only in the situation concerned
- b. Always give the same answers
- c. Be sensitive to changes in different situations
- d. Measure what they are supposed to measure

205. Which of the following is not a specific death rate?

- a. Infant mortality rate
- b. Maternal mortality rate
- c. Crude death rate
- d. Life expectancy

206. What is the Prevalence rate of Cholera in Kaleo (population 20,000, 100 new cases in January, 20 deaths)?

- a. 200/1,000 population
- b. 50/1,000 population
- c. None of the other options
- d. 20/1,000 population

207. In all the following situations EXCEPT one, beneficence for the patient and society trumps autonomy:

- a. Homicide
- b. Minor
- c. Suicide
- d. Emergency

208. The principle of justice in public health ethics implies:

- a. Health resources should be given to those most in need
- b. Private healthcare systems are unjust
- c. Those who use healthcare resources most should pay more
- d. Every individual must receive equal health care

209. Which ethical theory emphasizes the consequences of actions in determining their morality?

- a. Utilitarianism
- b. Virtue ethics
- c. Feminist ethics
- d. Deontological ethics

210. Advocates of ____ advance methods to achieve the greatest good for the greatest number of people:

- a. Deontology
- b. Utilitarianism
- c. Virtue theory
- d. Principlism

211. In public health ethics, the principle of beneficence is concerned with:

- a. Promoting the well-being of the community
- b. Doing no harm to others
- c. Ensuring fairness and equality in distribution of resources
- d. Respecting individuals' choices and actions

212. Which of the following is considered a public health dilemma?

- a. Choosing the best treatment for a patient
- b. Balancing individual rights with community interests
- c. Respecting patient confidentiality
- d. Ensuring healthcare access for all patients

213. Which of the following is a key difference between public health ethics and medical ethics?

- a. Public health ethics focuses on individuals
- b. Public health ethics focuses on populations
- c. Medical ethics deals with public policies
- d. Medical ethics prioritizes community welfare

214. All the following are socio-economic indicators EXCEPT:

- a. Number of persons per room.
- b. Female literacy rate
- c. Level of unemployment
- d. Age of household head

215. The major approach of public health to evaluating population wellbeing includes all these EXCEPT:

- a. Average view

- b. Accurate level
- c. Critical level
- d. Total view

216. Which of these statements about the great acceleration and environmental change is/are true? I. The oceans, atmosphere and land are all affected II. Human health is harmed directly III. Human health is harmed indirectly

- a. II & III only
- b. I, II & III
- c. I & II only
- d. I only

217. In the demographic transition model, the first decline that occurs is:

- a. population
- b. natality
- c. mortality
- d. fertility

218. Countries in the fifth stage of demographic transition typically have a:

- a. declining total population and higher birth rate than the death rate
- b. stable total population and higher death rate than birth rate
- c. stable total population and higher birth rate than the death rate
- d. declining total population and higher death rate than birth rate

219. According to the IPAT model, the impact of 'first world' countries is largely based on their growth in:

- a. all the other options
- b. affluence
- c. population
- d. technology

220. Which of the following historical highlights about public health is the ODD one?

- a. The Public Health Act of 1854 was established in the United Kingdom
- b. The poliomyelitis vaccine was introduced in 1955
- c. The Environmental Protection Agency was founded in America in 1970
- d. The Greeks and Romans practiced community sanitation measures in 500 BCE

221. Which of the following is UNTRUE about the history of EPI in Ghana?

- a. In 2002, Two new vaccines, Hep B & Hib were added
- b. EPI was launched in June 1978
- c. In 1998, Rotavirus vaccine was added
- d. In 1992, Yellow fever vaccine was added

222. Which of the following statements regarding the goal in secondary prevention is/are true? It seeks to: I. reduce severity of disease II. minimize impairment from disease III. prevent disability from occurring

- a. III only
- b. I only
- c. I, II & III
- d. I & II only

223. The virulence of a disease is indicated by:
- Case fatality ratio
 - Specific mortality rate
 - An amount of money spent on the disease.
 - Proportional Mortality rate
224. Which of the following health determinants has a greater impact on population health?
- Behavioural factors
 - Healthcare factors
 - Social factors
 - Genetic factors
225. Health care utilization rates:
- includes the Population / Bed ratio
 - measures the extent of use of health services
 - includes skilled attendants delivery
 - includes the immunization coverage of infants.
226. Which of these is NOT a complication of malaria?
- Pulmonary oedema
 - Hypoglycaemia
 - Hypotension
 - Pedal oedema
227. All the following statements are TRUE, EXCEPT: (Malaria diagnosis)
- Antimalarial treatment is limited to cases with positive tests.
 - The blood slide may be negative of parasites in severe malaria.
 - If both the slide test and the RDT are negative, malaria is extremely unlikely.
 - High parasitemia is always present in severe malaria
228. Which of the following drugs is NOT used in the treatment of uncomplicated malaria in Ghana?
- Sulfadoxine Pyrimethamine
 - Dihydroartemisinin/Piperaquine
 - Artesunate-Pyronaridine
 - Artemether/Lumefantrine
229. All the following can be used in the treatment of malaria in pregnancy EXCEPT:
- Quinine in combination with Clindamycin is used during the first trimester
 - Artemether/Lumefantrine is used in the second trimester
 - Artemether/Lumefantrine is used in the first trimester
 - Quinine in combination with Doxycycline is used during the first trimester
230. Rotavirus vaccine is contraindicated in all the following EXCEPT:
- Children suffering from diarrhoea or vomiting
 - Children presenting with a diaper rash
 - Children with severe immunodeficiency disorder
 - Children suffering from acute severe febrile illness.
231. The control of the following infectious diseases is based solely on active immunization EXCEPT:

- a. Measles
- b. Diphtheria
- c. Tuberculosis
- d. Polio

232. Which of the following is NOT a cause of vaginal discharge syndrome in sexually transmitted infections (STIs)?

- a. *Giardia lamblia*
- b. *Candida albicans*
- c. *Neisseria gonorrhoeae*
- d. *Chlamydia trachomatis*

233. A group of students developed sudden-onset gastrointestinal symptoms after a community picnic. Investigations strongly suggested foodborne intoxication. Which bacterium is most likely implicated?

- a. *Escherichia coli*
- b. *Campylobacter jejuni*
- c. *Salmonella enteritidis*
- d. *Staphylococcus aureus*

234. The foodborne intoxication outbreak among the students could be explained by the consumption of:

- a. food contaminated with toxins produced by bacteria
- b. food contaminated with pathogens themselves
- c. improperly cooked food
- d. food contaminated with chemicals

235. Which of the following preventive measures is the LEAST effective means to reduce infectious disease transmission?

- a. Vaccination
- b. Hand hygiene
- c. Social media usage
- d. Quarantine

236. A vector such as a mosquito is an example of:

- a. Indirect disease transmission
- b. Common vehicle exposure
- c. Single exposure
- d. Direct disease transmission

237. Which of the following statements about food and waterborne infections is FALSE?

- a. Contamination can occur at any stage of the supply chain, from production to consumption.
- b. Improper storage and temperature control of food can promote pathogen growth.
- c. Food and waterborne infections are only a concern in developing countries, while developed countries have eliminated such risks.
- d. Proper food handling and safe water management are crucial in preventing food and waterborne infections.

238. Re-emerging infectious diseases are those:

- a. associated with intent to harm
- b. that have historically infected humans but continue to re-appear

- c. created by man that are released unintentionally
- d. recognized in humans for the first time

239. Agent determinants of emerging diseases include:

- a. antibiotic misuse
- b. genetic evolution and change
- c. immune protection
- d. antigen-dependent enhancement

240. Which statement concerning sexually transmitted infection (STI) is accurate?

- a. Females are at a reduced risk compared with males
- b. Avoiding high frequency transmitters eliminates the risk
- c. Males hardly show symptoms when infected compared with females
- d. Testing/screening is the only key evidence of a person's state

241. The following statements about Buruli ulcer are TRUE, EXCEPT:

- a. Mycobacterium ulcerans produces a destructive toxin called ulcerlactone, which causes tissue damage.
- b. Mycobacterium ulcerans produces a destructive toxin called mycolactone, which causes tissue damage.
- c. Mycobacterium ulcerans takes about 6–8 weeks to culture
- d. Buruli ulcer is a disease caused by Mycobacterium ulcerans.

242. Which of the following does NOT involve the risk of Tuberculosis transmission?

- a. Longer duration of exposure
- b. Sexual transmission
- c. Closeness to infected persons
- d. Suitable environment with droplet nuclei

243. Which of the following is NOT true of an activity carried out in the abattoir?

- a. Inside the withholding pen, animals are examined for nasal/mouth discharge, lameness, skin lesions
- b. Postmortem examination involves examination of the internal organs especially enlarged lymph nodes
- c. Slaughtered animals are always washed with saline water to get rid of bacteria
- d. Animals to be slaughtered are taken to the withholding pen for 3 days observation

244. Disinfection is an important process in water purification. Which of the following is NOT true?

- a. Chlorine and derivatives like chloramines and chlorine dioxide are the preferred chemicals.
- b. Ozone is equally effective at the source and in the pipes
- c. Chlorine is effective both in the treatment plant and in the distribution pipes
- d. Hydrated lime increases the PH and enhances the chlorination process

245. In water purification, which of the following is NOT true?

- a. Ultraviolet radiation is effective for relatively clean source waters
- b. They are effective at the treatment plant and in the pipes
- c. Hydrated lime reduces the pH
- d. Ozone is equally effective at the source and in the pipes

246. Please select the ODD one out from the following nutritional assessment indices:
- a. BMI for age z-score
 - b. Waist to Hip ratio
 - c. Chest circumference
 - d. Height to Waist circumference ratio
247. This is one of the most effective strategies for preventing the transmission of faecal-oral diseases:
- a. Building and maintaining proper sanitation facilities
 - b. Regular health checkups for food handlers
 - c. Frequent use of hand sanitizers
 - d. Administering vaccines for all foodborne illnesses
248. In the Hippocratic and Greco-Roman era of public health history, Hippocrates believed that:
- a. feelings and thoughts came from the heart
 - b. diseases were caused by sin and wrong-doing
 - c. illnesses have physical but not spiritual explanations
 - d. the body must be treated as a series of parts and not as a whole
249. Which of the following is NOT a characteristic of a good questionnaire? It should:
- a. answer all questions to address the objectives
 - b. measure one thing at a time
 - c. not be ambiguous
 - d. be unstructured
250. The following are ways of checking the accuracy of a questionnaire EXCEPT:
- a. arrange the questionnaire
 - b. transcribing the translation
 - c. disorder the questions
 - d. do back translation by same translator
251. All the following statements are True EXCEPT: Community entry involves recognizing the:
- a. community as a whole
 - b. leaders of the community
 - c. people in the community
 - d. walk through the community
252. Community mapping can be used to ____ (select the UNTRUE statement):
- a. learn about the health and hygiene of the community
 - b. identify resources needed for all groups in the community
 - c. estimate the number of people in the community
 - d. plan for the community
253. Consider the following parameters: I. Serum albumin, II. Serum carotenoid, III. Serum alkaline phosphatase, IV. Haematocrit, V. Hydroxyproline excretion. Parameter I is associated with ____ deficiency:
- a. iron
 - b. protein
 - c. vitamin D

d. vitamin A

254. Using the same parameters in Q253, Parameter II matches ____ deficiency:

- a. vitamin D
- b. protein
- c. vitamin A
- d. iron

255. Using the same parameters in Q253, Parameter III is associated with ____ deficiency:

- a. vitamin D
- b. iron
- c. protein
- d. vitamin A

256. A study revealed that coffee drinking is associated with coronary heart disease. However, it was later found out that smoking rather explained this relationship. This suggests that smoking is a/an:

- a. confounder
- b. bias factor
- c. effect modifier
- d. mediator