



Identifying safe loans with decision trees

8 试题

1
point

1.

Are you using GraphLab Create? Please make sure that

1. You are using version 1.8.3 of GraphLab Create. Verify the version of GraphLab Create by running

```
graphlab.version
```

inside the notebook. If your GraphLab version is incorrect, see this post (<https://www.coursera.org/learn/ml-classification/supplement/LgZ3I/installing-correct-version-of-graphlab-create>) to install version 1.8.3. **This assignment is not guaranteed to work with other versions of GraphLab Create.**

2. You are using the IPython notebook named module-5-decision-tree-assignment-1-blank.ipynb obtained from the associated reading.

This question is ungraded. Check one of the three options to confirm.

- ☒ I confirm that I am using the right version of GraphLab Create and the right IPython notebook.
- ☐ I am using scikit-learn.
- ☐ I am using tools other than GraphLab or scikit-learn, and I understand that I may not be able to complete some of the quiz questions.

1
point

2.

What percentage of the predictions on sample_validation_data did decision_tree_model get correct?

- ☐ 25%
 - ☒ 50%
 - ☐ 75%
 - ☐ 100%
-

1
point

3.

Which loan has the highest probability of being classified as a safe loan?

- ☐ First
 - ☐ Second
 - ☐ Third
 - ☒ Fourth
-

1
point

4.

Notice that the probability predictions are the exact same for the 2nd and 3rd loans i.e 0.472267584643798. Why would this happen?

- ☒ During tree traversal both examples fall into the same leaf node.
 - ☐ This can only happen with sheer coincidence?
-

1
point

5.

Based on the visualized tree, what prediction would you make for this data point?

- ☐ +1
- ☒ -1
-

1
point

6.

What is the accuracy of `decision_tree_model` on the validation set, rounded to the nearest .01 (e.g. 0.76)?

0.64

1
point

7.

How does the performance of `big_model` on the validation set compare to `decision_tree_model` on the validation set? Is this a sign of overfitting?

- ☐ `big_model` has higher accuracy on the validation set than `decision_tree_model`. This is overfitting.
- ☐ `big_model` has higher accuracy on the validation set than `decision_tree_model`. This is not overfitting.
- ☒ `big_model` has lower accuracy on the validation set than `decision_tree_model`. This is overfitting.
- ☐ `big_model` has lower accuracy on the validation set than `decision_tree_model`. This is not overfitting.
-

1
point

8.

Let us assume that each mistake costs money:

- Assume a cost of \$10,000 per false negative.
- Assume a cost of \$20,000 per false positive.

What is the total cost of mistakes made by `decision_tree_model` on `validation_data`? Please enter your answer as a plain integer, without the dollar sign or the comma separator, e.g. 3002000.

50280000

提交测试

