

# Full Stack assignment



## Software Engineering Assignment

#### **MODULE: 1**


#### SE - Overview of IT Industry

- 1. What is software? What is software engineering?
- 2. Explain types of software
- 3. What is SDLC? Explain each phase of SDLC
- 4. What is DFD? Create a DFD diagram on Flipkart
- 5. What is Flow chart? Create a flowchart to make addition of two numbers
- 6. What is Use case Diagram? Create a use-case on bill payment on paytm.

#### **MODULE: 2**

#### SE – HTML and CSS

- 1. Define the terms: Website, Webpage, Web browser, Web server, HTML,CSS
- 2. Create a webpage to show "This is my first HTML page"
- 3. Display top 10 IT companies list in html webpage
- 4. Create a dropdown list
- 5. Create a Table Of college Management system using row span & colspan.
- 6. Create below table using HTML table tags



CSS3 Browser Support (latest browser versions)						
CSS Property	Internet Explorer	FireFox	Chrome	Safari	Opera	
Border Radius	YES	YES	YES	YES	YES	
Box Shadow	YES	YES	YES	YES	YES	
CSS Animations	NO	NO	YES	YES	NO	

- 7. Create Registration form using HTML, CSS
- 8. In how many ways can a CSS be integrated as a web page?
- 9. Create simple three pages using External CSS, Internal CSS, and Inline CSS.
- 10.Create below page using HTML CSS



	Individual F	Registration	
	THE RESIDENCE OF THE PARTY OF T		
User Particulars			
	* Login ID		_
	* Password		_
	* Confirm Password		
Personal Particulars			
* Salutation	Select •	* First Name	
Middle Name		* Last Name	
*Resident Status	Select *	* Country	Select ▼
*Email-Id		* Mobile Number	
Account Particulars			
* 15 Digit Account No		* Nick Name	
• Fund Transfer	Select *		
DECLARATION I have read, understood and channels. I understand that any change available to me on request at operated singly and in case of his/her joint name respective best of my knowledge and be	es in the terms and condit t any IOB branches, I confir of joint account operated b ely. I do hereby declare the	ions applicable to this rm that all accounts un by either or survivor/ar	relationship would be made der this login name are nyone or survivor(s) under
	submit	Reset	

- 11. Create link-pseudo classes using external css, to format links on the pages.
- 12. Create a dynamic pseudo class using HTML, CSS



#### **MODULE: 3**

#### SE – Fundamentals of Programming

#### **Topics Covered**

Basic Syntax
Data Structures
Variables
Operators

#### **Basic Logic Program**

- 1. Display This Information using printf
  - a. Your Name
  - b. Your Birth date
  - c. Your Age
  - d. Your Address
- 2. Write a program to make Simple calculator (to make addition, subtraction, multiplication, division and modulo)
- 3. WAP to Find Area And Circumference of Circle
- 4. Find Area of Square formula : a = a2
- 5. Find Area of Cube formula : a = 6a2
- 6. Find area of Triangle Formula :  $A = 1/2 \times b \times h$
- 7. Find area of Rectangle Formula: A=wl
- 8. Find circumference of Rectangle formula : C = 4 \* a
- 9. Find circumference of Triangle formula : triangle = a + b + c
- 10.find the area of a rectangular prism formula: A=2(wl+hl+hw)
- 11.Find circumference of square formula : C = 4 \* a
- 12. Accept number of students from user. I need to give 5 apples to each student. How many apples are required?
- 13. Find character value from ascii
- 14. Find ascii value of given number
- 15. Convert school's name in abbreviated form

- 16. Convert country's name in abbreviate form
- 17. Calculate person's insurance premium based on salary
- 18. Calculate person's Annual salary
- 19.Calculate compound interest
- 20. Accept monthly salary from the user and deduct 10% insurance premium, 10% loan installment find out of remaining salary.
- 21. Accept 2 numbers from user and swap 2 numbers with using  $3^{rd}$  variable and without using  $3^{rd}$  variable
- 22. Calculate compound interest (Compound Interest formula:
  - a. Formula to calculate compound interest annually is given by: Amount= P(1 + R/100)t
  - b. Compound Interest = Amount P
- 23. WAP to calculate swap 2 numbers with using of multiplication and division.
- 24. Accept 5 employees name and salary and count average and total salary
- 25. Accept 5 expense from user and find average of expense
- 26.Convert temperature Fahrenheit to Celsius
- 27.Convert days into months
- 28.Convert years into days and months
- 29. Convert minutes into seconds and hours
- 30. WAP to convert years into days and days into years
- 31. Convert kilometers into meters
- 32. Accept 2 numbers and find out its sum check it size
- 33. C Program to Read Integer and Print First Three Powers (N^1, N^2, N^3)

#### **Topics Covered**

#### **Control statements**

#### **Conditional Statements**

## **Conditional Logic Programs:**

- 1. Write a C program to accept two integers and check whether they are equal or not
- 2. Write a C program to read the value of an integer m and display the value of n is 1 when m is larger than 0, 0 when m is 0 and -1 when m is less than 0
- 3. WAP to check if the given year is a leap year or not.
- 4. WAP to make simple calculator (operation include Addition, Subtraction, Multiplication, Division, modulo) using conditional statement
- 5. Check Number Is Positive or Negative
- 6. Find the Character Is Vowel or Not
- 7. Accept marks from user and check pass or fail

- 8. WAP to accept the height of a person in centimeters and categorize the person according to their height.
- 9. C Program to Check Uppercase or Lowercase or Digit or Special Character
- 10.WAP to check whether a number is negative, positive or zero.
- 11.WAP to find number is even or odd using ternary operator
- 12.WAP to find maximum number among 3 numbers using ternary operator
- 13.WAP to find minimum number among 3 numbers using ternary operator
- 14.WAP to find the largest of three numbers.
- 15. Write a C program to determine eligibility for admission to a professional course based on the following criteria

Eligibility Criteria: Marks in Maths >=65 and Marks in Phy >=55 and Marks in Chem>=50 and Total in all three subject >=190 or Total in Maths and Physics >=140 ------Input the marks obtained in Physics: 65 Input the marks obtained in Chemistry: 51 Input the marks obtained in Mathematics: 72 Total marks of Maths, Physics and Chemistry: 188 Total marks of Maths and Physics: 137 The candidate is not eligible.

16. Write a C program to read temperature in centigrade and display a suitable message according to the temperature state below:

Temp < 0 then Freezing weather

Temp 0-10 then Very Cold weather

Temp 10-20 then Cold weather

Temp 20-30 then Normal in Temp

Temp 30-40 then Its Hot

Temp >=40 then Its Very Hot

- 17. Write a C program to check whether a triangle can be formed with the given values for the angles.
- 18. Write a C program to calculate profit and loss on a transaction.
- 19. Write a program in C to calculate and print the electricity bill of a given customer. The customer ID, name, and unit consumed by the user should be captured from the keyboard to display the total amount to be paid to the customer. The charge are as follow:

20. Unit	21. Charge/unit
22. upto 350	23. @1.20
24. 350 and above but less than 600	25. @1.50
26. 600 and above but less than 800	27. @1.80
28. 800 and above	29. @2.00

- 30. If bill exceeds Rs. 800 then a surcharge of 18% will be charged and the minimum bill should be of Rs. 256/-
- 31. Write a program in C to read any Month Number in integer and display the number of days for this month.
- 32. Write a C program to input basic salary of an employee and calculateits Gross salary according to following:

Basic Salary <= 10000 : HRA = 20%, DA = 80% Basic Salary <= 20000 : HRA = 25%, DA = 90% Basic Salary > 20000 : HRA = 30%, DA = 95%

- 33. WAP to input the week number and print week day.
- 34. Accept month number and display month name
- 35. Accept the input month number and print number of days in that month.
- 36. Write a C program to input electricity unit charges and calculate total electricity bill according to the given condition:

For first 50 units Rs. 0.50/unit

For next 100 units Rs. 0.75/unit

For next 100 units Rs. 1.20/unit

For unit above 250 Rs. 1.50/unit

An additional surcharge of 20% is added to the bill

- 37. WAP to show
  - i. Monday to Sunday using switch case
  - ii. Vowel or Consonant using switch case

#### **Topics Covered**

## Looping Statements Conditional Statements

- 1. WAP to print 972 to 897 using for loop
- 2. WAP to accept 5 numbers from user and display all numbers
- 3. WAP to take 10 no. Input from user find out below values
  - a. How many Even numbers are there
  - b. How many odd numbers are there
  - c. Sum of even numbers
  - d. Sum of odd numbers
- 4. WAP to print table up to given numbers



- 5. WAP to print factorial of given number
- 6. WAP to print Fibonacci series up to given numbers
- 7. WAP to print number in reverse order e.g.: number = 64728 ---> reverse = 82746
- 8. Write a program to find out the max from given number (E.g., No: -1562 Max number is 6)
- 9. Write a program make a summation of given number (E.g., 1523 Ans: -11)
- 10. Write a program you have to make a summation of first and last Digit. (E.g., 1234 Ans: -5)
- 11. Accept 5 names from user at run time.
- 12. Program of Armstrong Number in C Using For Loop & While Loop
- 13.calculate the Factorial of a Given Number using while loop
- 14. Accept 5 numbers from user and find those numbers factorials
- 15. Calculate sum of 10 numbers using of while loop
- 16. Calculate the Sum of Natural Numbers Using the While Loop
- 17. Calculate 5 numbers from user and calculate number of even and odd using of while loop
- 18. Write a C Program to Print the Multiplication Table of N

19. Patterns:

```
1
          BC
10
          DEF
101
1010
          GHII
          KLMNO
10101
                A B
2 3
4 5 6
                A B C
7 8 9 10
                ABCD
                ABCDE
11 12 13 14 15
```

```
5
                           7
                                    9
                                         10
1
         3
             4
                      6
                                8
36
    37
         38
             39
                  40
                      41
                           42
                               43
                                    44
                                         11
35
    64
                               70
                                    45
         65
             66
                  67
                      68
                           69
                                         12
                           88
34
         84
             85
                               71
                                    46
                                         13
    63
                  86
                      87
33
    62
         83
             96
                  97
                      98
                           89
                               72
                                    47
                                         14
32
    61
         82
             95
                 100 99
                           90 73
                                    48
                                         15
31
    60
                  93
                      92
                           91 74
                                    49
                                         16
        81
            79
30
    59
        80
                78 77
                           76 75
                                    50
                                         17
29
    58
        57
             56 55 54
                           53 52
                                    51
                                         18
28
    27
                      23
                           22 21
                                    20
                                         19
```

20. WAP program to print below output using for loop

01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20

.....

41 42 43 44 45 46 47 48 49 50

- 22. Accept 3 numbers from user using while loop and check each numbers palindrome
- 23. C Program to Reverse a Number Using FOR Loop

Series Program:

$$24.1 + 2 + 3 + 4 + 5 + \dots + n$$

$$25.(1*1) + (2*2) + (3*3) + (4*4) + (5*5) + ... + (n*n)$$

26. 
$$(1)+(1+2)+(1+2+3)+(1+2+3+4)+...+(1+2+3+4+...+n)$$

#### **Topics Covered**

#### **Function**

#### Array

- 1. Write a program to find out the max number from given array using function
- 2. WAP of Addition, Subtraction, Multiplication and Division using Switch case.(Must Be Menu Driven)
- 3. WAP to find reverse of string using recursion
- 4. WAP to find factorial using recursion
- 5. WAP to take two Array input from user and sort them in ascending or descending order as per user's choice

- 6. WAP to make addition, Subtraction and multiplication of two matrix using 2-D Array
- 7. WAP Find out length of string without using inbuilt function
- 8. WAP to reverse a string and check that the string is palindrome or not Write a program of structure employee that provides the following
  - a. information -print and display empno, empname, address andage
  - b. Write a program of structure for five employee that provides the following information -print and display empno, empname, address andage
- 9. WAP to show difference between Structure and Union.
- 10. WAP to perform Palindrome number using for loop and function
- 11.WAP to accept 5 numbers from user and display in reverse order using for loop and array
- 12. WAP to accept 5 students name and store it in array
- 13.WAP to accept 5 numbers from user and check entered number is even or odd using of array
- 14. Perform 2D matrix array
- 15. Store 5 numbers in array and sort it in ascending order
- 16.Accept 5 numbers from user and perform sum of array
- 17.WAP to show difference between Structure and Union.

#### **Topics Covered**

#### **String**

- 1. Write a program in C to find the length of a string without using library functions.
- 2. Write a program in C to separate individual characters from a string.
- 3. Write a program in C to print individual characters of a string in reverse order
- 4. Write a program in C to count the total number of words in a string.
- 5. Write a program in C to compare two strings without using string library functions.
- 6. Write a program in C to count the total number of alphabets, digits and special characters in a string.
- 7. Write a program in C to copy one string to another string.

- 8. Write a program in C to count the total number of vowels or consonants in a string.
- 9. Write a program in C to find the maximum number of characters in a string.
- 10. Write a program in C to extract a substring from a given string
- 11. Write a program in C to read a sentence and replace lowercase characters with uppercase and vice versa.
- 12. Write a program in C to find the number of times a given word 'is' appears in the given string.
- 13. Write a program in C to remove characters from a string except alphabets.
- 14. Write a program in C to combine two strings manually
- 15. Write a program in C to find the largest and smallest words in a string.



#### **MODULE: 4**

#### **OOPS Concept**

#### **Topics Covered**

#### **Basic Concepts of OOP**

- 1. WAP to print "Hello World" using C++
- 2. What is OOP? List OOP concepts
- 3. What is the difference between OOP and POP?

#### **Topics Covered**

#### **Basic Concepts of OOP**

- 1. WAP to create simple calculator using class
- 2. Define a class to represent a bank account. Include the following members:
- 3. Data Member:
  - -Name of the depositor
  - -Account Number
  - -Type of Account
  - -Balance amount in the account

#### **Member Functions**

- -To assign values
- -To deposited an amount
- -To withdraw an amount after checking balance
- -To display name and balance

- 4. Write a C++ program to implement a class called Circle that has private member variables for radius. Include member functions to calculate the circle's area and circumference.
- 5. Write a C++ program to create a class called Rectangle that has private member variables for length and width. Implement member functions to calculate the rectangle's area and perimeter.
- 6. Write a C++ program to create a class called Person that has private member variables for name, age and country. Implement member functions to set and get the values of these variables.

#### **Topics Covered**

#### Constructor

**Destructor** 

**Encapsulation** 

#### **Abstraction**

- 1. Write a program to find the multiplication values and the cubic values using inline function
- 2. Write a program of Addition, Subtraction, Division, Multiplication using constructor.
- 3. Write a C++ program to create a class called Car that has private member variables for company, model, and year. Implement member functions to get and set these variables.
- 4. Write a C++ program to implement a class called Bank Account that has private member variables for account number and balance. Include member functions to deposit and withdraw money from the account.
- 5. Write a C++ program to create a class called Triangle that has private member variables for the lengths of its three sides. Implement member functions to determine if the triangle is equilateral, isosceles, or scalene.
- 6. Write a C++ program to implement a class called Employee that has private member variables for name, employee ID, and salary. Include member functions to calculate and set salary based on employee performance. Using of constructor
- 7. Write a C++ program to implement a class called Date that has private member variables for day, month, and year. Include member functions to set and get these variables, as well as to validate if the date is valid.
- 8. Write a C++ program to implement a class called Student that has private member variables for name, class, roll number, and marks. Include member functions to calculate the grade based on the marks and display the student's information. Accept address from each student implement using of aggregation

#### **Topics Covered**

#### **Inheritance Polymorphism**

- 1. Assume a class cricketer is declared. Declare a derived class batsman from cricketer. Data member of batsman. Total runs, Average runs and best performance. Member functions input data, calculate average runs, Display data. (Single Inheritance)
- 2. Write a C++ Program to find Area of Rectangle using inheritance
- 3. Create a class person having members name and age. Derive a class student having member percentage. Derive another class teacher having member salary. Write necessary member function to initialize, read and write data. Write also Main function (Multiple Inheritance)
- 4. Write a C++ Program display Student Mark sheet using Multiple inheritance
- 5. Assume that the test results of a batch of students are stored in three different classes. Class Students are storing the roll number. Class Test stores the marks obtained in two subjects and class result contains the total marks obtained in the test. The class result can inherit the details of the marks obtained in the test and roll number of students. (Multilevel Inheritance)
- 6. Write a C++ Program to show access to Private Public and Protected using Inheritance
- 7. Write a C++ Program to illustrates the use of Constructors in multilevel inheritance
- 8. Write a program to Mathematic operation like Addition, Subtraction, Multiplication, Division Of two number using different parameters and **Function Overloading**
- 9. Write a Program of Two 1D Matrix Addition using Operator Overloading 10. Write a program to concatenate the two strings using Operator Overloading
- 11. Write a program to calculate the area of circle, rectangle and triangle using Function Overloading

Rectangle: Area \* breadth Triangle: ½ \*Area\* breadth Circle: Pi \* Area \* Area

- 12. Write a program to swap the two numbers using friend function without using third variable
- 13. Write a program to find the max number from given two numbers using friend function

#### • Topics Covered

#### **Templates**

- 1. Write a program of to swap the two values using template
- 2. Write a program of to sort the array using templates

#### **MODULE: 5 (Database)**

#### Topics Covered

#### **Basics of Database**

- 1. What do you understand By Database
- 2. What is Normalization?
- 3. What is Difference between DBMS and RDBMS?
- 4. What is MF Cod Rule of RDBMS Systems?
- 5. What do you understand By Data Redundancy?
- 6. What is DDL Interpreter?
- 7. What is DML Compiler in SQL?
- 8. What is SQL Key Constraints writing an Example of SQL Key Constraints
- 9. What is save Point? How to create a save Point write a Query?
- 10. What is trigger and how to create a Trigger in SQL?

#### **Topics Covered**

#### **SQL** Queries

1. Create Table Name: Student and Exam

Prima	ry Key	Student	Foreign Key	Exam		
Rollno	Name	Branch	Rollno	S_code	Marks	P_code
1	Jay	Computer Science	1	CS11	50	CS
2	Suhani	Electronic and Com	1	CS12	60	CS
3	Kriti	Electronic and Com	2	EC101	66	EC
*	Kim	Dictionic and com	2	EC102	70	EC
			3	EC101	45	EC
			3	EC102	50	EC

#### 2. <u>Create table given below: Employee and Incentive</u>Table

Employee_i d	First_name	Last_name	Salary	Joining_dat e	Department
1	John	Abraham	1000000	01-JAN-13 12.00.00 AM	Banking
2	Michael	Clarke	800000	01-JAN-13 12.00.00 AM	Insurance
3	Roy	Thomas	700000	01-FEB-13 12.00.00 AM	Banking
4	Tom	Jose	600000	01-FEB-13 12.00.00 AM	Insurance
5	Jerry	Pinto	650000	01-FEB-13 12.00.00 AM	Insurance
6	Philip	Mathew	750000	01-JAN-13 12.00.00 AM	Services
7	TestName1	123	650000	01-JAN-13 12.00.00 AM	Services
8	TestName2	Lname%	600000	01-FEB-13 12.00.00 AM	Insurance

Name: Employee

Table Name: Incentive

Employee_ref_id	Incentive_date	Incentive_amount
1	01-FEB-13	5000
2	01-FEB-13	3000
3	01-FEB-13	4000
1	01-JAN-13	4500
2	01-JAN-13	3500

- 3. Get First\_Name from employee table using Tom name "Employee Name".
- 4. Get FIRST\_NAME, Joining Date, and Salary from employee table.
- 5. Get all employee details from the employee table order by First\_Name

- Ascending and Salary descending?
- 6. Get employee details from employee table whose first name contains 'J'.
- 7. Get department wise maximum salary from employee table order by
- 8. salaryascending?
- 9. Select first\_name, incentive amount from employee and incentives table forthose employees who have incentives and incentive amount greater than 3000
- 10. Create After Insert trigger on Employee table which insert records in viewtable
- 11. Create table given below: Salesperson and Customer

(PK)SNo	SNAME	CITY	COMM
1001	Peel	London	.12
1002	Serres	San Jose	.13
1004	Motika	London	.11
1007	Rafkin	Barcelona	.15
1003	Axelrod	New York	.1

т	Δ.	RI	F	-2

TABLE NAME- CUSTOMER					
(PK)CNM.	CNAME	CITY	RATING	(FK)SNo	
201	Hoffman	London	100	1001	
202	Giovanne	Roe	200	1003	
203	Liu	San Jose	300	1002	
204	Grass	Barcelona	100	1002	
206	Clemens	London	300	1007	
207	Pereira	Roe	100	1004	

- 12. Retrieve the below data from above table
- 13.All orders for more than \$1000.
- 14. Names and cities of all salespeople in London with commission above 0.12
- 15.All salespeople either in Barcelona or in London
- 16. All salespeople with commission between 0.10 and 0.12. (Boundary

values should be excluded).

- 17. All customers excluding those with rating <= 100 unless they are located inRome
- 18. Write a SQL statement that displays all the information about all salespeople

salesman_id   name	_	
++++++		+
5001   James Hoog   New York		0.15
5002   Nail Knite   Paris		0.13
5005   Pit Alex   London		0.11
5006   Mc Lyon   Paris		0.14
5007   Paul Adam   Rome		0.13
5003   Lauson Hen   San Jose		0.12

19. From the following table, write a SQL query to find orders that are delivered by a salesperson with ID. 5001. Return ord\_no, ord\_date, purch\_amt.

Sample table: orders

purch_amt	ord_date	customer_id	salesman_id
150.5	2012-10-05	3005	5002
270.65	2012-09-10	3001	5005
65.26	2012-10-05	3002	5001
110.5	2012-08-17	3009	5003
948.5	2012-09-10	3005	5002
2400.6	2012-07-27	3007	5001
5760	2012-09-10	3002	5001
1983.43	2012-10-10	3004	5006
2480.4	2012-10-10	3009	5003
250.45	2012-06-27	3008	5002
75.29	2012-08-17	3003	5007
3045.6	2012-04-25	3002	5001
	150.5 270.65 65.26 110.5 948.5 2400.6 5760 1983.43 2480.4 250.45 75.29	150.5 2012-10-05 270.65 2012-09-10 65.26 2012-08-17 948.5 2012-09-10 2400.6 2012-07-27 5760 2012-09-10 1983.43 2012-10-10 2480.4 2012-10-10 250.45 2012-08-17	150.5       2012-10-05       3005         270.65       2012-09-10       3001         65.26       2012-10-05       3002         110.5       2012-08-17       3009         948.5       2012-09-10       3005         2400.6       2012-07-27       3007         5760       2012-09-10       3002         1983.43       2012-10-10       3004         2480.4       2012-10-10       3009         250.45       2012-06-27       3008         75.29       2012-08-17       3003

20. From the following table, write a SQL query to select a range of products whose price is in the range Rs. 200 to Rs. 600. Begin and end values are included. Return pro\_id, pro\_name, pro\_price, and pro\_com.

Sample table: item\_mast

PRO_ID PRO_NAME	PRO_PRICE	PRO_COM
101 Mother Board	3200.00	15
102 Key Board	450.00	16
103 ZIP drive	250.00	14
104 Speaker	550.00	16
105 Monitor	5000.00	11
106 DVD drive	900.00	12
107 CD drive	800.00	12
108 Printer	2600.00	13
109 Refill cartridge	350.00	13
110 Mouse	250.00	12

21. From the following table, write a SQL query to calculate the averageprice for a manufacturer code of 16. Return avg.

Sample table: item\_mast

PRO PRICE	PRO COM
3200.00	15
450.00	16
250.00	14
550.00	16
5000.00	11
900.00	12
800.00	12
2600.00	13
350.00	13
250.00	12
	3200.00 450.00 250.00 550.00 5000.00 900.00 800.00 2600.00 350.00

22. From the following table, write a SQL query to display the pro\_nameas 'Item Name' and pro\_priceas 'Price in Rs.'

Sample table: item\_mast

PRO_ID PRO_NAME	PRO_PRICE	PRO_COM
101 Mother Board	3200.00	15
102 Key Board	450.00	16
103 ZIP drive	250.00	14
104 Speaker	550.00	16
105 Monitor	5000.00	11
106 DVD drive	900.00	12
107 CD drive	800.00	12
108 Printer	2600.00	13
109 Refill cartridge	350.00	13
110 Mouse	250.00	12

23. From the following table, write a SQL query to find the items whose prices are higher than or equal to \$250. Order the result by product price in descending, then product name in ascending. Return pro\_name and pro\_price.

Sample table: item\_mast

PRO_	_ID PRO_NAME	PRO_PRICE	PRO_COM
101	Mother Board	3200.00	15
102	Key Board	450.00	16
103	ZIP drive	250.00	14
104	Speaker	550.00	16
105	Monitor	5000.00	11
106	DVD drive	900.00	12
107	CD drive	800.00	12
108	Printer	2600.00	13
109	Refill cartridge	350.00	13
110	Mouse	250.00	12

24. From the following table, write a SQL query to calculate average price of the items for each company. Return average price and companycode.

Sample table: item\_mast

PRO_ID PRO_NAME	PRO_PRICE	PRO_COM
101 Mother Board	3200.00	15
102 Key Board	450.00	16
103 ZIP drive	250.00	14
104 Speaker	550.00	16
105 Monitor	5000.00	11
106 DVD drive	900.00	12
107 CD drive	800.00	12
108 Printer	2600.00	13
109 Refill cartridge	350.00	13
110 Mouse	250.00	12



### **Web Designing Assignment**

#### Term-1

#### Module (HTML) -1


- Are the HTML tags and elements the same thing?
- What are tags and attributes in HTML?
- What are void elements in HTML?
- What are HTML Entities?
- What are different types of lists in HTML?
- What is the 'class' attribute in HTML?
- What is the difference between the 'id' attribute and the 'class' attribute of HTML elements?
- What are the various formatting tags in HTML?
- How is Cell Padding different from Cell Spacing?
- How can we club two or more rows or columns into a single row or column in an HTML table?
- What is the difference between a block-level element and an inline element?
- How to create a Hyperlink in HTML?
- What is the use of an iframe tag?
- What is the use of a span tag? Explain with example?
- How to insert a picture into a background image of a web page?
- How are active links different from normal links?
- What are the different tags to separate sections of text?
- What is SVG?
- What is difference between HTML and XHTML?
- What are logical and physical tags in HTML?



#### Module (CSS and CSS 3) -2

- What are the benefits of using CSS?
- What are the disadvantages of CSS?
- What is the difference between CSS2 and CSS3?
- Name a few CSS style components
- What do you understand by CSS opacity?
- How can the background color of an element be changed?
- How can image repetition of the backup be controlled?
- What is the use of the background-position property?
- Which property controls the image scroll in the background?
- Why should background and color be used as separate properties?
- How to center block elements using CSS1?
- How to maintain the CSS specifications?
- What are the ways to integrate CSS as a web page?
- What is embedded style sheets?
- What are the external style sheets?
- What are the advantages and disadvantages of using external style sheets?
- What is the meaning of the CSS selector?
- What are the media types allowed by CSS?
- What is the rule set?
- Create Layouts





#### Module (HTML5) - 3

- What are the new tags added in HTML5?
- How to embed audio and video in a webpage?
- Semantic element in HTML5?
- Canvas and SVG tags

#### Module (JAVASCRIPT BASIC & DOM) - 4

(Basic logic Question)

- Q.1 What is JavaScript. How to use it?
- Q.2 How many type of Variable in JavaScript?
- Q.3 Define a Data Types in js?
- Q.4 Write a mul Function Which will Work Properly When invoked With Following Syntax.
- Q.5 What the deference between undefined and undeclare in JavaScript?
- Q.6 Using console.log() print out the following statement: The quote 'There is no exercise better for the heart than reaching down and lifting people up.' by John Holmes teaches us to help one another. Using console.log() print out the following quote by Mother Teresa:
- Q.7 Check if typeof '10' is exactly equal to 10. If not make it exactly equal?

## Q.8 Write a JavaScript Program to find the area of a triangle? Q.9 Write a JavaScript program to calculate days left until next Christmas? Q.10 What is Condition Statement? Q.11 Find circumference of Rectangle formula : C = 4 \* a? Q.12 WAP to convert years into days and days into years? Q.13 Convert temperature Fahrenheit to Celsius? (Conditional logic Question) Q.14 Write a JavaScript exercise to get the extension of a filename.? Q.15 What is the result of the expression (5 > 3 && 2 < 4)? Q.16 What is the result of the expression (true && 1 && "hello")? Q.17 What is the result of the expression true && false || false && true? Q.18 What is a Loop and Switch Case in JavaScript define that? Q.19 What is the use of is Nan function? Q.20 What is the difference between && and || in JavaScript? Q.21 What is the use of Void (0)? Q.22 Check Number Is Positive or Negative in JavaScript? Q.23 Find the Character Is Vowel or Not? Q.24 Write to check whether a number is negative, positive or zero? Q.25 Write to find number is even or odd using ternary operator in JS? Q.26 Write find maximum number among 3 numbers using ternary operator in JS? Q.27 Write to find minimum number among 3 numbers using ternary operator in JS?

```
Q.28 Write to find the largest of three numbers in JS?
Q.29 Write to show
i. Monday to Sunday using switch case in JS?
ii. Vowel or Consonant using switch case in JS?
           (Conditional looping logic Question)
Q.30 What are the looping structures in JavaScript? Any one Example?
Q.31 Write a print 972 to 897 using for loop in JS?
Q.32 Write to print factorial of given number?
Q.33 Write to print Fibonacci series up to given numbers?
Q.34 Write to print number in reverse order e.g.: number = 64728 ---> reverse =82746 in JS?
Q.35 Write a program make a summation of given number (E.g., 1523 Ans: - 11) in JS?
Q.36 Write a program you have to make a summation of first and last Digit. (E.g., 1234 Ans: -
5) in JS?
Q.37 Use console.log() and escape characters to print the following pattern in JS?
      11111
      21248
      3 1 3 9 27
      4 1 4 16 64
      5 1 5 25 125
Q.38 Use pattern in console.log in JS?
1)
     1
      10
      101
      1010
      10101
2)
      Α
      B C
      DEF
      GHIJ
      KLMNO
3)
      1
      23
      456
      78910
      11 12 13 14 15
4)
      * *
      * * * *
      * * * * *
```

Q.39 Accept 3 numbers from user using while loop and check each numbers palindrome?

#### (Array and object Question)

- Q.40 Write a JavaScript Program to display the current day and time in the following format. Sample Output: Today is Friday. Current Time is 12 PM: 12 : 22 2?
- Q.41 Write a JavaScript program to get the current date?
- Q.42 Write a JavaScript program to compare two objects?
- Q.43 Write a JavaScript program to convert an array of objects into CSV string?
- Q.44 Write a JavaScript program to capitalize first letter of a string?
- Q. 45 Write a JavaScript program to determine if a variable is array?
- Q.46 Write a JavaScript program to clone an array?
- Q.47 What is the drawback of declaring methods directly in JavaScript objects?
- Q.48 Print the length of the string on the browser console using console.log()?
- Q.49 Change all the string characters to capital letters using toUpperCase() method?
- Q.50 What is the drawback of declaring methods directly in JavaScript objects?
- Q.51 Write a JavaScript program to get the current date. Expected Output: mm-dd-yyyy, mm/dd/yyyy or dd-mm-yyyy, dd/mm/yyyy?
- Q.52 Use indexOf to determine the position of the first occurrence of a in 30 Days Of JavaScript?
- Q,53 Use lastIndexOf to determine the position of the last occurrence of a in 30 Days Of JavaScript?
- Q.54 Form Validtion in JS?
- Q.55 Form in Email, number, Password, Validation?
- Q.56 Dynamic Form Validation in JS?
- Q.57 how many type of JS Event? How to use it?
- Q.59 What is Bom vs Dom in JS?
- Q.60 Array vs object defences in JS?
- Q.61 Split the string into an array using split() Method?
- Q.62 Check if the string contains a word Script using includes() method?
- Q.63 Change all the string characters to lowercase letters using toLowerCase() Method.
- Q.64 What is Character at index 15 in '30 Days of JavaScript' string? Use charAt() method.
- Q.65 copy to one string to another string in JS?

Find the length of a string without using libraryFunction?

- What is JavaScript?
- What is the use of isNaN function?
- What is negative Infinity?
- Which company developed JavaScript?
- What are undeclared and undefined variables?
- Write the code for adding new elements dynamically?
- What is the difference between ViewState and SessionState?
- What is === operator?

- How can the style/class of an element be changed?
- How to read and write a file using JavaScript?
- What are all the looping structures in JavaScript?
- How can you convert the string of any base to an integer in JavaScript?
- What is the function of the delete operator?
- What are all the types of Pop up boxes available in JavaScript?
- What is the use of Void (0)?
- How can a page be forced to load another page in JavaScript?
- What are the disadvantages of using innerHTML in JavaScript?
- Create password field with show hide functionalities

Enter Password:	
□ show passwor	rd

• Create basic math operation in JS


Maths Operations		
Enter 1st number:	23	
Enter 2nd number:	32	
+ - * / %	Answer is: 55	

• Create result

Marksheet for Information Technology		
Enter Marks		
1. C Language	34	
2. C++ Language	44	
3. Database	22	
4. HTML	33	
5. CSS	45	
6. php	44	
7. Core java	50	
	Result	
Total is: 272 / 350	Percentage is: 78 %	

• Create a slider using JavaScript

•



- What is JavaScript?
- What is the use of isNaN function?
- What is negative Infinity?



- Which company developed JavaScript?
- What are undeclared and undefined variables?
- Write the code for adding new elements dynamically?
- What is the difference between ViewState and SessionState?
- What is === operator?
- How can the style/class of an element be changed?
- How to read and write a file using JavaScript?
- What are all the looping structures in JavaScript?
- How can you convert the string of any base to an integer in JavaScript?
- What is the function of the delete operator?
- What are all the types of Pop up boxes available in JavaScript?
- What is the use of Void (0)?
- How can a page be forced to load another page in JavaScript?
- What are the disadvantages of using innerHTML in JavaScript?

#### Module (JQuery Basic, Effects & Advanced) - 5

- What is jQuery?
- How to Apply CSS Using JQuery, How to Add Class and Remove Class in Jquery, JQuery Animation?
- How to create slider with animation?

#### Module (Bootstrap Basic & Advanced) - 6

- What are the advantages of Bootstrap?
- What is a Bootstrap Container, and how does it work?



- What are the default Bootstrap text settings?
- What do you know about the Bootstrap Grid System?
- What is the difference between Bootstrap 4 and Bootstrap 5
- What is a Button Group, and what is the class for a basic Button Group?
- How can you use Bootstrap to make thumbnails?
- In Bootstrap 4, what is flexbox?
- How can one create an alert in Bootstrap?
- What is a bootstrap card and how would you create one?





#### **Advance JavaScript**

#### **MODULE: 1 (Introduction and Code Quality)**

- Write a program to Show an alert
- What will be the result for these expressions?

```
    1. 5 > 4
    2. "apple" > "pineapple"
    3. "2" > "12"
    4. undefined == null
    5. undefined === null
    6. null == "\n0\n"
    7. null === +"\n0\n"
```

• Will alert be shown?

```
if ("0") { alert( 'Hello'); }
```

- What is the code below going to output? alert( null ||2|| undefined );
- The following function returns true if the parameter age is greater than 18. Otherwise it asks for a confirmation and returns its result:

• Replace Function Expressions with arrow functions in the code below:

```
Function
```

```
ask(question, yes, no)
```



```
{ if (confirm(question))yes();
        else
        no();
}
ask("Do you agree?", function()
{ alert("You agreed."); },
function() {
            alert("You canceled the execution."); }
}
```

#### **MODULE: 2 (Data Types and Objects)**

- Write the code, one line for each action:
- a) Create an empty object user.
- b) Add the property name with the value John.
- c) Add the property surname with the value Smith.
- d) Change the value of the name to Pete.
- e) Remove the property name from the object.
- Is array copied?

```
let fruits = ["Apples", "Pear", "Orange"]; // push a new value into the "copy" let
shoppingCart = fruits; shoppingCart.push("Banana"); // what's in fruits?
alert( fruits.length ); // ?
```

Map to names

```
let john = { name: "John", age: 25 }; let pete = { name: "Pete", age: 30 }; let mary = { name: "Mary", age: 28 }; let users = [ john, pete, mary ]; let names = /* ... your code */ alert( names ); // John, Pete, Mary
```

Map to objects

```
let john = { name: "John", surname: "Smith", id: 1 }; let pete = { name: "Pete", surname: "Hunt", id: 2 }; let mary = { name: "Mary", surname: "Key", id: 3 }; let users = [ john, pete, mary ]; let usersMapped = /* ... your code ... */
```



```
/*
usersMapped = [
    { fullName: "John Smith", id: 1 },
    { fullName: "Pete Hunt", id: 2 },
    { fullName: "Mary Key", id: 3 }
]
*/ alert( usersMapped[0].id ) // 1 alert( usersMapped[0].fullName ) // John Smith
```

• Sum the properties There is a salaries object with arbitrary number of salaries. Write the function sumSalaries(salaries) that returns the sum of all salaries using Object.values and the for..of loop.If salaries is empty, then the result must be 0.

```
let salaries = {
    "John": 100,
    "Pete": 300,
    "Mary": 250
    };
alert( sumSalaries(salaries) ); // 650
```

- Destructuring assignment We have an object: Write the Destructuring assignment that reads:
  - a) Name property into the variable name.
  - b) Year's property into the variable age.
  - c) isAdmin property into the variable isAdmin (false, if no such property)
  - d) let user = { name: "John", years: 30};
- Turn the object into JSON and back Turn the user into JSON and then read it back into another variable.

```
user = { name: "John Smith", age: 35};
```



### **MODULE: 3 (Document, Event and Controls)**

- Create a program to hide/show the password
- Create a program that will select all the classes and loop over and whenever i click the button the alert should show
- Create a responsive header using proper JavaScript
- Create a form and validate using JavaScript
- Create a modal box using css and Js with three buttons
- Use external js library to show slider
- Prevent the browser when i click the form submit button

#### **MODULE: 4 (New Request)**

- What is JSON
- What is promises
- Write a program of promises and handle that promises also
- Use fetch method for calling an api <a href="https://fakestoreapi.com/products">https://fakestoreapi.com/products</a>
- Display all the product from the api in your HTML page




## **React Js Assignments**

#### Module -1

HTML-CSS Login Registration page

#### **Module – 2 Advance JavaScript**

Calculate subtotal price of quantity in JavaScript?




- What is JavaScript Output method?
- How to used JavaScript Output method?
- How to used JavaScript Events to do all examples?

#### Module - 3 ReactJs

- What is React Js?
- What is NPM in React Js?
- What is Role of Node Js in react Js?
- What is CLI command In React Js?
- What is Components in React Js?
- What is Header and Content Components in React Js?
- How to install React Js on Windows, linux Operating System? ☐ How to install NPM and How to check version of NPM?



- How to check version of React Js?
- How to change in components of React Js?
- How to Create a List View in React Js?



Create Increment decrement state change by button click?



#### Module – 4 Lists and Hooks


\

Explain Life cycle in Class Component and functional component with Hooks

### Module-5) React - Styling & Advance React

Create Shopping site home page with Styled- component






#### **Module 6) React Router**

• Create React app with modules and lazy loading (Admin-user module with child router and outlet)

### **Module-7) React - Applying Redux**

- What is Redux?
- What is Redux Thunk used for?
- What is Pure Component? When to use Pure Component over Component?
- What is the second argument that can optionally be passed tosetState and what is its purpose?
- Create a Table and Search data from table using React Js?





Create Login registration with CRUD Application using API (Redux)



# **PHP Assignment**

#### **MODULE – 3(Core PHP)**

- Write a PHP program to enter marks of five subjects Physics, Chemistry, Biology, Mathematics and Computer, calculate percentage and grade by if else write a PHP program for find "Thursday" in week using switch Function.
- Write a PHP program to check Leap years between 1901 to 2016 Using nested if.
- Write a PHP program to find the largest of three numbers using ternary Operator.
- Write a program in PHP to print Fibonacci series. 0, 1, 1, 2, 3, 5, 8, 13, 21,
   34
- Write a program to find whether a number is Armstrong or not ☐ Write a program to print the below format :

5 9261037114812

• Write a program for this Pattern:

\*\*\*\*\* \* \*

\*



\*\*\*\*

• What will be the values of \$a and \$b after the code below is executed? Explain your answer.

```
$a = '1';
$b = &$a;
$b = "2$b";
```

- How can you tell if a number is even or odd without using any Condition or loop?
- How can you declare the array (all type) in PHP? Explain with example
   Covert a JSON string to array.
- Write program to remove duplicate values from array
- Get random values from array
- Write a PHP script which decodes the following JSON string.
- Use a for loop to total the contents of an integer array called numbers which has five elements. Store the result in an integer called total.
- Declare a Multi Dimensioned array of floats called balances having Three rows and five columns.



### **MODULE – 4(Advance PHP)**

#### **OOPS**

- What Is Object Oriented Programming?
- What Are Properties Of Object Oriented Systems?
- What Is Difference Between Class And Interface?
- What Is Overloading?
- What Is T\_PAAMAYIM\_NEKUDOTAYIM (Scope Resolution Operator (::) with Example
- What are the differences between abstract classes and interfaces?
- Define Constructor and Destructor?
- How to Load Classes in PHP?
- How to Call Parent Constructor?
- Are Parent Constructor Called Implicitly When Create An ObjectOf Class?
- What Happen, If Constructor Is Defined As Private Or Protected?
- What are PHP Magic Methods/Functions? List them ☐ Write program for Static Keyword in PHP?
- Create multiple Traits and use it in to a single class?
- Write PHP Script of Object Iteration?
- Use of The \$this keyword



- Consider the exercise 11 and add a edit link near delete link e.g. Clicking up on edit button a particular row should be open in editing mode e.g. on the Particular row there should be filled text box with data and on the option column there should be a confirm button clicking upon it arrow should be updated.
- Create Hotel Room Booking System User can book room by 3 ways
   Full day
   Half day
   Custom
- If user select for the full day than user only have selection for the checking checkout date
- If user select Half day than user have option of date and slot option(like user want to book room for first half Morning (8AM to 6PM) if user select for second halfit for evening (7PM to Morning 7AM)). Do proper validation like if user can book only available slot. (have touse jQuery -> Ajax, validation, Json passing).

#### <u>Jquery</u>

- a) What is jQuery?
- b) How are JavaScript and jQuery different?
- c) Which is the starting point of code execution in jQuery?
- d) Document Load Vs Window. Load() jQuery
- e) What is the difference between prop and attr?
- f) Explain Difference Between JQuery And JavaScript?
- g) How We Can Select The Specified Element From The ListOf Elements In ?
- h) In Design Change The Color Of Even Elements To "green"And Change The Color Of Odd Elements To "blue" Color? Give An Example Code?



- i) How We Can Implement Animation Effects In Jquery?
- j) Apply jQuery validation using library.
- k) Create custom dynamic function for require field validator.
- 1) Get state data by country selection (Ajax).
- m) Image uploading with preview.

### **MODULE – 5(Web Services)**

- Create API for Registration & Login Page.
- Create Web Service for your MVC Project.
- Create API for Image Uploading.

### **MODULE – 7(Laravel)**

- Create Following Routes.(for frontend side application)
  - a) Home page
  - b) About us
  - c) Contact us
  - d) Gallery
  - e) Registration
  - f) Login
- How to pass Multiple Variable in route?
- How to pass variable which can be null in Route?
- Create custom auto using middleware.
- Generate Resource Controller for employee.
- In Employee Controller's action Call Middleware.
- How to remove route caching?



Create Custom Macro For search User

#### **Practical**

1. Create Photo Gallery for above route.

Note: upload files from admin side. Show all the images in user side

2. Download admin panel for employee management and convert it in Laravel blades.

### **MODULE – 8(Migration)**

- How to do config database in laravel
- Call MySQLi Store Procedure from Laravel.
- Apply Curd Operation through Query Builder for Employee Management
- Create All Migration for Employee management

#### **MODULE – 9, 10(Forms, Controls)**

- Explain ORM
- Do Curd using Eloquent Query
- Explain Eloquent Relationships
- What is Eager Loading and lazy loading?
- Do Session for Employee Management System.

#### **Practical**

a) Do pagination for Employee Management System



- b) If New User Registered Put Notification on admin side in Employee Management c) Write code for sending email
- d) Create application for blog.

title_			
content_			