

O Level :Web Designing & Publishing



Chapter 5 : W3CSS



INFOMAX
COMPUTER ACADEMY



W³
schools

Objective:

After completing this unit, learner will be able to

- Use W3.css for responsive Web Design
- you are able to design responsive web pages.

INFOMAX
COMPUTER ACADEMY

Introduction

- W3.CSS is a free and modern CSS framework published by W3school for developing responsive websites.
- It is smaller and faster than similar CSS framework (Bootstrap).
- It is easier to learn and use.
- It simply speedup the development of website.
- W3.CSS is inspired from Google Material Design.
- It includes only standard CSS. No jQuery or JavaScript library included in it.

Adding of W3.CSS

There are two ways of adding W3.CSS into webpage:

By using CDN (Content Delivery Network)

By downloading W3.CSS file into local machine

INFOMAX
COMPUTER ACADEMY

By using CDN (Content Delivery Network)

- The CDN of w3school can be used to link W3.CSS file into web page as following:

***<link type="text/css" rel="stylesheet"
href="https://www.w3schools.com/w3css/4/w3.css">***

- The <link> tag must be written in the head section of the HTML. It is obvious that internet connection must be needed for successfully delivery of W3.CSS file.

INFOMAX
COMPUTER ACADEMY

By downloading W3.CSS file into local machine

- This is alternate way of adding W3.CSS into web page. First download the W3.CSS file into local machine, and then add it to the web page.
- To download W3.CSS file, follow the link:
 - **W3.CSS Downloads (w3schools.com)**
- Now save the file into local machine and then add it in the head section of the HTML as:
 - `<link rel="stylesheet" href="w3.css">`
- Here, the name of the W3.CSS file is “w3” and it is supposed that HTML and CSS file is on the same folder. If CSS file is on the other folder, then add path accordingly.

Example

```
<!doctype html>
<html>
<head>

  <title> Infomax Computer Academy </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet"
href="https://www.w3schools.com/w3css/4/w3.css">
</head>
<body>
  <div class="w3-container w3-yellow">
    <h1>INFOMAX</h1>
    <p> Welcome to Infomax Computer Academy </p>
  </div>
</body>
</html>
```


W3.CSS – Colors

In W3.CSS, we don't have to write own CSS code for styling, instead various classes are available for styling the webpage.

In terms of coloring of element, there are following classes in W3.CSS:

- **w3-color** : It is used to specify the background color of the element.
- **w3-text-color** : It is used to specify the text color
- **w3-hover-color** : It is used to specify background color when mouse is moved over the element.
- **w3-hover-text-color** : It is used to specify text color of the element when mouse is moved over the element.

Example

```
<!doctype html>
<html>
<head>
  <title> INFOMAX </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">
</head>
<body>
  <div class="w3-purple">
    <h1> INFOMAX COMPUTER ACADEMY </h1>
    <p> The Institute of Computer Programming </p>
  </div>
  <div class="w3-green">
    <h1> ADDRESS </h1>
    <p> G. R. Complex Preetam Nagar Dhoomanganj Prayagaraj </p>
  </div>
</body>
</html>
```

W3.CSS – Container, Panel

- W3.CSS provides two classes w3-container, w3-panel that are used mostly with container elements (like <div>, <header>, <footer>, <article>, <section> etc) of HTML for providing common padding and margin to the elements.
- **w3-container**
 - The w3-container class is used to add 16px left and right padding to HTML elements.
- **w3-panel**
 - The w3-panel class is used to add 16px left and right padding along with 16px top and bottom margin also to HTML elements.

INFOMAX
COMPUTER ACADEMY

Example

```
<html>
<head>
<meta name="viewport" content="width=device-
width, initial-scale=1">
<link rel="stylesheet"
href="https://www.w3schools.com/w3css/4/w3.css"
>
</head>
<body>
<div class="w3-container w3-yellow">
<h1> ABC</h1>
<p> I am Container 1 </p>
</div>
<div class="w3-container w3-red">
<h1> DEF</h1>
<p> I am Container 2 </p>
</div>
</body>
</html>
```

INFOMAX
COMPUTER ACADEMY

W3.CSS Border

Class	Defines
w3-border	Adds borders (top, right, bottom, left) to an element
w3-border-top	Adds a top border to an element
w3-border-right	Adds a right border to an element
w3-border-bottom	Adds a bottom border to an element
w3-border-left	Adds a left border to an element
w3-border-0	Removes all borders



W3.CSS Border (Cont.)

Class	Defines
w3-border-color	Displays the border in a specified color (like red, blue, etc)
w3-hover-border-color	Adds a hoverable border color
w3-bottombar	Adds a thick bottom border to an element
w3-leftbar	Adds a thick left border to an element
w3-rightbar	Adds a thick right border to an element
w3-topbar	Adds a thick top border to an element

W3.CSS Border - Rounded Borders

To add rounded borders, add one of the w3-round-size classes:

Class Name	
w3-round	
w3-round-small	
w3-round-large	
w3-round-xlarge	
w3-round-xxlarge	

W3.CSS Fonts

W3.css Class for Font Size:



w3-tiny	
w3-small	
w3-medium	
w3-large	
w3-xlarge	
w3-xxlarge	
w3-xxxlarge	
w3-jumbo	

W3.CSS Fonts

- W3.css Class for Font Family



w3-serif	
w3-sans-serif	
w3-monospace	
w3-cursive	

COMPUTER ACADEMY

W3.CSS Text



Class	Description
w3-left-align	used to left align elements
w3-right-align	used to right align elements
w3-center	used to center-align elements
w3-wide	specifies a wider text
w3-opacity	Specifies the text opacity (Transparency)

W3.CSS Table

Class Name	Description
w3-table	The w3-table class is used as container for HTML table.
w3-striped	The w3-striped class is used to create striped table.
w3-border	The w3-border class is used to make border around the table.
w3-bordered	The w3-bordered class is used to make bordered lines on the bottom of each row.
w3-centered	The w3-centered class is used to centrally align the contents of the table.
w3-hoverable	The w3-hoverable class is used to display hoverable table (Background color changes when mouse moved over table).
w3-table-all	The w3-table-all class is used to set all the above properties except w3-centered, w3- hoverable.

W3.CSS List

Class Name	Description
w3-ul	The w3-ul class makes the stylish list. It removes the list marker and adds inner line in the list items.
w3-hoverable	To give grey background color when mouse is moved over the list. w3-color: To give background color to the list.
w3-hover-color	To give background color when mouse is moved over the list.
w3-border	To give border to the list. Other border classes also can be used.
w3-center	To centrally align the text of list.
w3-card-number	To give shadow effects just like cards to the list. Number maybe 2 or 4.
w3-padding-number	To add padding to list items. Number may be 16, 24, 32, 48, and 64.
w3-hover-shadow	To give shadow effects on mouser hover.

W3.CSS Image

Class Name	Description
w3-image	To scale up and down both according to the screen size [set CSS width property 100%]
w3-round	adds rounded corners to an image
w3-circle	shapes an image to a circle:
w3-border	adds borders around the image:
w3-card	to display it as a card (add shadows):

W3.CSS Image

Class Name	Description
w3-sepia	This class gives sepia effects (brownish-reddish look) to the image. Two other related classes (that gives the level of sepia effects) are w3-sepia-min, w3-sepia-max.
w3-grayscale	This class gives grayscale effects (black & white look) to the image. Two other related classes (that gives the level of grayscale effects) are w3-grayscale-min, w3-grayscale-max.
w3-opacity	This class gives transparency effects to the image. Two other related classes (that gives the level of transparency effects) are w3-opacity-min, w3-opacity-max.
w3-opacity-off	This class removes the transparency effects.

W3.CSS Image

Class Name	Description
w3-hover-sepia	This class gives the sepia effects when mouse is moved over the image.
w3-hover-grayscale	This class gives the grayscale effects when mouse is moved over the image.
w3-hover-opacity	This class gives the transparency effects when mouse is moved over the image.
w3-hover-opacity-off	This class removes the transparency effects when mouse is moved over the image.

W3.CSS Grid

- W3.CSS grid is combination of rows and columns. Grids are responsive, columns are arranged itself automatically on different screen size. On larger screen contents are organized into columns but on smaller screen the contents are stacked on the top of each other.
- **w3-row** is container class used to define row. [w3-row-padding is used to define row with 08px left and right padding.]
- **w3-col** is container class used to define each column in the row. Each row can have maximum 12 columns.

Thank You

Address: G. R. Complex Preetam Nagar, Dhoomanganj
Prayagraj Uttar Pradesh 211011

Mobile No.: 9598948810, 8874588766, 9532878816

Website : www.infomax.org.in

