

`LAPORAN

INSTALASI Debian GUI

Nama : Brilian Abednego Wiryawan

Absen : 6

Kelas : XI TJKT 1


- Tujuan laporan ini dibuat untuk memberikan edukasi dan informasi untuk praktik dalam software **Oracle VM VirtualBox Manager**.

- **LANGKAH – LANGKAH**

1. PILIH **BARU** UNTUK MEMULAI INSTALASI



2. SETELAH DIPILIH MAKA ISI NAMA SAJA LALU PILIH LANJUT.




3. LALU PILIH LANJUT SAJA TIDAK USAH DIUBAH PADA SLIDE INI.

The screenshot shows the 'Ciptakan Mesin Virtual' window with the 'Perangkat Keras' tab selected. The window title is 'Ciptakan Mesin Virtual'. On the left is a decorative image of a potted plant with a blue flower. The main text says: 'Anda dapat mengubah perangkat keras mesin virtual dengan mengubah banyaknya RAM dan cacah CPU virtual. Memfungsikan EFI juga mungkin.' Below this are two sliders: 'Memori Dasar' (Base Memory) set to 2048 MB (range 4 MB to 6144 MB) and 'Prosesor' (Processor) set to 1 CPU (range 1 CPU to 12 CPU). There is a checkbox 'Fungsikan EFI (hanya OS tertentu)' which is unchecked. At the bottom are four buttons: 'Bantuan', 'Kembali', 'Lanjut' (highlighted with a red box), and 'Batal'.

4. BEGITU JUGA PADA DI SLIDE INI PILIH LANJUT SAJA.

The screenshot shows the 'Ciptakan Mesin Virtual' window with the 'Hard disk virtual' tab selected. The window title is 'Ciptakan Mesin Virtual'. On the left is the same decorative image of a potted plant. The main text says: 'Bila Anda mau Anda dapat menambahkan sebuah hard disk virtual ke mesin baru. Anda dapat membuat berkas hard disk baru atau memilih yang sudah ada. Atau Anda dapat membuat suatu mesin virtual tanpa hard disk virtual.' Below this are three radio button options: 'Buat sebuah Hard Disk Virtual Sekarang' (selected), 'Gunakan Berkas Disk Hard Disk Virtual yang Sudah Ada', and 'Jangan Tambahkan sebuah Hard Disk Virtual'. Under the first option is a slider for 'Ukuran Disk' (Disk Size) set to 20,00 GB (range 4,00 MB to 2,00 TB). There is a checkbox 'Pra-alokasi Ukuran Penuh' which is unchecked. Under the second option is a dropdown menu showing 'Kosong'. At the bottom are four buttons: 'Bantuan', 'Kembali', 'Lanjut' (highlighted with a red box), and 'Batal'.


5. PILIH SELESAI UNTUK LEBIH LANJUT.




6. PILIH PENGATURAN UNTUK MENGETTING ADAPTER DAN FILE ISO.




7. PILIH JARINGAN/NETWORK UNTUK MENGATUR ADAPTER.




8. PILIH ADAPTER 1 LALU FUNGSIKAN PILIH NAT.




9. PILIH ADAPTOR 2 FUNGSIKAN DENGAN PILIH HOST-ONLY.




10. ISI FILE ISO YANG KOSONG.




11. KLIK LOGO INI DAN ISI ISO DEBIAN.




12. PILIH MULAI/START.




13. PILIH GRAPHICAL INSTALL.



14. PILIH BAHASA INGGRIS DAN PILIH CONTINUE.



15. PILIH OTHER LALU CONTINUE.



The screenshot shows the 'Select your location' screen in the Debian 12 installer. The header features the Debian logo and 'debian 12'. Below the title, there is explanatory text about the purpose of the location selection. A list of countries is displayed, with 'other' selected at the bottom. At the bottom right, the 'Continue' button is circled in red.

Select your location

The selected location will be used to set your time zone and also for example to help select the system locale. Normally this should be the country where you live.


This is a shortlist of locations based on the language you selected. Choose "other" if your location is not listed.

Country, territory or area:

- India
- Ireland
- Israel
- New Zealand
- Nigeria
- Philippines
- Seychelles
- Singapore
- South Africa
- United Kingdom
- United States
- Zambia
- Zimbabwe
- other**

Screenshot Go Back **Continue**

16. PILIH ASIA DAN PILIH CONTINUE.



The screenshot shows the 'Select your location' screen in the Debian 12 installer. The header features the Debian logo and 'debian 12'. Below the title, there is explanatory text about the purpose of the location selection. A list of continents and regions is displayed, with 'Asia' selected. At the bottom right, the 'Continue' button is highlighted with a red rectangle.

Select your location

The selected location will be used to set your time zone and also for example to help select the system locale. Normally this should be the country where you live.


Select the continent or region to which your location belongs.

Continent or region:

- Africa
- Antarctica
- Asia**
- Atlantic Ocean
- Caribbean
- Central America
- Europe
- Indian Ocean
- North America
- Oceania
- South America

Screenshot Go Back **Continue**

17. PILIH INDONESIA DAN PILIH CONTINUE.



The screenshot shows the 'Select your location' window in the Debian 12 installer. The window has a title bar with the Debian logo and 'debian 12'. Below the title bar, the text 'Select your location' is displayed. A message states: 'The selected location will be used to set your time zone and also for example to help select the system locale. Normally this should be the country where you live.' Below this, it says: 'Listed are locations for: Asia. Use the <Go Back> option to select a different continent or region if your location is not listed.' A sub-header reads 'Country, territory or area:'. A list of countries is shown in a scrollable box, with 'Indonesia' highlighted. At the bottom, there are three buttons: 'Screenshot', 'Go Back', and 'Continue'. The 'Continue' button is highlighted with a red rectangle.

Select your location

The selected location will be used to set your time zone and also for example to help select the system locale. Normally this should be the country where you live.


Listed are locations for: Asia. Use the <Go Back> option to select a different continent or region if your location is not listed.

Country, territory or area:

- Afghanistan
- Bahrain
- Bangladesh
- Bhutan
- Brunei Darussalam
- Cambodia
- China
- Hong Kong
- India
- Indonesia**
- Iran
- Iraq
- Israel

Screenshot Go Back Continue

18. PILIH UNITED STATES DAN PILIH CONTINUE.



The screenshot shows the 'Configure locales' window in the Debian 12 installer. The window has a title bar with the Debian logo and 'debian 12'. Below the title bar, the text 'Configure locales' is displayed. A message states: 'There is no locale defined for the combination of language and country you have selected. You can now select your preference from the locales available for the selected language. The locale that will be used is listed in the second column.' Below this, it says: 'Country to base default locale settings on:'. A table of countries and their corresponding locales is shown in a scrollable box, with 'United States' highlighted. At the bottom, there are four buttons: 'Screenshot', 'Help', 'Go Back', and 'Continue'. The 'Continue' button is highlighted with a red rectangle.

Configure locales


There is no locale defined for the combination of language and country you have selected. You can now select your preference from the locales available for the selected language. The locale that will be used is listed in the second column.

Country to base default locale settings on:


Canada	- en_CA.UTF-8
Hong Kong	- en_HK.UTF-8
India	- en_IN
Ireland	- en_IE.UTF-8
Israel	- en_IL
New Zealand	- en_NZ.UTF-8
Nigeria	- en_NG
Philippines	- en_PH.UTF-8
Seychelles	- en_SC.UTF-8
Singapore	- en_SG.UTF-8
South Africa	- en_ZA.UTF-8
United Kingdom	- en_GB.UTF-8
United States	- en_US.UTF-8
Zambia	- en_ZM
Zimbabwe	- en_ZW.UTF-8

Screenshot Help Go Back Continue


19. PILIH AMERICAN ENGLIST DAN CONTINUE.



20. TUNGGU PROGRES LOADING.



21. ISI HOSTNAME DENGAN MENYESUAIKAN KEINGINAN LALU PILIH CONTINUE.



The image shows the 'Configure the network' screen in the Debian 12 installer. At the top is a header with the Debian logo and 'debian 12'. Below the header, the title 'Configure the network' is displayed. The main content area contains the instruction 'Please enter the hostname for this system.' followed by a detailed explanation of what a hostname is. Below the text is a label 'Hostname:' and a text input field containing the word 'debian'. At the bottom of the screen, there are three buttons: 'Screenshot' on the left, 'Go Back' in the center, and 'Continue' on the right. The 'Continue' button is highlighted with a red rectangular border.

Configure the network

Please enter the hostname for this system.


The hostname is a single word that identifies your system to the network. If you don't know what your hostname should be, consult your network administrator. If you are setting up your own home network, you can make something up here.

Hostname:

debian

Screenshot Go Back Continue

22. DOMAIN NAME BISA DI ISI DAN TIDAK DI ISI SESUAI KEBUTUHAN LALU PILIH CONTINUE.



The image shows the 'Configure the network' screen in the Debian 12 installer, specifically for domain name configuration. It has the same header as the previous screen. The title 'Configure the network' is present. The main content area contains the instruction 'The domain name is the part of your Internet address to the right of your host name. It is often something that ends in .com, .net, .edu, or .org. If you are setting up a home network, you can make something up, but make sure you use the same domain name on all your computers.' followed by the label 'Domain name:'. Below the label is an empty text input field. At the bottom of the screen, there are three buttons: 'Screenshot' on the left, 'Go Back' in the center, and 'Continue' on the right. The 'Continue' button is highlighted with a red rectangular border.

Configure the network

The domain name is the part of your Internet address to the right of your host name. It is often something that ends in .com, .net, .edu, or .org. If you are setting up a home network, you can make something up, but make sure you use the same domain name on all your computers.

Domain name:

Screenshot Go Back Continue

23. ISI FULL NAME DENGAN NAMA LENGKAP ATAU KEINGINAN SENDIRI LALU PILIH CONTINUE .



Set up users and passwords

A user account will be created for you to use instead of the root account for non-administrative activities.

Please enter the real name of this user. This information will be used for instance as default origin for emails sent by this user as well as any program which displays or uses the user's real name. Your full name is a reasonable choice.

Full name for the new user:

[Screenshot](#) [Go Back](#) [Continue](#)

24. ISI USERNAME SESUAI KEBUTUHAN LALU PILIH CONTINUE.



Set up users and passwords

Select a username for the new account. Your first name is a reasonable choice. The username should start with a lower-case letter, which can be followed by any combination of numbers and more lower-case letters.

Username for your account:

[Screenshot](#) [Go Back](#) [Continue](#)

25. ISI PASSWORD USER SESUAI KEINGINAN LALU PILIH CONTINUE.



Set up users and passwords

A good password will contain a mixture of letters, numbers and punctuation and should be changed at regular intervals.
Choose a password for the new user:

☒ Show Password in Clear

Please enter the same user password again to verify you have typed it correctly.
Re-enter password to verify:

☒ Show Password in Clear

[Screenshot](#) [Go Back](#) [Continue](#)

26. TUNGGU PROGRES.




Configure the clock

Setting up the clock

Getting the time from a network time server...

27. PILIH WESTERN ATAU SESUAI KEBUTUHAN WILAYAH MASING-MASING LALU CONTINUE.



The screenshot shows the 'Configure the clock' step in the Debian 12 installer. The header features the Debian logo and 'debian 12'. Below the title, there is a paragraph of instructions: 'If the desired time zone is not listed, then please go back to the step "Choose language" and select a country that uses the desired time zone (the country where you live or are located).'. This is followed by the prompt 'Select a city in your time zone:'. A list of time zones is displayed: 'Western (Sumatra, Jakarta, Java, West and Central Kalimantan)' (highlighted with a green bar), 'Central (Sulawesi, Bali, Nusa Tenggara, East and South Kalimantan)', and 'Eastern (Maluku, Papua)'. At the bottom, there are three buttons: 'Screenshot', 'Go Back', and 'Continue' (which is highlighted with a red border).

Configure the clock


If the desired time zone is not listed, then please go back to the step "Choose language" and select a country that uses the desired time zone (the country where you live or are located).

Select a city in your time zone:

- Western (Sumatra, Jakarta, Java, West and Central Kalimantan)
- Central (Sulawesi, Bali, Nusa Tenggara, East and South Kalimantan)
- Eastern (Maluku, Papua)

Screenshot Go Back Continue

28. UNTUK GUIDED PILIH ENTIRE DISK DAN CONTINUE.



The screenshot shows the 'Partition disks' step in the Debian 12 installer. The header features the Debian logo and 'debian 12'. Below the title, there is a paragraph of instructions: 'The installer can guide you through partitioning a disk (using different standard schemes) or, if you prefer, you can do it manually. With guided partitioning you will still have a chance later to review and customise the results.'. This is followed by another paragraph: 'If you choose guided partitioning for an entire disk, you will next be asked which disk should be used.'. Then, the prompt 'Partitioning method:' is shown. A list of partitioning methods is displayed: 'Guided - use entire disk' (highlighted with a green bar), 'Guided - use entire disk and set up LVM', 'Guided - use entire disk and set up encrypted LVM', and 'Manual'. At the bottom, there are three buttons: 'Screenshot', 'Go Back', and 'Continue' (which is highlighted with a red border).

Partition disks

The installer can guide you through partitioning a disk (using different standard schemes) or, if you prefer, you can do it manually. With guided partitioning you will still have a chance later to review and customise the results.

If you choose guided partitioning for an entire disk, you will next be asked which disk should be used.

Partitioning method:


- Guided - use entire disk
- Guided - use entire disk and set up LVM
- Guided - use entire disk and set up encrypted LVM
- Manual

Screenshot Go Back Continue


29. PILIH PENYIMPANAN DAN CONTINUE.



30. PILIH RECOMMENDED SAJA SESUAI SARAN LALU CONTINUE.



31. PILIH FINISH DAN CONTINUE.




The image shows the 'Partition disks' screen in the Debian 12 installer. The header features the Debian logo and 'debian 12'. Below the title, a paragraph explains the purpose of the screen: 'This is an overview of your currently configured partitions and mount points. Select a partition to modify its settings (file system, mount point, etc.), a free space to create partitions, or a device to initialize its partition table.'

Under the 'Guided partitioning' section, there are four options: 'Configure software RAID', 'Configure the Logical Volume Manager', 'Configure encrypted volumes', and 'Configure iSCSI volumes'. Below these, a dropdown menu is expanded for 'SCSI3 (0,0,0) (sda) - 21.5 GB ATA VBOX HARDDISK', showing two partitions: '#1 primary 20.4 GB f ext4 /' and '#5 logical 1.0 GB f swap swap'. At the bottom of the main content area, there are two buttons: 'Undo changes to partitions' and 'Finish partitioning and write changes to disk', with the latter highlighted in green.

At the bottom of the window, there are four buttons: 'Screenshot', 'Help', 'Go Back', and 'Continue'. The 'Continue' button is highlighted with a red border.

32. PARTITION PILIH YES LALU CONTINUE.




The image shows the 'Partition disks' screen in the Debian 12 installer, displaying a confirmation message. The header features the Debian logo and 'debian 12'. Below the title, a paragraph states: 'If you continue, the changes listed below will be written to the disks. Otherwise, you will be able to make further changes manually.'

Below this, two sections list the changes: 'The partition tables of the following devices are changed: SCSI3 (0,0,0) (sda)' and 'The following partitions are going to be formatted: partition #1 of SCSI3 (0,0,0) (sda) as ext4, partition #5 of SCSI3 (0,0,0) (sda) as swap'. A question follows: 'Write the changes to disks?'. There are two radio buttons: 'No' and 'Yes'. The 'Yes' button is selected and highlighted with a red border.

At the bottom of the window, there are two buttons: 'Screenshot' and 'Continue'. The 'Continue' button is highlighted with a red border.

33. DI EXSTRA INSTALALITION PILIH NO LALU CONTINUE.



The screenshot shows the 'Configure the package manager' step of the Debian 12 installation. The header features the Debian logo and 'debian 12'. The main text area contains information about the detected installation media and a prompt to scan for additional media. At the bottom, there are three buttons: 'Screenshot', 'Go Back', and 'Continue' (which is highlighted with a red border).

Configure the package manager

Scanning your installation media finds the label:

Debian GNU/Linux 12.1.0 _Bookworm_ - Official amd64 NETINST with firmware 20230722-10:48

You now have the option of scanning additional media for use by the package manager (apt). Normally these should be from the same set as the one you booted from. If you do not have any additional media, this step can just be skipped.

If you wish to scan more media, please insert another one now.


Scan extra installation media?

☒ No

☐ Yes

Screenshot Go Back Continue

34. TUNGGU SAJA PROGRES, MEMBUTUHKAN BANYAK WAKTU.



The screenshot shows the 'Install the base system' step of the Debian 12 installation. The header features the Debian logo and 'debian 12'. Below the header is a progress bar with a teal segment on the left and a light beige segment on the right. The text 'Installing the base system' is centered above the progress bar, and 'Installing core packages...' is written below it.

Install the base system

Installing the base system

Installing core packages...

35. UNTUK COUNTRY PILIH INDONESIA DAN CONTINUE.



36. CONFIGURE PILIH PALING ATAS KARNA BELUM MENGETAHUI VERSI ISO LALU CONTINUE.



37. UNTUK **PROXY** ISI SESUAI KEBUTUHAN BISA DI ISI/TIDAK LALU **CONTINUE**.



Configure the package manager

If you need to use a HTTP proxy to access the outside world, enter the proxy information here. Otherwise, leave this blank.

The proxy information should be given in the standard form of "http://[[user][:pass]@]host[:port]"/".
HTTP proxy information (blank for none):

[Screenshot](#) [Go Back](#) [Continue](#)

38. TUNGGU PROGRES INI DAN MEMAKAN WAKTU LAMA.



Configure the package manager

Configuring apt

Retrieving file 6 of 9 (1min 59s remaining)

39. PILIH NO DAN CONTINUE.



Configuring popularity-contest

The system may anonymously supply the distribution developers with statistics about the most used packages on this system. This information influences decisions such as which packages should go on the first distribution CD.

If you choose to participate, the automatic submission script will run once every week, sending statistics to the distribution developers. The collected statistics can be viewed on <https://popcon.debian.org/>.

This choice can be later modified by running "dpkg-reconfigure popularity-contest".

Participate in the package usage survey?

☒ No

☐ Yes

Screenshot

Go Back

Continue

40. PILIH SOFTWARE SESUAI KEINGINAN DAN CONTINUE.



Software selection

At the moment, only the core of the system is installed. To tune the system to your needs, you can choose to install one or more of the following predefined collections of software.

Choose software to install:

☒ Debian desktop environment

☒ ... GNOME

☐ ... Xfce

☐ ... GNOME Flashback

☒ ... KDE Plasma

☐ ... Cinnamon

☐ ... MATE

☐ ... LXDE

☐ ... LXQt

☐ web server


☐ SSH server

☒ standard system utilities


Screenshot

Continue

41. TUNGGU PROGRES SAMPAI SELESAI.



42. GRUB BOOT LOADER PILIH YES DAN CONTINUE.



43. GRUB BOOT LOADER PILIH PALING BAWAH KARNA OTOMATIS DAN CONTINUE.



Install the GRUB boot loader

You need to make the newly installed system bootable, by installing the GRUB boot loader on a bootable device. The usual way to do this is to install GRUB to your primary drive (UEFI partition/boot record). You may instead install GRUB to a different drive (or partition), or to removable media.

Device for boot loader installation:

Enter device manually

```
/dev/sda (ata-VBOX_HARDDISK_VB0343f5b7-64f4989a)
```

ScreenshotGo BackContinue

44. TUNGGU PROGRES SAMPAI SELESAI.




Finish the installation


Finishing the installation

Running hw-detect...

45. JIKA INSTALATION SUDAH SELESAI LANJUT CONTINUE.



46. LOGIN DAN MASUKKAN PASSWORD USER LALU KLIK LOGO PANAH.



47. BEGINI TAMPILANNYA JIKA SUDAH SELESAI.

