

OIS-003 — Identity Implementation

Status: Foundational

Authority: Implementation

Depends on:

- OIS-000
 - OIS-001
 - OIS-002
 - OAS-003 — Identity Architecture
 - OCS-000 through OCS-032
-

Purpose

This specification defines the implementation responsibilities for Constitutional Identity.

The Architecture defines what Identity is.

This specification defines how executable systems preserve Identity without becoming its source.

Implementation SHALL resolve Identity.

Implementation SHALL never define Identity.

1. Implementation Objective

The objective of Identity Implementation is to guarantee that constitutional identity remains continuous throughout the complete operational lifecycle of the system.

Implementation SHALL preserve:

Continuity.

Uniqueness.

Historical lineage.

Relationship integrity.

Recoverability.

Identity SHALL remain independent of implementation mechanics.

2. Identity Resolution

Every implementation SHALL provide an Identity Resolution capability.

Identity Resolution SHALL:

Locate constitutional identities.

Resolve historical identities.

Resolve migrated identities.

Resolve federated identities.

Identity Resolution SHALL remain deterministic.

3. Internal Identifiers

Implementations MAY create:

Primary keys.

Database identifiers.

Cache identifiers.

Network identifiers.

Session identifiers.

Internal identifiers SHALL remain implementation concerns.

They SHALL never become constitutional identities.

4. Identity Registry

Every implementation SHALL maintain an operational Identity Registry.

The Registry SHALL preserve:

Canonical identity references.

Historical mappings.

Migration mappings.

Federation mappings.

Operational metadata.

The Registry SHALL remain reconstructable.

5. Identity Migration

Identity Migration SHALL preserve:

Historical continuity.

Canonical identity.

Relationship integrity.

Event history.

Migration SHALL never create silent identity duplication.

6. Identity Federation

Independent implementations SHALL resolve shared constitutional identities without requiring identical implementation identifiers.

Federation SHALL preserve:

Local ownership.

Canonical equivalence.

Relationship continuity.

Operational independence.

7. Identity Caching

Identity Resolution MAY employ caching.

Caching SHALL preserve:

Consistency.

Recoverability.

Constitutional equivalence.

Cache invalidation SHALL never compromise constitutional continuity.

8. Identity Recovery

Recovery SHALL reconstruct operational identity using:

Canonical identity.

Historical mappings.

Event history.

Architectural relationships.

Recovery SHALL remain implementation-independent.

9. Identity Verification

Verification SHALL demonstrate:

Deterministic resolution.

Historical continuity.

Migration correctness.

Federation compatibility.

Equivalent constitutional identity.

Implementation identifiers MAY differ.

Resolved identity SHALL not.

10. Identity Pattern

Implementation SHALL organize operational identity around canonical constitutional identities rather than implementation-generated references.

Operational identifiers SHALL remain disposable.

Constitutional identity SHALL remain permanent.

11. Identity Implementation Test

Identity Implementation satisfies this specification when independent implementations using unrelated storage engines, identifier formats, and operational architectures consistently resolve equivalent constitutional identities across migration, federation, recovery, and historical reconstruction.

Conformance

An implementation conforms to this specification when Identity remains operationally resolvable, historically continuous, architecturally compatible, and constitutionally equivalent independently of implementation-specific identifier systems.

Implementation Principle

Databases require identifiers.

Distributed systems require identifiers.

Caches require identifiers.

The Constitution does not.

Implementation therefore creates identifiers only as temporary operational conveniences.

Identity itself belongs to the constitutional world,

and implementation exists only to make that identity observable,

recoverable,

and faithfully preserved.

End of Specification OIS-003