

OIS-101

Conformance Model

Status

Normative

Purpose

This specification defines how an implementation demonstrates constitutional compliance.

Compliance SHALL be evaluated by observable behavior.

Compliance SHALL NOT depend on implementation technology.

Compliance Levels

Level 0 — Reader

The implementation can interpret the Constitution.

No runtime exists.

No Place exists.

Purpose:

Learning.

Level 1 — Prototype

A single Place exists.

Single Builder.

Local execution.

No federation required.

Purpose:

Proof of constitutional implementation.

Level 2 — Operational

Multiple Participants.

Persistent Memory.

Experiments.

Evidence.

Lifecycle.

Purpose:

Real-world usage.

Level 3 — Federated

Multiple Places.

Public Library.

Knowledge exchange.

Independent sovereignty.

Purpose:

Distributed Organodynamics.

Level 4 — Canonical

Implementation successfully exchanges constitutional knowledge with

independent implementations.
Technology differs.
Behavior remains equivalent.

Constitutional Compliance Matrix
Every implementation SHALL satisfy:
Identity

✓

Memory

✓

History

✓

Lifecycle

✓

Evidence

✓

Constitution

✓

Canon

✓

Defaults

✓

Portability

✓

Federation

✓

Validation

✓

Failure of any required category results in constitutional non-compliance.

OIS-102

Reference Behavior

This specification defines observable constitutional behavior.

Implementations SHALL be considered equivalent if they produce equivalent constitutional behavior.

Equivalent internal implementation is NOT required.

Example

Implementation A

React

PostgreSQL

REST

Docker

Implementation B

Flutter

Graph Database

Offline-first

CRDT

If both preserve constitutional semantics,
both conform.

Behavioral Equivalence

Behavior SHALL be considered equivalent when:

Identity behaves identically.

Lifecycle behaves identically.

History behaves identically.

Evidence behaves identically.

Constitution behaves identically.

OIS-103

Constitutional Failure

Purpose

Defines constitutional failure modes.

Failure Category A

Loss of Identity

Severity:

Critical.

Failure Category B

Loss of Historical Continuity

Severity:
Critical.

Failure Category C
Constitution modified by runtime
Severity:
Critical.

Failure Category D
Evidence removed without history
Severity:
Critical.

Failure Category E
Knowledge cannot migrate
Severity:
Major.

Failure Category F
Place depends upon implementation vendor
Severity:
Major.

Failure Category G
Defaults become constitutional truth
Severity:
Critical.

Recovery
Every constitutional failure SHALL produce:
Failure Report
Affected Objects
Recovery Procedure
Evidence
Root Cause
Corrective Proposal

OIS-104
Constitutional Logging
Every constitutional operation SHALL be observable.
Implementations SHALL expose constitutional events.
Minimum event schema:
Identifier
Timestamp
Actor
Operation
Affected Objects

Evidence
Result
History Reference

Event history SHALL remain replayable.

OIS-105
Replay
Purpose
A Place SHALL be reconstructable from constitutional history.

Input
Constitution
History
Canonical Objects
Evidence

Output
Equivalent Place.

Equivalent SHALL mean:
Same Identity.
Same Meaning.
Same History.
Equivalent Runtime State.

OIS-106
Builder Independence
This specification guarantees builder independence.
If Builder A disappears,
Builder B SHALL continue.
If Company A disappears,
Company B SHALL continue.
If Repository A disappears,
Repository B SHALL continue.
If AI Provider A disappears,
AI Provider B SHALL continue.
If every implementation disappears,
this specification SHALL remain sufficient for reconstruction.

ואני חושב שכאן מגיעה התוספת הכי חשובה שהייתי מכניס לתקן.
לא סעיף טכני.
אלא עיקרון הנדסי.

OIS-107
Non-Normative Guidance
A Builder MUST distinguish between:

Constitutional Requirement

This defines what must remain true.

Example:

A Place SHALL preserve historical continuity.

Architectural Decision

This defines one possible implementation.

Example:

Store history in PostgreSQL.

Implementation Detail

This defines local engineering choices.

Example:

Use UUID v7.