Checkpoint 2

Total points 7/8

Dikerakan yagesya biar makin paham. Santai aja gausah dipikir berat.

Nama *

···/1

Lupa menyimpan jawaban

*

In the training set below, what is $x_4^{(3)}$? Please type in the number below (this is an integer such as 123, no decimal points).

Size in feet^2	Number of bedrooms	Number of floors	Age of home in years	Price ($) in $1000's
X_1	X_2	X_3	X_4	
2104	5	1	45	460
1416	3	2	40	232
1534	3	2	30	315
852	2	1	36	178
...	...	...	...	...

30

✓ Which of the following are potential benefits of vectorization? Please choose the best option *1/1

- ○ It makes your code run faster
- ○ It can make your code shorter
- ○ Allows your code to run more easily on parallel compute hardware
- ◉ All of the above ✓

✓ True/False? To make gradient descent converge about twice as fast, a technique that almost always works is to double the learning rate alpha. *1/1

- ○ True
- ◉ False ✓

✓ Which of the following is a valid step used during feature scaling? * 1/1

- ◉ Subtract the mean (average) from each value and then divide by the (max - min). ✓
- ○ Add the mean (average) from each value and and then divide by the (max - min)

Suppose a friend ran gradient descent three separate times with three choices of the learning rate α and plotted the learning curves for each (cost $J(\theta)$ for each iteration). For which case, A or B, was the learning rate α likely too large? *1/1



- ○ Case A only
- ○ Neither Case A nor B
- ○ Both Cases A and B
- ● Case B only ✓

Of the circumstances below, for which one is feature scaling particularly helpful? *1/1

- ○ Feature scaling is helpful when all the features in the original data... range from 0 to 1
- ● Feature scaling is helpful when one feature is much larger (or smaller) than another feature. ✓

You are helping a grocery store predict its revenue, and have data on its items sold per week, and price per item. What could be a useful engineered feature? *1/1

- ○ For each product, calculate the number of items sold divided by the price per item.
- ◉ For each product, calculate the number of items sold times price per item. ✓

True/False? With polynomial regression, the predicted values $f_{w,b}(x)$ does not necessarily have to be a straight line (or linear) function of the input feature x. *1/1

- ◉ True ✓
- ○ False