

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : Klübersynth UH1 14-222

Article-No. : 096071

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Grease

Recommended restrictions  
on use : For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person  
responsible for the SDS : mcm@klueber.com  
Material Compliance Management

National contact : Klüber Lubrication Great Britain Limited  
Unit 10 Pennine Business Park  
Longbow Close  
Huddersfield  
West Yorkshire HD2 1GQ  
Great Britain  
Tel: +44-1422-205115  
Fax: +44-1422-206073  
sales@uk.klueber.com

#### 1.4 Emergency telephone number

Emergency telephone num-  
ber : +49 89 7876 700 (24 hrs)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>1.9 | Revision Date:<br>07.01.2021 | Date of last issue: 06.04.2020<br>Date of first issue: 26.09.2014 | Print Date:<br>07.01.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil  
ester oil  
aluminium complex soap  
solid lubricant

#### Components

| Chemical name                 | CAS-No.<br>EC-No.<br><br>Index-No.<br>Registration number | Classification                                       | Concentration limits<br>M-Factor<br>Notes | Concentration<br>(% w/w) |
|-------------------------------|-----------------------------------------------------------|------------------------------------------------------|-------------------------------------------|--------------------------|
| disodium sebacate             | 17265-14-4<br>241-300-3<br><br>01-2120762063-61-XXXX      | Eye Irrit.2; H319                                    |                                           | $\geq 1 - < 10$          |
| White mineral oil (petroleum) | 8042-47-5<br>232-455-8<br><br>01-2119487078-27-XXXX       | Asp. Tox.1; H304                                     |                                           | $\geq 1 - < 10$          |
| 2,6-di-tert-butyl-p-cresol    | 128-37-0<br>204-881-4<br><br>01-2119555270-46-XXXX        | Aquatic Acute1;<br>H400<br>Aquatic Chronic1;<br>H410 | M-Factor: 1/1                             | $\geq 0.25 - < 1$        |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

|                                               |                                                      |                                                                                                                                            |               |                   |
|-----------------------------------------------|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------|
| Amines, C12-14-alkyl, isooctyl phosphates     | 68187-67-7<br>269-119-5<br><br>01-2120286234-55-XXXX | Acute Tox.4; H302<br>Acute Tox.4; H312<br>Skin Corr.1C;<br>H314<br>Eye Dam.1; H318<br>Aquatic Acute1;<br>H400<br>Aquatic Chronic1;<br>H410 | M-Factor: 1/1 | $\geq 0.25 - < 1$ |
| N-methyl-N-[C18-(unsaturated)alkanoyl]glycine | 701-177-3<br><br>01-2119488991-20-XXXX               | Acute Tox.4; H332<br>Skin Irrit.2; H315<br>Eye Dam.1; H318<br>Aquatic Acute1;<br>H400<br>Aquatic Chronic3;<br>H412                         | M-Factor: 1/  | $\geq 0.25 - < 1$ |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Oxides of phosphorus  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|------------|---------|-------------------------------|--------------------|-------|
|------------|---------|-------------------------------|--------------------|-------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## Klübersynth UH1 14-222

Version 1.9      Revision Date: 07.01.2021      Date of last issue: 06.04.2020  
Date of first issue: 26.09.2014

Print Date:  
07.01.2021

|                            |          |     |          |                         |
|----------------------------|----------|-----|----------|-------------------------|
| 2,6-di-tert-butyl-p-cresol | 128-37-0 | TWA | 10 mg/m3 | GB EH40<br>(2005-04-06) |
|----------------------------|----------|-----|----------|-------------------------|

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                | End Use | Exposure routes | Potential health effects   | Value            |
|-----------------------------------------------|---------|-----------------|----------------------------|------------------|
| Glycerides, mixed decanoyl and octanoyl       | Workers | Inhalation      | Long-term systemic effects | 177.79 mg/m3     |
|                                               | Workers | Skin contact    | Long-term systemic effects | 43.84 mg/m3      |
| White mineral oil (petroleum)                 | Workers | Inhalation      | Long-term systemic effects | 160 mg/m3        |
|                                               | Workers | Skin contact    | Long-term systemic effects | 220 mg/kg        |
| disodium sebacate                             | Workers | Skin contact    | Long-term systemic effects | 10 mg/kg         |
|                                               | Workers | Inhalation      | Long-term systemic effects | 35.26 mg/m3      |
| White mineral oil (petroleum)                 | Workers | Inhalation      | Long-term systemic effects | 160 mg/m3        |
|                                               | Workers | Dermal          | Long-term systemic effects | 220 mg/kg bw/day |
| 2,6-di-tert-butyl-p-cresol                    | Workers | Inhalation      | Long-term systemic effects | 3.5 mg/m3        |
|                                               | Workers | Skin contact    | Long-term systemic effects | 0.5 mg/kg        |
| N-methyl-N-[C18-(unsaturated)alkanoyl]glycine | Workers | Inhalation      | Long-term systemic effects | 0.8 mg/m3        |
|                                               | Workers | Skin contact    | Long-term systemic effects | 20 mg/kg bw/day  |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                | Environmental Compartment                            | Value         |
|-----------------------------------------------|------------------------------------------------------|---------------|
| disodium sebacate                             | Fresh water                                          | 0.018 mg/l    |
|                                               | Marine water                                         | 0.002 mg/l    |
|                                               | Sewage treatment plant                               | 10 mg/l       |
|                                               | Fresh water sediment                                 | 0.548 mg/kg   |
|                                               | Marine sediment                                      | 0.055 mg/kg   |
|                                               | Soil                                                 | 0.099 mg/kg   |
| 2,6-di-tert-butyl-p-cresol                    | Fresh water                                          | 0.199 µg/l    |
|                                               | Marine water                                         | 0.02 µg/l     |
|                                               | Intermittent use/release                             | 1.99 µg/l     |
|                                               | Microbiological Activity in Sewage Treatment Systems | 0.17 mg/l     |
|                                               | Fresh water sediment                                 | 0.0996 mg/kg  |
|                                               | Marine sediment                                      | 0.00996 mg/kg |
|                                               | Soil                                                 | 0.04769 mg/kg |
|                                               | Oral                                                 | 8.33 mg/kg    |
| N-methyl-N-[C18-(unsaturated)alkanoyl]glycine | Fresh water                                          | 0.00043 mg/l  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

|  |                                                      |               |
|--|------------------------------------------------------|---------------|
|  | Marine water                                         | 0.000043 mg/l |
|  | Microbiological Activity in Sewage Treatment Systems | 1 mg/l        |
|  | Fresh water sediment                                 | 0.007 mg/kg   |
|  | Marine sediment                                      | 0.001 mg/kg   |
|  | Soil                                                 | 1.71 mg/kg    |

### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

Eye protection : Safety glasses with side-shields

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : paste  
Colour : beige  
Odour : characteristic  
Odour Threshold : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>1.9 | Revision Date:<br>07.01.2021 | Date of last issue: 06.04.2020<br>Date of first issue: 26.09.2014 | Print Date:<br>07.01.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

|                                                  |   |                                                                       |
|--------------------------------------------------|---|-----------------------------------------------------------------------|
| pH                                               | : | No data available                                                     |
| Melting point/range                              | : | No data available                                                     |
| Boiling point/boiling range                      | : | No data available                                                     |
| Flash point                                      | : | Not applicable                                                        |
| Evaporation rate                                 | : | No data available                                                     |
| Flammability (solid, gas)                        | : | Combustible Solids                                                    |
| Upper explosion limit / Upper flammability limit | : | No data available                                                     |
| Lower explosion limit / Lower flammability limit | : | No data available                                                     |
| Vapour pressure                                  | : | < 0.001 hPa (20 °C)                                                   |
| Relative vapour density                          | : | No data available                                                     |
| Relative density                                 | : | 0.94 (20 °C)<br>Reference substance: Water<br>The value is calculated |
| Density                                          | : | 0.94 g/cm <sup>3</sup><br>(20 °C)                                     |
| Bulk density                                     | : | No data available                                                     |
| Solubility(ies)                                  | : |                                                                       |
| Water solubility                                 | : | insoluble                                                             |
| Solubility in other solvents                     | : | No data available                                                     |
| Partition coefficient: n-octanol/water           | : | No data available                                                     |
| Auto-ignition temperature                        | : | No data available                                                     |
| Decomposition temperature                        | : | No data available                                                     |
| Viscosity                                        | : |                                                                       |
| Viscosity, dynamic                               | : | No data available                                                     |
| Viscosity, kinematic                             | : | Not applicable                                                        |
| Explosive properties                             | : | Not explosive                                                         |
| Oxidizing properties                             | : | No data available                                                     |



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

### 9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

##### **disodium sebacate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

### White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### 2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402

### Amines, C12-14-alkyl, isooctyl phosphates:

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 1.05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### disodium sebacate:

|            |   |                         |
|------------|---|-------------------------|
| Species    | : | Rabbit                  |
| Assessment | : | No skin irritation      |
| Method     | : | OECD Test Guideline 404 |
| Result     | : | No skin irritation      |
| GLP        | : | no                      |

##### White mineral oil (petroleum):

|            |   |                         |
|------------|---|-------------------------|
| Species    | : | Rabbit                  |
| Assessment | : | No skin irritation      |
| Method     | : | OECD Test Guideline 404 |
| Result     | : | No skin irritation      |
| GLP        | : | yes                     |

##### 2,6-di-tert-butyl-p-cresol:

|            |   |                    |
|------------|---|--------------------|
| Species    | : | Rabbit             |
| Assessment | : | No skin irritation |
| Result     | : | No skin irritation |

##### Amines, C12-14-alkyl, isooctyl phosphates:

|         |   |                                                                                                                           |
|---------|---|---------------------------------------------------------------------------------------------------------------------------|
| Species | : | Rabbit                                                                                                                    |
| Method  | : | OECD Test Guideline 404                                                                                                   |
| Result  | : | Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days. |
| GLP     | : | yes                                                                                                                       |

##### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

|            |   |                     |
|------------|---|---------------------|
| Species    | : | Rabbit              |
| Assessment | : | Irritating to skin. |
| Result     | : | Irritating to skin. |

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### disodium sebacate:

|         |   |        |
|---------|---|--------|
| Species | : | Rabbit |
|---------|---|--------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

Assessment : Irritating to eyes.  
Method : OECD Test Guideline 437  
Result : Irritating to eyes.  
GLP : yes

### White mineral oil (petroleum):

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### 2,6-di-tert-butyl-p-cresol:

Species : Rabbit  
Assessment : No eye irritation  
Method : Draize Test  
Result : No eye irritation

### Amines, C12-14-alkyl, isooctyl phosphates:

Assessment : Risk of serious damage to eyes.  
Result : Risk of serious damage to eyes.

### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Result : Risk of serious damage to eyes.

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### disodium sebacate:

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

##### White mineral oil (petroleum):

Test Type : Buehler Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

### 2,6-di-tert-butyl-p-cresol:

|            |   |                                    |
|------------|---|------------------------------------|
| Species    | : | Humans                             |
| Assessment | : | Does not cause skin sensitisation. |
| Result     | : | Does not cause skin sensitisation. |

### Amines, C12-14-alkyl, isooctyl phosphates:

|            |   |                                                    |
|------------|---|----------------------------------------------------|
| Species    | : | Guinea pig                                         |
| Assessment | : | Did not cause sensitisation on laboratory animals. |
| Method     | : | OECD Test Guideline 406                            |
| Result     | : | Did not cause sensitisation on laboratory animals. |
| GLP        | : | yes                                                |

### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

|            |   |                                    |
|------------|---|------------------------------------|
| Test Type  | : | Maximisation Test                  |
| Species    | : | Guinea pig                         |
| Assessment | : | Does not cause skin sensitisation. |
| Method     | : | OECD Test Guideline 406            |
| Result     | : | Does not cause skin sensitisation. |

### Germ cell mutagenicity

#### Product:

|                       |   |                            |
|-----------------------|---|----------------------------|
| Genotoxicity in vitro | : | Remarks: No data available |
| Genotoxicity in vivo  | : | Remarks: No data available |

#### Components:

##### disodium sebacate:

|                                    |   |                                                                               |
|------------------------------------|---|-------------------------------------------------------------------------------|
| Germ cell mutagenicity- Assessment | : | Tests on bacterial or mammalian cell cultures did not show mutagenic effects. |
|------------------------------------|---|-------------------------------------------------------------------------------|

##### White mineral oil (petroleum):

|                                    |   |                                                                               |
|------------------------------------|---|-------------------------------------------------------------------------------|
| Germ cell mutagenicity- Assessment | : | Tests on bacterial or mammalian cell cultures did not show mutagenic effects. |
|------------------------------------|---|-------------------------------------------------------------------------------|

##### 2,6-di-tert-butyl-p-cresol:

|                                    |   |                                                                                                    |
|------------------------------------|---|----------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro              | : | Test Type: Ames test<br>Result: negative<br>Remarks: In vitro tests did not show mutagenic effects |
| Genotoxicity in vivo               | : | Test Type: In vivo micronucleus test<br>Result: negative                                           |
| Germ cell mutagenicity- Assessment | : | Tests on bacterial or mammalian cell cultures did not show mutagenic effects.                      |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>1.9 | Revision Date:<br>07.01.2021 | Date of last issue: 06.04.2020<br>Date of first issue: 26.09.2014 | Print Date:<br>07.01.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

### Amines, C12-14-alkyl, isooctyl phosphates:

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

##### White mineral oil (petroleum):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### disodium sebacate:

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

##### White mineral oil (petroleum):

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

##### 2,6-di-tert-butyl-p-cresol:

Reproductive toxicity - Assessment : No toxicity to reproduction

### STOT - single exposure

#### Components:

##### White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### 2,6-di-tert-butyl-p-cresol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

### STOT - repeated exposure

#### Components:

##### **White mineral oil (petroleum):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **2,6-di-tert-butyl-p-cresol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### **disodium sebacate:**

No aspiration toxicity classification

##### **White mineral oil (petroleum):**

May be fatal if swallowed and enters airways.

##### **2,6-di-tert-butyl-p-cresol:**

No aspiration toxicity classification

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

##### Components:

##### **disodium sebacate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): 38.7 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: ISO 10253  
GLP: yes

##### **White mineral oil (petroleum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>1.9 | Revision Date:<br>07.01.2021 | Date of last issue: 06.04.2020<br>Date of first issue: 26.09.2014 | Print Date:<br>07.01.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : LC50 (Bacteria): > 1,000 mg/l  
Exposure time: 40 h  
Test Type: Growth inhibition

Toxicity to fish (Chronic toxicity) : NOEC: > 100 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: >= 1,000 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

### 2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.57 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.61 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 0.4 mg/l  
Exposure time: 72 h  
Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.316 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

### Amines, C12-14-alkyl, isooctyl phosphates:

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 1 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: Regulation (EC) No. 440/2008, Annex, C.1  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 17 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 0.8 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.43 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.43 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 6.3 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available

Physico-chemical removabil- : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>1.9 | Revision Date:<br>07.01.2021 | Date of last issue: 06.04.2020<br>Date of first issue: 26.09.2014 | Print Date:<br>07.01.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

ity

### Components:

#### **disodium sebacate:**

Biodegradability : Result: Biodegradable  
Biodegradation: 89 %  
Exposure time: 28 d

#### **White mineral oil (petroleum):**

Biodegradability : Biodegradation: 31 %  
Exposure time: 28 d

#### **2,6-di-tert-butyl-p-cresol:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

#### **Amines, C12-14-alkyl, isooctyl phosphates:**

Biodegradability : Result: Not rapidly biodegradable  
Biodegradation: 35 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.D.  
GLP: yes

#### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 85.2 %  
Exposure time: 28 d

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### Components:

#### **disodium sebacate:**

Partition coefficient: n-octanol/water : log Pow: -4.9 (20 °C)  
pH: 7.8

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

### White mineral oil (petroleum):

Partition coefficient: n-octanol/water : log Pow: > 6

### 2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Bioconcentration factor (BCF): 598.4

Partition coefficient: n-octanol/water : log Pow: 5.1

### Amines, C12-14-alkyl, isooctyl phosphates:

Partition coefficient: n-octanol/water : log Pow: 1.87  
Method: OECD Test Guideline 117  
GLP: yes

### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Partition coefficient: n-octanol/water : log Pow: 3.5 - 4.2

## 12.4 Mobility in soil

### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### Components:

#### White mineral oil (petroleum):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

#### 2,6-di-tert-butyl-p-cresol:

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

### 12.6 Other adverse effects

#### Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats

uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>1.9 | Revision Date:<br>07.01.2021 | Date of last issue: 06.04.2020<br>Date of first issue: 26.09.2014 | Print Date:<br>07.01.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

|      |                                     |
|------|-------------------------------------|
| RID  | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

### 14.3 Transport hazard class(es)

|      |                                     |
|------|-------------------------------------|
| ADN  | : Not regulated as a dangerous good |
| ADR  | : Not regulated as a dangerous good |
| RID  | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

### 14.4 Packing group

|                  |                                     |
|------------------|-------------------------------------|
| ADN              | : Not regulated as a dangerous good |
| ADR              | : Not regulated as a dangerous good |
| RID              | : Not regulated as a dangerous good |
| IMDG             | : Not regulated as a dangerous good |
| IATA (Cargo)     | : Not regulated as a dangerous good |
| IATA (Passenger) | : Not regulated as a dangerous good |

### 14.5 Environmental hazards

|                  |                                     |
|------------------|-------------------------------------|
| ADN              | : Not regulated as a dangerous good |
| ADR              | : Not regulated as a dangerous good |
| RID              | : Not regulated as a dangerous good |
| IMDG             | : Not regulated as a dangerous good |
| IATA (Passenger) | : Not regulated as a dangerous good |
| IATA (Cargo)     | : Not regulated as a dangerous good |

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

|         |                                           |
|---------|-------------------------------------------|
| Remarks | : Not applicable for product as supplied. |
|---------|-------------------------------------------|

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

|                                                                                           |                                                                                                                     |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). |
| REACH - List of substances subject to authorisation                                       | : Not applicable                                                                                                    |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0.75 %

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

|      |                                                         |
|------|---------------------------------------------------------|
| H302 | : Harmful if swallowed.                                 |
| H304 | : May be fatal if swallowed and enters airways.         |
| H312 | : Harmful in contact with skin.                         |
| H314 | : Causes severe skin burns and eye damage.              |
| H315 | : Causes skin irritation.                               |
| H318 | : Causes serious eye damage.                            |
| H319 | : Causes serious eye irritation.                        |
| H332 | : Harmful if inhaled.                                   |
| H400 | : Very toxic to aquatic life.                           |
| H410 | : Very toxic to aquatic life with long lasting effects. |
| H412 | : Harmful to aquatic life with long lasting effects.    |

### Full text of other abbreviations

|               |                                                          |
|---------------|----------------------------------------------------------|
| GB EH40       | : UK. EH40 WEL - Workplace Exposure Limits               |
| GB EH40 / TWA | : Long-term exposure limit (8-hour TWA reference period) |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 3                      H412

#### Classification procedure:

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## Klübersynth UH1 14-222

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 06.04.2020  | Print Date: |
| 1.9     | 07.01.2021     | Date of first issue: 26.09.2014 | 07.01.2021  |

that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.