



We create chemistry

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date : 2026/05/12

Version: 4.0

Page: 1/11

(30244083/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

#### GLYSANTIN® FC G20® ELECTRIFIED®

#### Recommended use of the chemical and restriction on use

Recommended use\*: Ready-to-use engine coolants

Unsuitable for use: None known

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA  
Fuel and Lubricant Solutions

E-mail address: RegXcellenceFuelLubes@basf.com

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Chemical family: inhibitors, in water

### 2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

STOT RE

2

Specific target organ toxicity — repeated exposure

#### Label elements

Pictogram:

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 2/11

(30244083/SDS\_GEN\_US/EN)



Signal Word:

Warning

Hazard Statement:

H373

May cause damage to organs (Kidney) through prolonged or repeated exposure.

Precautionary Statements (Prevention):

P260

Do not breathe mist or vapour.

Precautionary Statements (Response):

P314

Get medical attention if you feel unwell.

Precautionary Statements (Disposal):

P501

Dispose of contents/container in accordance with local regulations.

### 3. Composition / Information on Ingredients

**According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

ethylene glycol

CAS Number: 107-21-1

Content (W/W): > 30.0 - <= 60.0%

Synonym: 1,2-Ethanediol; Ethylene glycol

### 4. First-Aid Measures

#### Description of first aid measures

**General advice:**

Remove contaminated clothing.

**If inhaled:**

Keep patient calm, remove to fresh air, seek medical attention.

**If on skin:**

Wash thoroughly with soap and water

**If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

**If swallowed:**

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Administer 50 ml of pure ethanol in a drinkable concentration.

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 3/11

(30244083/SDS\_GEN\_US/EN)

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

*Information on: ethylene glycol*

*Symptoms: Overexposure may cause:, corneal injury, severe pain, skin irritation, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps*

Hazards: No applicable information available.

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

(Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:

| water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:

| No applicable information available.

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

| harmful vapours

| Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:

| Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

| The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

| Use personal protective clothing. Breathing protection required.

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 4/11

(30244083/SDS\_GEN\_US/EN)

### Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Place absorbed material in the same container as the spilled substance/product for disposal.

## 7. Handling and Storage

### Precautions for safe handling

No eating, drinking, smoking or tobacco use at the place of work.

Protection against fire and explosion:

Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities

Segregate from oxidants.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

## 8. Exposure Controls/Personal Protection

### Advice on system design:

No applicable information available.

### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Respiratory protection in case of vapour/aerosol release.

#### Hand protection:

Chemical resistant protective gloves

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

### General safety and hygiene measures:

No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 5/11

(30244083/SDS\_GEN\_US/EN)

### 9. Physical and Chemical Properties

|                                                     |                                                                                                   |                            |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------|
| Physical state:                                     | liquid                                                                                            |                            |
| Form:                                               | liquid                                                                                            |                            |
| Odour:                                              | of glycol                                                                                         |                            |
| Odour threshold:                                    | not determined                                                                                    |                            |
| Colour:                                             | colourless                                                                                        |                            |
| pH value:                                           | approx. 5.5<br>(measured with the undiluted substance)                                            | (ASTM D1287)               |
| Freezing point:                                     | approx. -38 °C                                                                                    |                            |
| Melting temperature:                                | No applicable information available.                                                              |                            |
| Boiling point:                                      | approx. 108 °C<br>( 1,013 hPa)                                                                    | (ASTM D1120)               |
| Sublimation point:                                  | No applicable information available.                                                              |                            |
| Flash point:                                        | > 100 °C                                                                                          | (ISO 2592)                 |
| Flammability:                                       | hardly combustible                                                                                | (derived from flash point) |
| Lower explosion limit:                              | For liquids not relevant for classification and labelling.                                        |                            |
| Upper explosion limit:                              | For liquids not relevant for classification and labelling.                                        |                            |
| Autoignition:                                       | Based on the composition, the product does not ignite                                             |                            |
| Vapour pressure:                                    | 17 hPa<br>( 20 °C)<br>85 hPa<br>( 50 °C)                                                          |                            |
| Density:                                            | 1.065 g/cm3<br>( 20 °C)                                                                           | (ISO 2811-3)               |
| Relative density:                                   | No applicable information available.                                                              |                            |
| Relative vapour density:                            | not determined                                                                                    |                            |
| Partitioning coefficient n-octanol/water (log Pow): | not applicable for mixtures                                                                       |                            |
| Self-ignition temperature:                          | not self-igniting                                                                                 |                            |
| Thermal decomposition:                              | No decomposition if used as directed.                                                             |                            |
| Viscosity, dynamic:                                 | No applicable information available.                                                              |                            |
| Viscosity, kinematic:                               | approx. 4 mm2/s<br>( 23 °C)<br>approx. 2.5 mm2/s<br>( 40 °C)                                      | (DIN 51562)<br>(DIN 51562) |
| Solubility in water:                                | miscible                                                                                          |                            |
| Solubility (quantitative):                          | No applicable information available.                                                              |                            |
| Solubility (qualitative):                           | No applicable information available.                                                              |                            |
| Molecular weight:                                   | No applicable information available.                                                              |                            |
| Evaporation rate:                                   | not determined                                                                                    |                            |
| Other Information:                                  | If necessary, information on other physical and chemical parameters is indicated in this section. |                            |

#### Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 6/11

(30244083/SDS\_GEN\_US/EN)

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

Formation of  
flammable gases:

Remarks:

Forms no flammable gases in the  
presence of water.

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated and under normal transport conditions.

Peroxides:

The product does not contain peroxides. The product/the substance has not a tendency towards the formation of peroxide.

#### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.  
The product is chemically stable.

#### Conditions to avoid

Avoid open flames.

#### Incompatible materials

strong acids, oxidizing agents

#### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products known.

Thermal decomposition:

No decomposition if used as directed.

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

##### Oral

Type of value: ATE

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 7/11

(30244083/SDS\_GEN\_US/EN)

Value: 3,220 mg/kg

*Information on: ethylene glycol*

*Type of value: ATE*

*Species: human (male/female)*

*Value: approx. 1,600 mg/kg*

-----

### Inhalation

No applicable information available.

### Dermal

Type of value: ATE

Value: > 5,000 mg/kg

### Assessment other acute effects

Assessment of STOT single:

Not classified, due to lack of data.

### Irritation / corrosion

Assessment of irritating effects: Based on available data, the classification criteria are not met.

### Sensitization

Assessment of sensitization: Based on available data, the classification criteria are not met.

### Aspiration Hazard

No aspiration hazard expected.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs.

*Information on: ethylene glycol*

*Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion. The substance may cause damage to the kidney after repeated skin contact with high doses.*

-----

### Genetic toxicity

Assessment of mutagenicity: Based on available data, the classification criteria are not met.

### Carcinogenicity

Assessment of carcinogenicity: Not classified, due to lack of data.

### Reproductive toxicity

Assessment of reproduction toxicity: Based on available data, the classification criteria are not met.

### Teratogenicity

Assessment of teratogenicity: Based on available data, the classification criteria are not met.

*Information on: ethylene glycol*

*Assessment of teratogenicity: Developmental toxicity was observed after oral ingestion of high doses in studies with rats and mice, but this effect was not seen in a study with rabbits. Mechanistic studies*

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 8/11

(30244083/SDS\_GEN\_US/EN)

*show that the rabbit is the relevant species for the classification for human health. As such, and since ethylene glycol is not a developmental toxicant in the rabbit, no classification is warranted.*

-----

### Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Based on available data, the classification criteria are not met.

#### Aquatic toxicity

*Information on: ethylene glycol*

*Assessment of aquatic toxicity:*

*There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.*

-----

#### Toxicity to fish

*Information on: ethylene glycol*

*LC50 (96 h) 72,860 mg/l, Pimephales promelas (EPA 72-1, static)*

-----

#### Aquatic invertebrates

*Information on: ethylene glycol*

*EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*

-----

#### Aquatic plants

*Information on: ethylene glycol*

*EC50 (96 h) 6,500 - 13,000 mg/l (growth rate), Pseudokirchneriella subcapitata (Algal growth inhibition test)*

-----

#### Assessment of terrestrial toxicity

No data available concerning terrestrial toxicity.

### **Microorganisms/Effect on activated sludge**

#### Toxicity to microorganisms

*Information on: ethylene glycol*

*DIN EN ISO 8192 aerobic*

*activated sludge, domestic/EC20 (30 min): > 1,995 mg/l*

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 9/11

(30244083/SDS\_GEN\_US/EN)

| *The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*  
-----

### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

| *Information on: ethylene glycol*

| *Readily biodegradable (according to OECD criteria).*  
-----

#### Assessment of stability in water

| *Information on: ethylene glycol*

| *According to structural properties, hydrolysis is not expected/probable.*  
-----

### Bioaccumulative potential

#### Assessment bioaccumulation potential

| *Information on: ethylene glycol*

| *Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*  
-----

### Mobility in soil

#### Assessment transport between environmental compartments

| *Information on: ethylene glycol*

| *The substance will not evaporate into the atmosphere from the water surface.*  
| *Adsorption to solid soil phase is not expected.*  
-----

### Additional information

Other ecotoxicological advice:  
Do not release untreated into natural waters.

The product has not been tested. The statement has been derived from the properties of the individual components.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

| Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 10/11

(30244083/SDS\_GEN\_US/EN)

### Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

### Further information

DOT: This product is regulated if the amount in a single receptacle exceeds the Reportable Quantity (RQ). Please refer to Section 15 of this SDS for the RQ for this product. Bulk Shipments: RQ, UN3082 Environmentally Hazardous Substance, Liquid NOS (Ethyleneglycol), 9, PG III

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical TSCA, US

All substances are TSCA listed and active.

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### EPCRA 313:

##### CAS Number

107-21-1

##### Chemical name

ethylene glycol

##### Weight %

> 30.00 - <= 60.00 %

##### CERCLA RQ

5000 LBS

##### CAS Number

107-21-1

##### Chemical name

ethylene glycol

### State regulations

#### State RTK

PA

#### CAS Number

107-21-1

#### Chemical name

ethylene glycol

123-91-1

1,4-dioxane

NJ

107-21-1

ethylene glycol

**Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:**

# Safety Data Sheet

## GLYSANTIN® FC G20® ELECTRIFIED®

Revision date: 2026/05/12

Version: 4.0

Page: 11/11

(30244083/SDS\_GEN\_US/EN)

**WARNING:** This product can expose you to chemicals including 1,4-DIOXANE, which is known to the State of California to cause cancer, and ETHYLENE GLYCOL (INGESTED), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### NFPA Hazard codes:

Health: 1      Fire: 1      Reactivity: 0      Special:

### HMIS III rating

Health: 1      Flammability: 1      Physical hazard: 0

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2026/05/12

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

GLYSANTIN® FC G20® ELECTRIFIED® is a registered trademark of BASF Corporation or BASF SE

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2026/05/12

Version: 4.0

Date / Previous version: 2025/10/29

Previous version: 3.4

END OF DATA SHEET