NAME-BRISHTI DHARA ROLL NO-CSE/23/090

Assignment No. 8: Deploy a project from a local machine to GitHub and vice versa

Step : 1

1.i)Log in into the GitHub account.

ii)In the homepage, on the left-hand side there's a section called Top repositories.

iii) Under that there's a New button. Click on that New button to create a new repository.



2.Create a new Public Github Repository. Click on '**Create a new repository**' to proceed. Then give Repository name(**brishtiaws1**)





Step2: We need to create Tokens now. For that click on the Profile. Then go to **Settings**. After that scroll down a bit and on the lefthand side we will see the option **Developer Settings**. click on that.





Step 3: i)In the Developer Settings, on the lefthand side, click on the option **Tokens(classic)**. After that Click on Generate new token and select the option **Generate new token (classic)** from the dropdown.





ii)Give the name of the token as "**brishtitoken1**" and check the box of **repo** from Select scopes. Keep other properties unchanged and click on **Generate Token below**. After successful creation of the token we should copy it for future use.





Step 4: In the desktop, right click on the folder we want to upload in the **GitHub**. Then click on **Open Git Bash** Here.



Step 5: In the Git Bash, give the following commands as shown in the pictures below to upload the folder on GitHub.




github.com/brishtidhara/brishtiaws1
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
brishtiaws1
Public
Pin
Watch 0
Fork 0
Star 0
Set up GitHub Copilot
Use GitHub's AI pair programmer to autocomplete suggestions as you code.
Get started with GitHub Copilot
Add collaborators to this repository
Search for people using their GitHub username or email address.
Invite collaborators
Quick setup — if you've done this kind of thing before
Set up in Desktop
or
HTTPS
SSH
https://github.com/brishtidhara/brishtiaws1.git
Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.
...or create a new repository on the command line
echo "# brishtiaws1" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/brishtidhara/brishtiaws1.git
git push -u origin main


MINGW64:/c/Users/PC/Desktop/HTML
PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML
$ git init
Initialized empty Git repository in C:/Users/PC/Desktop/HTML/.git/
PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML (main)
$ git config --global user.name "brishtidhara"
PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML (main)
$ git config --global user.email "dharabrishti63@gmail.com"
PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML (main)
$ git add .
PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML (main)
$ git commit -m "uploading"
[main (root-commit) d9c1184] uploading
3 files changed, 43 insertions(+)
create mode 100644 home.html
create mode 100644 index.html
create mode 100644 next.html
PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML (main)
$ git remote add origin https://github.com/brishtidhara/brishtiaws1.git
PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML (main)
$ git branch -M main
PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML (main)
$ git push -u origin main

Step 9. After last command a **new connect to GitHub window** opened. Go to **token** portion and paste there the **copied path during token generation** and pasted in text document. Click on sign in.



Step 10. Open the **repository** and see all files have been **successfully added**. Now click on code and copy the **clone HTTPs**.



```
PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML (main)
$ git clone https://github.com/brishtidhara/brishtiaws1.git
Cloning into 'brishtiaws1'...
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 5 (delta 0), reused 5 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (5/5), done.

PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML (main)
$ cd brishtiaws1/

PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML/brishtiaws1 (main)
$ ls
home.html  index.html  next.html

PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML/brishtiaws1 (main)
$ git add .

PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML/brishtiaws1 (main)
$ git commit -m "updating"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML/brishtiaws1 (main)
$ git push
Everything up-to-date

PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML/brishtiaws1 (main)
$ git pull origin main
From https://github.com/brishtidhara/brishtiaws1
 * branch            main       -> FETCH_HEAD
Already up to date.

PC@DESKTOP-F5SA4FR MINGW64 ~/Desktop/HTML/brishtiaws1 (main)
$
```