


## Assignment No:15


**Problem Statement:** Create a Serverless computing Service

**Solution:**

Step 1: Search **Lambda** on the search bar and click on it.



Step 2: Click on **Create a function** button.



Step 3: Enter the **function name** and click on **Create** button.

The screenshot shows the AWS Lambda 'Create function' page. The 'Author from scratch' option is selected. The function name 'myfunction' is entered. The runtime is set to 'nodejs24.x'. The 'Durable execution' checkbox is unchecked.

**Create function** [info](#)

Choose one of the following options to create your function.

- ☒ **Author from scratch**  
Start with a simple Hello World example.
- ☐ **Use a blueprint**  
Build a Lambda application from sample code and configuration presets for common use cases.
- ☐ **Container image**  
Select a container image to deploy for your function.

**Basic information**

**Function name**  
Enter a name that describes the purpose of your function.  
  
Function name must be 1 to 64 characters, must be unique to the Region, and can't include spaces. Valid characters are a-z, A-Z, 0-9, hyphens (-), and underscores (\_).

**Runtime** [info](#)  
Choose the language to use to write your function. Note that the console code editor supports only Node.js, Python, and Ruby.

**Durable execution - new** [info](#)  
Enable durable execution to simplify building resilient multi-step applications that checkpoint progress and resume after interruptions. Supports Python and Node.js runtimes. [View pricing](#).  
☐ Enable

**Info** **Tutorials**

Learn how to implement common use cases in AWS Lambda.

**Create a simple web app** [^](#)

In this tutorial you will learn how to:

- Build a simple web app, consisting of a Lambda function with a function URL that outputs a webpage
- Invoke your function through its function URL

[Learn more](#) [Start tutorial](#)

Activate Windows  
Go to Settings to activate Windows.

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step 4: The function will be successfully created. Then scroll down to the **code** to edit it.

The screenshot shows the AWS Lambda 'myfunction' page. A green success message is displayed at the top. The 'Function overview' section shows the function name 'myfunction' and its ARN. The 'Code source' section is visible at the bottom.

**Successfully created the function "myfunction". You can now change its code and configuration. To invoke your function with a test event, choose "Test".**

**myfunction** [Throttle](#) [Copy ARN](#) [Actions](#)

**Function overview** [info](#)

[Diagram](#) [Template](#)

**myfunction**

[Layers](#) (0)

[+ Add trigger](#) [+ Add destination](#)

[Export to Infrastructure Composer](#) [Download](#)

**Function ARN**  
[arn:aws:lambda:ap-south-1:58654391162:5:function:myfunction](#)

**Description**  
-

**Last modified**  
19 seconds ago

**Code** [Test](#) [Monitor](#) [Configuration](#) [Aliases](#) [Versions](#)

**Code source** [info](#)

[Open in Visual Studio Code](#) [Upload from](#) [Download](#)

**Info** **Tutorials**

Learn how to implement common use cases in AWS Lambda.

**Create a simple web app** [^](#)

In this tutorial you will learn how to:


- Build a simple web app, consisting of a Lambda function with a function URL that outputs a webpage
- Invoke your function through its function URL

[Learn more](#) [Start tutorial](#)


Activate Windows  
Go to Settings to activate Windows.

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

## Step 5: Edit the “Hello from Lambda” string and then click on deploy.



## Step 6: The function will be deployed successfully. Then click on the **Test** tab. Create a new **Event**. Enter the Event name in this case **MyEvent** and click on the **save** button.



Anoushka Koley

Step 7: The test will be successfully saved. Then click on the **Test** button to run the test.

The screenshot shows the AWS Lambda console interface. At the top, a green notification bar states: "The test event 'MyEvent' was successfully saved." Below this, the 'Test event' section is active, showing options to 'Delete', 'CloudWatch Logs Live Tail', 'Save', and 'Test'. The 'Test event action' is set to 'Edit saved event'. Under 'Invocation type', 'Synchronous' is selected. The 'Event name' is 'MyEvent'. On the right, a tutorial for 'Create a simple web app' is visible. The bottom of the console shows the footer with '© 2026, Amazon Web Services, Inc. or its affiliates.'

Step 8: We can view the test after it ran successfully.

The screenshot shows the AWS Lambda console after a successful test. A green notification bar at the top says: "The test event 'MyEvent' was successfully saved." Below it, the 'Executing function: succeeded' message is displayed. The 'Details' section shows the following JSON response:

```
{  "statusCode": 200,  "body": "\\Hello from Anoushka!\\\""}}
```

The 'Summary' section provides the following details:

| Code SHA-256                                 | Execution time                       |
|----------------------------------------------|--------------------------------------|
| D9yA+vYMs0YP9FtW5MT1vDhEZRQ3C4Rm0bVgfQ2tbmc= | 40 seconds ago                       |
| Function version                             | Request ID                           |
| \$LATEST                                     | e6ed2f7c-d847-4b82-b4f4-b2795622ad7a |
| Duration                                     | Billed duration                      |
| 4.54 ms                                      | 164 ms                               |
| Resources configured                         | Max memory used                      |
| 128 MB                                       | 74 MB                                |

The right sidebar contains the same 'Create a simple web app' tutorial as in the previous screenshot. The footer at the bottom indicates '© 2026, Amazon Web Services, Inc. or its affiliates.'

## Step 9: Scroll up and click on **Configuration** tab button.

The screenshot shows the AWS Lambda console interface. At the top, there's a navigation bar with the AWS logo, a search bar, and user information. Below the navigation bar, the breadcrumb trail reads 'Lambda > Functions > myfunction'. A green notification banner at the top states 'The test event "MyEvent" was successfully saved.' Below this, the 'FUNCTION OVERVIEW' section is visible, showing a diagram of the function 'myfunction' with its layers and a button to 'Add trigger'. To the right, the 'Function ARN' is 'arn:aws:lambda:ap-south-1:58654391162:5:function:myfunction', and the 'Last modified' time is '14 minutes ago'. The 'Test' tab is selected, showing a green box with the message 'Executing function: succeeded (logs)' and a JSON response: 

```
{  "statusCode": 200,  "body": "\"Hello from Anoushka!\""}
```


. The 'Configuration' tab is highlighted in the bottom navigation bar. On the right side, there's a 'Tutorials' section with a link to 'Create a simple web app'.

## Step 10: Click on **Create function URL** button.


The screenshot shows the AWS Lambda console interface with the 'Configuration' tab selected. The breadcrumb trail is 'Lambda > Functions > myfunction'. A green notification banner at the top states 'The test event "MyEvent" was successfully saved.' Below this, the 'Configuration' section is visible, showing a list of configuration options: 'General configuration', 'Triggers', 'Permissions', 'Destinations', 'Function URL', and 'Environment variables'. The 'Function URL' option is selected, showing a 'No Function URL' message and a 'Create function URL' button. The 'Create function URL' button is highlighted. On the right side, there's a 'Tutorials' section with a link to 'Create a simple web app'.




Step 11: Select Auth type as **NONE** and click on **Save** button.



Step 12: The changes will be successfully change. Then click on the **function URL** to view the result returned from the function.



Step 13: We will get the following result:



"Hello from Anoushka!"