

NAME:BRISHTI DHARA

ROLL NO:BTECH/CSE/23/090

SDITO LAB ASSIGNMENTS Assignment no :- 06


P.S: Upload a static website on S3.

SOLUTIONS:

STEP-1: At first, we need to login the AWS console.


STEP-2:Then search s3 in the search bar.

STEP-3: After that click on the s3 service.



STEP-4: Now we redirect to the s3 dashboard..

Step-5: In the s3 dashboard click on the create bucket.




STEP-6: After click on create bucket we redirect to the create bucket interface. In this interface the bucket type will be “General purpose”,and give the bucket name.

The screenshot shows the AWS Management Console 'Create bucket' page. The 'Bucket type' section has 'General purpose' selected with a blue radio button. Below it, the 'Bucket name' field contains 'book-2026-bucket'. The 'Object Ownership' section has 'ACLs enabled' selected. A warning message at the bottom states: 'We recommend disabling ACLs, unless you need to control access for each object individually or to have the object writer own the data they upload. Using a bucket policy instead of ACLs to share data with users outside of your account simplifies permissions management and auditing.'

STEP-7:For create public bucket,we keep the ACLs enabled and uncheck “block all public access”

The screenshot shows the 'Block Public Access settings for this bucket' section. The 'Block all public access' checkbox is unchecked. Below it, four sub-settings are listed, all of which are also unchecked: 'Block public access to buckets and objects granted through new access control lists (ACLs)', 'Block public access to buckets and objects granted through any access control lists (ACLs)', 'Block public access to buckets and objects granted through new public bucket or access point policies', and 'Block public and cross-account access to buckets and objects through any public bucket or access point policies'. A warning message states: 'Turning off block all public access might result in this bucket and the objects within becoming public. AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.' A checkbox 'I acknowledge that the current settings might result in this bucket and the objects within becoming public.' is checked. The 'Bucket Versioning' section is partially visible at the bottom.

STEP-8:All the other fields are remain same and then click on create bucket.



aws [Search] [Alt+S] United States (N. Virginia) Brishti Dhara (8293-5094-6541) Brishti Dhara

Amazon S3 > Buckets > Create bucket

Default encryption [Info](#)

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type [Info](#)

Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the [Amazon S3 pricing page](#).

- ☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)
- ☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)
- ☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

- ☐ Disable
- ☒ Enable


Advanced settings

After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

[Cancel](#) [Create bucket](#)

STEP-9:The bucket “book-2026-bucket” is created successfully.

STEP-10:Then click on bucket name.



aws [Search] [Alt+S] United States (N. Virginia) Brishti Dhara (8293-5094-6541) Brishti Dhara

Amazon S3 > Buckets

Successfully created bucket "book-2026-bucket"
To upload files and folders, or to configure additional bucket settings, choose [View details](#).

General purpose buckets [All AWS Regions](#) **Directory buckets**

General purpose buckets (1/5) [Info](#) [Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

Buckets are containers for data stored in S3.

Name	AWS Region	Creation date
☒ book-2026-bucket	US East (N. Virginia) us-east-1	February 6, 2026, 21:05:31 (UTC+05:30)
☐ brishti1-2026-private	US East (N. Virginia) us-east-1	January 31, 2026, 23:02:27 (UTC+05:30)
☐ brishti2-2026-public	US East (N. Virginia) us-east-1	February 1, 2026, 09:41:49 (UTC+05:30)
☐ bye-27-bucket	US East (N. Virginia) us-east-1	February 4, 2026, 16:00:17 (UTC+05:30)
☐ hello-27-bucket	US East (N. Virginia) us-east-1	February 4, 2026, 15:42:04 (UTC+05:30)

Account snapshot [Info](#) [View dashboard](#)

Updated daily


Storage Lens provides visibility into storage usage and activity trends.

External access summary [Info](#)


Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.


STEP-11: After that click on upload option.



STEP-12: Inside the bucket click on upload and click on Add files.



STEP-13: we take html files from our device.



The screenshot shows the AWS S3 console's 'Upload' page for a bucket named 'book-2026-bucket'. The interface includes a search bar, navigation breadcrumbs, and a header with the user's name 'Brishti Dhara' and account ID '8293-5094-6541'. The main section is titled 'Upload' and contains a drag-and-drop area with the instruction 'Drag and drop files and folders you want to upload here, or choose Add files or Add folder.' Below this, a section titled 'Files and folders (3 total, 702.0 B)' shows a table of files to be uploaded. The table has columns for Name, Folder, Type, and Size. The files listed are 'index.html' (286.0 B), 'next.html' (209.0 B), and 'home.html' (207.0 B). At the bottom, the 'Destination' section shows the path 's3://book-2026-bucket'.

Upload [Info](#)

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Files and folders (3 total, 702.0 B) [Remove](#) [Add files](#) [Add folder](#)

All files and folders in this table will be uploaded.


☐	Name	Folder	Type	Size
☐	index.html	-	text/html	286.0 B
☐	next.html	-	text/html	209.0 B
☐	home.html	-	text/html	207.0 B

Destination [Info](#)

Destination

[s3://book-2026-bucket](#)

STEP-14: After that, select the file and grant public access permission by configuring the Access Control List (ACL).



The screenshot shows the AWS S3 console's 'Access control list (ACL)' configuration page for the 'book-2026-bucket'. The page includes a search bar, navigation breadcrumbs, and a header with the user's name 'Brishti Dhara' and account ID '8293-5094-6541'. The main section is titled 'Access control list (ACL)' and contains a warning box stating 'AWS recommends using S3 bucket policies or IAM policies for access control. Learn more'. Below this, there are two radio buttons: 'Choose from predefined ACLs' and 'Specify individual ACL permissions'. The 'Specify individual ACL permissions' option is selected. The page shows a table of grantees with columns for Grantee, Objects, and Object ACL. The grantees listed are 'Object owner (your AWS account)', 'Everyone (public access)', and 'Authenticated users group (anyone with an AWS account)'. The 'Object owner' grantee has 'Read' and 'Write' permissions. The 'Everyone' grantee has 'Read' and 'Write' permissions. The 'Authenticated users group' grantee has 'Read' and 'Write' permissions. At the bottom, there is a warning box stating 'When you grant access to the Everyone or Authenticated users group grantees, anyone in the world can access the specified objects. Learn more' and a checkbox 'I understand the effects of these changes on the specified objects' which is checked.

Access control list (ACL)

☐ Choose from predefined ACLs

☒ Specify individual ACL permissions

Grant basic read/write permissions to other AWS accounts. [Learn more](#)

Object owner (your AWS account)

Canonical ID: 5c08d517ac18ac745673ea41c206ad7c9018a83fdbc8239c63c3f9e3a37b214

Everyone (public access)

Group: [http://acs.amazonaws.com/groups/global/AllUsers](#)

Authenticated users group (anyone with an AWS account)

Group: [http://acs.amazonaws.com/groups/global/AuthenticatedUsers](#)

Objects

☒ Read

Object ACL

☒ Read

☒ Write

☒ Read

☒ Write


☐ Read

☐ Write

When you grant access to the Everyone or Authenticated users group grantees, anyone in the world can access the specified objects. [Learn more](#)

☒ I understand the effects of these changes on the specified objects.


STEP-16:the file uploaded successfully. And click on the file name.



The screenshot shows the Amazon S3 console interface. At the top, there's a navigation bar with the AWS logo, a search bar, and user information. Below the navigation bar, a green banner indicates "Upload succeeded" with a message: "For more information, see the Files and folders table." Below this, a "Summary" section shows the destination as "s3://book-2026-bucket" and the upload status as "Succeeded" with 3 files, 702.0 B (100.00%). A "Failed" section shows 0 files, 0 B (0%). Below the summary, there are tabs for "Files and folders" and "Configuration". The "Files and folders" tab is active, showing a table of 3 files: index.html, next.html, and home.html. Each file is listed with its name, folder, type, size, status (Succeeded), and error (none).

Name	Folder	Type	Size	Status	Error
index.html	-	text/html	286.0 B	Succeeded	-
next.html	-	text/html	209.0 B	Succeeded	-
home.html	-	text/html	207.0 B	Succeeded	-

STEP-17:We need to select all the files and then go to actions. Then click on the 'make public using ACL'.



The screenshot shows the Amazon S3 console interface for the "book-2026-bucket". The "Objects" tab is active, showing a list of 3 objects: home.html, index.html, and next.html. Each object is listed with its name, type, last modified date, and size. A dropdown menu is open for the "Actions" button, showing options like "Download as", "Share with a presigned URL", "Calculate total size", "Copy", "Move", "Initiate restore", "Query with S3 Select", "Edit actions", "Rename object", "Edit storage class", "Edit server-side encryption", "Edit tags", and "Make public using ACL".

Name	Type	Last modified	Size
home.html	html	February 6, 2026, 21:13:03 (UTC+05:30)	
index.html	html	February 6, 2026, 21:13:01 (UTC+05:30)	
next.html	html	February 6, 2026, 21:13:02 (UTC+05:30)	

STEP-18:We just need to click on the ‘make public’ button to make the files accessible.

aws

Search

[Alt+S]

United States (N. Virginia)

Brishti Dhara (8293-5094-6541)

Brishti Dhara

Amazon S3

Buckets

book-2026-bucket

Make public

Make public

The make public action enables public read access in the object access control list (ACL) settings. [Learn more](#).

When public read access is enabled and not blocked by Block Public Access settings, anyone in the world can access the specified objects.

Specified objects

Find objects by name

Name	Type	Last modified	Size
home.html	html	February 6, 2026, 21:13:03 (UTC+05:30)	207.0 B
index.html	html	February 6, 2026, 21:13:01 (UTC+05:30)	286.0 B
next.html	html	February 6, 2026, 21:13:02 (UTC+05:30)	209.0 B

Cancel

Make public

aws

Search

[Alt+S]

United States (N. Virginia)

Brishti Dhara (8293-5094-6541)

Brishti Dhara

Amazon S3

Successfully edited public access

View details below.

Close

Make public: status

Close

After you navigate away from this page, the following information is no longer available.

Summary

Source

s3://book-2026-bucket

Successfully edited public access

3 objects, 702.0 B

Failed to edit public access

0 objects

Failed to edit public access

Configuration

Failed to edit public access (0)

Find objects by name

Name	Folder	Type	Last modified	Size	Error
------	--------	------	---------------	------	-------

No objects failed to edit


STEP-19: Open the S3 bucket, go to the Properties tab, and click on Edit under Static website hosting.

The screenshot shows the AWS Management Console interface. The breadcrumb navigation at the top reads: Amazon S3 > Buckets > book-2026-bucket > Edit static website hosting. The main heading is 'Edit static website hosting' with an 'Info' link. Below this, the 'Static website hosting' section has a description and a 'Learn more' link. Under 'Static website hosting', the 'Enable' radio button is selected. The 'Hosting type' section has 'Host a static website' selected, with a 'Learn more' link. A light blue informational box states: 'For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access'. The 'Index document' section has a text input field containing 'index.html'. The 'Error document - optional' section is visible but empty.

Step-20: Enable Static website hosting, select Host a static website, and enter index.html as the index document. Then click Save changes.

This screenshot shows the same 'Edit static website hosting' page as the previous one, but with a large, empty text area below the 'Index document' field. At the bottom right of the page, there are two buttons: 'Cancel' and 'Save changes' (which is highlighted in orange). The status bar at the bottom of the text area shows 'JSON Ln 1, Col 1' and 'Errors: 0 Warnings: 0'.

Step-21: After enabling static website hosting, copy the Bucket website endpoint URL and use it to access the hosted website



Step-22: Now we can access the whole site from the link and do the needful.

