


Assay Class: High Sensitivity DNA Assay
Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
Modified: 6/15/2017 1:56:38 PM

Electrophoresis File Run Summary



Instrument Information:


Instrument Name: DE24802100 Firmware: C.01.069
Serial#: DE24802100 Type: G2938B

Assay Information:

Assay Origin Path: C:\Program Files (x86)\Agilent\2100 bioanalyzer\2100 expert\assays\dsDNA\High Sensitivity DNA.xsy
Assay Class: High Sensitivity DNA Assay
Version: 1.03
Assay Comments: Copyright © 2003-2010 Agilent Technologies

Chip Information:

Chip Lot #:
Reagent Kit Lot #:
Chip Comments:



Assay Class: High Sensitivity DNA Assay
Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
Modified: 6/15/2017 1:56:38 PM

Electrophoresis File Run Summary (Chip Summary)

Sample Name	Sample Comment	Rest. Digest	Status Observation	Result Label	Result Color
1-GpacifLib_sh (1:2)	C. Delwiche	<input type="checkbox"/>	✓		
2-GspRIILib_sh (1:2)	C. Delwiche	<input type="checkbox"/>	✓		
3-GsilvaeLib_sh (1:2)	C. Delwiche	<input type="checkbox"/>	✓		
4-GruetzLib_sh (1:2)	C. Delwiche	<input type="checkbox"/>	✓		
5-GcaribLib_sh (1:2)	C. Delwiche	<input type="checkbox"/>	✓		
6-GaustLib_sh (1:2)	C. Delwiche	<input type="checkbox"/>	✓		
P1_N (1ul)	C. Delwiche	<input type="checkbox"/>	✓		
P1_N (0.5ul)		<input type="checkbox"/>	✓		
sample 9		<input type="checkbox"/>	✓		
sample 10		<input type="checkbox"/>	✓		
sample 11		<input type="checkbox"/>	✓		
Ladder		<input type="checkbox"/>	✓		

Chip Lot #**Reagent Kit Lot #****Chip Comments :**

Assay Class: High Sensitivity DNA Assay
Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
Modified: 6/15/2017 1:56:38 PM

Electrophoresis Assay Details

General Analysis Settings

Number of Available Sample and Ladder Wells (Max.) : 12
Minimum Visible Range [s] : 32
Maximum Visible Range [s] : 138
Start Analysis Time Range [s] : 33
End Analysis Time Range [s] : 137.5
Ladder Concentration [pg/ μ l] : 1950
Uses Standard Area for Ladder Fragments
Lower Marker Concentration [pg/ μ l] : 125
Upper Marker Concentration [pg/ μ l] : 75
Used Upper Marker for Quantitation
Standard Curve Fit is Point to Point
Show Data Aligned to Lower and Upper Marker

Integrator Settings

Integration Start Time [s] : 33.05
Integration End Time [s] : 137
Slope Threshold : 0.8
Height Threshold [FU] : 5
Area Threshold : 0.1
Width Threshold [s] : 0.6
Baseline Plateau [s] : 0.5

Filter Settings

Filter Width [s] : 0.5
Polynomial Order : 4


Ladder

Ladder Peak	Size	Area
1	35	160
2	50	210
3	100	208
4	150	221
5	200	242
6	300	270
7	400	305
8	500	306
9	600	336
10	700	321
11	1000	366
12	2000	413
13	3000	411
14	7000	400
15	10380	214

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
 Modified: 6/15/2017 1:56:38 PM

Electropherogram Summary



Overall Results for Ladder


Noise: 0.3

Peak table for Ladder

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	50	150.00	4,545.5	Ladder Peak
3	100	150.00	2,272.7	Ladder Peak
4	150	150.00	1,515.2	Ladder Peak
5	200	150.00	1,136.4	Ladder Peak
6	300	150.00	757.6	Ladder Peak
7	400	150.00	568.2	Ladder Peak
8	500	150.00	454.5	Ladder Peak
9	600	150.00	378.8	Ladder Peak
10	700	150.00	324.7	Ladder Peak
11	1,000	150.00	227.3	Ladder Peak
12	2,000	150.00	113.6	Ladder Peak
13	3,000	150.00	75.8	Ladder Peak
14	7,000	150.00	32.5	Ladder Peak
15	10,380	75.00	10.9	Upper Marker

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
 Modified: 6/15/2017 1:56:38 PM

Electropherogram Summary Continued ...**Overall Results for sample 1 : 1-GpacifLib_sh (1:2)**

Number of peaks found: 3 Corr. Area 1: 31.4
 Noise: 0.3

Peak table for sample 1 : 1-GpacifLib_sh (1:2)

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	49	21.47	666.3	
3	55	19.53	536.4	
4	10,380	75.00	10.9	Upper Marker
5	13,121	0.00	0.0	


Region table for sample 1 : 1-GpacifLib_sh (1:2)

From [bp]	To [bp]	Corr. Area	% of Total	Average Size [bp]	Size distribution in CV [%]	Conc. [pg/μl]	Molarity [pmol/l]	Color
200	597	31.4	23	309	27.6	52.89	279.7	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
 Modified: 6/15/2017 1:56:38 PM

Electropherogram Summary Continued ...



Overall Results for sample 2 : 2-GspRIILib_sh (1:2)

Number of peaks found: 2 Corr. Area 1: 47.2
 Noise: 0.3

Peak table for sample 2 : 2-GspRIILib_sh (1:2)


Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	52	59.38	1,715.3	
3	6,480	3.22	0.8	
4	10,380	75.00	10.9	Upper Marker

Region table for sample 2 : 2-GspRIILib_sh (1:2)

From [bp]	To [bp]	Corr. Area	% of Total	Average Size [bp]	Size distribution in CV [%]	Conc. [pg/μl]	Molarity [pmol/l]	Color
200	597	47.2	32	317	18.8	64.10	321.1	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
 Modified: 6/15/2017 1:56:38 PM

Electropherogram Summary Continued ...**Overall Results for sample 3 : 3-GsilvaeLib_sh (1:2)**

Number of peaks found: 5 Corr. Area 1: 153.3
 Noise: 0.3

Peak table for sample 3 : 3-GsilvaeLib_sh (1:2)


Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	50	32.51	985.1	
3	58	27.21	716.3	
4	277	22.73	124.2	
5	296	9.62	49.3	
6	310	9.50	46.4	
7	10,380	75.00	10.9	Upper Marker

Region table for sample 3 : 3-GsilvaeLib_sh (1:2)

From [bp]	To [bp]	Corr. Area	% of Total	Average Size [bp]	Size distribution in CV [%]	Conc. [pg/μl]	Molarity [pmol/l]	Color
200	606	153.3	53	332	24.7	235.27	1,155.1	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
 Modified: 6/15/2017 1:56:38 PM

Electropherogram Summary Continued ...**Overall Results for sample 4 : 4-GruetzLib_sh (1:2)**

Number of peaks found: 2 Corr. Area 1: 238.7
 Noise: 0.2

Peak table for sample 4 : 4-GruetzLib_sh (1:2)

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	52	98.00	2,880.1	
3	10,380	75.00	10.9	Upper Marker
4	12,617	0.00	0.0	


Region table for sample 4 : 4-GruetzLib_sh (1:2)

From [bp]	To [bp]	Corr. Area	% of Total	Average Size [bp]	Size distribution in CV [%]	Conc. [pg/μl]	Molarity [pmol/l]	Color
200	599	238.7	53	380	24.6	374.44	1,630.9	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
 Modified: 6/15/2017 1:56:38 PM

Electropherogram Summary Continued ...



Overall Results for sample 5 : 5-GcaribLib_sh (1:2)

Number of peaks found: 2 Corr. Area 1: 107.3
 Noise: 0.3

Peak table for sample 5 : 5-GcaribLib_sh (1:2)


Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	51	146.87	4,401.1	
3	10,380	75.00	10.9	Upper Marker
4	12,800	0.00	0.0	

Region table for sample 5 : 5-GcaribLib_sh (1:2)

From [bp]	To [bp]	Corr. Area	% of Total	Average Size [bp]	Size distribution in CV [%]	Conc. [pg/μl]	Molarity [pmol/l]	Color
200	606	107.3	33	374	26.4	182.22	814.6	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
 Modified: 6/15/2017 1:56:38 PM

Electropherogram Summary Continued ...**Overall Results for sample 6 : 6-GaustLib_sh (1:2)**

Number of peaks found: 1 Corr. Area 1: 23.6
 Noise: 0.3

Peak table for sample 6 : 6-GaustLib_sh (1:2)


Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	57	211.32	5,625.5	
3	10,380	75.00	10.9	Upper Marker

Region table for sample 6 : 6-GaustLib_sh (1:2)

From [bp]	To [bp]	Corr. Area	% of Total	Average Size [bp]	Size distribution in CV [%]	Conc. [pg/μl]	Molarity [pmol/l]	Color
200	596	23.6	13	284	15.8	71.34	389.7	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
 Modified: 6/15/2017 1:56:38 PM

Electropherogram Summary Continued ...**Overall Results for sample 7 : P1_N (1ul)**

Number of peaks found: 0 Corr. Area 1: 0.8
 Noise: 0.2

Peak table for sample 7 : P1_N (1ul)


Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	10,380	75.00	10.9	Upper Marker

Region table for sample 7 : P1_N (1ul)

From [bp]	To [bp]	Corr. Area	% of Total	Average Size [bp]	Size distribution in CV [%]	Conc. [pg/μl]	Molarity [pmol/l]	Color
200	1,000	0.8	12	251	16.8	16.53	102.1	Blue

Assay Class: High Sensitivity DNA Assay
Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
Modified: 6/15/2017 1:56:38 PM

Gel Image

Assay Class: High Sensitivity DNA Assay
Data Path: C:\...gh Sensitivity DNA Assay_DE24802100_2017-06-14_16-35-25.xad

Created: 6/14/2017 4:35:24 PM
Modified: 6/15/2017 1:56:38 PM

Curves

Standard Curve

