

KNIGHT INFOTEK · ENTERPRISE ASSURANCE

GenomeX Assurance Platform

Trust for the Autonomous Enterprise

Tomorrow, trust will be measured — not assumed.

ENTERPRISE ASSURANCE INFRASTRUCTURE

Unified Governance, Verification, and Attestation for
Recovery · Knowledge · Machine Learning · Autonomous Agents · Software

Table of Contents

1. Executive Summary	5.3 GX-AL Assurance Ledger
2. The Enterprise Assurance Gap	6. Assurance Domains
2.1 What Categories Optimize For	6.1 GX-GRA Recovery Assurance
2.2 Three Persistent Pains	6.2 GX-GKA Knowledge Assurance
2.3 The Assurance Economy	6.3 GX-GMA ML Assurance
3. The GenomeX Platform	6.4 GX-GAA Agent Assurance
3.1 One Platform. One Investment Model.	6.5 GX-GSA Software Assurance
3.2 Hub-and-Spoke Architecture	7. Evidence Fusion & Decisions
3.3 Tri-State Governance	8. Proof & Assurance Ledger
4. The Behavioral Genome	9. Industry Positioning
5. Core Platform Engines	10. Target Customers & Use Cases
5.1 GX-SEQ Sequencing Engine	11. Deployment Model
5.2 GX-BE Behavior Engine	12. Conclusion

1. Executive Summary

Enterprise computing is entering a structural transition. AI-native enterprises depend on five classes of digital assets that must be trusted before use: **recovery points**, **knowledge corpora**, **training data**, **software releases**, and **autonomous agents**. Each class has mature tools for availability, detection, or vulnerability scanning — but none provides a unified answer to the governing question:

THE ENTERPRISE GOVERNING QUESTION

"Can this asset be trusted before we act on it — and can we prove that decision?"

The **GenomeX Assurance Platform** is assurance infrastructure: a vendor-agnostic governance layer that continuously evaluates, validates, attests, and governs digital assets **before** they are restored, indexed, trained on, deployed, or executed. It sits above existing backup, EDR, CI/CD, and AI stacks — complementing them, not replacing them.

Built on Three Shared Engines and Five Assurance Domains

The platform unifies enterprise governance across three shared core engines and five purpose-built assurance domains:

Engine / Domain	Core Architectural Role & Governance Mandate
GX-SEQ GenomeX Sequencing Engine	Deep content sequencing, recursive unpacking, and byte-level analysis.
GX-BE GenomeX Behavior Engine	Behavioral genome synthesis, drift quantification, risk assessment, and confidence modeling.
GX-AL GenomeX Assurance Ledger	Cryptographic attestation, domain receipts, and immutable audit trails.
GX-GRA Governance Recovery Assurance	Can this recovery point be trusted? Validates capture-time system state and prevents re-infection.
GX-GKA Governance Knowledge Assurance	Can this knowledge be trusted? Gates RAG pipelines against poisoning, prompt injection, and toxic content.
GX-GMA Governance ML Assurance	Can this ML asset be trusted? Validates training datasets, generates attested ML-BOMs, and satisfies AI regulations.
GX-GAA Governance Agent Assurance	Can this agent be trusted? Intercepts tool execution, monitors behavioral drift, and governs autonomous agent fleets.
GX-GSA Governance Software Assurance	Can this software release be trusted? Evaluates 5-strand software genomes, supply chain integrity, and release cadence.




Figure 1: GenomeX Assurance Platform — cross-domain assurance posture showing gate decisions across all five domains

2. The Enterprise Assurance Gap

2.1 What Existing Categories Optimize For

The core issue is architectural: existing technology categories were designed to answer questions about retention, detection, static vulnerability lists, or runtime query filtering. They were not designed to deliver *pre-use governance* backed by behavioral state proof and cryptographic attestation.

Category	Primary Question It Answers	What It Does Not (and Cannot) Prove
Backup & Data Protection	Is data copied and retained?	Source system behavioral health at capture; governed pre-restore decision; guest content inside the restore point.
EDR / XDR	Is the endpoint compromised <i>now</i> ?	Cold backup content at scale; preserved behavioral state per recovery point across time.
AppSec / SCA	What CVEs and misconfigs exist?	Behavioral lineage of releases; holistic trust score beyond noisy static CVE lists.
RAG Security Add-ons	Is this query or response safe?	Pre-index governance; proof of what raw documents reached the vector index.
AI Governance Platforms	Is model output within policy?	Upstream training dataset integrity, knowledge corpus poisoning, and tool execution governance.

THE CRITICAL ARCHITECTURAL VOID

No existing tool combines proof of **behavior at capture**, **content integrity inside the asset**, **suspicious change vs. baseline**, **known-threat signatures**, and a **cryptographic audit trail** into a single, vendor-agnostic governance decision.

2.2 Three Persistent Pains

The absence of unified assurance infrastructure manifests in three severe, recurring operational bottlenecks across enterprise IT, security, and risk operations:

1. Re-infection Fear in Disaster Recovery

Ransomware and advanced persistence survive in backups. Restoring without evidence of what the system was doing when the snapshot was taken — and what is inside the backup — is rolling the dice. Catalog metadata and immutability flags do not answer whether the recovery point is safe.

2. Validation Does Not Scale

Physical or VM clean rooms work for one critical workload. They do not scale to nightly backup volumes, MSSP multi-tenant operations, or the need to rank hundreds of recovery points after an incident under strict RTO constraints.

3. Lack of Portable Proof

DORA, HIPAA, SEC cyber disclosure, cyber insurance, and internal audit require verifiable artifacts — not an administrator's opinion. Evidence must survive air-gapped environments and third-party review.

2.3 The Assurance Economy

In the Information Economy, storage and access were valuable. In the **Assurance Economy**, trustworthiness, provenance, attestation, and governance are the scarce resources. Organizations need confidence that assets have not been corrupted, poisoned, tampered with, or compromised **before** recovery, indexing, training, deployment, or agent action.

Core Thesis: Autonomous enterprises cannot scale on assumed trust. Every digital asset must be continuously measured, scored against behavioral baselines, and cryptographically attested before it is granted execution, restoration, or ingestion authority.

GenomeX provides that layer as **infrastructure** — not a feature bolted onto a single vendor's product.

3. The GenomeX Platform

3.1 One Platform. One Investment Model.

GenomeX is **not** five separate products. It is one control plane (policy, authorize, audit, operator console), one sequencing engine (GX-SEQ), one behavior engine (GX-BE), one assurance ledger (GX-AL), and five assurance domains that differ in policy objects, APIs, buyer questions, and evidence artifacts — not in duplicated worker fleets or transport stacks.

ARCHITECTURAL INVARIANT

One GenomeX Assurance Platform; one GX-SEQ engine; domain-specific APIs, policy objects, and UI surfaces on the shared control plane.

3.2 Hub-and-Spoke Architecture

The platform follows a consistent processing spine for every governed asset:

1. **Asset identified:** Backup recovery point, document, dataset, release, or agent action detected via native connectors.
2. **GX-SEQ sequences:** Materializes bytes, runs recursive unpackers, format handlers, signatures, and byte comparators.
3. **GX-BE scores behavior:** Synthesizes behavioral genome vector, measures drift against baseline, computes QSBA and confidence.
4. **GX-AL attests:** Merkle binding, tamper-evident ledger anchor, and signed domain receipt generation.
5. **Domain decides:** Programmatic delivery of deterministic ALLOW · DENY · CONFIRM decisions.




Figure 2: GenomeX hub-and-spoke architecture — shared sequencing and behavior engines serve all five assurance domains

3.3 Tri-State Governance: ALLOW · DENY · CONFIRM

Binary pass/fail is insufficient for enterprise operations. GenomeX uses tri-state governance across all domains:

Decision	Operational Meaning	Execution & Action Path
ALLOW	Asset is trusted and verified.	Proceed immediately (restore snapshot, index chunks, train model, deploy release, execute agent action).
DENY	Asset exhibits critical compromise or violation.	Hard block; alert security operations with documented reason codes and forensic evidence pack.
CONFIRM	Borderline risk, unprecedented drift, or high privilege.	Human second approval, deeper automated sandbox re-scan, or risk policy escalation.

The **CONFIRM** state acknowledges that responsible governance sometimes requires accountable human review. It prevents silent risk acceptance while enabling controlled escalation when business context requires judgment.

4. The Behavioral Genome

At the heart of GenomeX is the **Behavioral Genome** — a common representation that allows the platform to govern different kinds of digital infrastructure through one assurance model. Every protected asset is evaluated across eight dimensions:

Dimension	What It Captures & How It Is Evaluated
Identity	What the asset is — workload, artifact, dataset, model, agent, or recovery-state identity.

Dimension	What It Captures & How It Is Evaluated
Provenance	Where it came from — production chain, contributors, build systems, ingestion lineage.
Behavior	Runtime telemetry, access patterns, build cadence, agent actions, model outputs.
Risk	Combined interpretation of provenance, behavior, content, policy, anomaly, and confidence.
Drift	Distance from expected or frozen baseline — categorized as benign, suspicious, or critical.
Confidence	Completeness and reliability of evidence supporting the decision.
Evidence	Sequencing results, behavioral observations, anomaly comparisons, signatures, policy decisions.
Attestation	Durable, verifiable record of what was evaluated, what was decided, and why.

128-Dimensional Vector Representation & Radial Mapping

The Behavioral Genome is mathematically encoded as a **128-dimension vector** enabling cross-domain comparison, drift detection, and behavioral baseline scoring in real time.



Figure 3: GX-BE Behavior Engine — 128-dimension genome viewer with radar comparison (current vs. baseline) and dimension explorer

Domain-Specific Behavioral Genome Mappings

While the mathematical 128-dimensional vector space is shared across all platform engines, each of the five assurance domains projects domain-specific attributes into the genome structure:

- **Recovery Assurance:** Maps guest OS process trees, storage entropy distributions, credential store access events, and shadow copy state flags.
- **Knowledge Assurance:** Maps token entropy, language perplexity, injection token probability density, and chunk boundary cohesion scores.

- **ML Assurance:** Maps dataset distribution divergence, label distribution skewness, schema stability, and licensing classification weights.
- **Agent Assurance:** Maps tool invocation frequencies, parameter value distributions, API latency footprints, and prompt context entropy.
- **Software Assurance:** Maps commit-to-release cadence, contributor graph entropy, SBOM dependency depth, and artifact binary similarity.



Figure 4: Genome Map — cross-domain behavioral genome dimension matrix across all five assurance domains

5. The Core Platform Engines

5.1 GX-SEQ — GenomeX Sequencing Engine

GX-SEQ is responsible for **understanding the asset**. It discovers, materializes, analyzes, and structures digital assets so they can be evaluated — including files, archives, documents, databases, containers, virtual machine contents, software artifacts, datasets, agent context, tool definitions, model metadata, and knowledge-ingestion pipelines.

GX-SEQ is important because many enterprise trust failures occur *below the level of metadata*. A catalog may say a backup exists, but that does not reveal what is inside the recovery asset. A document may appear valid, but that does not reveal hidden instructions, embedded content, or injection patterns. Sequencing creates the foundation for real assurance by bringing the asset into view.




Figure 5: GX-SEQ Sequencing Engine — four-stage pipeline (Identify → Materialize → Analyze → Evidence) with assurance personas and fleet metrics

5.2 GX-BE — GenomeX Behavior Engine

GX-BE is responsible for **evaluating the asset**. It interprets behavioral history, compares current state to expected baselines, measures drift, calculates risk, and produces confidence scores. Content analysis identifies what is present; behavioral analysis determines whether what is present makes sense in context.

The behavior engine supports the platform's core judgment: trust is not a property of content alone. It emerges from the relationship between identity, provenance, behavior, policy, and evidence.

5.3 GX-AL — GenomeX Assurance Ledger

GX-AL is responsible for **proving the decision**. It records evidence, anchors attestations, preserves chain of custody, and supports verification. The ledger is a local, air-gap-capable system — not a public blockchain construct — designed for operational proof in regulated and sovereign environments.

GX-AL matters because enterprise trust decisions have audiences beyond the operator: security teams during incidents, compliance teams for audits, executives for board reporting, insurers for underwriting, regulators for supervisory review.

The Triad of Trust: Monitoring observes. Assurance governs. Attestation proves.

6. Assurance Domains

6.1 GX-GRA — Governance Recovery Assurance

CORE BUYER QUESTION

"Can this recovery point be trusted before restoration into production?"

After a ransomware event, insider compromise, destructive attack, or operational failure, the enterprise does not merely need a recoverable state — it needs a **trusted** state. Immutability protects against tampering, but it does not prove that the preserved state was clean. Catalog validation proves recoverability, but it does not prove operational trust.

GX-GRA governs recovery states before restoration or operational use. It evaluates behavioral conditions at capture time, content integrity, anomaly signals, known-threat exposure, recovery-set provenance, runtime context, and evidence.

Key Capabilities of GX-GRA

- **QSBA (Quantified System Behavioral Assessment):** Algorithmic behavioral scoring at capture time.
- **BSR (Blockchain-anchored Snapshot Recovery):** Merkle-anchored integrity proof for protected snapshots.
- **Time-Warp:** Temporal navigation of recovery states with deep behavioral context.
- **Recovery Authorize API:** Pre-restore gate returning deterministic **ALLOW** · **DENY** · **CONFIRM** decisions.
- **PoS-B (Proof of State – Behavioral):** Cryptographic evidence and attestation of capture-time behavioral health.
- **Evidence Export Pack:** Portable, audit-ready evidence ZIP archive.

Time-Warp: Temporal State Navigation

During an active cyber incident or ransomware investigation, security teams must rapidly identify the exact boundary between uncompromised and infected recovery points. GX-GRA's **Time-Warp** interface enables administrators to navigate temporally across historical snapshot catalogs, correlating OS-level behavioral telemetry with deep byte-level sequencing results to pinpoint the last trusted clean ancestor.



Figure 6: GX-GRA Time-Warp — temporal recovery state navigation identifying the last trusted clean ancestor before compromise

Behavioral Snapshot Recovery & BSR Graph

Once clean recovery points are identified, GX-GRA maps the entire recovery ecosystem through the **Behavioral Snapshot Recovery (BSR)** graph. It categorizes states into clean, suspicious, and compromised tiers, verifying cryptographic Merkle roots and enabling surgical restoration of uninfected volumes.




Figure 7: GX-GRA Behavioral Snapshot Recovery — Behavioral Snapshot Graph with clean/suspicious/compromised states and surgical restore options

6.2 GX-GKA — Governance Knowledge Assurance

CORE BUYER QUESTION

"Can this knowledge corpus be trusted before it is indexed into our enterprise AI knowledge base?"

Enterprise AI depends on SharePoint, S3, wikis, and uploaded files. RAG poisoning, prompt injection in documents, hidden instructions, PII leakage, malware in uploads, and ingestion drift are not solved by vector-database ACLs alone. GX-GKA governs **what may enter the index** — establishing pre-index governance before chunking and embedding, not at runtime.

Key Capabilities of GX-GKA

- **Pre-Index Gate Decisions:** Programmatic enforcement: `ALLOW_INDEX`, `QUARANTINE`, `EXCLUDE_CHUNKS`, or `REQUIRE_HUMAN_REVIEW`.
- **Corpus Policies:** Configurable policy matrix: allow, redact-sensitive, require-human-review, quarantine.
- **KAR (Knowledge Assurance Receipt):** Cryptographic proof binding document hash → extraction hash → chunk manifest → policy decision.
- **Chunk Simulator:** Validates chunk manifests and evaluates latent risk profiles before embedding.
- **Content Inspection Rules:** Deep pattern analysis for injection patterns, toxic content, and PII detection.

- **GX-DAB (Data Access Bridge):** Unified corpus catalog and ingestion flow visualization.

GX-DAB: Enterprise Data Access Bridge

Managing ingestion security across distributed corporate repositories requires unified corpus visibility. The **GX-DAB (Data Access Bridge)** connects enterprise data lakes, SharePoint repositories, Confluence wikis, and S3 buckets into a centralized governance console, tracking readiness metrics across tens of thousands of unstructured documents.




Figure 8: GX-DAB Data Access Bridge — corpus catalog across SharePoint, S3, Confluence, and upload portal sources with RAG readiness scores

Pre-Index Governance Gate & KAR Trust Chain

Before documents are converted into high-dimensional vector embeddings, the GX-GKA pre-index gate evaluates each file against content safety policies and prompt-injection detectors. Clean documents receive a cryptographically signed **Knowledge Assurance Receipt (KAR)**, establishing an unbroken chain of custody from raw file extraction to vector index insertion.



Figure 9: GX-GKA Governance Knowledge Assurance — three-panel pre-index gate: document input, four-lane fusion analysis, and ALLOW_INDEX gate decision with KAR receipt

6.3 GX-GMA — Governance Machine Learning Assurance

CORE BUYER QUESTION

"Can this machine learning dataset and pipeline asset be trusted before training or fine-tuning commences?"

Models inherit whatever is in training data. Toxic, poisoned, or non-compliant samples create latent risk that appears only after deployment. GX-GMA gates **training corpora and model-ingest paths** before models consume data — with EU AI Act-oriented evidence and dataset attestation.

Key Capabilities of GX-GMA

- **Training Gate Decisions:** Programmatic enforcement: `ALLOW_TRAINING`, `EXCLUDE_SAMPLES`, `QUARANTINE_DATASET`, or `REQUIRE_REMEDIATION`.
- **ML-BOM v1 (Machine Learning Bill of Materials):** Dataset hash, schema hash, license classification, policy decision — ledger-attested.
- **Structured Training Format Support:** Native sequencing across JSONL, CSV, Apache Parquet, TFRecord, and raw text archives.
- **EU AI Act Article 10 Compliance:** Direct generation of auditable data governance compliance evidence via ML-BOM.
- **Workforce Chain:** Integrated governance flow mapping: `INGEST (GKA/GMA) → INDEX → RETRIEVE → ACT (GAA) → LEARN`.




Figure 10: GX-GMA Machine Learning Assurance — dataset catalog with ALLOW/CONFIRM/QUARANTINE decisions, EU AI Act compliance status, and ML-BOM receipts

6.4 GX-GAA — Governance Agent Assurance

CORE BUYER QUESTION

"Can this autonomous agent be trusted before it executes an action in our production environment?"

Autonomous agents interpret goals, use tools, retrieve knowledge, call APIs, delegate tasks, and operate across systems with varying degrees of autonomy. Their risk includes identity, authority, tool access, context integrity, delegation chain, behavioral drift, and the operational consequences of action.

GX-GAA governs agents **before they act**. The key control point is the action boundary: before an agent invokes a tool, accesses sensitive knowledge, changes a system, escalates authority, or delegates work, the platform determines whether that action should be allowed, denied, confirmed, or quarantined.

Key Capabilities of GX-GAA

- **Action Gate Decisions:** Deterministic real-time gating: **ALLOW_ACTION** · **DENY** · **CONFIRM** or **QUARANTINE_AGENT**.
- **128-Dimension Behavioral Genome Stream:** Session and action genome vs. family baseline.
- **Agent Fleet Management:** Hierarchical registry with main agents, orchestrators, and sub-agents.
- **AAR (Agent Assurance Receipt):** Ledger-anchored signed record of every evaluated tool action and gate decision.
- **Live Genome Drift Timeline:** Continuous family baseline comparison and anomaly scoring.
- **Quarantine Management:** Incident review, isolation, and controlled restore capability.

Live Agent Assurance Console & Drift Monitoring

The GX-GAA **Live Console** provides operators and security analysts with continuous, real-time visibility into active agent sessions. It plots high-frequency behavioral vectors against statistical family baselines, instantly alerting when an autonomous agent exhibits tool misuse, abnormal loop patterns, or context manipulation.



Figure 11: GX-GAA Agent Assurance live console — agent identity, genome drift timeline, and real-time ALLOW/CONFIRM gate decision feed

Kagenti Fleet Registry & Hierarchical Agent Governance

As enterprises deploy multi-agent systems, agents increasingly delegate sub-tasks to specialized worker sub-agents. The **Kagenti Fleet Registry** maps complex parent-child agent topologies, enforcing inherited governance policies across all execution tiers and enabling instant fleet-wide quarantine upon detected compromise.




Figure 12: GX-GAA Kagenti Fleet Registry — hierarchical agent tree with genome scores, gate status, and fleet health summary

6.5 GX-GSA — Governance Software Assurance

CORE BUYER QUESTION

"Can this software release be trusted before deployment to production infrastructure?"

A release with no critical CVEs can still be untrustworthy: force-pushed tags, unsigned artifacts, dependency confusion, anomalous build cadence, or contributor drift. SCA tools answer "What is wrong?" — GSA answers "Can this be trusted?"

GX-GSA governs software releases before deployment through a **Software Genome** with five behavioral strands:

Strand	Signals & Evaluated Telemetry
1. Source control	Commits, contributors, force pushes, branch protections, GPG signing validity.
2. Build & CI/CD	CI workflows, artifact signing, runner environment isolation, reproducibility hints.
3. Dependency	SBOM depth, transitive dependency drift, package maintainer reputation and health.
4. Release	Cadence, out-of-band hotfixes, artifact mutations, binary entropy anomalies.
5. Team	Ownership privilege shifts, new committer access, MFA adherence, geographic anomalies.

Trust Score Weighting Model (v1 Algorithm)

Trust Score Formula (v1):

$\text{Trust Score} = (\text{Provenance} \times 0.25) + (\text{Behavioral} \times 0.25) + (\text{Dependency} \times 0.20) + (\text{Release} \times 0.15) + (\text{Team} \times 0.15)$




Figure 13: GX-GSA Software Assurance — release portfolio with trust score scatter, catalog table showing TRUSTED/REVIEW/BLOCKED decisions, and five-strand trust breakdown

7. Evidence Fusion and Governed Decisions

The central challenge of Enterprise Assurance is that **no single signal is sufficient to determine trust**. A workload backup may pass an anti-virus scan with zero detections, yet exhibit severe behavioral compromise at the OS level. Conversely, a legitimate software update may trigger heuristic signature warnings while maintaining flawless cryptographic provenance and normal build cadence.

GenomeX addresses this through **Four-Lane Evidence Fusion**:

Evidence Lane	Fundamental Governance Question Answered
1. Behavioral Lane	How did the system, asset, or actor behave relative to statistical expectation and baseline?
2. Materialized Content Lane	What is actually inside the asset? Was it examined deeply enough at byte-level resolution?
3. Anomaly & Drift Lane	Did the asset change in a meaningful or suspicious way vs. prior state or baseline?
4. Signature & Threat Intel Lane	Are known indicators, malware, policy violations, or adversarial patterns present?

THE FIFTH PROPERTY: CRYPTOGRAPHIC PROOF

Fusion converts fragmented signals into a governed decision with a vital fifth property: **cryptographic proof** — evidence and decision verification after the fact, enabling external audit and legal defensibility.

8. Proof, Attestation, and the Assurance Ledger

Trust decisions have limited enterprise value if they cannot be proven. A dashboard may help an operator in the moment, but it does not provide durable assurance to an auditor, regulator, executive, insurer, customer, or incident-response team.

GX-AL maintains a tamper-evident record of assurance decisions, evidence relationships, policy state, and attestations. The ledger operates locally and air-gap-capable — no public blockchain dependency. Its output is not only an operational decision: it is an evidence-backed decision that can be exported, reviewed, and verified.

Domain Assurance Receipts

Receipt Type	Assurance Domain	Cryptographic Payload & Verifiable Artifacts
PoS-B Proof of State – Behavioral	GX-GRA Recovery	Snapshot hash, capture-time OS process tree, file entropy metrics, YARA scan manifest, pre-restore signature.
KAR Knowledge Assurance Receipt	GX-GKA Knowledge	Document SHA-256, extraction text hash, chunking manifest, PII redaction log, injection test results, index approval.

Receipt Type	Assurance Domain	Cryptographic Payload & Verifiable Artifacts
ML-BOM Machine Learning Bill of Materials	GX-GMA ML Assurance	Dataset cryptographic hash, schema version, licensing compliance validation, EU AI Act Article 10 attestation.
AAR Agent Assurance Receipt	GX-GAA Agents	Agent identity, session token hash, 128-dim genome vector, target tool signature, payload parameter hash, decision log.

Industry Views & Underwriting Assurance Receipts (UAR)

Beyond internal engineering teams, GenomeX provides specialized **Industry Views** tailored for cyber insurance underwriters and regulatory authorities. The platform automatically aggregates multi-domain telemetry to generate Underwriting Assurance Receipts (UAR), certifying enterprise recovery posture and reducing cyber insurance risk premiums.




Figure 14: Industry Views — regulatory compliance mapping, underwriting assurance receipts (UAR), and 6-month recovery confidence trend

GRC & Regulatory Audit Control Matrix

Meeting stringent regulatory requirements requires continuous, automated evidence mapping. The GenomeX **GRC / Audit View** directly maps operational gate decisions and cryptographic ledger receipts to major compliance frameworks — including **DORA (Digital Operational Resilience Act)**, **NIST CSF 2.0**, **EU AI Act**, and **SOC 2 Type II**.




Figure 15: GRC & Audit — framework control matrix mapped to DORA, NIST CSF 2.0, EU AI Act, SOC 2, and HIPAA with tamper-evident evidence packs

9. Industry Positioning

Competitive Architecture Matrix

Technology Category	Behavioral Evidence	Crypto Proof	Pre-Use Gate	Air-Gap	Multi-Asset
Backup vendors	Partial	Partial	No	Yes	Recovery
EDR rollback	Yes	No	Partial	Yes	Endpoint
Clean-room scan	No	No	Advisory	Varies	Recovery
RAG filters	Partial	No	Runtime	Varies	Knowledge
AppSec / SCA	No	No	Advisory	Varies	Software
GenomeX Platform	Yes	Yes	Yes	Yes	All five

Why GenomeX Wins on Strategic Fit

- Vendor-agnostic overlay:** Works seamlessly with Veeam, Cohesity, Rubrik, cloud snapshots, SharePoint, GitHub Actions, and agent frameworks without replacing them.
- Fusion, not single signal:** Behavioral + materialized + anomaly + signature prevents catastrophic blind spots.
- Tri-state governance:** **CONFIRM** escalation path matches real SOC and DR incident workflows.
- Portable evidence:** Air-gap ledger and export packs satisfy DORA, HIPAA, insurance, and litigation requirements.
- One sequencing investment:** GX-SEQ personas amortize handler and relay R&D across all five domains.

6. **Assurance Economy alignment:** Category creation: Assurance Infrastructure, not "better backup" or "better AV."

10. Target Customers and Use Cases

10.1 Primary Enterprise Buyers

Enterprise Buyer	Strategic Mandate & Core Motivation
CISO / Chief Risk Officer	Reduce re-infection risk; obtain board-ready, legally defensible recoverability and AI compliance proof.
Backup & DR Administrator	Implement automated "virtual clean rooms" capable of validating nightly backup catalogs at scale.
AI Platform Owner / CDO	Govern unstructured RAG corpora before embedding; enforce pre-action policy gates across agent fleets.
MSSP Leadership	Deliver multi-tenant assurance overlays with differentiated, high-margin "Assurance-as-a-Service."
Chief Compliance Officer	Automate evidence generation for DORA Article 11, HIPAA Security Rule, and EU AI Act Article 10 audits.
Cyber Insurance Underwriter	Require evidence-based recoverability and corpus risk metrics before binding high-limit policies.

10.2 Priority Industry Verticals

- **Financial Services & Banking:** Driven by mandatory DORA (Digital Operational Resilience Act) Article 11 compliance for ICT backup and recovery testing.
- **Healthcare & Life Sciences:** Addressing HIPAA contingency planning rules, EHR backup integrity verification, and clinical ML dataset attestation.
- **Government & Defense:** Strict sovereign VPC and air-gap operation requirements, classified corpus gating, and zero-trust supply chain validation.
- **Enterprise AI & High-Tech:** Safe deployment of customer-facing RAG chatbots, multi-agent coding fleets, and proprietary model fine-tuning assurance.

10.3 Representative Enterprise Use Cases by Domain

Domain	Representative Enterprise Use Cases
GX-GRA Recovery	Ransomware recovery point ranking; MSSP recovery-as-a-service; compliance evidence export; Time-Warp selective restore.
GX-GKA Knowledge	SharePoint/S3 corpus gate; chunk-level prompt poisoning detection; ingestion drift alerts; PII redaction gating.
GX-GMA ML Data	Training corpus gate; EU AI Act Article 10 compliance evidence from ML-BOM; fine-tuning dataset verification.

Domain	Representative Enterprise Use Cases
GX-GAA Agents	Tool-call gate for finance/support agents; fleet quarantine on behavioral drift; AAR signed receipts.
GX-GSA Software	Release trust gate before deploy; SBOM + lineage validation beyond static CVE scans; supply chain verification.

11. Deployment Model

GenomeX is designed as an enterprise overlay. The platform integrates with existing systems through connectors, APIs, webhooks, event streams, and evidence ingestion — additive, not replacement.

Supported Deployment Environments

- **Cloud-Connected SaaS / Dedicated VPC:** Continuous evidence flow across distributed enterprise cloud and on-prem platforms.
- **Air-Gapped & Sovereign Deployments:** Local-first, offline-updatable threat intelligence, local GX-AL ledgers, no internet dependency required.

Turnkey Enterprise Integration Points

- **Backup & Recovery Platforms:** Veeam, Cohesity, Rubrik, AWS Backup, and Azure Backup.
- **CI/CD Pipelines:** GitHub Actions, GitLab CI/CD, Jenkins, Harness, and ArgoCD.
- **AI Ecosystems:** SharePoint, Confluence, AWS S3, Pinecone, Qdrant, Milvus, LangChain, and Llamaindex.
- **Security & Telemetry Platforms:** CrowdStrike Falcon, SentinelOne, Microsoft Defender for Endpoint, and Splunk/Datadog SIEMs.
- **GRC & Compliance Systems:** ServiceNow GRC, OneTrust, Drata, and Vanta.

Go-to-Market (GTM) Sequencing & Pilot Proof Point

GTM Progression: Paid lighthouse pilot → Reference customer → Global MSSP channel → Compliance and insurance partnerships → OEM embedded licensing.

Pilot Success Criterion: Provable **ALLOW** **DENY** governance decision on a customer's active backup catalog within **one single business day** of deployment.

12. Conclusion & Strategic Outlook

The AI-native enterprise is not defined only by models or agents. It is defined by a deeper architectural change: **digital assets that once supported operations now participate directly in operations**. Knowledge, models, agents, software, recovery state, behavioral history, and evidence have become infrastructure.

That infrastructure cannot be governed adequately through tools built for an earlier separation between applications, infrastructure, and data. The enterprise needs a layer that can understand digital infrastructure, evaluate its behavior, govern its use, and prove its trustworthiness.

That layer is Enterprise Assurance.

The **GenomeX Assurance Platform** implements Enterprise Assurance through a common Behavioral Genome, shared sequencing and behavior engines, a cryptographic assurance ledger, and domain-specific governance for knowledge, machine learning, agents, software, and recovery.

The Five Pillars of Enterprise Assurance

Assurance Pillar	Enterprise Operating Standard & Outcome
1. Continuous Pre-Use Gating	Zero unverified actions: assets are evaluated and governed before restoration, ingestion, training, release, or tool execution.
2. Multidimensional Behavioral State	Beyond static CVEs and hashes: 128-dimensional behavioral vectors measure capture-time health, anomaly entropy, and fleet drift.
3. Tri-State Decision Control	Operational flexibility: ALLOW, DENY, and CONFIRM paths integrate seamlessly with automated pipelines and human escalation protocols.
4. Tamper-Evident Attestation	Regulatory-grade proof: Merkle-anchored domain receipts (PoS-B, KAR, ML-BOM, AAR) provide immutable evidence for audits and insurers.
5. Vendor-Agnostic Overlay	Immediate ROI: Non-disruptive integration across backup vendors, cloud platforms, DevOps pipelines, and AI frameworks.

Organizations will not compete only on the amount of data they possess, the number of models they deploy, or the speed of their automation. **They will compete on the trustworthiness of the digital infrastructure that informs those systems.**

GenomeX exists to make that trust measurable, governable, and provable.

For Recovery: *Recovery should be provable, not hopeful.*

For the Autonomous Enterprise: *Trust will be measured — not assumed — across every asset class that powers decisions, operations, and AI.*

KNIGHT INFOTEK · ENTERPRISE ASSURANCE

Knight InfoTek

Tomorrow, trust will be measured — not assumed.

GenomeX Assurance Platform

Knight InfoTek Corporation

www.knightinfotek.com

Product White Paper · Version 2.0 · June 2026

© 2026 Knight InfoTek. All rights reserved.

Confidential — Prepared for Enterprise Clients, Strategic Partners, and Supervisory Authorities.