

ISO 9001: 2008 Certified Laboratory

Regd. Off:

1-7-292, Chaithanyapuri,

Opp: Geetha Hospital, Dilsukhnagar,

Hyderabad - 500 035.

Ph: 040-64609596, Cell: 9866669596 Email: mail2smasquality@gmail.com

Web: www.smaslabs.com

TEST CERTIFICATE

Job No:	2304A	Issued To:	
Our Ref:	SMAS/W/002-002-014/15		
Reporting Date:	19.02.2015	M/s. SRISTI BIO SCIENCES,	
Collected On:	07.02.2015	KOTHAPET, HYDERABAD.	
Sample Particulars:	ORGANIC VARGIN COCONUT OIL		
borroms respec	Batch No: RNP-18101418	and a residence of States to control to particular	
	P.O.NO: 758	Samples are not drawn by Stee Malte	

TEST RESULTS

S.No	TEST PARAMETERS	UNITS	RESULTS
CHEMI	CAL PARAMETERS:	i or het vival not pe luvet net or renotra Anatylina Associa	Sonsent of Sines Mail
1.	Moisture content	%	< 0.05
2.	Free fatty acids	%	0.82
3.	Palmitic acid	%	7.36
4.	Lauric acid	%	46.1
5.	Capric acid	%	3.98
6.	Stearic acid	%	2.41
HEAVY	METALS:		2.11
1.	Arsenic	%	< 0.05
2.	Lead	%	0.08
3.	Iron	%	<0.01
4.	Copper	%	< 0.01
5.	Peroxide value	%	5.5
6.	Residual solvents	%	< 0.01
MICRO	BIOLOGICAL PARAMETERS:		
1.	Total aerobic plate Count	Cfu /gm	08
2.	Detection of E.coli	Cfu/ 100gm	Absent
3.	Detection of Salmonella.Sps	Cfu/ 100gm	Absent
4.	Yeast Count	Cfu/gm	Nil
5.	Moulds Count	Cfu/gm	A Stored Nil

Note: 1. The certificate relates only to the sample tested.

Small Scale Industries Certified Laboratory



Authorized Signatory