



OMEGAA LABORATORIES

(ANALYTICAL TESTING & RESEARCH CENTRE)

S.F.No.55/6B, Plot No. 10, Near Collector Office, Thiruchengodu Road, Namakkal - 637 003.

E-mail : dr.s.palaniappan@gmail.com, dr.s.paniappan@omegalabs.com Website : www.omegalabs.com

TEST REPORT

Name of the Customer : **M/s. Srusti Bio Science Pvt Ltd.,** Page No: 1/1
No. 14, Second Street, Kamatchi Nagar,
Ayyapanthangal, Chennai- 600 056

Test Report Number : **QC/Jan/15/211090** Test Report Date : 22/01/15

Description of Sample : **VEGAN O VITA - M**

Quantity of Sample : About 150 gms Sample Received on : 12/01/15

Mark of Sample : Nil Sample Analyzed on : 12/01/15

Batch Number : Nil Sample Completed on : 22/01/15

Mobile Number : 9444022436 (Sample is submitted by the Party)

S.No	Test Parameters	Test Methods	Test Results/1000mg
01.	Vitamin A	AOAC 19 th Ed.	620 mcg
02.	Thiamine B1	AOAC 19 th Ed.	8 mg
03.	Riboflavin B2	AOAC 19 th Ed.	6 mg
04.	Niacin B3	AOAC 19 th Ed.	25 mg
05.	Pantothenic Acid B5	AOAC 19 th Ed.	22 mg
06.	Pyridoxine B6	AOAC 19 th Ed.	7 mg
07.	Folate B9	AOAC 19 th Ed.	750 mcg
08.	Biotin	AOAC 19 th Ed.	120 mcg
09.	Vitamin B12	AOAC 19 th Ed.	65 mcg
10.	Choline	AOAC 19 th Ed.	10 mg
11.	Vitamin C	AOAC 19 th Ed.	72 mg
12.	Vitamin D	AOAC 19 th Ed.	250 mcg
13.	Vitamin E	AOAC 19 th Ed.	30 mg

Note AOAC (Association of Official Analytical Chemist) AOAC SMPR 2012.001-006 & 999.13
-----x----- End of report -----x-----

Tested by



Authorized Signatory
(Dr.S.Palaniappan)

ISO 9001: 2008 * OHSAS 18001: 2007 Certified Laboratory

Terms and Condition:

* Results relate only to the items tested.

* This report should not be reproduced except in full without written approval of the laboratory

Scientists Give Quality for Scientists



OMEGAA LABORATORIES

(ANALYTICAL TESTING & RESEARCH CENTRE)

S.F.No.55/6B, Plot No. 10, Near Collector Office, Thiruchengodu Road, Namakkal - 637 003.

E-mail : dr.s.palaniappan@gmail.com, dr.s.paniappan@omegalabs.com Website : www.omegalabs.com

TEST REPORT

Name of the Customer : **M/s. Sristi Bio Science Pvt Ltd.,** Page No: 1/1
No. 14, Second Street, Kamatchi Nagar,
Ayyapanthangal, Chennai- 600 056

Test Report Number : **QC/Jan/15/211090** Test Report Date : 22/01/15

Description of Sample : **VEGAN O VITA - M**

Quantity of Sample : About 150 gms Sample Received on : 12/01/15

Mark of Sample : Nil Sample Analyzed on : 12/01/15

Batch Number : Nil Sample Completed on : 22/01/15

Mobile Number : 9444022436 (Sample is submitted by the Party)

S.No	Test Parameters	Test Methods	Test Results/1000mg
01.	Calcium	AOAC 18 th Ed.	120 mg
02.	Chromium	AOAC 18 th Ed.	82 mcg
03.	Copper	AOAC 18 th Ed.	40 mcg
04.	Fluoride	AOAC 18 th Ed.	2 mg
05.	Iodine	AOAC 18 th Ed.	110 mcg
06.	Iron	AOAC 18 th Ed.	15 mg
07.	Magnesium	AOAC 18 th Ed.	35 mg
08.	Molybdenum	AOAC 18 th Ed.	5 mg
09.	Manganese	AOAC 18 th Ed.	60 mcg
10.	Phosphorus	AOAC 18 th Ed.	2 mg
11.	Selenium	AOAC 18 th Ed.	90 mcg
12.	Zinc	AOAC 18 th Ed.	20 mg
13.	Potassium	AOAC 18 th Ed.	350 mg
14.	Sodium	AOAC 18 th Ed.	290 mg

Note: AOAC (Association of Official Analytical Chemist) 947. 14.01 & 977.15, 18thEd. 2006

-----X----- End of report -----X-----

Tested by



Authorized Signatory
(Dr.S.Palaniappan)

ISO 9001: 2008 * OHSAS 18001: 2007 Certified Laboratory

Terms and Condition:

* Results relate only to the items tested.

* This report should not be reproduced except in full without written approval of the laboratory

Scientists Give Quality for Scientists



OMEGAA LABORATORIES

(ANALYTICAL TESTING & RESEARCH CENTRE)

S.F.No.55/6B, Plot No. 10, Near Collector Office, Thiruchengodu Road, Namakkal - 637 003.

E-mail : dr.s.palaniappan@gmail.com, dr.s.paniappan@omegalabs.com Website : www.omegalabs.com

TEST REPORT

Name of the Customer : **M/s. Sristi Bio Science Pvt Ltd.,** Page No: 1/1
No. 14, Second Street, Kamatchi Nagar,
Ayyapanthangal, Chennai- 600 056

Test Report Number : **QC/Jan/15/211090** Test Report Date : 22/01/15

Description of Sample : **VEGAN O VITA - M**

Quantity of Sample : About 150 gms Sample Received on : 12/01/15

Mark of Sample : Nil Sample Analyzed on : 12/01/15

Batch Number : Nil Sample Completed on : 22/01/15

Mobile Number : 9444022436 (Sample is submitted by the Party)

S.No	Test Parameters	Test Methods	Test Results
01.	Total Bacterial Count/100mg	IS: 1622-1996, IS: 5402-2002	Absent
02.	MPN Coli form/100mg	IS: 1622-1996, IS: 5401-2002	Absent
03.	Faecal Coli form/ 100 mg	IS: 1622-1996	Absent
04.	Faecal Streptococci/100 mg	IS: 1622-1996, IS: 5887 (Part-2) 2000	Absent
05.	Escherichia Coli/25 mg	IS: 1622-1996, IS:5887 (Part-1) 2000	Absent
06.	Salmonella/ 25 mg	IS: 5887 (Part-3)-1999, IS 7874: 1975	Absent
07.	Staphylococcus Aureus/25 mg	IS. 5887 (Part-2) 2000	Absent
08.	Pseudomonas Aeruginosa/25mg	Annex D of IS: 13428 - 1998	Absent
09.	Yeast & Mould/25 mg	IS 5403 1999	Absent
10.	Clostridium/25 mg	IS 7874: 1975 Part 3	Absent

Note: IS: Indian Standards

-----x----- End of report -----x-----

Tested by
Authorized Signatory
(Dr.S.Palaniappan)

ISO 9001: 2008 * OHSAS 18001: 2007 Certified Laboratory

Terms and Condition:

* Results relate only to the items tested.

* This report should not be reproduced except in full without written approval of the laboratory

Scientists Give Quality for Scientists