Desiree Lenart, Interim Engineering Intern

## Perforce File Ownership Database

Qualcomm Technologies, Inc.

80-xxxxx-x Rev. A



Confidential and Proprietary – Qualcomm Technologies, Inc.

**Restricted Distribution:** Not to be distributed to anyone who is not an employee of either Qualcomm Technologies, Inc. or its affiliated companies without the express approval of Qualcomm Configuration Management.



### The Problem

An unnecessary amount of time is spent trying to figure out a point of contact for a file.

### **Problems**

- Currently reference Perforce check-in history, Package Warehouse promotion information, and contact lists to determine POC's
- Component Owners maintain these lists and are the first POC when there is a question
- The lists become out of date and the Component Owner has to continuously update them

#### **Problems**

Component owners may need to sort through a large number of files Blacklisting Files Legal Scans

P1 KW Issues

Compiler Warnings

**General Questions** 

This can take up a lot of time!



### The Solution


A framework that allows specified files and directories in Perforce to be assigned a primary point of contact.

#### **Benefits**

- Easily determine the owner for a file or set of files
- Spend less time on support tasks and more time on actual work
- Ownership will be up to date
- Saves time!

#### After

### corebsp-int5.na.qualcomm.com:8080/example/homepage.html





# Usage

As of right now, only files from the Perforce Depot under the Core component are searchable.

# Questions?



## Thank You!



