

HTML basics

HTML course: Lesson 3

Lesson Plan

1

What is HTML

2

HTML elements

3

HTML attributes

4


HTML tags

HTML5 HyperText Markup Language


– is the standard markup language for describing the structure of documents displayed on the web

HTML – HyperText Markup Language

```
<body>
  <h1>Heading</h1>
  <p>This is a paragraph.</p>
  
  <div class="my-list">
    <h4>My list:</h4>
    <ul>
      <li>Apple</li>
      <li>Orange</li>
      <li>Banana</li>
    </ul>
  </div>
  <br>
  <button onclick="alert('Submit')">Button</button>
</body>
```



HTML contain elements



Element: tags and content

Browsers do not display tags; tags are used to interpret the content of the page.

```
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <title>Example</title>
5      <link rel="stylesheet" href="st
6    </head>
7    <body>
8      <h1>
9        <a href="/">Header</a>
10     </h1>
11     <nav>
12       <a href="one/">One</a>
13       <a href="two/">Two</a>
14       <a href="three/">Three</a>
15     </nav>
```

Types of Elements **by Tag**

● void elements

- Consist of a single tag
- Do not contain text or nested elements

```
<br>, <col>, <embed>, <hr>,  
<img>, <input>, <link>,  
<meta>, <source>, <track>,  
<wbr>
```

● replaced elements

- Information for display is taken from their attributes

```
<iframe>, <video>, <embed>  
  
<input type="range"/>
```

● non-replaced elements


- Have opening and closing tags;
- may contain content and other elements

```
<p>  
  This paragraph has some  
  <strong> strong </strong>  
  content  
</p>
```

Types of Elements by Type

Block Elements

<header>, <footer>
<h1>, <p>, <div>
, ...



Occupy the full width of the page (or the available space of the parent)


Cannot be nested within inline elements, but can be nested within block elements

<p> and <h1>-<h6> cannot contain block elements, only inline elements

Inline Elements

<a>

, ...



Occupy only as much space as their content

Can contain only data (text) and other inline elements, but <a> can contain block elements

Used to highlight a piece of text within a block element

HTML

Tags

Anatomy of an HTML Document

1. Doctype: Historical artifact
2. Root Element
3. Element for connecting resources not visible on the page
4. Element that sets the document's UTF-8 encoding
5. Element for the page title (displayed in the browser tab or bookmarks)
6. Element for the content of the entire page



HTML tags

1. Basic Structural and Text Tags

- Tags like `<div>`, `<span>`, `<p>`, `<h1>`–`<h6>`, `<a>`, `<br>`, `<hr>`, `<blockquote>`, etc.

2. Semantic Tags:

- Examples: `<header>`, `<footer>`, `<article>`, `<section>`, `<nav>`, `<aside>`, `<main>`, `<figure>`, `<figcaption>`, `<mark>`, `<time>`.

3. Forms and Input Elements:

- Examples: `<form>`, `<input>`, `<textarea>`, `<button>`, `<select>`, `<option>`, `<label>`, `<fieldset>`, `<legend>`, `<output>`, `<datalist>`, `<keygen>`, `<meter>`, `<progress>`.

4. Graphics and Multimedia:

- Examples: `<img>`, `<audio>`, `<video>`, `<source>`, `<canvas>`, `<track>`, `<svg>`.

5. Tables:

- Examples: `<table>`, `<tr>`, `<td>`, `<th>`, `<thead>`, `<tbody>`, `<tfoot>`, `<caption>`, `<col>`, `<colgroup>`.


6. Scripts and Resource Links:

- Examples: `<script>`, `<noscript>`, `<link>`, `<style>`.

7. Metadata Tags:


- Examples: `<meta>`, `<title>`, `<base>`, `<head>`.

<header> - page or block header



<nav> - page or website navigation

<footer> - page or block footer




<main>

- unique page content
between header and footer

 - image

<aside> - sidebar



<section> - logical block

<article> - independent content unit



Blood Pressure Monitor

~~-\$25.50~~ \$19.59

Add To Cart



Modern Stethoscope

~~-\$25.50~~ \$19.59

Add To Cart



Ultraviolet Sterilizer

~~-\$25.50~~ \$19.59

Add To Cart



Blood Glucose Meter

~~-\$25.50~~ \$19.59

Add To Cart




Patient Monitor

~~-\$25.50~~ \$19.59

Add To Cart

**** - inline container

<div> - block container



`<ul>` - unordered list

`<ol>` - ordered list

`<li>` - list item



Cras eu pulvinar felis, vitae aliquet metus.
aptent taciti sociosqu torquentper.



Company

- About
- Plans
- Services
- Products
- Privacy Policy
- Terms Of Use

Help & Support

- Support
- Locate Us
- Contact Us
- Login
- FAQ

Bullets and List

Ordered list –

- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five

Unordered list –

- > Red
- > Blue
- > White
- > Yellow
- > Green

<dl> - description list

<dt> - term/name

<dd> - description of this term/name



Address

813 Howard Street , Oswego
NY 13126, USA



Phone

(+02) 258 987 4533
(+02) 158 456 8895



Email

Contact@Medical.Com



Website

Contact@Medical.Com

<h1>

<h2>

<h3>

<h4>

<h5>

<h6> - headings

<p> - text

headline 1 **Work Sans**

headline 2 **Work Sans**

headline 3 **Work Sans**

headline 4 **Work Sans**

headline 5 **Work Sans**

headline 6 **Work Sans**

headline 7 **Work Sans**


body text Apparently we had reached
a great height in the atmosphere,
for the sky was a dead black

heading **Work Sans**

<a> - link








<button>




Practice

a vs button







<button>



<a>



<a>
<button>



<a>

a vs button

Goes
somewhere

Sign in

email@email.com

[Forgot password?](#)

Sign in

The image shows a mobile app interface for signing in. It has a title 'Sign in' at the top. Below it are two input fields: the first contains 'email@email.com' and the second contains '*****'. Below the input fields is a link that says 'Forgot password?'. At the bottom is a dark teal button with the text 'Sign in'. A blue arrow points from the text 'Goes somewhere' to the 'Forgot password?' link. Another blue arrow points from the text 'Does something' to the 'Sign in' button.

Does
something

Link - we need to go to another page or to another place on the same page

Button – something should happen in the same place on the page



START FOR FREE

Create new account.

Change Method

Create Account

Already A Member? [Log In](#)

 **DolphinVPN**

[About](#) [Features](#) [Pricing](#) [Testimonials](#) [Help](#) [Sign In](#) [Sign Up](#)

Want anything to be easy with **DolphinVPN**.

Provide a network for all your needs with ease and fun using DolphinVPN discover interesting features from us.

[Get Started](#)



Where *art* meets meta-*modernity*


Rotterdam Art Museum brings you the most astonishing and authentic artworks from all across Europe and South America. Our sole mission is to instigate appreciation for art in people's minds and hearts :)

[Explore exhibitions](#) [More about us](#)




The Crown

[Watchlist](#) [Watch Now](#)



<button>



START FOR FREE

Create new account.

Full Name: Last Name:

Email:

Phone Number:

[Change Method](#) [Create Account](#)

Already A Member? [Log In](#)

Where *art*
meets
meta-
modernity

Rotterdam Art Museum brings you the most astonishing and authentic artworks from all across Europe and South America. Our sole mission is to instigate appreciation for art in people's minds and hearts :)

[Explore exhibitions](#)

[More about us](#)

<a>



[About](#)

[Features](#)

[Pricing](#)

[Testimonials](#)

[Help](#)

[Sign In](#)

[Sign Up](#)

Want anything to be
easy with **DolphinVPN**.

Provide a network for all your needs with ease and fun using DolphinVPN discover interesting features from us.

[Get Started](#)

<a>



<button>

The Crown



<button>




Watchlist



<a>

Watch Now



<blockquote> - quotation

<cite> - title of a cited creative work



I've never seen a platform as easy to use, as easy to onboard new users, as easy to scale, and as easy to customize to your own workflow, process, team, clientele, and changing environment.



Cheryl Venable, Senior Manager of Operations, Creative Center,
Sony Pictures Television

<table>
<tr> - table row
<td> - table cell

Range	-199.99 to 199.99 C
Resolutions	0.01 C
Accuracy	GB Dedicated Graphic Accuracy (NVIDIA - Open GL 4.0)
Battery	5000mAh (More Driven by the amount of data)
Dimensions	HD Screen (1920×1080 with 100% desktop Scaling)

Questionnaire Results

Question	Women		Men	
	Yes	No	Yes	No
Question 1	42%	58%	61%	39%
Question 2	53%	47%	69%	31%
Question 3	26%	74%	51%	49%
Average	40%	60%	60%	40%

<details> - additional details, user can open and close
<summary> - visible heading for the <details>

FREQUENTLY ASKED QUESTIONS

Have Any Question? Find Answer Here

Quality Services Provided At Affordable Rates ?



Minimum Prices For The Maximum Output Advertise Anything ?



From The Lowest To The Highest In Advertising Services ?



Advertising That Makes All The Difference Leaping Over Boundaries?



Integer vel dolor a tellus vehicula malesuada eu eget tortor. Morbi aliquet dolor vel varius imperdiet. Aenean condimentum arcu non sem aliquam, at sagittis metus congue. Praesent ut aliquam sem. Suspendisse potenti. Suspendisse tincidunt diam et ex rutrum volutpat. Aliquam et nisl ullamcorper, bibendum justo nec, pellentesque magna. Donec venenatis consectetur elit ut blandit. Suspendisse ut velit ac ex fermentum auctor. Praesent consequat semper condimentum. Donec laoreet lectus magna, vitae pellentesque dolor vehicula.

Break time

HTML

Attributes

HTML

Attributes



Attributes provide additional information about an element that you do not want to display in the content.

An attribute must always have:

- A space between it and the element name (or the previous attribute if the element already has one or more attributes)
- Attribute name, followed by an equals sign
- Attribute value, enclosed in quotes
- The order of attributes does not matter

Types of

Attributes

global

Can be applied to any element

```
<p class="box error">Setting 'box' class</p>
```

required

Without them, the element is invalid

```
<a href="index.html">Home page</a>
```

boolean

Do not require a value

```
<button disabled>You can't click here</button>
```

custom

Can be created for later use in JS with the **dataset[name]** property

data-your-name

```
<button data-learning="workshop">Click</button>
```

Attribute

class

Used for styling with CSS

- Class name can be with a text
- A good class name should answer the question, "What does this element do?"
- Do not name classes **by content, style, or tag**, as they may change
- **Avoid using numbers** in class names; the order of blocks may change
- Use only **English words**, **no transliteration**
- Written in **lowercase**
- No spaces in class names; use **hyphens** for compound class names
- Preferably no **more than three words** in a class name
- An element can have many classes

Examples


class

Not recommended	Better
<code>class="krasnaya-knopka"</code>	<code>class="error-button"</code>
<code>class="PageHeader"</code>	<code>class="page-header"</code>
<code>class="first-heading"</code>	<code>class="main-heading"</code>
<code>class="section-main-important-text"</code>	<code>class="primary-text"</code>
<code>class="green-heading"</code>	<code>class="section-heading"</code>
<code>class="text-two"</code>	<code>class="default-text news-text"</code>

Comments in HTML

```
<div>  
  <!-- HTML Comment  
    This comment will not be seen in the browser window but  
    is sent to the browser which can add to the delay of a  
    page load. -->  
</div>
```

- Invisible to the user
- Explanations in the code for yourself or colleagues
- No sensitive data
- Hide blocks of code from the page without deleting them from the file
- Cannot nest comments within each other
- To quickly comment/uncomment a line or block of code, use **Ctrl + /** or **Cmd + /** in most editors
- Often used to mark the beginning of a large piece of code and explain its purpose
- Visible in the browser's developer tools, so write only what anyone can see



Alpha (opacity)

<div id="a-page">...</div>

<!--

._.(.)< (MEOW)

~~~~~-->

<div id="a-popover-root" style="position: absolute;"></div>


Bonus

# VS Code extensions

- HTML tree
- Auto close tag
- Highlight matching tag
- W3C Offline HTML Validator


# What We Learned Today

1. What HTML is
2. HTML syntax:
  - Element
  - Tag
  - Attribute
3. How to choose tags



# Homework until next Monday

1. Markup of Figma template
  - tags
  - attributes
2. Check your site markup Validation and Heading hierarchy
3. Practice Emmet
4. Pass the free practice HTML Course
5. Practice HTML in small tasks




**B** Academy  
**RO**



**QUESTIONS?**

**Please fill out the feedback form**  
**It's very important for us**





**THANK YOU!**

**Have a good evening!**