

NAMING METHODOLOGIES **:BEM**

Lesson 4



Attribute

class

- ◆ In HTML, a **class** is a label (tag) for a group of elements.
- ◆ In CSS, a **class** is a tool for styling multiple elements at once.

HTML:

```
<button class="button">Button</button>  
<a class="button">Link</a>
```

CSS:

```
.button {  
    background-color: red;  
}
```

Attribute

class

- ✓ Group elements and style them all at once
- ✓ Less code duplication
- ✓ Easier to update styles in one place

A good class name should answer the question, "What does this element do?"

PRACTICE:

LET'S TRY TO NAME CLASSES

Lesson plan

1

Introduction to Naming Methodologies

2

Fundamentals of the BEM Methodology

3

Class names rules

4

BEM for UI KI


Order Instead of Chaos:

Naming methodology

is a set of rules that helps developers name CSS classes in a way that ensures the code is:

- Understandable
- Consistent
- Scalable

When you try to choose a meaningful class name.



`.this-is-catalog-card-item`
`.big-red-button-why-is-this-so-long`

```
<div class="product-card product-card--highlighted">  
  <img class="product-card__image">  
  <h2 class="product-card__title">Item name</h2>  
  <button class="product-card__button  
    product-card__button--disabled">Buy</button>  
</div>
```



Popular Naming Methodologies

- **OOCSS** — Separating container and content with CSS “objects”
- **SMACSS** — Style-guide to write your CSS with five categories for CSS rules
- **Atomic** — Breaking down styles into atomic, or indivisible, pieces

BEM

BLOCK / ELEMENT / MODIFIER

HISTORY of BEM

Created by Yandex → **2009**

Published in internet → **2012**

Now used in:

- **Google**
- **Airbnb**
- **BBC**

Brain Rocket 



BLOCK



ELEMENT




MODIFIER

BLOCK

An **independent component**
that can be reused.


BLOCK examples



← using in different pages

↑ using on all pages

page section →



← using in many blocks



class="logo"

class="nav"

class="search-form"

class="button"

class="header"

ELEMENT

A part of a block that

cannot exist independently .

class="nav__list"

class="nav__list-item"

class="nav__link"

class="search-form__input"

PRACTICE:

WHAT IS **BLOCK** AND **ELEMENT** IN BINABOX?

MIX

- In UI Kits, components often belong to multiple blocks simultaneously.
- Mixes allow combining styles from different blocks.



class="header__search search-form"

class="header__nav nav"

class="header__logo logo"

class="header"

MODIFIER

A change in the **appearance or behavior** of a block/element.

What can be set for a modifier:

states (active, disable), specific sizes.



class="nav__link nav__link--active"

class="btn btn--primary"

class="header"

Different Ways to Define a Modifier


Yandex Approach	Gallagher Approach
<code>_</code> (one underscore)	<code>--</code> (two dashes)
<code>block_modifier</code>	<code>block--modifier</code>

BEM IN CSS




Block

A navigation bar with `.nav`



Element(s)

Each item in navigation bar with `.nav__item`



Modifier

Add property to each item by adding `.nav__item--red`, `.nav__item--purple`, `.nav__item--green`

PRACTICE:

WHAT IS MODIFIER IN BINABOX?



How to name class

- A good class name should answer the question:

"What does this element do?"

General rules

class

Not recommended	Better
Use only English words, no transliteration	
krasnaya-knopka	error-button
Written in lowercase	
PageHeader	page-header

General rules

class

Not recommended	Better
Avoid using numbers in class names, the order of blocks may change	
first-element	product-item
The name should be clear	
btn-01	button--primary
No spaces in class names; use hyphens for compound class names	
product item	product-item

General rules

class

Not recommended	Better
Do not name classes by content, style, or tag, as they may change	
text-about-product	product-item__text
red-button	button button--danger
p1	promo__text

BEM rules

class

Not recommended	Better
● Avoid creating overly long names	
<code>card__button--password-large-disabled</code>	<code>card__button</code> <code>card__button--large</code> <code>card__button--disabled</code>



 Tony Nguyen |  20 Jun 2022

Sonic live

One September 22, 2021 A volutpat nulla eros, nulla ultrices nec nulla imperdiet...

Read more >

- Use mixes to combine styles

```
class="button  
button--card"
```

```
class="button  
card_button"
```


BEM rules

class

Not recommended	Better
Do not mix class naming	
<code>class="block1__element block2__element"</code>	<code>class="block__element"</code>
Each element belongs only to its own block	
<code>block__element__subelement</code>	<code>block__subelement</code>
Modifiers do not change the meaning of a block or element	
<code>class="button--form-submit"</code>	<code>class="button--large button--disabled"</code>

BEM rules

class

Not recommended	Better
Avoid using global names for modifiers	
<code>menu__item active</code> <code>card highlighted</code>	<code>menu__item--active</code> <code>card--highlighted</code>
A modifier cannot be used without the base class	
<code>class="button--large"</code>	<code>class="button button--large"</code>



 Tony Nguyen |  20 Jun 2022

Sonic live

One September 22, 2021 A volutpat nulla eros, nulla ultrices nec nulla imperdiet...

Read more >

PRACTICE:

LET's TRY TO CREATE CLASSES



 Tony Nguyen |  20 Jun 2022

Sonic live

One September 22, 2021 A volutpat nulla eros, nulla ultrices nec nulla imperdiet...

Read more >

```
<div class="product-card">
  <img class="
    product-card__image
  ">
  <div class="
    product-card__label
  ">NFT</div>
  <div class="
    product-card__title
  ">Sonic live</div>
  <div class="
    product-card__button
    button
    button--large
    button--icon
  ">Read more</div>
</div>
```

USE BEM WITH UI KIT

button

--primary /secondary /basic
--large / small / medium
--icon
--active / disabled


input

--checked / invalid / valid


card

--sold / new / popular

Buttons



Checkbox



Quality Criteria for HTML Course

❤️ Mandatory for passing the course


🟡 Required for the highest grade

💚 Optional

- ❤️ All independent components are defined as separate blocks.
- ❤️ All subordinate parts are correctly defined as elements.
- ❤️ Modifiers correctly describe states or variations.
- ❤️ BEM syntax rules are followed
- ❤️ Modifiers must not include: Colors, Numbers, Tag names.
- ❤️ Modifiers cannot be used as the only class on a tag.
- ❤️ Block, element, and modifier names must be meaningful.
- ❤️ Classes must use only Latin letters and be written in lowercase.

Summary


1. What is naming Methodologies and Why It's Important
2. Popular naming Methodologies
3. Core Concepts of BEM and Syntax Rules:
 - block
 - element
 - modifier
 - mix
4. Best Practices for Naming Classes
5. BEM for UI KIT



Homework

1. Add classes to your markup, using BEM:

- BLOCKS
- ELEMENTS
- MODIFIERS



Please fill out the feedback form
It's very important for us

B Academy
RO



THANK YOU!

QUESTIONS?