





**BrandAIS Framework**

to develop applications enhanced by AI capabilities

Editor

```
import BroadAI from 'broadai';  
import rs from 'broadai-agents/Researcher';  
  
const ai = new BroadAI([rs.agent], {/**/});  
rs.register(ai.config, {});
```



BroadAIConfiguration?

# Four-part configuration:

- **appid** <- registered in 1st step
- **personality** <- to influence tone and authority
- **llm** <- (most important) BroadAI will use LLM of your choice. Comes in 2 flavors, **llm**, and **llmapi** for advanced / custom LLM configurations
- **history** <- so that BroadAI can emulate stateful conversation exchanges





























































































































































































































































































































































































































































































































































































































































































































































# BroadAI MAS Framework

to develop applications enhanced by AI capabilities

Editor

```
import BroadAI from 'broadai';
import rs from 'broadai-agents/Researcher';

const ai = new BroadAI([rs.agent], {/**/});
rs.register(ai.config, {});
```

BroadAIConfiguration?

## Four-part configuration:

- **appid** <- registered in 1st step
- **personality** <- to influence tone and authority
- **llm** <- (most important) BroadAI will use LLM of your choice. Comes in 2 flavors, **llm**, and **llmapi** for advanced / custom LLM configurations
- **history** <- so that BroadAI can emulate stateful conversation exchanges

Editor

```
import BroadAI from 'broadai';
import rs from 'broadai-agents/Researcher';

const ai = new BroadAI([rs.agent], {
  appid: "dswZsbf",
  personality: {
    name: "Jack", role: "assistant",
    pov: "first-person"
  },
  llm: {
    provider: "openai",
    model: "gpt-3.5-turbo-0125",
    apikey: env['OPENAI_KEY']
  },
  history: {
    enabled: false, max_exchanges: 5
  }
});
rs.register(ai.config, {/**/});
```

# BroadAI MAS Framework

to develop applications enhanced by AI capabilities

Editor

```
import BroadAI from 'broadai';
import rs from 'broadai-agents/Researcher';
const ai = new BroadAI([rs.agent], {
  appid: "dswZsbf",
  personality: { name: "Jack",
    role: "assistant", pov: "first-person" },
  llm: {
    provider: "openai",
    model: "gpt-3.5-turbo-0125",
    apikey: env['OPENAI_KEY']
  },
  history: {
    enabled: false, max_exchanges: 5
  }
});
rs.register(ai.config, {/**/});
```