BobGuard

HIPAA Security Rule Compliance Audit

Repository: bobguard

Pull Request: #1

Branch: main

Commit: afc682d

Author: Patrick Ejelle-Ndille

Audit Date: 2026-05-02

STATUS: BLOCKED

Forward-Compatible with 2024 HIPAA Security Rule NPRM

This audit enforces standards consistent with the proposed changes in the 2024 HIPAA Security Rule Notice of Proposed Rulemaking (HHS OCR, RIN 0945-AA22, January 6, 2025).

Executive Summary

--- **Executive Summary** The audit scope encompassed the review of Pull Request (PR) #1 within the bobguard repository, focusing on its alignment with the Health Insurance Portability and Accountability Act (HIPAA) Security Rule requirements. The primary objectives were to assess adherence to controls 164.312(a)(2)(iv), 164.312(b), 164.312(d), 164.312(e)(1), and 164.312(c)(1). Upon thorough examination, several violations were identified across multiple controls. Notably, control 164.312(a)(2)(iv) pertaining to unique user identification was found to be non-compliant due to insufficient measures in place to verify the identity of users accessing electronic protected health information (ePHI). Control 164.312(b) addressing workforce security was also violated, as there was no evidence of regular security awareness training for employees handling ePHI. Furthermore, control 164.312(d) concerning transmission security was compromised by the absence of encryption protocols during data transfers. Additionally, control 164.312(e)(1) related to access control mechanisms was breached due to inadequate restrictions on access to ePHI. Lastly, control 164.312(c)(1) regarding cryptography was found to be non-compliant due to the lack of encryption standards for ePHI at rest. Given the severity and widespread nature of these violations, it is recommended that PR #1 be blocked from implementation until all identified issues are addressed and remediated. This action is crucial to safeguarding the confidentiality, integrity, and availability of ePHI in accordance with HIPAA regulations. It is imperative that the development team promptly rectify these deficiencies to ensure ongoing compliance with the HIPAA Security Rule.

Control Mapping

The following HIPAA Security Rule controls were triggered by this code change:

CONTROL ID	CONTROL NAME	FAMILY	LOCATION	SEVERITY	EXISTING RULE	NPRM STATUS
164.312(a)(2)(iv)	Encryption and Decryption	Technical Safeguards	src/prisma/schema.prisma:26	**BLOCK**	Addressable	Required (NPRM)
164.312(b)	Audit Controls	Technical Safeguards	src/routes/patient.routes.ts:31	**BLOCK**	Required	Required (clarified)
164.312(d)	Person or Entity Authentication	Technical Safeguards	src/middleware/auth.middleware.ts:43	**BLOCK**	Required	Required + MFA (NPRM)
164.312(e)(1)	Transmission Security	Technical Safeguards	src/routes/message.routes.ts:31	**BLOCK**	Required	Required
164.312(c)(1)	Integrity	Technical Safeguards	src/routes/patient.routes.ts:204	**WARN**	Required	N/A

Data Flow Diagram

Visual representation of ePHI data flows affected by this change:



Source: `compliance/evidence/PR-1/data-flow.mmd` (rendered via mermaid-cli).

Threat Model Delta

Analysis of new security threats introduced by this code change:

The introduction of this code change has significantly expanded the attack surface and introduced several critical and high-risk vulnerabilities related to protected health information (ePHI). The primary concerns revolve around unencrypted data at rest, lack of audit trails for PHI access, single-factor authentication, plain HTTP transmission of ePHI, and hard delete functionality without integrity protection. These threats directly violate multiple HIPAA Security Rule requirements, including §164.312(a)(2)(iv), §164.312(b), §164.312(d), and §164.312(e)(1). The unencrypted storage of ePHI in the PostgreSQL database constitutes a critical vulnerability, as it allows an attacker to gain immediate access to sensitive patient information upon database compromise. This violation of §164.312(a)(2)(iv) poses a significant risk, potentially leading to direct HIPAA breach notifications, identity theft, medical record tampering, and regulatory penalties. Additionally, the absence of audit trails for PHI access represents a high-risk vulnerability, as it prevents the detection of unauthorized access attempts and undermines incident response capabilities, violating §164.312(b). Furthermore, the implementation of single-factor authentication using JSON Web Tokens (JWT) lowers the barrier to unauthorized access, creating a high-risk vulnerability in line with §164.312(d). The use of plain HTTP for transmitting ePHI also presents a high-risk vulnerability, as it enables attackers to intercept and read sensitive data during transmission, violating §164.312(e)(1). Lastly, the hard delete functionality without integrity protection introduces a medium-risk vulnerability, as it allows malicious actors to permanently remove patient records, potentially causing irreversible damage and violating §164.312(c)(1). In summary, this code change has introduced four high-risk and one medium-risk vulnerability, directly violating five HIPAA Security Rule requirements. The aggregate risk level is classified as critical due to the severity and widespread implications of these threats on ePHI. Immediate action is required

Test Evidence

Automated test results demonstrating compliance verification:


```
{
  "pr_number": 1,
  "test_suite": "HIPAA Compliance Validation",
  "test_date": "2026-05-02T01:26:00Z",
  "test_framework": "BobGuard Compliance Officer",
  "total_tests": 12,
  "passed": 0,
  "failed": 12,
  "skipped": 0,
  "test_results": [
    {
      "test_id": "HIPAA-164.312(a)(2)(iv)-001",
      "test_name": "Verify PHI field 'dob' is encrypted at rest",
      "control_id": "164.312(a)(2)(iv)",
      "status": "FAILED",
      "severity": "CRITICAL",
      "file": "src/prisma/schema.prisma",
      "line": 26,
      "expected": "Field 'dob' should use encrypted type or encryptAtRest() wrapper",
      "actual": "Field 'dob' is plain String type",
      "remediation": "Change schema to use encrypted field type or wrap with phi-
crypto.encryptAtRest()"
    },
    {
      "test_id": "HIPAA-164.312(a)(2)(iv)-002",
      "test_name": "Verify PHI field 'mrn' is encrypted at rest",
      "control_id": "164.312(a)(2)(iv)",
      "status": "FAILED",
      "severity": "CRITICAL",
      "file": "src/prisma/schema.prisma",
      "line": 27,
      "expected": "Field 'mrn' should use encrypted type or encryptAtRest() wrapper",
      "actual": "Field 'mrn' is plain String type",
      "remediation": "Change schema to use encrypted field type or wrap with phi-
crypto.encryptAtRest()"
    },
    {
      "test_id": "HIPAA-164.312(a)(2)(iv)-003",
      "test_name": "Verify PHI field 'ssn' is encrypted at rest",
      "control_id": "164.312(a)(2)(iv)",
      "status": "FAILED",
      "severity": "CRITICAL",
      "file": "src/prisma/schema.prisma",
      "line": 28,
      "expected": "Field 'ssn' should use encrypted type or encryptAtRest() wrapper",
      "actual": "Field 'ssn' is plain String type",
      "remediation": "Change schema to use encrypted field type or wrap with phi-
crypto.encryptAtRest()"
    },
```

```
    {
      "test_id": "HIPAA-164.312(a)(2)(iv)-004",
      "test_name": "Verify PHI field 'notes' is encrypted at rest",
      "control_id": "164.312(a)(2)(iv)",
      "status": "FAILED",
      "severity": "CRITICAL",
      "file": "src/prisma/schema.prisma",
      "line": 40,
      "expected": "Field 'notes' should use encrypted type or encryptAtRest() wrapper",
      "actual": "Field 'notes' is plain String type",
      "remediation": "Change schema to use encrypted field type or wrap with phi-
crypto.encryptAtRest()"
    },
    {
      "test_id": "HIPAA-164.312(b)-001",
      "test_name": "Verify POST /patients emits audit log",
      "control_id": "164.312(b)",
      "status": "FAILED",
      "severity": "HIGH",
      "file": "src/routes/patient.routes.ts",
      "line": 31,
      "expected": "Route should call audit.log() with action='CREATE'",
      "actual": "No audit.log() call found in route handler",
      "remediation": "Add audit.log({ actor: req.user.id, action: 'CREATE', resource:
`Patient:${patient.id}`, outcome: 'SUCCESS' })"
    },
    {
      "test_id": "HIPAA-164.312(b)-002",
      "test_name": "Verify GET /patients/:id emits audit log",
      "control_id": "164.312(b)",
      "status": "FAILED",
      "severity": "HIGH",
      "file": "src/routes/patient.routes.ts",
      "line": 74,
      "expected": "Route should call audit.log() with action='READ'",
      "actual": "No audit.log() call found in route handler",
      "remediation": "Add audit.log({ actor: req.user.id, action: 'READ', resource:
`Patient:${id}`, outcome: 'SUCCESS' })"
    },
    {
      "test_id": "HIPAA-164.312(b)-003",
      "test_name": "Verify GET /patients emits audit log",
      "control_id": "164.312(b)",
      "status": "FAILED",
      "severity": "HIGH",
      "file": "src/routes/patient.routes.ts",
      "line": 103,
      "expected": "Route should call audit.log() with action='LIST'",
      "actual": "No audit.log() call found in route handler",
      "remediation": "Add audit.log({ actor: req.user.id, action: 'LIST', resource: 'Patient',
outcome: 'SUCCESS', metadata: { count: patients.length } })"
    },
    {
      "test_id": "HIPAA-164.312(b)-004",
      "test_name": "Verify PUT /patients/:id emits audit log",
      "control_id": "164.312(b)",
```

```
      "status": "FAILED",
      "severity": "HIGH",
      "file": "src/routes/patient.routes.ts",
      "line": 142,
      "expected": "Route should call audit.log() with action='UPDATE'",
      "actual": "No audit.log() call found in route handler",
      "remediation": "Add audit.log({ actor: req.user.id, action: 'UPDATE', resource:
`Patient:${id}`, outcome: 'SUCCESS' })"
    },
    {
      "test_id": "HIPAA-164.312(b)-005",
      "test_name": "Verify DELETE /patients/:id emits audit log",
      "control_id": "164.312(b)",
      "status": "FAILED",
      "severity": "HIGH",
      "file": "src/routes/patient.routes.ts",
      "line": 190,
      "expected": "Route should call audit.log() with action='DELETE'",
      "actual": "No audit.log() call found in route handler",
      "remediation": "Add audit.log({ actor: req.user.id, action: 'DELETE', resource:
`Patient:${id}`, outcome: 'SUCCESS' })"
    },
    {
      "test_id": "HIPAA-164.312(d)-001",
      "test_name": "Verify MFA is required after JWT verification",
      "control_id": "164.312(d)",
      "status": "FAILED",
      "severity": "HIGH",
      "file": "src/middleware/auth.middleware.ts",
      "line": 43,
      "expected": "Middleware should verify MFA token after JWT validation",
      "actual": "Only JWT verification present, no MFA check",
      "remediation": "Add MFA verification step: verify TOTP/WebAuthn token before calling
next()"
    },
    {
      "test_id": "HIPAA-164.312(e)(1)-001",
      "test_name": "Verify /messages/inbound enforces TLS",
      "control_id": "164.312(e)(1)",
      "status": "FAILED",
      "severity": "HIGH",
      "file": "src/routes/message.routes.ts",
      "line": 31,
      "expected": "Route should reject non-HTTPS requests",
      "actual": "No TLS enforcement check present",
      "remediation": "Add middleware to verify req.protocol === 'https' or req.headers['x-
forwarded-proto'] === 'https'"
    },
    {
      "test_id": "HIPAA-164.312(c)(1)-001",
      "test_name": "Verify patient deletion uses soft-delete",
      "control_id": "164.312(c)(1)",
      "status": "FAILED",
      "severity": "MEDIUM",
      "file": "src/routes/patient.routes.ts",
      "line": 204,
```

```
      "expected": "DELETE operation should use soft-delete with tombstone",
      "actual": "Hard delete using prisma.patient.delete()",
      "remediation": "Replace with soft-delete: prisma.patient.update({ where: { id }, data: {
deletedAt: new Date(), deletedBy: req.user.id } })"
    }
  ],
  "summary": {
    "critical_failures": 4,
    "high_failures": 7,
    "medium_failures": 1,
    "blocking_violations": 11,
    "warnings": 1,
    "compliance_status": "NON-COMPLIANT",
    "recommendation": "BLOCK PR - All blocking violations must be remediated before merge"
  },
  "evidence_artifacts": [
    "compliance/evidence/PR-1/refusal.md",
    "compliance/evidence/PR-1/control-map.md",
    "compliance/evidence/PR-1/threat-delta.md",
    "compliance/evidence/PR-1/test-evidence.json",
    "compliance/evidence/PR-1/audit-pack.pdf"
  ]
}
```

NPRM Forward-Compatibility Analysis

Assessment of how this audit aligns with proposed changes in the 2024 HIPAA Security Rule NPRM:

Two of the triggered controls — §164.312(a)(2)(iv) (Encryption) and §164.312(d) (Authentication) — are directly affected by the 2024 HIPAA Security Rule NPRM (HHS OCR, RIN 0945-AA22, January 6, 2025). The NPRM elevates encryption from Addressable to Required and explicitly mandates multi-factor authentication. BobGuard already enforces both stricter standards, so no additional remediation is required to maintain forward-compatibility.

164.312(a)(2)(iv): Encryption and Decryption

Existing Status: Addressable

NPRM Proposal: Required (NPRM)

BobGuard Action: Already enforces the stricter proposed standard.

164.312(b): Audit Controls

Existing Status: Required

NPRM Proposal: Required (clarified)

BobGuard Action: Already enforces the stricter proposed standard.

164.312(d): Person or Entity Authentication

Existing Status: Required

NPRM Proposal: Required + MFA (NPRM)

BobGuard Action: Already enforces the stricter proposed standard.

164.312(e)(1): Transmission Security

Existing Status: Required

NPRM Proposal: Required

BobGuard Action: Already enforces the stricter proposed standard.

Audit Sign-off

Auditor: BobGuard Compliance Officer

Governance Entry: pending

Governance Status: pending

Date: 2026-05-02

Digital Audit Trail

> This audit report was generated by BobGuard, an automated HIPAA Security Rule compliance enforcement system. All findings are based on pattern matching against the HIPAA Security Rule technical controls catalog (45 CFR §164.308, §164.310, §164.312) and forward-compatible with the 2024 NPRM proposed changes.