


CRDC Rare Disease Portal 기본 구조 ERD

기본 페이지와 test DB fixture가 어떤 관계로 연결되는지 요약



Page-to-page relationships

From	To	Parameter	Meaning
krFront.html	krSample.html	sample_id	open searched sample evidence hub
krFront.html	krPhenotype.html	query	open phenotype profile search result
krFront.html	krVariant.html	query	open variant/gene carrier evidence
krSample.html	krPhenotype.html	query / HPO terms	inspect phenotype overlap from similar samples
krSample.html	krVariant.html	query / gene / variant	inspect candidate gene or variant evidence
krPhenotype.html	krSample.html	sample_id	select a phenotype-matched sample
krPhenotype.html	krVariant.html	query / gene / variant	inspect candidate molecular signal
krVariant.html	krSample.html	sample_id	open a carrier sample

Data-to-screen relationships

Source	Generated state	Screen	Important limitation
sample, sample_hpo, sample_variant	portalSampleData.generated.js	krSample.html	one static sample fixture; no URL-based DB lookup
sample_hpo overlap + variants	portalPhenotypeData.generated.js	krPhenotype.html	HPO overlap proxy; runtime PheRS/GRS not implemented
variant_carrier, gene_carrier	portalVariantData.generated.js	krVariant.html	carrier summaries are static fixture; filters are UI-side
ClinicalFocus store	sessionStorage object	all basic pages	HPO context overlay only; not genotype similarity