### **Evolution and conceptual spaces**

Robert van Rooij

Universiteit van Amsterdam

Language and Games 2017

Conventional meaning of Predicates: Sim-max games

Evolution of Vagueness: Bounded Rationality

3 Stereotypes: Picking games

## 1: Conventional Meaning of Predicates

Simmax games

# Philosophical interest

### (sparse) Natural properties versus (abundant) Sets

- Natural properties important for
  - Natural Laws (Goodman's new riddle)
  - Meaning (Putnam's paradox)
  - Rules (Kripke's Wittgenstein)
- Sets closed under complementation, union
   Ptys not
- vFraassen, Stalnaker: Meanings modelled on structured state space
- Gardenfors (2000): natural properties modelled as convex sets
- Why?

## Signalling games and Evolution

#### Lewis' signaling games

- David Lewis (1969): Language use is interactive ⇒ Game theory
- Signalling games: senders and receivers

### **Evolutionary games (Brian Skyrms)**

- Lewis requires common knowledge, perfect rationality,
   and does not explain how conventions arise
- Hopeless for us, certainly for animals
  - ⇒ Convention due to evolution (inheritance)


    or (best response, or reinforcement) learning

## Strategic communication: signaling games

- sequential game:
  - lacktriangle nature chooses a type T
    - ullet out of a pool of possible types T
    - ullet according to a certain probability distribution P

  - $oldsymbol{3}$  S chooses a message m out of a set of possible signals M
  - f Q S transmits m to the receiver  $\bf R$
  - **5** R chooses an action a, based on the sent message.
- ullet Both S and R have preferences regarding R's action, depending on t.
- ullet S might also have preferences regarding the choice of m (to minimize signaling costs).


# Basic example



### utility matrix

 $\begin{array}{c|cccc}
 & a_1 & a_2 \\
\hline
 & t_1 & 1, 1 & 0, 0 \\
 & t_2 & 0, 0 & 1, 1
\end{array}$ 


# Basic example: Equilibrium 1



### utility matrix

 $\begin{array}{c|cccc}
 & a_1 & a_2 \\
\hline
 t_1 & 1, 1 & 0, 0 \\
 t_2 & 0, 0 & 1, 1
\end{array}$ 

## Basic example: Equilibrium 2



### utility matrix

 $\begin{array}{c|cccc}
 & a_1 & a_2 \\
\hline
 & 1, 1 & 0, 0 \\
 & t_2 & 0, 0 & 1, 1
\end{array}$ 

# **Equilibria** and meaning

#### **Equilibria**

- two strict Nash equilibria  $\langle \sigma, \rho \rangle$
- these are the only 'reasonable' equilibria:
  - they are evolutionarily stable (self-reinforcing under iteration)
  - they are Pareto optimal (cannot be outperformed)

### Meaning derived from $\langle \sigma, \rho \rangle$


- Pure Speaker strategy  $\sigma \in T \times M \to \{0,1\}$
- $\Rightarrow [[m]]^s = \{t \in T : \sigma(t)(m) = 1\}$

Descriptive meaning

- Pure Hearer strategy  $\rho \in M \times A \rightarrow \{0,1\}$
- $\Rightarrow$   $[[m]]^h =$  action with highest expected utility

Imperative meaning

# **Euclidean meaning space: Sim-max games**



# **Utility function**

#### **General format**

$$u_{s/r}(t, m, t') = \sin(t, t')$$


• sim(x, y) is strictly monotonically decreasing in Euclidean distance ||x - y||



In this talk, we assume a **Gaussian** similarity function


$$\sin(x,y) \doteq \exp(-\frac{\|x-y\|^2}{2\sigma}).$$

# **Euclidean meaning space: equilibrium**



### **Simulations**

- two-dimensional circular meaning space
- finitely many pixels (meanings)
- uniform distribution over meanings
- Descriptive meanings partition meaning space
- cells are convex sets
- give rise to prototype



2: Evolution of Vagueness: Bounded Rationality

## **V**agueness

- many evolutionarily stable/Pareto optimal equilibria
- all are strict (except for a null set at category boundaries)
- a vague language would be one where the sender plays a mixed strategy

### Vagueness is not rational

Rational players will never prefer a vague language over a precise one in a signaling game. (Lipman 2009)

 similar claim can be made with regard to evolutionary stability (as corollary to a more general theorem by Reinhard Selten)

### Vagueness is not evolutionarily stable

In a signaling game, a vague language can never be evolutionarily stable.

# Vagueness and bounded rationality

- Lipman's result depends on assumption of perfect rationality
- we experimented (toyed around?) with three deviations from perfect rationality that support vagueness:
  - Learning: players have to make decisions on basis of limited experience
  - Stochastic decision: players are imperfect/non-deterministic decision makers
  - Noisy decision makers
  - Imperfect reinforcement learning (O'Connor)

# Stochastic choice (Luce, 1965)

- real people are not perfect utility maximizers
- they make mistakes → sub-optimal choices
- still, high utility choices are more likely than low-utility ones

### Rational choice: best response

$$P(a_i) = \begin{cases} \frac{1}{|\arg_j \max u_i|} & \text{if } u_i = \max_j u_j \\ 0 & \text{else} \end{cases}$$

### Stochastic choice: (logit) quantal response

$$P(a_i) = \frac{\exp(\lambda u_i)}{\sum_j (\lambda \exp u_j)}$$


# Quantal response


- $\bullet$   $\lambda$  measures degree of rationality
- $\bullet$   $\lambda = 0$ :
  - completely irrational behavior
  - all actions are equally likely, regardless of expected utility
- $\bullet$   $\lambda \to \infty$ 
  - convergence towards behavior of rational choice
  - probability mass of sub-optimal actions converges to 0
- if everybody plays a quantal response (for fixed  $\lambda$ ), play is in **quantal** response equilibrium (QRE)
- asl  $\lambda \to \infty$ , QREs converge towards Nash equilibria

# **QRE** and vagueness

#### $\lambda \leq 4$

only babbling equilibrium







# **QRE** and vagueness

#### $\lambda > 4$

- separating equilibria
- smooth category boundaries
- prototype locations follow bell-shaped distribution







# From Language to Thought?

- We don't have to think of signaling as a 2-person game:
   One person observing, representing, and acting of/on world is enough
- $\bullet$  Given our non-perfect  $\lambda,$  this suggest that our thoughts/beliefs are vague as well
- ⇒ it is not that we have precise thoughts that we only vaguely communicate
   but we have only vague thoughts that we want to communicate in language
- ⇒ it is irrational to make our language precise
- That's why language is and should be vague!
- From Wittgenstein to Fodor?

# Use of contradictions (Alxatib & Pelletier, Ripley)




# Use of contradictions (Alxatib & Pelletier, Ripley)



• V: Is 2 tall? A: no. V: Is 2 not tall? A: no.

# Use of contradictions (Alxatib & Pelletier, Ripley)




- V: Is 2 tall? A: no. V: Is 2 not tall? A: no.
- V: is 2 tall and not tall? A: yes.

# From (equilibrium) use to compositional meaning

- Derive meaning in dynamic process of evolution of basic messages
- $V_s(m) = \frac{\sigma^{-1}(s)(m)}{\max_{t \in T} \sigma^{-1}(t)(m)}$
- Derive meaning in process of evolution of complex messages via truth rules
  - $V_s(\neg \phi) = 1 V_s(\phi)$
  - $V_s(\phi \wedge \psi) = min\{V_s(\phi), V_s(\psi)\}$
  - $V_s(\phi \vee \psi) = max\{V_s(\phi), V_s(\psi)\}$
- Look at meanings in evolved equilibrium state
- Standard opinion: fuzzy logic not good, because we say  $T(x) \wedge \neg T(x)$  for borderline case, even though this can have at most value  $\frac{1}{2}$ . Cannot be!


### Set up

• Start with set of states (P is prior) + utility based on similarity




- Set of messages: 'Tall(x)' and '¬ Tall(x)' and ....
- Best response dynamics, constrained by semantic meanings
- Not Quantal, but Noisy best response

# Only 'Tall' with tautology (als dummy)



# Only 'Tall' with contradiction (semantic impact)



### **Conclusions**

• Natural Properties: evolve in structured meaning space

 Vagueness evolves if learning, observation, decision making ... non-perfect

Contradictions evolve as well....

# 3: Stereotypes: Picking games

• Real men don't eat Quiche!

- Real men don't eat Quiche!
- What is the stereotypical or 'real' man?

- Real men don't eat Quiche!
- What is the stereotypical or 'real' man? The average one? (what some call the 'prototype')

- Real men don't eat Quiche!
- What is the stereotypical or 'real' man? The average one? (what some call the 'prototype')
- Ask Google!

### **Stereotypes or prototypes?**

- Real men don't eat Quiche!
- What is the stereotypical or 'real' man? The average one? (what some call the 'prototype')
- Ask Google!



• How to model, or what are concepts or properties?

• How to model, or what are concepts or properties?

Age old discussion in Philosophy (Universals) and Psychology

• How to model, or what are concepts or properties?

• Age old discussion in Philosophy (Universals) and Psychology

• How do we best represent them?

#### Efficient representation: average or ideal?

• Representation of property by typical representative

- Representation of property by typical representative
  - central tendency
- e.g. Gärdenfors

- Representation of property by typical representative
  - central tendency
- e.g. Gärdenfors
- Ideal or extreme object
- Plato, much empirical evidence

- Representation of property by typical representative
  - central tendency e.g. Gärdenfors
  - Ideal or extreme object Plato, much empirical evidence
- Barsalou (1985): typical members of goal-derived categories are those best satisfying the goal.

- Representation of property by typical representative
  - central tendency e.g. Gärdenfors
  - Ideal or extreme object Plato, much empirical evidence
- Barsalou (1985): typical members of goal-derived categories are those best satisfying the goal.
- Others: extreme representatives important if categories are defined in terms of contrasts with others.

- Representation of property by typical representative
  - central tendency e.g. Gärdenfors
  - Ideal or extreme object Plato, much empirical evidence
- Barsalou (1985): typical members of goal-derived categories are those best satisfying the goal.
- Others: extreme representatives important if categories are defined in terms of contrasts with others.
- Stereotypes important also for interpretation of generic statements and interpretation of absolute adjectives

- Representation of property by typical representative
  - central tendency e.g. Gärdenfors
  - Ideal or extreme object Plato, much empirical evidence
- Barsalou (1985): typical members of goal-derived categories are those best satisfying the goal.
- Others: extreme representatives important if categories are defined in terms of contrasts with others.
- Stereotypes important also for interpretation of generic statements and interpretation of absolute adjectives
- Why extreme values?

#### Goal of this talk: answer Why-questions

#### Why convex meanings?

- Sim-max games
- Picking games


#### Why pick out typical representative?

- Utility in terms of similarity
- Utility in terms of highest chance of successful communication

• Standard replicator dynamics is not enough

- Standard replicator dynamics is not enough
- Is the average what you want for focal colors?

- Standard replicator dynamics is not enough
- Is the average what you want for focal colors?



• I want you to pick up Mr X at the central station

- I want you to pick up Mr X at the central station
- I know there are k other men, I don't know who

- I want you to pick up Mr X at the central station
- I know there are k other men, I don't know who
- I know his length, but you only see relative length

- I want you to pick up Mr X at the central station
- I know there are k other men, I don't know who
- I know his length, but you only see relative length
- I can only say  $m_1$  or  $m_2$

- I want you to pick up Mr X at the central station
- I know there are k other men, I don't know who
- I know his length, but you only see relative length
- I can only say  $m_1$  or  $m_2$
- What are descriptive and imperative meanings of messages?

• T set of (individuals with different) lengths

- T set of (individuals with different) lengths
- S wants to communicate  $t \in T$ : Strategies:  $[T \to M]$

- T set of (individuals with different) lengths
- S wants to communicate  $t \in T$ : Strategies:  $[T \to M]$
- Comparison class k other men, S doesn't know, R does

- T set of (individuals with different) lengths
- ullet S wants to communicate  $t\in T$ : Strategies: [T o M]
- ullet Comparison class k other men, S doesn't know, R does
- ullet R picks individual in each comparison class: [C o T]

- T set of (individuals with different) lengths
- ullet S wants to communicate  $t\in T$ : Strategies: [T o M]
- ullet Comparison class k other men, S doesn't know, R does
- R picks individual in each comparison class:  $[C \to T]$ In each comparison class R picks the ith tallest man

- ullet T set of (individuals with different) lengths
- ullet S wants to communicate  $t\in T$ : Strategies: [T o M]
- ullet Comparison class k other men, S doesn't know, R does
- ullet R picks individual in each comparison class: [C o T] In each comparison class R picks the ith tallest man
- $U(t,f) = \sum_{c \in C_t} P(c/t) \times [1, \text{ if } t = f(c), \text{ 0 otherwise}]$

- T set of (individuals with different) lengths
- S wants to communicate  $t \in T$ : Strategies:  $[T \to M]$
- Comparison class k other men. S doesn't know. R does
- R picks individual in each comparison class:  $[C \to T]$ In each comparison class R picks the ith tallest man
- $U(t,f) = \sum_{c \in C_t} P(c/t) \times [1, \text{ if } t = f(c), \text{ 0 otherwise}]$
- Equilibria  $\langle \sigma, \rho \rangle$ : static (Nash) and evolutionary (ESS)

- T set of (individuals with different) lengths
- ullet S wants to communicate  $t\in T$ : Strategies:  $[T\to M]$
- ullet Comparison class k other men, S doesn't know, R does
- ullet R picks individual in each comparison class: [C o T] In each comparison class R picks the ith tallest man
- $\bullet \ U(t,f) = \sum_{c \in C_t} P(c/t) \times [1, \text{ if } t = f(c), \text{ 0 otherwise}]$
- Equilibria  $\langle \sigma, \rho \rangle$ : static (Nash) and evolutionary (ESS)
- Descriptive meaning:  $[[m]] = \sigma^{-1}(m) = \{t \in T : \sigma(t) = m\}$

- T set of (individuals with different) lengths
- S wants to communicate  $t \in T$ : Strategies:  $[T \to M]$
- Comparison class k other men. S doesn't know. R does
- R picks individual in each comparison class:  $[C \to T]$ In each comparison class R picks the ith tallest man
- $U(t,f) = \sum_{c \in C_t} P(c/t) \times [1, \text{ if } t = f(c), \text{ 0 otherwise}]$
- Equilibria  $\langle \sigma, \rho \rangle$ : static (Nash) and evolutionary (ESS)
- Descriptive meaning:  $[[m]] = \sigma^{-1}(m) = \{t \in T : \sigma(t) = m\}$
- Imper. meaning:  $I(m) = \rho(m) \quad \forall c$  picking the ith largest man in c

## **Results for Picking games**

## **Results for Picking games**

ullet If flat distribution P-distribution over T

- If flat distribution P-distribution over T
- Many Nash equilibria, but only one type of evolutionary equilibrium

- If flat distribution P-distribution over T
- Many Nash equilibria, but only one type of evolutionary equilibrium
  - for small T, C and  $M = \{m_1, m_2\}$ : analytic results

- If flat distribution P-distribution over T
- Many Nash equilibria, but only one type of evolutionary equilibrium
  - **1** for small T, C and  $M = \{m_1, m_2\}$ : analytic results
  - 2 For larger setups: simulation and or only maximal expected utility


- ullet If flat distribution P-distribution over T
- Many Nash equilibria, but only one type of evolutionary equilibrium
  - for small T, C and  $M = \{m_1, m_2\}$ : analytic results
  - For larger setups: simulation and or only maximal expected utility
- If  $T = \{t_1, \dots t_n\}$  with if i < j, then  $t_i < t_j$

- If flat distribution P-distribution over T
- Many Nash equilibria, but only one type of evolutionary equilibrium
  - for small T, C and  $M = \{m_1, m_2\}$ : analytic results
  - For larger setups: simulation and or only maximal expected utility
- If  $T = \{t_1, \dots t_n\}$  with if i < j, then  $t_i < t_j$  $[[m_1]] = \{t_1, \dots, t_i\} \text{ and } [[m_2]] = \{t_{i+1}, \dots, t_n\} \Rightarrow$ Convex


- If flat distribution P-distribution over T
- Many Nash equilibria, but only one type of evolutionary equilibrium
  - for small T, C and  $M = \{m_1, m_2\}$ : analytic results
  - 2 For larger setups: simulation and or only maximal expected utility
- If  $T=\{t_1,\cdots t_n\}$  with if i< j, then  $t_i< t_j$   $[[m_1]]=\{t_1,\cdots,t_i\} \text{ and } [[m_2]]=\{t_{i+1},\cdots,t_n\} \Rightarrow \text{Convex}$
- $I(m_1) = \text{pick shortest individual}$   $I(m_2) = \text{pick tallest individual}$

- If flat distribution P-distribution over T
- Many Nash equilibria, but only one type of evolutionary equilibrium
  - **1** for small T, C and  $M = \{m_1, m_2\}$ : analytic results
  - 2 For larger setups: simulation and or only maximal expected utility
- If  $T=\{t_1,\cdots t_n\}$  with if i< j, then  $t_i< t_j$   $[[m_1]]=\{t_1,\cdots,t_i\} \text{ and } [[m_2]]=\{t_{i+1},\cdots,t_n\} \Rightarrow \text{Convex}$
- $I(m_1) = \text{pick shortest}$  individual  $I(m_2) = \text{pick tallest}$  individual
- ⇒ Imperative meaning is stereotype: extreme representative.

### **Generalizations I**



### Generalizations II



• Natural Properties: evolve in meaning spaces

- Natural Properties: evolve in meaning spaces
- Game theoretical analysis

- Natural Properties: evolve in meaning spaces
- Game theoretical analysis
- Sim-max games versus Picking games

- Natural Properties: evolve in meaning spaces
- Game theoretical analysis
- Sim-max games versus Picking games
- Can account for prototypes and stereotypes

- Natural Properties: evolve in meaning spaces
- Game theoretical analysis
- Sim-max games versus Picking games
- Can account for prototypes and stereotypes
- Stereotypes is the one to go for

- Natural Properties: evolve in meaning spaces
- Game theoretical analysis
- Sim-max games versus Picking games
- Can account for prototypes and stereotypes
- Stereotypes is the one to go for
  - · · · also for colours