

0.a. Goal

Goal 3. Ensure healthy lives and promote well-being for all at all ages

0.b. Target

3.1 By 2030, reduce the global maternal mortality rate to below 70 per 100,000 live births

0.c. Indicator

3.1.3. Neonatal mortality rate

0.e. Metadata update

2020

1.a. Organisation

ISTEEBU

1.b. Contact person(s)

NDAYISENGA Modest

1.c. Contact organisation unit

Department of Social Studies and Statistics and Poverty Monitoring, Ponit focal ODD

1.d. Contact person function

Head of Service and Focal Point

1.e. Contact phone

79401937

1.g. Contact email

ndayimode2010@gmail.com

2.a. Definition and concepts

Number of live births who died before reaching a week divided by Total number of live births during a period multiplied by 1000

2.b. Unit of measure

%

3.a. Data sources

EDSB-III, 2016-2017

3.b. Data collection method

Data are collected from household surveys using the "household" questionnaire

3.c. Data collection calendar

The probable date of the next collection will be 2021 (Next DHS)

3.d. Data release calendar

In 2022

3.e. Data providers

ISTEEBU

3.f. Data compilers

ISTEEBU is responsible for compiling this indicator at the national level

3.g. Institutional mandate

ISTEEBU is the body recognized by the Burundian government for the collection, processing and dissemination of official statistics helping in planning and decision-making.

4.a. Rationale

The indicator is relevant because it reflects the demographic and health situation of the population.

4.b. Comment and limitations

Updating the indicator requires a household survey which is very resource intensive.

4.c. Method of computation

The neonatal (early) mortality rate is the probability (expressed as a rate per 1000 live births) of a stillborn child of dying before reaching one week (7 days).

4.d. Validation

The results of the survey are validated at two levels: technical validation and official validation before publication

5. Data availability and disaggregation

The indicator is available at national level, province, Place of residence (Total; Girls; Boys; Urban area; Rural area)

6. Comparability/deviation from international standards

The indicator can be compared to other indicators of the same type at regional and international level

7. References and Documentation

Report of the Demographic and Health Survey 2016-2017