#### 0.a. Goal

Goal 2. End hunger, achieve food security, improve nutrition and promote sustainable agriculture

### 0.b. Target

2.2 By 2030, end all forms of malnutrition, including achieving by 2025 internationally agreed targets for stunting and wasting in children under 5 years, and meet the nutritional needs of adolescent girls, pregnant or breastfeeding women and the elderly

#### 0.c. Indicator

2.2.2. Chronic malnutrition rate

## 0.e. Metadata update

2020

### 1.a. Organisation

**ISTEEBU** 

## 1.b. Contact person(s)

NDAYISENGA Modest

### 1.c. Contact organisation unit

Department of Social Studies and Statistics and Poverty Monitoring, Ponit focal ODD

# 1.d. Contact person function

Head of Service and Focal Point

## 1.e. Contact phone

79401937

# 1.g. Contact email

ndayimode2010@gmail.com

### 2.a. Definition and concepts

Stunting, or chronic malnutrition, is a form of undernutrition. Stunting is the result of prolonged and repeated episodes of undernutrition.

# 2.b. Unit of measure

%

#### 3.a. Data sources

Nutritional surveys

#### 3.b. Data collection method

Data are collected from household surveys using the "household" questionnaire

#### 3.c. Data collection calendar

The probable date of the next collection will be 2020

#### 3.d. Data release calendar

In 2020

# 3.e. Data providers

**ISTEEBU** 

## 3.f. Data compilers

ISTEEBU is responsible for compiling this indicator at the national level

# 3.g. Institutional mandate

ISTEEBU is the body recognized by the Burundian government for the collection, processing and dissemination of official statistics helping in planning and decision-making.

#### 4.a. Rationale

The indicator is relevant because it reports on the nutritional situation of children under 5 years old.

#### 4.b. Comment and limitations

Updating the indicator requires a household survey which requires a lot of resources and most of which is donated by partners

### 4.c. Method of computation

It is defined as a height-for-age (TAZ) z-score less than two standard deviations of the median of the reference population.

#### 4.d. Validation

The results of the survey are validated at two levels: technical validation and official validation before publication

# 5. Data availability and disaggregation

The indicator is available at national level, province, Place of residence (Total; Girls; Boys; 0-11 months; 12-23 months; 24-59 months)

### 6. Comparability/deviation from international standards

The indicator can be compared to other indicators of the same type at regional and international level

# 7. References and Documentation

Report of the Survey on the nutritional situation in Burundi

Page: 3 of 3