

0.a. Goal

Goal 3. Ensure healthy lives and promote well-being for all at all ages

0.b. Target

3.3 By 2030, end the epidemic of AIDS, tuberculosis, malaria and neglected tropical diseases and combat hepatitis, water-borne diseases and other communicable diseases

0.c. Indicator

3.3.7. TB-HIV co-infection rate

1.a. Organisation

MSPLS

1.b. Contact person(s)

NIYUNGEKO Jacqueline

1.e. Contact phone

79976694

1.g. Contact email

niyungeko.jacqueline@gmail.com

2.a. Definition and concepts

This is the percentage of cases of TB-HIV co-infection found in relation to all cases of HIV

2.b. Unit of measure

%

3.a. Data sources

Health statistics yearbook

3.b. Data collection method

Data is collected from administrative registers of health facilities

3.c. Data collection calendar

Collection is done annually

3.d. Data release calendar

Every year

3.e. Data providers

MSPLS

3.f. Data compilers

MSPLS

3.g. Institutional mandate

The Ministerial departments are the members of the SSN whose mission is to collect, process and disseminate the data of their sector.

4.a. Rationale

The indicator is relevant because it reflects the health situation in Burundi.

4.b. Comment and limitations

Updating the indicator requires exhaustive collection in health facilities. For most of the data, data from private health facilities are not taken into account.

4.c. Method of computation

Ratio of TB-HIV coinfection cases to all HIV cases, expressed as a percentage

4.d. Validation

The results of the data collection are validated at two levels: internal validation and validation at the CTIS level before publication

5. Data availability and disaggregation

The indicator is available at national level.

6. Comparability/deviation from international standards

The indicator can be compared to other indicators of the same type at regional and international level

7. References and Documentation

Health statistics yearbook