

## **0.a. Goal**

Goal 3. Ensure healthy lives and promote well-being for all at all ages

## **0.b. Target**

3.7 By 2030, ensure universal access to sexual and reproductive health-care services, including for family planning, information and education, and ensure that the reproductive health in national strategies and programs

## **0.c. Indicator**

3.7.1. Contraceptive prevalence rate for women in unions (in%)

## **0.e. Metadata update**

2020

## **1.a. Organisation**

ISTEEBU

## **1.b. Contact person(s)**

NDAYISENGA Modest

## **1.c. Contact organisation unit**

Department of Social Studies and Statistics and Poverty Monitoring, Ponit focal ODD

## **1.d. Contact person function**

Head of Service and Focal Point

## **1.e. Contact phone**

79401937

## **1.g. Contact email**

ndayimode2010@gmail.com

## ***2.a. Definition and concepts***

It is the ratio between women aged 15 to 49 in union who use a contraceptive method and all women aged 15 to 49 in union during the year.

## ***2.b. Unit of measure***

%

## ***3.a. Data sources***

EDSB-III, 2016-2017

## ***3.b. Data collection method***

Data are collected from household surveys using the "household" questionnaire

## ***3.c. Data collection calendar***

The probable date of the next collection will be 2021 (Next DHS)

## ***3.d. Data release calendar***

In 2022

## ***3.e. Data providers***

ISTEEBU

## ***3.f. Data compilers***

ISTEEBU is responsible for compiling this indicator at the national level

## ***3.g. Institutional mandate***

ISTEEBU is the body recognized by the Burundian government for the collection, processing and dissemination of official statistics helping in planning and decision-making.

## ***4.a. Rationale***

The indicator is relevant because it reflects the demographic and health situation of the population.

## ***4.b. Comment and limitations***

Updating the indicator requires a household survey which is very resource intensive.

#### ***4.c. Method of computation***

(Number of women aged 15 to 49 in union who used a contraceptive method during the year in question divided by the total number of women aged 15 to 49 in union minus the number of pregnancies expected during the year, year) multiplied by 100

#### ***4.d. Validation***

The results of the survey are validated at two levels: technical validation and official validation before publication

#### ***5. Data availability and disaggregation***

The indicator is available at national level, province, area of residence (Total; Urban area; Rural area)

#### ***6. Comparability/deviation from international standards***

The indicator can be compared to other indicators of the same type at regional and international level

#### ***7. References and Documentation***

Report of the Demographic and Health Survey 2016-2017