

Attachment: the passages behind each answer

Prepared 5 October 2026. For each question, every passage an answer sentence cites, quoted as it appears in the source, with where to find it. Documents captured from the web are quoted as captured on the date shown; the DCAT-US 3.0 pages have been revised since some captures. In quoted web text, a link to another part of the same page is shown as its link text.

1. What is DCAT-US 3.0, and how does it relate to W3C DCAT 3?

Sentence 1. DCAT-US v3.0 is the federal data catalog metadata standard, updated to improve the Findability, Accessibility, Interoperability, and Reusability (FAIRness) of federal data.

DCAT-US 3.0 Overview (resources.data.gov) (text; line 48 of the page text, under “What is DCAT-US v3.0”); <https://resources.data.gov/resources/dcat-us3/>

DCAT-US v3.0 is the federal data catalog metadata standard, updated to improve the Findability, Accessibility, Interoperability, and Reusability (FAIRness) of federal data. It is a U.S. application profile of the W3C Data Catalog Vocabulary (DCAT) version 3 — not a new or separate standard. This means most DCAT-US v3.0 metadata is valid W3C DCAT 3 metadata, making it easier to share federal data with international catalogs and platforms that understand the W3C standard. DCAT-US v3.0 was developed collaboratively by the Federal Chief Data Officers Council, the Federal Committee on Statistical Methodology, and the Data.gov team at GSA, drawing on more than a decade of implementation experience with v1.1 and feedback from agencies, data providers, and data users across government. The schema is maintained in a public GitHub repository and governed through a CDO Tiger Team review process to ensure ongoing accuracy and responsiveness to agency needs.

DCAT-US Schema v3.0 (overview and reference) (passage; passage 7 (identifier dcat_us_3_schema#s7)); <https://resources.data.gov/resources/dcat-us3/>

DCAT-US v3.0 is the federal data catalog metadata standard, updated to improve the Findability, Accessibility, Interoperability, and Reusability (FAIRness) of federal data. It is a U.S. application profile of the W3C Data Catalog Vocabulary (DCAT) version 3 - not a new or separate standard. This means most DCAT-US v3.0 metadata is valid W3C DCAT 3 metadata, making it easier to share federal data with international catalogs and platforms that understand the W3C standard.

Sentence 2. It is a U.S. application profile of W3C DCAT version 3, not a new or separate standard, so most DCAT-US v3.0 metadata is valid W3C DCAT 3 metadata.

DCAT-US 3.0 Overview (resources.data.gov) (text; line 48 of the page text, under “What is DCAT-US v3.0”); <https://resources.data.gov/resources/dcat-us3/>

DCAT-US v3.0 is the federal data catalog metadata standard, updated to improve the Findability, Accessibility, Interoperability, and Reusability (FAIRness) of federal data. It is a U.S. application profile of the W3C Data Catalog Vocabulary (DCAT) version 3 — not a new or separate standard. This means most DCAT-US v3.0 metadata is valid W3C DCAT 3 metadata, making it easier to share federal data with international catalogs and platforms that understand the W3C standard. DCAT-US v3.0 was developed collaboratively by the Federal Chief Data Officers Council, the Federal Committee on Statistical Methodology, and the Data.gov team at GSA, drawing on more than a decade of implementation experience with v1.1 and feedback from agencies, data providers, and data users across government. The schema is maintained in a public GitHub repository and governed through a CDO Tiger Team review process to ensure ongoing accuracy and responsiveness to agency needs.

DCAT-US Schema v3.0 (overview and reference) (passage; passage 7 (identifier dcat_us_3_schema#s7)); <https://resources.data.gov/resources/dcat-us3/>

DCAT-US v3.0 is the federal data catalog metadata standard, updated to improve the Findability, Accessibility, Interoperability, and Reusability (FAIRness) of federal data. It is a U.S. application profile of the W3C Data Catalog Vocabulary (DCAT) version 3 - not a new or separate standard. This means most DCAT-US v3.0 metadata is valid W3C DCAT 3 metadata, making it easier to share federal data with international catalogs and platforms that understand the W3C standard.

Sentence 3. OMB memorandum M-25-05 states the OMB-approved standard metadata schema will conform to the United States profile of the W3C Data Catalog Vocabulary Version 3, known as DCAT-US 3.0.

M-25-05: Phase 2 Implementation of the Evidence Act — Open Government Data Access and Management Guidance (passage; passage 104 (identifier m_25_05#s104)); <https://bidenwhitehouse.archives.gov/wp-content/uploads/2025/01/M-25-05-Phase-2-Implementation-of-the-Foundations-for-Evidence-Based-Policymaking-Act-of-2018-Open-Government-Data-Access-and-Management-Guidance.pdf>

The OMB-approved standard metadata schema will conform to the United States profile of the W3C Data Catalog Vocabulary Version 3, known as the DCAT-US 3.0. Guidance on updating comprehensive data inventories to conform with DCAT-US 3.0 will be available on resources.data.gov within 180 days of issuance of this Memorandum.

2. Who developed it, and what was FCSM’s role (the FAIRness Project)?

Sentence 1. GSA’s DCAT-US v3.0 overview pages state it was developed collaboratively by the Federal Chief Data Officers Council, the Federal Committee on Statistical Methodology, and the Data.gov team at GSA.

DCAT-US 3.0 Overview (resources.data.gov) (text; line 48 of the page text, under “What is DCAT-US v3.0”); <https://resources.data.gov/resources/dcat-us3/>

DCAT-US v3.0 is the federal data catalog metadata standard, updated to improve the Findability, Accessibility, Interoperability, and Reusability (FAIRness) of federal data. It is a U.S. application profile of the W3C Data Catalog Vocabulary (DCAT) version 3 — not a new or separate standard. This means most DCAT-US v3.0 metadata is valid W3C DCAT 3 metadata, making it easier to share federal data with international catalogs and platforms that understand the W3C standard. DCAT-US v3.0 was developed collaboratively by the Federal Chief Data Officers Council, the Federal Committee on Statistical Methodology, and the Data.gov team at GSA, drawing on more than a decade of implementation experience with v1.1 and feedback from agencies, data providers, and data users across government. The schema is maintained in a public GitHub repository and governed through a CDO Tiger Team review process to ensure ongoing accuracy and responsiveness to agency needs.

DCAT-US Schema v3.0 (overview and reference) (passage; passage 8 (identifier dcat_us_3_schema#s8)); <https://resources.data.gov/resources/dcat-us3/>

DCAT-US v3.0 was developed collaboratively by the Federal Chief Data Officers Council, the Federal Committee on Statistical Methodology, and the Data.gov team at GSA, drawing on more than a decade of implementation experience with v1.1 and feedback from agencies, data providers, and data users across government. The schema is maintained in a public GitHub repository and governed through a CDO Tiger Team review process to ensure ongoing accuracy and responsiveness to agency needs.

Sentence 2. The FAIRness Project wiki says the Federal Chief Data Officer Council, in partnership with FCSM, is leading the project, whose outcome will be an updated federal metadata standard for agency data inventories.

Welcome to the CDOC/FCSM FAIRness Project (DCAT-US 3 project wiki, Home) (text; line 16 of the page text, under “Welcome to the CDOC/FCSM FAIRness Project”); <https://raw.githubusercontent.com/wiki/DOI-DO/dcat-us/Home.md>

The Federal Chief Data Officer Council (CDOC) in partnership with the Federal Committee on Statistical Methodology (FCSM) is leading a project to build trust and FAIRness into the Process for Finding and Using Government Data. The outcome will be an updated federal metadata standard for agencies’ data inventories. The FAIRness Project aims to improve and enhance data users’ ability to find and assess federal data, reduce complexity for metadata producers, and standardize metadata requirements for geospatial, statistical, and other open data.

Sentence 3. A 2024 FCSM conference presentation names the project co-chairs as Thomas Dabolt of Interior and Michael Ratcliffe of the Census Bureau, for the CDO Council and FCSM.

The FAIRness Project: Building Trust and FAIRness into Finding and Using Government Data (FCSM 2024 Research and Policy Conference, session B3.3) (quoted sentence; identifier fcsm-2024-b3-3-fairness-project::c-fairness-project); https://statspolicy.gov/assets/fcsml/files/docs/2024-conference-docs/B/B3.3_Dabolt.pdf

The FAIRness Project Building Trust and FAIRness into Finding and Using Government Data Chief Data Officers Council and Federal Committee on Statistical Methodology Project Co-Chairs Thomas Dabolt Michael Ratcliffe Thomas_dabolt@ios.doi.gov michael.r.ratcliffe@census.gov

3. What does policy require of agencies, and by when (M-25-05, the Evidence Act’s inventory requirements)?

Sentence 1. The Implementation Guide says Title II of the Evidence Act and M-25-05 direct each agency to develop and maintain a comprehensive data inventory and submit metadata to Data.gov’s Federal Data Catalog by September 30, 2026.

DCAT-US v3.0 Schema Implementation Guide (passage; passage 70 (identifier dcat_us_3_implementation_guide#s70)); <https://resources.data.gov/resources/dcat-us-3-implementation/>

Through the passage of Title II of the Foundations for Evidence-Based Policymaking Act of 2018 (also known as the OPEN Government Data Act), and the release of OMB M-25-05, 2 each federal agency has been directed to ‘develop and maintain a comprehensive data inventory’ and submit metadata for agency data assets to the public-facing Federal Data Catalog hosted on Data.gov 3 by September 30, 2026 4 (M-25-05 Key Requirements and Actions are located in Appendix A). This centralization supports government-wide data visibility and fosters innovation and civic engagement by providing the public and private sectors with access to federal data assets.

Sentence 2. M-25-05’s action table sets September 30, 2026 for inventory data asset listings updated to DCAT-US 3.0, and requires the inventory hosted publicly at [www.\[agency\].gov/data.json](http://www.[agency].gov/data.json).

M-25-05: Phase 2 Implementation of the Evidence Act — Open Government Data Access and Management (quoted sentence; Section 4(a) (ii), identifier m-25-05-phase-2-implementation-of-the-evidence-act-open-gove::s_dcat); <https://bidenwhitehouse.archives.gov/wp-content/uploads/2025/01/M-25-05-Phase-2-Implementation-of-the-Foundations-for-Evidence-Based-Policymaking-Act-of-2018-Open-Government-Data-Access-and-Management-Guidance.pdf>

‘s website 180 days from issuance of this Memorandum 3 Agency 6 IRM Strategic Plan updated with open data plan 180 days from issuance of this Memorandum 4 Agency 4(a) Comprehensive data inventory data asset listings updated to DCAT-US 3.0 updated schema September 30, 2026 5 Agency 4(a) Comprehensive data inventory hosted publicly on the agency’s website at the address: [www.\[agency\].gov/data.json](http://www.[agency].gov/data.json).

M-25-05: Phase 2 Implementation of the Evidence Act — Open Government Data Access and Management (quoted sentence; Section 6, identifier m-25-05-phase-2-implementation-of-the-evidence-act-open-gove::c_irm_plan); <https://bidenwhitehouse.archives.gov/wp-content/uploads/2025/01/M-25-05-Phase-2-Implementation-of-the-Foundations-for-Evidence-Based-Policymaking-Act-of-2018-Open-Government-Data-Access-and-Management-Guidance.pdf>

e open data plan point of contact prominently displayed on the agency’s website 180 days from issuance of this Memorandum 3 Agency 6 IRM Strategic Plan updated with open data plan 180 days from issuance of this Memorandum 4 Agency 4(a) Comprehensive data inventory data asset listings updated to DCAT-US 3.0 updated schema September 30, 2026 5 Agency 4(a) Comprehensive data inventory hosted publicly

Sentence 3. M-25-05 also says agencies must update the inventory no later than 90 days after creating or identifying a data asset, and within one year if the schema changes.

M-25-05: Phase 2 Implementation of the Evidence Act — Open Government Data Access and Management Guidance (passage; passage 92 (identifier m_25_05#s92)); <https://bidenwhitehouse.archives.gov/wp-content/uploads/2025/01/M-25-05-Phase-2-Implementation-of-the-Foundations-for-Evidence-Based-Policymaking-Act-of-2018-Open-Government-Data-Access-and-Management-Guidance.pdf>

Agencies must update the comprehensive data inventory no later than 90 days after the date on which the agency creates or identifies a data asset.

M-25-05: Phase 2 Implementation of the Evidence Act — Open Government Data Access and Management Guidance (passage; passage 103 (identifier m_25_05#s103)); <https://bidenwhitehouse.archives.gov/wp-content/uploads/2025/01/M-25-05-Phase-2-Implementation-of-the-Foundations-for-Evidence-Based-Policymaking-Act-of-2018-Open-Government-Data-Access-and-Management-Guidance.pdf>

Each agency’s comprehensive data inventory must conform to the standard metadata schema approved by OMB and available on resources.data.gov.
39 If that schema changes, agencies must update their inventories appropriately within one year.

4. Which elements are Mandatory, Recommended and Optional, and what did v1.1 require that 3.0 does not?

Sentence 1. The DCAT-US 3.0 Dataset page captured on 15 September 2026 lists title, description, identifier and contactPoint as Mandatory.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; *Internet Archive capture 2026-09-15, after the September 2026 rewrite*) (table row; lines 154 (Dataset page, 2026-09-15), 889 (Dataset page, 2026-08-21), 2404 (working draft), 568 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element title. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > title **Requirement:** Mandatory || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > title # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: title | | Requirement level | **Mandatory** | | URI dcterms:title || DCAT-US v1.1 schema: Field title | Required | Yes, always

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 126 (Dataset page, 2026-09-15), 569 (Dataset page, 2026-08-21), 2419 (working draft), 280 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element description. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > description **Requirement:** Mandatory || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > description # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: description | | Requirement level | **Mandatory** | | URI dcterms:description || DCAT-US v1.1 schema: Field description | Required | Yes, always

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 145 (Dataset page, 2026-09-15), 591 (Dataset page, 2026-08-21), 2484 (working draft), 404 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element identifier. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > identifier **Requirement:** Mandatory || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > identifier # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: identifier | | Requirement level | **Mandatory** | | URI dcterms:identifier || DCAT-US v1.1 schema: Field identifier | Required | Yes, always

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 95 (Dataset page, 2026-09-15), 162 (Dataset page, 2026-08-21), 2436 (working draft), 222 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element contactPoint. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > contactPoint **Requirement:** Mandatory || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > contactPoint # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: contact point | | Requirement level | Recommended | | URI dcat:contactPoint || DCAT-US v1.1 schema: Field contactPoint | Required | Yes, always

Sentence 2. On that same capture, publisher, keyword, modified, distribution and rights are Recommended, while accrualPeriodicity, issued, language, accessRights and conformsTo are Optional.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 329 (Dataset page, 2026-09-15), 783 (Dataset page, 2026-08-21), 2554 (working draft), 474 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element publisher. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > publisher **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > publisher # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: publisher || Requirement level | **Recommended** || URI dcterms:publisher || DCAT-US v1.1 schema: Field publisher | Required | Yes, always

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 245 (Dataset page, 2026-09-15), 242 (Dataset page, 2026-08-21), 2512 (working draft), 425 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element keyword. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > keyword **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > keyword # **Requirement:** Recommended || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: keyword/tag || Requirement level | Recommended || URI dcat:keyword || DCAT-US v1.1 schema: Field keyword | Required | Yes, always

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 301 (Dataset page, 2026-09-15), 713 (Dataset page, 2026-08-21), 2540 (working draft), 453 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element modified. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > modified **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > modified # **Requirement:** Recommended || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: update/modification date || Requirement level | Recommended || URI dcterms:modified || DCAT-US v1.1 schema: Field modified | Required | Yes, always

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 203 (Dataset page, 2026-09-15), 183 (Dataset page, 2026-08-21), 2450 (working draft), 287 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element distribution. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > distribution **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > distribution # **Requirement:** Recommended || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: dataset distribution || Requirement level | Recommended || URI dcat:distribution || DCAT-US v1.1 schema: Field distribution | Required | Yes, if the dataset has an accessURL or downloadURL.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 337 (Dataset page, 2026-09-15), 816 (Dataset page, 2026-08-21), 2868 (working draft), 529 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element rights. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > rights **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > rights # **Requirement:** Recommended || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: rights || Requirement level | Recommended || URI dterms:rights || DCAT-US v1.1 schema: Field rights | Required | Yes, if accessLevel is “restricted public” or “non-public”

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 482 (Dataset page, 2026-09-15), 419 (Dataset page, 2026-08-21), 2689 (working draft), 201 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element accrualPeriodicity. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > accrualPeriodicity **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > accrualPeriodicity # **Requirement:** Optional || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: frequency || Requirement level | Optional || URI dterms:accrualPeriodicity || DCAT-US v1.1 schema: Field accrualPeriodicity | Required | No

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 729 (Dataset page, 2026-09-15), 626 (Dataset page, 2026-08-21), 2854 (working draft), 418 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element issued. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > issued **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > issued # **Requirement:** Optional || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: release date || Requirement level | Optional || URI dterms:issued || DCAT-US v1.1 schema: Field issued | Required | No

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 757 (Dataset page, 2026-09-15), 681 (Dataset page, 2026-08-21), 2749 (working draft), 439 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element language. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > language **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > language # **Requirement:** Optional || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: language || Requirement level | Optional || URI dcterms:language || DCAT-US v1.1 schema: Field language | Required | No

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 464 (Dataset page, 2026-09-15), 396 (Dataset page, 2026-08-21), 2613 (working draft)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element accessRights. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > accessRights **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > accessRights # **Requirement:** Optional || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: access rights || Requirement level | Optional || URI dcterms:accessRights || Not listed in: DCAT-US v1.1 schema

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 579 (Dataset page, 2026-09-15), 483 (Dataset page, 2026-08-21), 2623 (working draft), 215 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element conformsTo. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > conformsTo **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > conformsTo # **Requirement:** Optional || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: conforms to || Requirement level | Optional || URI dcterms:conformsTo || DCAT-US v1.1 schema: Field conformsTo | Required | No

Sentence 3. The v1.1 schema required accessLevel always, bureauCode and programCode for federal agencies, and publisher, keyword and modified always; the 15 September 2026 page drops the first three and makes the rest Recommended.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 194 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element accessLevel. DCAT-US v1.1 schema: Field accessLevel | Required | Yes, always || Not listed in: DCAT-US 3.0 Dataset page (2026-09-15); DCAT-US 3.0 Dataset page (2026-08-21); DCAT-US 3 working draft (Candidate Recommendation, 2025)

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 208 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element bureauCode. DCAT-US v1.1 schema: Field bureauCode | Required | Yes, for United States Federal Government agencies || Not listed in: DCAT-US 3.0 Dataset page (2026-09-15); DCAT-US 3.0 Dataset page (2026-08-21); DCAT-US 3 working draft (Candidate Recommendation, 2025)

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 467 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element programCode. DCAT-US v1.1 schema: Field programCode | Required | Yes, for United States Federal Government Agencies || Not listed in: DCAT-US 3.0 Dataset page (2026-09-15); DCAT-US 3.0 Dataset page (2026-08-21); DCAT-US 3 working draft (Candidate Recommendation, 2025)

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 329 (Dataset page, 2026-09-15), 783 (Dataset page, 2026-08-21), 2554 (working draft), 474 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element publisher. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > publisher **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > publisher # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: publisher || Requirement level | **Recommended** || URI dcterms:publisher || DCAT-US v1.1 schema: Field publisher | Required | Yes, always

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 245 (Dataset page, 2026-09-15), 242 (Dataset page, 2026-08-21), 2512 (working draft), 425 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element keyword. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > keyword **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > keyword # **Requirement:** Recommended || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: keyword/tag || Requirement level | Recommended || URI dcat:keyword || DCAT-US v1.1 schema: Field keyword | Required | Yes, always

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 301 (Dataset page, 2026-09-15), 713 (Dataset page, 2026-08-21), 2540 (working draft), 453 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element modified. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > modified **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > modified # **Requirement:** Recommended || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property:

update/modification date | | Requirement level | Recommended | | URI dterms:modified || DCAT-US v1.1 schema: Field modified | Required | Yes, always

Requirement level of each Dataset element, by version

Read from each version’s own text: the v1.1 schema’s “Required” line per field; the 3.0 Dataset page’s “Requirement” line per property, in two captures; and the working draft’s “Requirement level” row per property. The draft column is the level the FAIRness Project’s public draft gave; the project’s 2024 FCSM conference slides name that draft as its first deliverable: “Task 1, DCAT-US 3.0 Schema Update • Draft specification for review: <https://doi-do.github.io/dcat-us>”. “Not listed” means the version does not list the element under that name. The draft gives hasVersion no level.

Element	DCAT-US v1.1: required?	3.0 Dataset page, 15 Sep 2026	3.0 Dataset page, 21 Aug 2026	FAIRness Project draft (captured 4 May 2025)
contactPoint	Yes, always	Mandatory	Mandatory	Recommended
description	Yes, always	Mandatory	Mandatory	Mandatory
identifier	Yes, always	Mandatory	Mandatory	Mandatory
title	Yes, always	Mandatory	Mandatory	Mandatory
accessRestriction	not listed	Recommended	not listed	not listed
cuiRestriction	not listed	Recommended	not listed	not listed
describedBy	No	Recommended	Recommended	Recommended
distribution	Yes, if the dataset has an accessURL or downloadURL.	Recommended	Recommended	Recommended
inventoried	not listed	Recommended	not listed	not listed
keyword	Yes, always	Recommended	Recommended	Recommended
landingPage	No	Recommended	Recommended	Recommended
license	Yes, if applicable	Recommended	not listed	not listed
modified	Yes, always	Recommended	Recommended	Recommended
publisher	Yes, always	Recommended	Mandatory	Recommended

Element	DCAT-US v1.1: required?	3.0 Dataset page, 15 Sep 2026	3.0 Dataset page, 21 Aug 2026	FAIRness Project draft (captured 4 May 2025)
rights	Yes, if accessLevel is “restricted public” or “non-public”	Recommended	Recommended	Recommended
spatial	Yes, if the dataset is spatial	Recommended	Recommended	Recommended
temporal	Yes, if applicable	Recommended	Recommended	Recommended
theme	No	Recommended	Recommended	Recommended
useRestriction	not listed	Recommended	not listed	not listed
accessRights	not listed	Optional	Optional	Optional
accrualPeriodicity	No	Optional	Optional	Optional
category	not listed	Optional	Optional	Optional
conformsTo	No	Optional	Optional	Optional
contributor	not listed	Optional	Optional	Optional
created	not listed	Optional	Optional	not listed
creator	not listed	Optional	Optional	Optional
first	not listed	Optional	Optional	not listed
hasCurrentVersion	not listed	Optional	Optional	not listed
hasPart	not listed	Optional	Optional	not listed
hasQualityMeasurement	not listed	Optional	Optional	Optional
hasVersion	not listed	Optional	Optional	not stated
image	not listed	Optional	Optional	Optional
isReferencedBy	not listed	Optional	Optional	Optional
issued	No	Optional	Optional	Optional

Element	DCAT-US v1.1: required?	3.0 Dataset page, 15 Sep 2026	3.0 Dataset page, 21 Aug 2026	FAIRness Project draft (captured 4 May 2025)
language	No	Optional	Optional	Optional
liabilityStatement	not listed	Optional	Optional	Optional
metadataDistribution	not listed	Optional	Optional	Optional
otherIdentifier	not listed	Optional	Optional	Optional
page	not listed	Optional	Optional	Optional
previousVersion	not listed	Optional	Optional	not listed
provenance	not listed	Optional	Optional	Optional
purpose	not listed	Optional	Optional	Optional
qualifiedAttribution	not listed	Optional	Optional	Optional
qualifiedRelation	not listed	Optional	Optional	Optional
relation	not listed	Optional	Optional	Optional
replaces	not listed	Optional	Optional	not listed
rightsHolder	not listed	Optional	Optional	not listed
sample	not listed	Optional	Optional	Optional
scopeNote	not listed	Optional	Optional	Optional
source	not listed	Optional	Optional	Optional
spatialResolutionInMeters	not listed	Optional	Optional	Optional
status	not listed	Optional	Optional	Optional
subject	not listed	Optional	Optional	Optional
supportedSchema	not listed	Optional	Optional	not listed
temporalResolution	not listed	Optional	Optional	Optional

Element	DCAT-US v1.1: required?	3.0 Dataset page, 15 Sep 2026	3.0 Dataset page, 21 Aug 2026	FAIRness Project draft (captured 4 May 2025)
version	not listed	Optional	Optional	Optional
versionNotes	not listed	Optional	Optional	Optional
wasAttributedTo	not listed	Optional	Optional	not listed
wasGeneratedBy	not listed	Optional	Optional	Optional
wasUsedBy	not listed	Optional	Optional	not listed
accessLevel	Yes, always	not listed	not listed	not listed
bureauCode	Yes, for United States Federal Government agencies	not listed	not listed	not listed
dataQuality	No	not listed	not listed	not listed
describedByType	No	not listed	not listed	not listed
geographicBoundingBox	not listed	not listed	not listed	Recommended
inSeries	not listed	not listed	Optional	Optional
isPartOf	No	not listed	not listed	not listed
next	not listed	not listed	not listed	Optional
prev	not listed	not listed	not listed	Optional
primaryITInvestmentUII	No	not listed	not listed	not listed
programCode	Yes, for United States Federal Government Agencies	not listed	not listed	not listed
references	No	not listed	not listed	not listed
systemOfRecords	No	not listed	not listed	not listed

5. What did FCSM and the FAIRness Project recommend for findability and for assessing fitness for use?

Sentence 1. The FAIRness Project describes a strategic two-year sequencing plan to improve and integrate government-wide metadata cataloging so users can easily find, access, assess for fitness-for-use, and use federal data.

FAIRness Project: Project Overview (DCAT-US 3 project wiki) (text; line 22 of the page text, under “Introduction”); <https://raw.githubusercontent.com/DOI-DO/dcat-us/Project-Overview.md>

3. A strategic two-year sequencing plan to improve and integrate government-wide metadata cataloging to facilitate data users’ ability to easily find, access, assess for fitness-for-use, and use federal data.

The FAIRness Project: Building Trust and FAIRness into Finding and Using Government Data (FCSM 2024 Research and Policy Conference, session B3.3) (quoted sentence; identifier fcsm-2024-b3-3-fairness-project::c-metadata-cataloging); https://statspolicy.gov/assets/fcsm/files/docs/2024-conference-docs/B/B3.3_Dabolt.pdf

- A strategic two-year sequencing (i.e., transition) plan to improve and integrate government-wide metadata cataloging to facilitate data users being able to easily find, access, assess for fitness-for-use, and use federal data.

Sentence 2. FCSM 19-01 states that transparent reporting is achieved when an agency provides clear and detailed documentation so users can assess data quality, that is fitness for use, for themselves.

FCSM 19-01: Transparent Reporting for Integrated Data Quality (quoted sentence; identifier fcsm-19-01-transparent-reporting-for-integrated-data-quality::c-fitness-for-use); https://statspolicy.gov/assets/fcsm/files/docs/Transparent_Reporting_FCSM_19_01_092719.pdf

Transparent reporting of data quality is achieved when an agency provides clear and detailed documentation so that users can assess data quality — that is, the data’s “fitness for use”—for themselves.

FCSM 19-01: Transparent Reporting for Integrated Data Quality (quoted sentence; identifier fcsm-19-01-transparent-reporting-for-integrated-data-quality::c_fitness_for_use); https://statspolicy.gov/assets/fcsm/files/docs/Transparent_Reporting_FCSM_19_01_092719.pdf

An agency provides transparent reporting by describing the product’s data quality with detail that is enough for the user to make an informed assessment about fitness for use.

Sentence 3. FCSM 25-03 says enriching data access points with high-quality metadata and standardized, AI-friendly APIs can significantly improve how large language models discover, interpret, and relay publicly available federal statistics.

FCSM 25-03: AI-Ready Federal Statistical Data — An Extension of Communicating Data Quality (quoted sentence; Challenge & Opportunity, identifier fcs-25-03::c-federal-statistics); https://statspolicy.gov/assets/fcs-25-03/files/docs/FCSM.25.03_AI-Ready-Extension-Data-Quality.pdf

Approach By enriching data access points with high-quality metadata and exposing them through standardized, AI-friendly APIs, agencies can significantly improve how LLMs discover, interpret, and relay publicly available federal statistics. The Department of Commerce’s recent “AI-ready data” initiative exemplifies this approach.

FCSM 25-03: AI-Ready Federal Statistical Data — An Extension of Communicating Data Quality (passage; passage 31 (identifier fcs-25-03#s31)); <https://statspolicy.gov/FCSM/resources/statistical-policy-working-papers/>

By enriching data access points with high-quality metadata and exposing them through standardized, AI-friendly APIs, agencies can significantly improve how LLMs discover, interpret, and relay publicly available federal statistics. The Department of Commerce’s recent ‘AI -ready data’ initiative exemplifies this approach. The guidance is explicitly aimed to ‘improve accuracy of AI responses and increase the prioritization of its authoritative data in AI tools over nonauthoritative sources.’ In practice, this could be interpreted as ensuring data elements and AI-friendly APIs are optimized for machine consumption. However, this interpretation only considers the format of the data and does not consider the meaning of the data.

6. Which of those recommendations reached the Mandatory or Recommended tiers, and which did not?

Sentence 1. contactPoint reached Mandatory: the 2025 working draft gave it Recommended, and both DCAT-US 3.0 Dataset pages, August and September 2026, list it as Mandatory.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; *Internet Archive capture 2026-09-15, after the September 2026 rewrite*) (table row; lines 95 (Dataset page, 2026-09-15), 162 (Dataset page, 2026-08-21), 2436 (working draft), 222 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element contactPoint. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > contactPoint **Requirement:** Mandatory || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > contactPoint # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: contact point || Requirement level | Recommended || URI dcat:contactPoint || DCAT-US v1.1 schema: Field contactPoint | Required | Yes, always

Sentence 2. Quality measurement did not rise: hasQualityMeasurement is Optional in the 2025 working draft and Optional on both the August and September 2026 Dataset pages.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 669 (Dataset page, 2026-09-15), 911 (Dataset page, 2026-08-21), 2703 (working draft)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element hasQualityMeasurement. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > hasQualityMeasurement **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > hasQualityMeasurement # **Requirement:** Optional || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: quality measurement || Requirement level | Optional || URI dqv:hasQualityMeasurement || Not listed in: DCAT-US v1.1 schema

Sentence 3. geographicBoundingBox was Recommended in the 2025 working draft but is not listed on either DCAT-US 3.0 Dataset page.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 2568 (working draft)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element geographicBoundingBox. DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: geographic bounding box || Requirement level | Recommended || URI dcat-us:geographicBoundingBox || Not listed in: DCAT-US 3.0 Dataset page (2026-09-15); DCAT-US 3.0 Dataset page (2026-08-21); DCAT-US v1.1 schema

Requirement level of each Dataset element, by version

Read from each version’s own text: the v1.1 schema’s “Required” line per field; the 3.0 Dataset page’s “Requirement” line per property, in two captures; and the working draft’s “Requirement level” row per property. The draft column is the level the FAIRness Project’s public draft gave; the project’s 2024 FCSM conference slides name that draft as its first deliverable: “Task 1, DCAT-US 3.0 Schema Update • Draft specification for review: <https://doi-do.github.io/dcat-us>”. “Not listed” means the version does not list the element under that name. The draft gives hasVersion no level.

Element	DCAT-US v1.1: required?	3.0 Dataset page, 15 Sep 2026	3.0 Dataset page, 21 Aug 2026	FAIRness Project draft (captured 4 May 2025)
contactPoint	Yes, always	Mandatory	Mandatory	Recommended
description	Yes, always	Mandatory	Mandatory	Mandatory
identifier	Yes, always	Mandatory	Mandatory	Mandatory

Element	DCAT-US v1.1: required?	3.0 Dataset page, 15 Sep 2026	3.0 Dataset page, 21 Aug 2026	FAIRness Project draft (captured 4 May 2025)
title	Yes, always	Mandatory	Mandatory	Mandatory
accessRestriction	not listed	Recommended	not listed	not listed
cuiRestriction	not listed	Recommended	not listed	not listed
describedBy	No	Recommended	Recommended	Recommended
distribution	Yes, if the dataset has an accessURL or downloadURL.	Recommended	Recommended	Recommended
inventoried	not listed	Recommended	not listed	not listed
keyword	Yes, always	Recommended	Recommended	Recommended
landingPage	No	Recommended	Recommended	Recommended
license	Yes, if applicable	Recommended	not listed	not listed
modified	Yes, always	Recommended	Recommended	Recommended
publisher	Yes, always	Recommended	Mandatory	Recommended
rights	Yes, if accessLevel is “restricted public” or “non-public”	Recommended	Recommended	Recommended
spatial	Yes, if the dataset is spatial	Recommended	Recommended	Recommended
temporal	Yes, if applicable	Recommended	Recommended	Recommended
theme	No	Recommended	Recommended	Recommended
useRestriction	not listed	Recommended	not listed	not listed
accessRights	not listed	Optional	Optional	Optional
accrualPeriodicity	No	Optional	Optional	Optional

Element	DCAT-US v1.1: required?	3.0 Dataset page, 15 Sep 2026	3.0 Dataset page, 21 Aug 2026	FAIRness Project draft (captured 4 May 2025)
category	not listed	Optional	Optional	Optional
conformsTo	No	Optional	Optional	Optional
contributor	not listed	Optional	Optional	Optional
created	not listed	Optional	Optional	not listed
creator	not listed	Optional	Optional	Optional
first	not listed	Optional	Optional	not listed
hasCurrentVersion	not listed	Optional	Optional	not listed
hasPart	not listed	Optional	Optional	not listed
hasQualityMeasurement	not listed	Optional	Optional	Optional
hasVersion	not listed	Optional	Optional	not stated
image	not listed	Optional	Optional	Optional
isReferencedBy	not listed	Optional	Optional	Optional
issued	No	Optional	Optional	Optional
language	No	Optional	Optional	Optional
liabilityStatement	not listed	Optional	Optional	Optional
metadataDistribution	not listed	Optional	Optional	Optional
otherIdentifier	not listed	Optional	Optional	Optional
page	not listed	Optional	Optional	Optional
previousVersion	not listed	Optional	Optional	not listed
provenance	not listed	Optional	Optional	Optional
purpose	not listed	Optional	Optional	Optional

Element	DCAT-US v1.1: required?	3.0 Dataset page, 15 Sep 2026	3.0 Dataset page, 21 Aug 2026	FAIRness Project draft (captured 4 May 2025)
qualifiedAttribution	not listed	Optional	Optional	Optional
qualifiedRelation	not listed	Optional	Optional	Optional
relation	not listed	Optional	Optional	Optional
replaces	not listed	Optional	Optional	not listed
rightsHolder	not listed	Optional	Optional	not listed
sample	not listed	Optional	Optional	Optional
scopeNote	not listed	Optional	Optional	Optional
source	not listed	Optional	Optional	Optional
spatialResolutionInMeters	not listed	Optional	Optional	Optional
status	not listed	Optional	Optional	Optional
subject	not listed	Optional	Optional	Optional
supportedSchema	not listed	Optional	Optional	not listed
temporalResolution	not listed	Optional	Optional	Optional
version	not listed	Optional	Optional	Optional
versionNotes	not listed	Optional	Optional	Optional
wasAttributedTo	not listed	Optional	Optional	not listed
wasGeneratedBy	not listed	Optional	Optional	Optional
wasUsedBy	not listed	Optional	Optional	not listed
accessLevel	Yes, always	not listed	not listed	not listed
bureauCode	Yes, for United States Federal Government agencies	not listed	not listed	not listed

Element	DCAT-US v1.1: required?	3.0 Dataset page, 15 Sep 2026	3.0 Dataset page, 21 Aug 2026	FAIRness Project draft (captured 4 May 2025)
dataQuality	No	not listed	not listed	not listed
describedByType	No	not listed	not listed	not listed
geographicBoundingBox	not listed	not listed	not listed	Recommended
inSeries	not listed	not listed	Optional	Optional
isPartOf	No	not listed	not listed	not listed
next	not listed	not listed	not listed	Optional
prev	not listed	not listed	not listed	Optional
primaryITInvestmentUII	No	not listed	not listed	not listed
programCode	Yes, for United States Federal Government Agencies	not listed	not listed	not listed
references	No	not listed	not listed	not listed
systemOfRecords	No	not listed	not listed	not listed

7. What changed between the public working draft and the published schema?

Sentence 1. The 2025 working draft listed contactPoint and publisher as Recommended, while the Dataset page as captured on 21 August 2026 lists both as Mandatory.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 95 (Dataset page, 2026-09-15), 162 (Dataset page, 2026-08-21), 2436 (working draft), 222 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element contactPoint. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > contactPoint **Requirement:** Mandatory || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > contactPoint # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: contact point || Requirement level | Recommended | | URI dcat:contactPoint || DCAT-US v1.1 schema: Field contactPoint | Required | Yes, always

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 329 (Dataset page, 2026-09-15), 783 (Dataset page, 2026-08-21), 2554 (working draft), 474 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element publisher. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > publisher **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > publisher # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: publisher | | Requirement level | **Recommended** | | URI dcterms:publisher || DCAT-US v1.1 schema: Field publisher | Required | Yes, always

Sentence 2. The published Dataset pages list elements the working draft did not, including created, rightsHolder, supportedSchema, wasAttributedTo and wasUsedBy, all Optional.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 603 (Dataset page, 2026-09-15), 497 (Dataset page, 2026-08-21)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element created. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > created **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > created # **Requirement:** Optional || Not listed in: DCAT-US 3 working draft (Candidate Recommendation, 2025); DCAT-US v1.1 schema

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 970 (Dataset page, 2026-09-15), 835 (Dataset page, 2026-08-21)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element rightsHolder. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > rightsHolder **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > rightsHolder # **Requirement:** Optional || Not listed in: DCAT-US 3 working draft (Candidate Recommendation, 2025); DCAT-US v1.1 schema

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 1062 (Dataset page, 2026-09-15), 135 (Dataset page, 2026-08-21)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element supportedSchema. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > supportedSchema **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > supportedSchema # **Requirement:** Optional || Not listed in: DCAT-US 3 working draft (Candidate Recommendation, 2025); DCAT-US v1.1 schema

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 1112 (Dataset page, 2026-09-15), 934 (Dataset page, 2026-08-21)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element wasAttributedTo. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > wasAttributedTo **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > wasAttributedTo # **Requirement:** Optional || Not listed in: DCAT-US 3 working draft (Candidate Recommendation, 2025); DCAT-US v1.1 schema

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 1138 (Dataset page, 2026-09-15), 949 (Dataset page, 2026-08-21)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element wasUsedBy. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > wasUsedBy **Requirement:** Optional || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > wasUsedBy # **Requirement:** Optional || Not listed in: DCAT-US 3 working draft (Candidate Recommendation, 2025); DCAT-US v1.1 schema

Sentence 3. Three properties the working draft listed as Recommended or Optional — geographic bounding box, next and prev — are not listed on either published Dataset page.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 2568 (working draft)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element geographicBoundingBox. DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: geographic bounding box | | Requirement level | Recommended | | URI dcat-us:geographicBoundingBox || Not listed in: DCAT-US 3.0 Dataset page (2026-09-15); DCAT-US 3.0 Dataset page (2026-08-21); DCAT-US v1.1 schema

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 2766 (working draft)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element next. DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: next || Requirement level | Optional || URI dcat:next || Not listed in: DCAT-US 3.0 Dataset page (2026-09-15); DCAT-US 3.0 Dataset page (2026-08-21); DCAT-US v1.1 schema

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 2790 (working draft)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element prev. DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: prev || Requirement level | Optional || URI dcat:prev || Not listed in: DCAT-US 3.0 Dataset page (2026-09-15); DCAT-US 3.0 Dataset page (2026-08-21); DCAT-US v1.1 schema

8. How does 3.0 represent data quality, and how does that map to the FCSM Framework for Data Quality (FCSM 20-04)?

Sentence 1. The DCAT-US 3.0 Dataset page lists hasQualityMeasurement as Optional, holding quality measurements such as completeness, accuracy, or timeliness beyond spatial or temporal resolution.

DCAT-US 3.0 Schema: Dataset (resources.data.gov) (table row; line 80 of the page text, under “DCAT-US 3.0: Dataset”); <https://resources.data.gov/standards/catalog/dcat-us-3/dataset/>

hasQualityMeasurement | null or array of QualityMeasurement classes | Optional | List of quality measurements for the dataset (for example, completeness, accuracy, or timeliness) beyond spatial or temporal resolution

DCAT-US 3.0 Schema: Dataset (resources.data.gov) (text; line 912 of the page text, under “Dataset > hasQualityMeasurement”); <https://resources.data.gov/standards/catalog/dcat-us-3/dataset/>

Title: quality measurement **Requirement:** Optional List of quality measurements for the dataset (for example, completeness, accuracy, or timeliness) beyond spatial or temporal resolution

Sentence 2. On the Temporal, Spatial, and Metrics page, a QualityMeasurement gives a value, a unitMeasure, and an isMeasurementOf metric whose inDimension names a dimension URI.

DCAT-US 3.0: Temporal, Spatial, and Metrics (resources.data.gov) (text; line 549 of the page text, under “Class QualityMeasurement”); <https://resources.data.gov/standards/catalog/dcat-us-3/temporal-spatial-metrics/>

```
{ "@type" : "QualityMeasurement" , "isMeasurementOf" : { "expectedDataType" : "xsd:decimal" , "inDimension" : "https://example.gov/dimensions/completeness" }, "value" : "98.5" , "unitMeasure" : "percent" }
```

Sentence 3. FCSM 20-04 groups dimensions into utility (relevance, accessibility, timeliness, punctuality, granularity), objectivity (accuracy and reliability, coherence), and integrity (scientific integrity, credibility, computer and physical security, confidentiality).

FCSM 20-04: A Framework for Data Quality (passage; passage 386 (identifier fcs_m_20_04#s386)); <https://statspolicy.gov/FCSM/resources/statistical-policy-working-papers/>

As shown in Figure 2.1 and Table 2.2, the utility domain includes five quality dimensions: relevance, accessibility, timeliness, punctuality, and granularity. These are defined in the subsections below.

FCSM 20-04: A Framework for Data Quality (passage; passage 397 (identifier fcs_m_20_04#s397)); <https://statspolicy.gov/FCSM/resources/statistical-policy-working-papers/>

As shown in Figure 2.2 and Table 2.2, the objectivity domain comprises two quality dimensions: a) accuracy and reliability, and b) coherence. These are defined in the subsections below.

FCSM 20-04: A Framework for Data Quality (quoted sentence; identifier fcs_m-20-04-a-framework-for-data-quality::clm-four-dimensions); https://statspolicy.gov/assets/fcs_m/files/docs/FCSM.20.04_A_Framework_for_Data_Quality.pdf

As shown in Figure 2.1 and Table 2.2, the integrity domain includes four quality dimensions: scientific integrity, credibility, computer and physical security, and confidentiality.

9. Can 3.0 carry what statistical users need: series, dimensions, units, uncertainty (margins of error, CVs), methodology and revisions?

Sentence 1. DatasetSeries groups related datasets published over time, including annual releases, recurring surveys and versioned reference data, and individual Dataset records point back to the series using the inSeries field, listed as Optional.

DCAT-US 3.0 Overview (resources.data.gov) (text; line 72 of the page text, under “What’s new in v3.0”); <https://resources.data.gov/resources/dcat-us3/>

Requirement levels. For the first time, every field is explicitly labeled Mandatory, Recommended, or Optional. Mandatory fields must be present for a record to be valid. Recommended fields are not required by the schema validator but should be populated whenever the information exists

— they improve discoverability and interoperability. Optional fields are available but not expected in most records. **Two new classes** can appear alongside Dataset in the Catalog: * **DataService**: describes an API or other programmatic interface that provides access to data. In v1.1, APIs were documented only as Distributions inside a Dataset. In v3.0, a DataService can be listed at the Catalog level as its own resource, which is useful for services that serve many datasets or are not tied to a single one. See Catalog fields for how DataService fits into the catalog structure. * **DatasetSeries**: groups related datasets published over time — annual releases, recurring surveys, versioned reference data — under a single series record. Individual Dataset records point back to the series using the inSeries field. See DatasetSeries fields.

DCAT-US Schema v3.0 (overview and reference) (passage; passage 25 (identifier dcat_us_3_schema#s25)); <https://resources.data.gov/resources/dcat-us3/>

DatasetSeries: groups related datasets published over time - annual releases, recurring surveys, versioned reference data - under a single series record. Individual Dataset records point back to the series using the inSeries field. See DatasetSeries fields.

DCAT-US 3.0 Schema: Dataset (resources.data.gov) (table row; line 42 of the page text, under “DCAT-US 3.0: Dataset”); <https://resources.data.gov/standards/catalog/dcat-us-3/dataset/>

null or array of DatasetSeries classes | Optional | Dataset series this dataset belongs to

Sentence 2. For revisions, the Dataset page as captured on 15 September 2026 lists previousVersion, a reference to the previous dataset version, and versionNotes, describing how a version differs from earlier ones, both Optional.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; line 73 of the page text, under “DCAT-US 3.0: Dataset”); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

previousVersion | Dataset null or | Optional | reference to the previous dataset version |

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; line 90 of the page text, under “DCAT-US 3.0: Dataset”); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

versionNotes | null or string | Optional | Notes describing how this version differs from earlier versions of the dataset |

Sentence 3. On dimensions, the DOI-DO Candidate Recommendation snapshot captured 4 May 2025 says DCAT 3 and the RDF Data Cube specification introduce new vocabulary terms describing statistical datasets and their dimensions more effectively.

DCAT-US - Version 3: Data Catalog Application Profile for the United States of America (Candidate Recommendation Snapshot; Internet Archive capture 2025-05-04) (text; line 187 of the page text, under “Gaps with DCAT-US 1.1”); https://web.archive.org/web/20250504194000id_/https://doi-do.github.io/dcat-us/

- **Increased expressiveness** : DCAT 3 offers a richer set of classes and properties, enabling more detailed descriptions of datasets and their relationships. - **Improved support for geospatial data** : DCAT 3 provides better support for describing geospatial datasets, including coordinate reference systems and geometry. - **Enhanced handling of statistical data** : DCAT 3 and RDF Data Cube (QB) specification introduce new vocabulary terms to describe statistical datasets and their dimensions more effectively. - **Refined vocabularies** : DCAT 3 benefits from updated reference controlled vocabularies to ensure better interoperability between agencies and systems.

10. Where do the documents disagree with each other: the schema pages, the Implementation Guide, the M-25-05 crosswalk, M-25-05 itself, and secondary accounts? For example, is the language code ISO 639-1 or BCP 47?

Sentence 1. On language the documents agree on ISO 639-1 two-letter codes, and the Overview’s changelog says its own earlier BCP 47 description was an error corrected in May 2026.

DCAT-US 3.0 Overview (resources.data.gov) (text; line 158 of the page text, under “Changelog”); <https://resources.data.gov/resources/dcat-us3/>

Date | Change —|— May 2026 | Page rewritten to correct several errors and add links to schema reference pages generated from the DCAT-US v3.0 GitHub repository. Corrections made: removed `accessLevel` from the “What stays the same” list (not in v3.0 core schema); corrected language breaking change description from BCP 47 to ISO 639-1 two-letter codes; corrected `landingPage` entry (still in schema as Recommended, moved to Structural changes table); corrected `accrualPeriodicity` description to reflect three accepted vocabularies; removed `webService` and `accessLevelComment` (v1.0 fields, not relevant to v1.1 to v3.0 migration); added `bureauCode`, `programCode`, and `accrualPeriodicity` to the relevant tables.

DCAT-US 3.0 Schema: Dataset (resources.data.gov) (table row; line 66 of the page text, under “DCAT-US 3.0: Dataset”); <https://resources.data.gov/standards/catalog/dcat-us-3/dataset/>

More than one type | Optional | ISO 639-1 language code values used in the dataset text or metadata, such as en or es, full list can be seen at <https://id.loc.gov/vocabulary/iso639-1.html>

DCAT-US v3.0 Schema Implementation Guide (version 1.1) (quoted sentence; identifier dcat-us-3-implementation-guide::st-dcat-us-3); <https://resources.data.gov/assets/documents/dcat-us-3-implementation-guide.pdf>

Example: “DCAT-US v3.0” language Best Practice Identifies the language used in the catalog using the two-letter ISO 639-1 codes.

Sentence 2. The Overview disagrees with itself on accrualPeriodicity: its structural-changes table accepts three vocabularies and prefers plain-language codes, while its glossary says plain English descriptions cause validation failures.

DCAT-US 3.0 Overview (resources.data.gov) (table row; line 149 of the page text, under “Structural changes”); <https://resources.data.gov/resources/dcat-us3/>

accrualPeriodicity | ISO 8601 repeating duration only (e.g., R/P1Y) or irregular | Three vocabularies accepted: ISO 19115 plain-language codes, Dublin Core frequency vocabulary, or ISO 8601 repeating duration | ISO 8601 patterns remain valid but plain-language codes are preferred — e.g., “annually” instead of “R/P1Y”.

DCAT-US 3.0 Overview (resources.data.gov) (text; line 169 of the page text, under “Glossary”); <https://resources.data.gov/resources/dcat-us3/>

This section contains explanations of common terms referenced on resources.data.gov. Search for a term: * accrualPeriodicity A DCAT-US metadata field describing how often a dataset is updated. Must use ISO 8601 duration codes in repeating interval format (such as R/P1W for weekly, R/P1M for monthly, R/P1Y for annual) or the literal value ‘irregular’ for datasets that are no longer updated. Plain English descriptions like ‘Weekly’ or ‘Monthly’ are not accepted and cause validation failures. (Source) * API An application programming interface, which is a set of definitions of the ways one piece of computer software communicates with another. It is a method of achieving abstraction, usually (but not necessarily) between higher-level and lower-level software. (Source) * API Analytics Rate limiting will be part of any API platform, without some sort of usage log and analytics showing developers where they stand, the rate limits will cause nothing but frustration. Clearly show developers where they are at with daily, weekly or monthly API usage and provide proper relief valves allowing them to scale their usage properly. [quotation cut here]

Sentence 3. The Dataset page as captured on 15 September 2026 lists publisher as Recommended, while the 21 August 2026 version lists it Mandatory and the 2025 working draft says Recommended.

DCAT-US 3.0 Schema: Dataset (resources.data.gov; Internet Archive capture 2026-09-15, after the September 2026 rewrite) (table row; lines 329 (Dataset page, 2026-09-15), 783 (Dataset page, 2026-08-21), 2554 (working draft), 474 (v1.1 schema)); https://web.archive.org/web/20260915131436id_/https://resources.data.gov/standards/catalog/dcat-us-3/dataset/

Element publisher. DCAT-US 3.0 Dataset page (2026-09-15): ## Dataset > publisher **Requirement:** Recommended || DCAT-US 3.0 Dataset page (2026-08-21): ## Dataset > publisher # **Requirement:** Mandatory || DCAT-US 3 working draft (Candidate Recommendation, 2025): Property: publisher | | Requirement level | **Recommended** | | URI dcterms:publisher || DCAT-US v1.1 schema: Field publisher | Required | Yes, always

11. How does DCAT-US 3.0 relate to AI readiness of statistical data (FCSM 25-03; the AI-readiness framework's indicators)?

Sentence 1. FCSM 25-03 tells agencies to use common schemas or standards like the DCAT metadata standard used in data.gov catalogs, or SDMX, so AI developers have a consistent experience.

FCSM 25-03: AI-Ready Federal Statistical Data — An Extension of Communicating Data Quality (quoted sentence; Approach (p.3), identifier fcsm-25-03::co-metadata); https://statspolicy.gov/assets/fcsm/files/docs/FCSM.25.03_AI-Ready-Extension-Data-Quality.pdf

to improve. This might involve adopting or upgrading it to ensure that it returns comprehensive metadata (descriptions of variables, units, update timestamps, etc.). Use common schemas or standards like the DCAT metadata standard used in data.gov catalogs or SDMX so that AI developers have a consistent experience.

FCSM 25-03: AI-Ready Federal Statistical Data — An Extension of Communicating Data Quality (passage; passage 39 (identifier fcsm_25_03#s39)); <https://statspolicy.gov/FCSM/resources/statistical-policy-working-papers/>

Implement API & Metadata Enhancements: Next, select one or two high-value data products to improve. This might involve adopting or upgrading it to ensure that it returns comprehensive metadata (descriptions of variables, units, update timestamps, etc.). Use common schemas or standards like the DCAT metadata standard used in data.gov catalogs or SDMX so that AI developers have a consistent experience. Consider the domains and dimensions as outlined in the FCSM Framework for Data Quality to inform enhancements. Additionally, consider creating AI-optimized data structures -for example, simplified JSON responses that are easy to parse, or providing summary endpoints that an AI can call for quick context like 'describe this dataset' or 'give me the latest value'. The goal is to develop and document standards that, when incorporated, minimize the effort for any AI or human developer to interpret the data correctly by providing supporting information with each query.

Sentence 2. The DCAT-US v3.0 Schema Implementation Guide says adopting the schema aligns with the administration's AI priorities, because more descriptive metadata conveys context, structure, and lineage AI models need to interpret data correctly.

DCAT-US v3.0 Schema Implementation Guide (passage; passage 85 (identifier dcat_us_3_implementation_guide#s85)); <https://resources.data.gov/resources/dcat-us-3-implementation/>

Adopting the DCAT-US v3.0 schema also aligns with the administration's priorities related to artificial intelligence (AI). 14 As agencies use the schema to make their metadata more descriptive, comprehensive, and understandable, their data assets will more easily convey context, structure, and lineage needed for AI models to correctly interpret and use the data. 15

Sentence 3. One framework indicator, G4, treats issuing authority as machine-readable catalog metadata: publisher, which DCAT-US 3.0 defines as Recommended, or DCAT-US 1.1's required bureauCode and programCode.

AI-readiness framework for federal statistical publishers (indicator text; framework record ind:G4)

The issuing authority of a data product is carried as machine-readable metadata on the product's catalog record: in publisher, the field DCAT-US 3.0 defines for it (Recommended), or in the agency codes DCAT-US 1.1 requires of federal datasets (bureauCode, programCode), which DCAT-US 3.0 does not define and does not reject

12. What did the EU do for statistical data (StatDCAT-AP), and does the US have an equivalent?

Sentence 1. StatDCAT-AP, dated 2019, extends Europe's DCAT Application Profile to describe statistical datasets, dataset series and services, aiming to integrate statistical data portals with open data portals and improve discoverability.

StatDCAT-AP - DCAT Application Profile for description of statistical datasets, Version 1.0.1 (quoted sentence; identifier statdcat-ap-1-0-1::con-statistical-datasets); https://interoperable-europe.ec.europa.eu/sites/default/files/distribution/access_url/2019-05/0812e528-c428-4832-b674-d5b9c68d1b42/StatDCAT-AP_1.0.1.pdf

EXECUTIVE SUMMARY This document contains the specification and the work that was carried out for StatDCAT-AP, an extension of the DCAT Application Profile for data portals in Europe1 for describing statistical datasets, dataset series and services.

StatDCAT-AP - DCAT Application Profile for description of statistical datasets, Version 1.0.1 (quoted sentence; 4.2, identifier statdcat-ap-1-0-1::c-discoverability); https://interoperable-europe.ec.europa.eu/sites/default/files/distribution/access_url/2019-05/0812e528-c428-4832-b674-d5b9c68d1b42/StatDCAT-AP_1.0.1.pdf

StatDCAT-AP aims to facilitate a better integration of the existing statistical data portals with the Open Data Portals, improving the discoverability of statistical datasets.

Sentence 2. Because existing DCAT-AP properties did not meet the requirements, it created new properties in the StatDCAT-AP namespace to expose dimensions, such as time or region, and attributes, such as units of measure.

StatDCAT-AP - DCAT Application Profile for description of statistical datasets, Version 1.0.1 (quoted sentence; identifier statdcat-ap-1-0-1::d5); https://interoperable-europe.ec.europa.eu/sites/default/files/distribution/access_url/2019-05/0812e528-c428-4832-b674-d5b9c68d1b42/StatDCAT-AP_1.0.1.pdf

Dimensions and attributes A requirement has been expressed to expose information about: [?] Attributes: components used to qualify and interpret observed values such as units of measure, scaling factors [?] Dimensions: components that identify observations such as time, sex, age, regions The following two properties were created in the StatDCAT-AP namespace: Property Attribute URI stat:attribute Range qb:AttributeProperty, expressed as a URI.

StatDCAT-AP - DCAT Application Profile for description of statistical datasets, Version 1.0.1 (quoted sentence; identifier statdcat-ap-1-0-1::st2); https://interoperable-europe.ec.europa.eu/sites/default/files/distribution/access_url/2019-05/0812e528-c428-4832-b674-d5b9c68d1b42/StatDCAT-AP_1.0.1.pdf

Extensions and specific usage for description of statistical datasets Discussions during the development of the StatDCAT-AP specifications brought out a number of requirements for the description of statistical datasets that were not met by existing properties in DCAT-AP.

Sentence 3. On the US side, the DCAT-US Version 3 Candidate Recommendation snapshot captured 4 May 2025 lists enhanced handling of statistical data, crediting new DCAT 3 and RDF Data Cube vocabulary terms.

DCAT-US - Version 3: Data Catalog Application Profile for the United States of America (Candidate Recommendation Snapshot; Internet Archive capture 2025-05-04) (text; line 187 of the page text, under “Gaps with DCAT-US 1.1”); https://web.archive.org/web/20250504194000id_/https://doi-do.github.io/dcat-us/

- **Increased expressiveness** : DCAT 3 offers a richer set of classes and properties, enabling more detailed descriptions of datasets and their relationships. - **Improved support for geospatial data** : DCAT 3 provides better support for describing geospatial datasets, including coordinate reference systems and geometry. - **Enhanced handling of statistical data** : DCAT 3 and RDF Data Cube (QB) specification introduce new vocabulary terms to describe statistical datasets and their dimensions more effectively. - **Refined vocabularies** : DCAT 3 benefits from updated reference controlled vocabularies to ensure better interoperability between agencies and systems.

13. What options exist for next steps? Examples: a statistical application profile; raising requirement levels through guidance; conformance checking. State what each source supports. Do not recommend beyond the sources.

Sentence 1. For conformance checking, the Data.gov overview says agencies can programmatically validate metadata against the JSON Schema (2020-12), and the 2025 Candidate Recommendation Snapshot defines the profile using SHACL.

DCAT-US 3.0 Overview (resources.data.gov) (text; line 78 of the page text, under “What’s new in v3.0”); <https://resources.data.gov/resources/dcat-us3/>

Supporting classes provide structured definitions for information that was unstructured in v1.1, such as geographic location, temporal coverage, contact information, attribution, quality measurements, and access restrictions. These classes are referenced from Dataset, Distribution, and

the new classes above. Most agencies will encounter them indirectly, through a field that points to one of these structures. **JSON Schema validation.** DCAT-US v3.0 is a valid JSON Schema (2020-12). Agencies can programmatically validate their metadata files against the schema. See [jsonschema/README.md](#) for tooling. **Federal access and use restrictions.** Three new structured classes — `AccessRestriction`, `UseRestriction`, and `CUIRestriction` — replace the v1.1 pattern of expressing restrictions as free text in `rights` or using the three-value `accessLevel` field. These are documented on the Constraints and Restrictions reference page.

DCAT-US - Version 3: Data Catalog Application Profile for the United States of America (Candidate Recommendation Snapshot; Internet Archive capture 2025-05-04) (quoted sentence; identifier `dcat-us-3-candidate-recommendation-snapshot::s_shacl`); https://web.archive.org/web/20250504194000id_/https://doi-do.github.io/dcat-us/

The DCAT-US 3.0 Profile is defined using the Shapes Constraint Language (SHACL), which offers several

Sentence 2. The FAIRness project overview describes post-release governance as an open, transparent process to manage the application profile through any subsequent version releases.

FAIRness Project: Project Overview (DCAT-US 3 project wiki) (text; line 43 of the page text, under “The Process”); <https://raw.githubusercontent.com/wiki/DOI-DO/dcat-us/Project-Overview.md>

3. **Post-release governance** — The period following the publication of the final application profile. During this period, experience recommends an open, transparent process to manage the application profile through any subsequent version releases.

Sentence 3. On statistical extension, StatDCAT-AP 1.0.1 says the base DCAT Application Profile may in future be extended with additional agent roles that have proven useful across domains.

StatDCAT-AP - DCAT Application Profile for description of statistical datasets, Version 1.0.1 (quoted sentence; identifier `statdcat-ap-1-0-1::cl_future_roles_extension`); https://interoperable-europe.ec.europa.eu/sites/default/files/distribution/access_url/2019-05/0812e528-c428-4832-b674-d5b9c68d1b42/StatDCAT-AP_1.0.1.pdf

Based on the experience gained with the use of domain -specific extensions for additional ‘agent roles’ in the exchange of information about Datasets, the base DCAT Application Profile may in the future be extended with additional roles that have proven to be useful across domains.

14. What questions can the current sources not answer? List each, with the document that would answer it if one is known.

Sentence 1. On the transition, the sources do not state the consequences of missing September 30, 2026, when Data.gov stops harvesting DCAT-US v1.1 data.json files, or whether extensions or waivers exist.

question 3 (earlier answer; question 3)

The sources do not state what consequences apply to an agency that misses the September 30, 2026 date.

question 3 (earlier answer; question 3)

The sources do not state when Data.gov stops harvesting DCAT-US v1.1 data.json files at the end of the transition period.

question 3 (earlier answer; question 3)

The sources do not state whether any extension or waiver of these deadlines is available to agencies.