Bryan Rodriguez-Andrade
CS 325 Fall 2020
Homework 1

1. $2/n, 37, \sqrt{n}, n, nloglogn, nlogn, nlog(n^2), nlog^2n, n^{1.5}, n^2, n^2logn, n^3, 2^{\frac{n}{2}}, 2^n$

$$nlog(n^2) = 2nlogn = O(nlogn)$$

$nlog(n^2)$ and nlogn grow at the same rate

2. which grows faster? nlogn or $n^{1+\frac{\epsilon}{\sqrt{logn}}}$ when $\epsilon > 0$?
assume: f(x) > g(x) and prove by contradition, where nlogn = f(x) and $n^{1+\frac{\epsilon}{\sqrt{logn}}}$ = g(x)

$$\begin{aligned}
nlogn &> n^{1+\frac{\epsilon}{\sqrt{logn}}} \\
n \cdot logn &> n \cdot n^{\frac{\epsilon}{\sqrt{logn}}} \\
loglogn > logn^{\frac{\epsilon}{\sqrt{logn}}} &= \frac{\epsilon}{\sqrt{logn}} logn \\
loglogn > \frac{\epsilon}{logn^{\frac{1}{2}}} &= \frac{\epsilon}{logn^{\frac{1}{2}}} \cdot \frac{2logn}{2} \\
loglogn &> \epsilon\sqrt{logn} \\
\text{let X = logn and we get} & \\
\epsilon\sqrt{X}^{<} logX & \\
(\epsilon\sqrt{X})^2 &< (logX)^2 \\
\epsilon^2 L &< log^2 L
\end{aligned}$$

Because ϵ is a constant greater than 0, we can see from the above that $log^2X < \epsilon^2 X$, this is then a contradiction to our statement above showing that $n^{1+\frac{\epsilon}{\sqrt{logn}}}$ grows faster.

3. a. O(n)
b. O(n^2)
c.$O(n^3)$
d.$O(n^2)$
e.$O(n^5)$
f.$O(n^4)$

Figure 1: mergeTime table

N	Time
5000	0.027925491
10000	0.057844639
15000	0.087766171
20000	0.12067771
30000	0.180515289
40000	0.257311821
50000	0.324133396

Figure 2: mergeTime graph



Figure 3: insertTime table

N	Time
5000	1.088094
10000	4.22339344
15000	9.55557251
20000	16.8260305
30000	38.0102339
40000	68.4598172
50000	108.419545

Figure 4: insertTime graph



Figure 5: combined algorithms graph



The merge sort equation that best fits the graph curve is an nlogn line, the best fit for the mergesort graph is an n^2 line.

The experimental run times vs the theoretical running times of the algorithms compare closely of nlogn for Merge sort, and n^2 for insertion sort. The merge sort curve looks linear however, this is likely because the times are too close together to display a proper curve. This means that the variation of the run times was too small.