⚡ EDGE

Setup Guide
Sports Betting Intelligence

Everything you need to get EDGE running with live odds data from FanDuel, DraftKings, BetMGM, and Caesars — in under 10 minutes.

REACT + VITE | THE ODDS API V4 | FREE TIER SUPPORTED | NFL · NBA · MLB

01 — OVERVIEW

What You're Setting Up

EDGE is a real-time sports betting analytics dashboard. Once configured, it displays live odds from four major US sportsbooks, automatically identifies positive-EV bets, and sizes them using the Kelly Criterion.

📊

Live Odds Board

Real-time ML lines from FanDuel, DraftKings, BetMGM, and Caesars across NFL, NBA, and MLB.

⚡

Positive EV Detection

Automatically flags bets where model probability exceeds implied probability by more than 3%.

📈

Line Movement Tracker

6-hour spread movement chart with Sharp Action annotations for the selected game.

🔢

Kelly Bet Sizer

Full, Half, and Quarter Kelly calculations from live bankroll and win probability inputs.

Data sources: Live odds via The Odds API (free key required) · Real injury data via ESPN's unofficial public API (no key needed).

02 — PREREQUISITES

Before You Begin

REQUIREMENT	VERSION	HOW TO CHECK
`Node.js`	v18 or higher	`node --version`
`npm`	v9 or higher	`npm --version`
`Git`	Any recent version	`git --version`

Don't have Node.js? Download the LTS version from **nodejs.org**. This installs both Node and npm automatically.

03 — INSTALLATION

Step-by-Step Setup

1

Get your free API key

Go to **the-odds-api.com** and create a free account. The free tier gives you 500 API requests per month — enough for roughly 87 hours of uptime at the default 5-minute refresh rate.

```
# Free tier limits
Requests per month: 500
Recommended refresh interval: 300,000ms (5 min)
Sports covered: NFL, NBA, MLB, + more
```

2

Clone the repository

```
$ git clone https://github.com/brodyautomates/edge-dashboard.git
$ cd edge-dashboard
```

3

Create your environment file

Copy the example file and add your API key. The `.env` file is gitignored — it will never be committed to version control.

```
$ cp .env.example .env
```

```
# .env — your API credentials
VITE_ODDS_API_KEY=paste_your_key_here
VITE_ODDS_REFRESH_MS=300000
```

4

Install dependencies

```
$ npm install
```

This installs React 18, Vite 5, Recharts, and Tailwind CSS. Takes 15–30 seconds.

5

Start the dashboard

```
$ npm start
```

Opens at **http://localhost:5173**. The dashboard fetches live odds on load and displays a loading screen while connecting to the API.

04 — CONFIGURATION

Environment Variables

VARIABLE	REQUIRED	DEFAULT	DESCRIPTION
`VITE_ODDS_API_KEY`	✅ Yes	—	Your key from the-odds-api.com. Get one free at their website.
`VITE_ODDS_REFRESH_MS`	No	300000	How often to poll for new odds (milliseconds). Keep at 300000+ on free tier.

Never commit your .env file. The .gitignore already excludes it. If you fork this repo or deploy it, always inject API keys via environment variables, not hardcoded in source code.

05 — TROUBLESHOOTING

Common Issues

INVALID API KEY ERROR

The dashboard shows a red error screen with "Invalid API key."

```
# Check 1: Is your .env file in the project root?
$ ls -la | grep .env

# Check 2: Does it have the right variable name?
$ cat .env
# Should show: VITE_ODDS_API_KEY=your_actual_key

# Check 3: Restart after changing .env
$ npm start
```

NO GAMES FOUND

The dashboard loads but shows "No upcoming games found."

> This usually means the API is between seasons. NFL runs Sep–Jan, NBA Oct–Jun, MLB Mar–Oct. Outside these windows, fewer games will be available. This is expected behavior — the board will populate when the next season starts.

API QUOTA EXCEEDED

You've used all 500 free requests for the month.

> Increase `VITE_ODDS_REFRESH_MS` to `600000` (10 min) to slow consumption. Alternatively, upgrade your plan at the-odds-api.com — paid tiers start at a few dollars per month.

PORT ALREADY IN USE

```
# Kill the process on port 5173
$ lsof -ti:5173 | xargs kill -9
$ npm start
```

06 — CUSTOMIZATION

Making It Your Own

CHANGE THE BANKROLL

The $10,000 bankroll is hardcoded in two places. Update both for consistency:

```
# src/components/Header.jsx — display value
$10,000.00 → $your_amount

# src/App.jsx — Kelly calculator base
const wager = Math.round(kelly / 2 * 10000) → your_amount
```

REPLACE THE MODEL

The current model uses a deterministic seed-based adjustment. To plug in your own:

```
# src/services/oddsApi.js — replace this function
function computeModelProb(homeTeam, awayTeam, impliedProb) {
  // Replace with your ML endpoint call
  return await yourModelApi(homeTeam, awayTeam)
}
```

ADD MORE SPORTSBOOKS

```
# src/services/oddsApi.js
const BOOKS = 'fanduel,draftkings,betmgm,williamhill_us,pointsbet,barstool'
```

Full list of bookmaker keys: the-odds-api.com/liveapi/guides/v4/#bookmakers

⚡ EDGE

SPORTS BETTING INTELLIGENCE

github.com/brodyautomates/edge-dashboard

Built by Exosoft Infrastructure