Rest API Documentation

/base

ANY /

Description:

undefined

Request Parameters:

Name	Located In	Description	Required	Type

Responses:

```
500
```

```
{
    "message": "message text",
    "status": true,
    "error": "Error message"
}
```

```
404
```

```
{
    "message": "message text",
    "status": true,
    "error": "Error message"
}
```

403

```
{
    "message": "message text",
    "status": true,
    "error": "Error message"
}
```

401

```
{
    "message": "message text",
    "status": true,
    "error": "Error message"
}
```

200

```
{
    "message": "message text",
    "status": true,
    "data": {}
}
```

/users

GET /:userid

Description:

undefined

Request Parameters:

	Name	Located In	Description	Required	Type
ĺ	userid	query	User id.	YES	string

Responses:

200

GET /

Description:

undefined

Request Parameters:

Responses:

200

```
]
```

POST /:userid

Description:

Update user.

Request Parameters:

Name	Located In	Description	Required	Type
userid	query	User id.	NO	string

Responses:

```
200
```

PUT /

${\bf Description:}$

undefined

Request Parameters:

Name	Located In	Description	Required	Type
name	body	User name.	YES	string
password	body	User password.	YES	string
email	body	User email.	YES	string

Responses:

```
201
```

```
{
    "message": "Created user.",
    "status": true,
    "data": {
        "id": "int"
    }
}
```

/authentication

POST /forgotPassword

Description:

undefined

Request Parameters:

Name	Located In	Description	Required	Type
email	body	User email.	YES	string

Responses:

200

```
{
    "message": "Password reset link sent.",
    "status": true,
    "data": {}
}
```

POST /signin

Description:

undefined

Request Parameters:

Name	Located In	Description	Required	Type
password	body	User password.	YES	string
email	body	User email.	YES	string

Responses:

200

```
{
    "message": "login success",
    "status": true,
    "data": {}
}
```