ASIM parsers do not run on the Sentinel data lake

Lake KQL does not support functions, and every ASIM parser is a function.

ANALYTICS TIER

- Hunting query or analytics rule
- Calls `_Im_NetworkSession()`
- Source parsers run (KQL functions)
- Tables return ASIM-shaped rows

DATA LAKE TIER

- Hunting query or KQL job
- Calls `_Im_NetworkSession()`
- Source parsers never run
- No ASIM-shaped rows

> “Using out-of-the-box or custom functions isn't supported in KQL queries against the data lake.”
>
> Microsoft Learn, KQL queries in the Microsoft Sentinel data lake. Every ASIM parser is a function.

ALSO NOT SUPPORTED IN LAKE KQL

`externaldata()` `adx()` `arg()` `ingestion_time()` `estimate_data_size()`

AzureDiagnostics and other legacy tables

WHAT STILL RUNS ON THE LAKE

- KQL against the raw tables
- Native ASim tables, already in ASIM shape
- KQL jobs with parser logic pasted in as plain KQL
- Spark notebooks

15 min
before ingested data can be queried

500,000 rows
or 64 MB per interactive result

30 / min, 10 at once
query limits per tenant

SAME HUNT, REWRITTEN FOR THE LAKE

The parser's mapping travels inside the query as plain KQL.

```
CommonSecurityLog
| where DeviceVendor == "Palo Alto Networks"
| project-rename SrcIpAddr = SourceIP,
    DstIpAddr = DestinationIP, DvcHostname = DeviceName
| extend EventVendor = "Palo Alto Networks"
```

Sources: Microsoft Learn, KQL queries in the data lake; Troubleshoot KQL queries for the data lake

Checked 16 October 2026

© 2026 LevelBlue Intellectual Property. LevelBlue logo, and registered trademarks and service marks are the property of LevelBlue Intellectual Property and/or LevelBlue affiliated companies. All other marks are the property of their respective owners.