How far common fields can be trusted

Indicators hold up almost everywhere. Roles and outcomes need a parser or template.

	ASIM-parsed or Microsoft	CEF standard columns	CEF cs1 to cs6	Custom JSON _CL	Syslog, mapped templates	Syslog, long tail
IP address	High	High	Medium	High	High	Medium
File hash	High	High	Medium	High	High	Medium
URL or domain	High	High	Medium	Medium	Medium	Low
Hostname	High	Medium	Low	Medium	Medium	Low
Username	High	Medium	Low	Medium	Medium	Low
Role: source or target	High	Medium	Low	Low	Medium	Low
Event type and result	High	Low	Low	Low	Medium	Low

Expected confidence, based on how each field is found. Measure it per source with the coverage report before quoting it to anyone.

NORMALIZE VALUES, NOT ONLY FIELD NAMES

`CONTOSO\jsmith`

`jsmith@contoso.com` → `jsmith`

`S-1-5-21-…-1104`

`WS-0412.corp.contoso.com` → `ws-0412`

`ws-0412`

Lowercase · Split domain and user · Resolve SIDs · Keep FQDN and short name

WHAT YOU CAN SAY WITH CONFIDENCE

- ✓ This IP, hash or domain appeared, or did not appear, in these sources.
- ⊗ This user logged on and it succeeded, outside parsed sources.
- ⊗ Lateral movement across every source.

Sources: LevelBlue analysis of field extraction methods

Checked 16 October 2026

© 2026 LevelBlue Intellectual Property. LevelBlue logo, and registered trademarks and service marks are the property of LevelBlue Intellectual Property and/or LevelBlue affiliated companies. All other marks are the property of their respective owners.