

Changelog

Airflow 2.0.1, 2021-02-08

Bug Fixes

- Bugfix: Return XCom Value in the XCom Endpoint API (#13684)
- Bugfix: Import error when using custom backend and `sql_alchemy_conn_secret` (#13260)
- Allow PID file path to be relative when daemonize a process (scheduler, kerberos, etc) (#13232)
- Bugfix: no generic `DROP CONSTRAINT` in MySQL during `airflow db upgrade` (#13239)
- Bugfix: Sync Access Control defined in DAGs when running `sync-perm` (#13377)
- Stop sending Callback Requests if no callbacks are defined on DAG (#13163)
- BugFix: Dag-level Callback Requests were not run (#13651)
- Stop creating duplicate Dag File Processors (#13662)
- Filter DagRuns with Task Instances in removed State while Scheduling (#13165)
- Bump `datatables.net` from 1.10.21 to 1.10.22 in `/airflow/www` (#13143)
- Bump `datatables.net` JS to 1.10.23 (#13253)
- Bump `dempurify` from 2.0.12 to 2.2.6 in `/airflow/www` (#13164)
- Update minimum `cattr` version (#13223)
- Remove inapplicable arg 'output' for CLI pools import/export (#13071)
- Webserver: Fix the behavior to deactivate the authentication option and add docs (#13191)
- Fix: add support for no-menu plugin views (#11742)
- Add `python-daemon` limit for python 3.8+ to fix daemon crash (#13540)
- Change the default celery `worker_concurrency` to 16 (#13612)
- Audit Log records View should not contain link if `dag_id` is None (#13619)
- Fix invalid `continue_token` for cleanup list pods (#13563)
- Switches to latest version of snowflake connector (#13654)
- Fix backfill crash on task retry or reschedule (#13712)
- Setting `max_tis_per_query` to `0` now correctly removes the limit (#13512)
- Fix race conditions in task callback invocations (#10917)
- Fix webserver exiting when gunicorn master crashes (#13518)(#13780)
- Fix SQL syntax to check duplicate connections (#13783)
- `BaseBranchOperator` will push to xcom by default (#13704) (#13763)
- Fix Deprecation for `configuration.getsection` (#13804)
- Fix TaskNotFound in log endpoint (#13872)
- Fix race condition when using Dynamic DAGs (#13893)
- Fix: Linux/Chrome window bouncing in Webserver
- Fix db shell for sqlite (#13907)
- Only compare updated time when Serialized DAG exists (#13899)
- Fix dag run type enum query for mysqldb driver (#13278)
- Add authentication to lineage endpoint for experimental API (#13870)
- Do not add User role perms to custom roles. (#13856)
- Do not add `Website.can_read` access to default roles. (#13923)
- Fix invalid value error caused by long Kubernetes pod name (#13299)
- Fix DB Migration for SQLite to upgrade to 2.0 (#13921)
- Bugfix: Manual DagRun trigger should not skip scheduled runs (#13963)
- Stop loading Extra Operator links in Scheduler (#13932)
- Added missing return parameter in read function of `FileTaskHandler` (#14001)
- Bugfix: Do not try to create a duplicate Dag Run in Scheduler (#13920)
- Make `v1/config` endpoint respect webserver `expose_config` setting (#14020)
- Disable row level locking for Mariadb and MySQL <8 (#14031)
- Bugfix: Fix permissions to triggering only specific DAGs (#13922)
- Fix broken SLA Mechanism (#14056)
- Bugfix: Scheduler fails if task is removed at runtime (#14057)
- Remove permissions to read Configurations for User and Viewer roles (#14067)
- Fix DB Migration from 2.0.1rc1

Improvements

- Increase the default `min_file_process_interval` to decrease CPU Usage (#13664)
- Dispose connections when running tasks with `os.fork` & `CeleryExecutor` (#13265)
- Make function purpose clearer in `example_kubernetes_executor` example dag (#13216)
- Remove unused libraries - `flask-swagger`, `funcsigs` (#13178)
- Display alternative tooltip when a Task has yet to run (no TI) (#13162)
- User werkzeug's own type conversion for request args (#13184)
- UI: Add `queued_by_job_id` & `external_executor_id` Columns to TI View (#13266)
- Make `json-merge-patch` an optional library and unpin it (#13175)
- Adds missing LDAP "extra" dependencies to ldap provider. (#13308)
- Refactor `setup.py` to better reflect changes in providers (#13314)
- Pin `pyjwt` and Add integration tests for Apache Pinot (#13195)
- Removes provider-imposed requirements from `setup.cfg` (#13409)
- Replace deprecated decorator (#13443)
- Streamline & simplify `__eq__` methods in models Dag and BaseOperator (#13449)
- Additional properties should be allowed in provider schema (#13440)
- Remove unused dependency - `contextdecorator` (#13455)
- Remove 'typing' dependency (#13472)
- Log migrations info in consistent way (#13458)
- Unpin `mysql-connector-python` to allow `8.0.22` (#13370)
- Remove thrift as a core dependency (#13471)
- Add `NotFound` response for DELETE methods in OpenAPI YAML (#13550)
- Stop Log Spamming when `[core] lazy_load_plugins` is `False` (#13578)
- Display message and docs link when no plugins are loaded (#13599)
- Unpin restriction for `colorlog` dependency (#13176)
- Add missing Dag Tag for Example DAGs (#13665)
- Support tables in DAG docs (#13533)
- Add `python3-openid` dependency (#13714)
- Add `__repr__` for Executors (#13753)
- Add description to hint if `conn_type` is missing (#13778)
- Upgrade azure blob to v12 (#12188)
- Add extra field to `get_connection` REST endpoint (#13885)
- Make Smart Sensors DB Migration idempotent (#13892)
- Improve the error when DAG does not exist when running dag pause command (#13900)
- Update `airflow_local_settings.py` to fix an error message (#13927)
- Only allow passing JSON Serializable conf to `TriggerDagRunOperator` (#13964)
- Bugfix: Allow getting details of a DAG with null `start_date` (REST API) (#13959)
- Add params to the DAG details endpoint (#13790)
- Make the role assigned to anonymous users customizable (#14042)
- Retry critical methods in Scheduler loop in case of `OperationalError` (#14032)

Doc only changes

- Add Missing Statsd Metrics in Docs (#13708)
- Add Missing Email configs in Configuration doc (#13709)
- Add quick start for Airflow on Docker (#13660)
- Describe which Python versions are supported (#13259)
- Add note block to 2.x migration docs (#13094)
- Add documentation about `webserver_config.py` (#13155)
- Add missing version information to recently added configs (#13161)
- API: Use generic information in UpdateMask component (#13146)
- Add Airflow 2.0.0 to requirements table (#13140)
- Avoid confusion in doc for `CeleryKubernetesExecutor` (#13116)
- Update docs link in REST API spec (#13107)
- Add link to PyPI Repository to provider docs (#13064)
- Fix link to Airflow master branch documentation (#13179)
- Minor enhancements to Sensors docs (#13381)
- Use 2.0.0 in Airflow docs & Breeze (#13379)
- Improves documentation regarding providers and custom connections (#13375)(#13410)
- Fix malformed table in `production-deployment.rst` (#13395)
- Update `celery.rst` to fix broken links (#13400)
- Remove reference to scheduler `run_duration` param in docs (#13346)
- Set minimum SQLite version supported (#13412)

- Fix installation doc (#13462)
- Add docs about mocking variables and connections (#13502)
- Add docs about Flask CLI (#13500)
- Fix Upgrading to 2 guide to use `rbac` UI (#13569)
- Make docs clear that Auth can not be disabled for Stable API (#13568)
- Remove archived links from docs & add link for AIPs (#13580)
- Minor fixes in upgrading-to-2.rst (#13583)
- Fix Link in Upgrading to 2.0 guide (#13584)
- Fix heading for Mocking section in best-practices.rst (#13658)
- Add docs on how to use custom operators within plugins folder (#13186)
- Update docs to register Operator Extra Links (#13683)
- Improvements for database setup docs (#13696)
- Replace module path to Class with just Class Name (#13719)
- Update DAG Serialization docs (#13722)
- Fix link to Apache Airflow docs in webserver (#13250)
- Clarifies differences between extras and provider packages (#13810)
- Add information about all access methods to the environment (#13940)
- Docs: Fix FAQ on scheduler latency (#13969)
- Updated taskflow api doc to show dependency with sensor (#13968)
- Add deprecated config options to docs (#13883)
- Added a FAQ section to the Upgrading to 2 doc (#13979)

Airflow 1.10.14, 2020-12-10

Bug Fixes

- BugFix: Tasks with `depends_on_past` or `task_concurrency` are stuck (#12663)
- Fix issue with empty Resources in executor_config (#12633)
- Fix: Deprecated config `force_log_out_after` was not used (#12661)
- Fix empty asctime field in JSON formatted logs (#10515)
- [AIRFLOW-2809] Fix security issue regarding Flask SECRET_KEY (#3651)
- [AIRFLOW-2884] Fix Flask SECRET_KEY security issue in www_rbac (#3729)
- [AIRFLOW-2886] Generate random Flask SECRET_KEY in default config (#3738)
- Add missing comma in setup.py (#12790)
- Bugfix: Unable to import Airflow plugins on Python 3.8 (#12859)
- Fix setup.py missing comma in `setup_requires` (#12880)
- Don't emit first_task_scheduling_delay metric for only-once dags (#12835)

Improvements

- Update setup.py to get non-conflicting set of dependencies (#12636)
- Rename `[scheduler] max_threads` to `[scheduler] parsing_processes` (#12605)
- Add metric for scheduling delay between first run task & expected start time (#9544)
- Add new-style 2.0 command names for Airflow 1.10.x (#12725)
- Add Kubernetes cleanup-pods CLI command for Helm Chart (#11802)
- Don't let webserver run with dangerous config (#12747)
- Replace pkg_resources with `importlib.metadata` to avoid VersionConflict errors (#12694)

Doc only changes

- Clarified information about supported Databases

Airflow 1.10.13, 2020-11-25

New Features

- Add "already checked" to failed pods in K8sPodOperator (#11368)
- Pass SQLAlchemy engine options to FAB based UI (#11395)
- [AIRFLOW-4438] Add Gzip compression to S3_hook (#8571)
- Add permission "extra_links" for Viewer role and above (#10719)
- Add generate_yaml command to easily test KubernetesExecutor before deploying pods (#10677)
- Add Secrets backend for Microsoft Azure Key Vault (#10898)

Bug Fixes

- SkipMixin: Handle empty branches (#11120)
- [AIRFLOW-5274] dag loading duration metric name too long (#5890)
- Handle no Dagrun in DagrunIdDep (#8389) (#11343)
- Fix Kubernetes Executor logs for long dag names (#10942)
- Add on_kill support for the KubernetesPodOperator (#10666)
- KubernetesPodOperator template fix (#10963)
- Fix displaying of add serialized_dag table migration
- Fix Start Date tooltip on DAGs page (#10637)
- URL encode execution date in the Last Run link (#10595)
- Fixes issue with affinity backcompat in Airflow 1.10
- Fix KubernetesExecutor import in views.py
- Fix issues with Gantt View (#12419)
- Fix Entrypoint and _CMD config variables (#12411)
- Fix operator field update for SerializedBaseOperator (#10924)
- Limited cryptography to < 3.2 for python 2.7
- Install catttr on Python 3.7 - Fix docs build on RTD (#12045)
- Limit version of marshmallow-sqlalchemy
- Pin *kubernetes* to a max version of 11.0.0 (#11974)
- Use snakebite-py3 for HDFS dependency for Python3 (#12340)
- Removes snakebite kerberos dependency (#10865)
- Fix failing dependencies for FAB and Celery (#10828)
- Fix pod_mutation_hook for 1.10.13 (#10850)
- Fix formatting of Host information
- Fix Logout Google Auth issue in Non-RBAC UI (#11890)
- Add missing imports to app.py (#10650)
- Show Generic Error for Charts & Query View in old UI (#12495)
- TimeSensor should respect the default_timezone config (#9699)
- TimeSensor should respect DAG timezone (#9882)
- Unify user session lifetime configuration (#11970)
- Handle outdated webserver session timeout gracefully. (#12332)

Improvements

- Add XCom.deserialize_value to Airflow 1.10.13 (#12328)
- Mount airflow.cfg to pod_template_file (#12311)
- All k8s object must comply with JSON Schema (#12003)
- Validate airflow chart values.yaml & values.schema.json (#11990)
- Pod template file uses custom custom env variable (#11480)
- Bump attrrs and catttrs dependencies (#11969)
- Bump attrrs to > 20.0 (#11799)
- [AIRFLOW-3607] Only query DB once per DAG run for TriggerRuleDep (#4751)
- Rename task with duplicate task_id
- Manage Flask AppBuilder Tables using Alembic Migrations (#12352)
- **airflow test** only works for tasks in 1.10, not whole dags (#11191)
- Improve warning messaging for duplicate task_ids in a DAG (#11126)
- Pins moto to 1.3.14 (#10986)
- DbApiHook: Support kwargs in get_pandas_df (#9730)
- Make grace_period_seconds option on K8sPodOperator (#10727)
- Fix syntax error in Dockerfile 'maintainer' Label (#10899)
- The entrypoints in Docker Image should be owned by Airflow (#10853)
- Make dockerfiles Google Shell Guide Compliant (#10734)
- clean-logs script for Dockerfile: trim logs before sleep (#10685)
- When sending tasks to celery from a sub-process, reset signal handlers (#11278)
- SkipMixin: Add missing session.commit() and test (#10421)
- Webserver: Further Sanitize values passed to origin param (#12459)
- Security upgrade lodash from 4.17.19 to 4.17.20 (#11095)
- Log instead of raise an Error for unregistered OperatorLinks (#11959)
- Mask Password in Log table when using the CLI (#11468)
- [AIRFLOW-3607] Optimize dep checking when depends on past set and concurrency limit
- Execute job cancel HTTPRequest in Dataproc Hook (#10361)
- Use rst lexer to format airflow upgrade check output (#11259)

- Remove deprecation warning from contrib/kubernetes/pod.py
- adding body as templated field for CloudSqlImportOperator (#10510)
- Change log level for User's session to DEBUG (#12414)

Deprecations

- Deprecate importing Hooks from plugin-created module (#12133)
- Deprecate adding Operators and Sensors via plugins (#12069)

Doc only changes

- [Doc] Correct description for macro task_instance_key_str (#11062)
- Checks if all the libraries in setup.py are listed in installation.rst file (#12023)
- Revise "Project Focus" copy (#12011)
- Move Project focus and Principles higher in the README (#11973)
- Remove archived link from README.md (#11945)
- Update download url for Airflow Version (#11800)
- Add Project URLs for PyPI page (#11801)
- Move Backport Providers docs to our docsite (#11136)
- Refactor rebase copy (#11030)
- Add missing images for kubernetes executor docs (#11083)
- Fix indentation in executor_config example (#10467)
- Enhanced the Kubernetes Executor doc (#10433)
- Refactor content to a markdown table (#10863)
- Rename "Beyond the Horizon" section and refactor content (#10802)
- Refactor official source section to use bullets (#10801)
- Add section for official source code (#10678)
- Add redbubble link to Airflow merchandise (#10359)
- README Doc: Link to Airflow directory in ASF Directory (#11137)
- Fix the default value for VaultBackend's config_path (#12518)

Airflow 1.10.12, 2020-08-25

New Features

- Add DateTimeSensor (#9697)
- Add AirflowClusterPolicyViolation support to airflow local settings (#10282)
- Get Airflow configs with sensitive data from Secret Backends (#9645)
- [AIRFLOW-4734] Upsert functionality for PostgresHook.insert_rows() (#8625)
- Allow defining custom XCom class (#8560)

Bug Fixes

- Add pre 1.10.11 Kubernetes Paths back with Deprecation Warning (#10067)
- Fixes PodMutationHook for backwards compatibility (#9903)
- Fix bug in executor_config when defining resources (#9935)
- Respect DAG Serialization setting when running sync_perm (#10321)
- Show correct duration on graph view for running task (#8311) (#8675)
- Fix regression in SQLThresholdCheckOperator (#9312)
- [AIRFLOW-6931] Fixed migrations to find all dependencies for MSSQL (#9891)
- Avoid sharing session with RenderedTaskInstanceFields write and delete (#9993)
- Fix clear future recursive when ExternalTaskMarker is used (#9515)
- Handle IntegrityError while creating TIs (#10136)
- Fix airflow-webserver startup errors when using Kerberos Auth (#10047)
- Fixes treatment of open slots in scheduler (#9316) (#9505)
- Fix KubernetesPodOperator reattachment (#10230)
- Fix more PodMutationHook issues for backwards compatibility (#10084)
- [AIRFLOW-5391] Do not re-run skipped tasks when they are cleared (#7276)
- Fix task_instance_mutation_hook (#9910)
- Fixes failing formatting of DAG file containing {} in docstring (#9779)
- Fix is_terminal_support_colors function (#9734)
- Fix PythonVirtualenvOperator when using `provide_context=True` (#8256)

- Fix issue with mounting volumes from secrets (#10366)
- BugFix: K8s Executor Multinamespace mode is evaluated to true by default (#10410)
- Make KubernetesExecutor recognize kubernetes_labels (#10412)
- Fix broken Kubernetes PodRuntimeInfoEnv (#10478)

Improvements

- Use Hash of Serialized DAG to determine DAG is changed or not (#10227)
- Update Serialized DAGs in Webserver when DAGs are Updated (#9851)
- Do not Update Serialized DAGs in DB if DAG did not change (#9850)
- Add __repr__ to SerializedDagModel (#9862)
- Update JS packages to latest versions (#9811) (#9921)
- UI Graph View: Focus upstream / downstream task dependencies on mouseover (#9303)
- Allow `image` in `KubernetesPodOperator` to be templated (#10068)
- [AIRFLOW-6843] Add delete_option_kwargs to delete_namespaced_pod (#7523)
- Improve process terminating in scheduler_job (#8064)
- Replace deprecated base classes used in bigquery_check_operator (#10272)
- [AIRFLOW-5897] Allow setting -1 as pool slots value in webserver (#6550)
- Limit all google-cloud api to <2.0.0 (#10317)
- [AIRFLOW-6706] Lazy load operator extra links (#7327) (#10318)
- Add Snowflake support to SQL operator and sensor (#9843)
- Makes multi-namespace mode optional (#9570)
- Pin Pyarrow < 1.0
- Pin pymongo version to <3.11.0
- Pin google-cloud-container to <2 (#9901)
- Dockerfile: Remove package.json and yarn.lock from the prod image (#9814)
- Dockerfile: The group of embedded DAGs should be root to be OpenShift compatible (#9794)
- Update upper limit of flask-swagger, gunicorn & jinja2 (#9684)
- Webserver: Sanitize values passed to origin param (#10334)
- Sort connection type list in add/edit page alphabetically (#8692)

Doc only changes

- Add new committers: Ry Walker & Leah Cole to project.rst (#9892)
- Add Qingping Hou to committers list (#9725)
- Updated link to official documentation (#9629)
- Create a short-link for Airflow Slack Invites (#10034)
- Fix docstrings in BigQueryGetDataOperator (#10042)
- Set language on code-block on docs/howto/email-config.rst (#10238)
- Remove duplicate line from 1.10.10 CHANGELOG (#10289)
- Improve heading on Email Configuration page (#10175)
- Fix link for the Jinja Project in docs/tutorial.rst (#10245)
- Create separate section for Cron Presets (#10247)
- Add Syntax Highlights to code-blocks in docs/best-practices.rst (#10258)
- Fix docstrings in BigQueryGetDataOperator (#10042)
- Fix typo in Task Lifecycle section (#9867)
- Make Secret Backend docs clearer about Variable & Connection View (#8913)

Airflow 1.10.11, 2020-07-10

New Features

- Add task instance mutation hook (#8852)
- Allow changing Task States Colors (#9520)
- Add support for AWS Secrets Manager as Secrets Backend (#8186)
- Add airflow info command to the CLI (#8704)
- Add Local Filesystem Secret Backend (#8596)
- Add Airflow config CLI command (#8694)
- Add Support for Python 3.8 (#8836) (#8823)
- Allow K8S worker pod to be configured from JSON/YAML file (#6230)
- Add quarterly to crontab presets (#6873)
- Add support for ephemeral storage on KubernetesPodOperator (#6337)
- Add AirflowFailException to fail without any retry (#7133)

- Add SQL Branch Operator (#8942)

Bug Fixes

- Use NULL as dag.description default value (#7593)
- BugFix: DAG trigger via UI error in RBAC UI (#8411)
- Fix logging issue when running tasks (#9363)
- Fix JSON encoding error in DockerOperator (#8287)
- Fix alembic crash due to typing import (#6547)
- Correctly restore upstream_task_ids when deserializing Operators (#8775)
- Correctly store non-default Nones in serialized tasks/dags (#8772)
- Correctly deserialize dagrun_timeout field on DAGs (#8735)
- Fix tree view if config contains " (#9250)
- Fix Dag Run UI execution date with timezone cannot be saved issue (#8902)
- Fix Migration for MSSQL (#8385)
- RBAC ui: Fix missing Y-axis labels with units in plots (#8252)
- RBAC ui: Fix missing task runs being rendered as circles instead (#8253)
- Fix: DagRuns page renders the state column with artifacts in old UI (#9612)
- Fix task and dag stats on home page (#8865)
- Fix the trigger_dag api in the case of nested subdags (#8081)
- UX Fix: Prevent undesired text selection with DAG title selection in Chrome (#8912)
- Fix connection add/edit for spark (#8685)
- Fix retries causing constraint violation on MySQL with DAG Serialization (#9336)
- [AIRFLOW-4472] Use json.dumps/loads for templating lineage data (#5253)
- Restrict google-cloud-texttospeech to <v2 (#9137)
- Fix pickling failure when spawning processes (#8671)
- Pin Version of Azure Cosmos to <4 (#8956)
- Azure storage 0.37.0 is not installable any more (#8833)
- Fix modal_backdrop z-index in the UI (#7313)
- Fix Extra Links in Gantt View (#8308)
- Bug fix for EmrAddStepOperator init with cluster_name error (#9235)
- Fix KubernetesPodOperator pod name length validation (#8829)
- Fix non updating DAG code by checking against last modification time (#8266)
- BugFix: Unpausing a DAG with catchup=False creates an extra DAG run (#8776)

Improvements

- Improve add_dag_code_table migration (#8176)
- Persistent display/filtering of DAG status (#8106)
- Set unique logger names (#7330)
- Update the version of cattr from 0.9 to 1.0 to support Python 3.8 (#7100)
- Reduce response payload size of /dag_stats and /task_stats (#8655)
- Add authenticator parameter to snowflake_hook (#8642)
- Show "Task Reschedule" table in Airflow Webserver (#9521)
- Change worker_refresh_interval fallback to default of 30 (#9588)
- Use pformat instead of str to render arguments in WebUI (#9587)
- Simplify DagFileProcessorManager (#7521)
- Reload gunicorn when plugins has been changed (#8997)
- Fix the default value for store_dag_code (#9554)
- Add support for fetching logs from running pods (#8626)
- Persist start/end date and duration for DummyOperator Task Instance (#8663)
- Ensure "started"/"ended" in tooltips are not shown if job not started (#8667)
- Add context to execution_date_fn in ExternalTaskSensor (#8702)
- Avoid color info in response of /dag_stats & /task_stats (#8742)
- Make loading plugins from entrypoint fault-tolerant (#8732)
- Refactor Kubernetes worker config (#7114)
- Add default conf parameter to Spark JDBC Hook (#8787)
- Allow passing backend_kwargs to AWS SSM client (#8802)
- Filter dags by clicking on tag (#8897)
- Support k8s auth method in Vault Secrets provider (#8640)
- Monitor pods by labels instead of names (#6377)
- Optimize count query on /home (#8729)
- Fix json string escape in tree view (#8551)
- Add TaskInstance state to TI Tooltip to be colour-blind friendlier (#8910)

- Add a tip to trigger DAG screen (#9049)
- Use Markup for htmlcontent for landing_times (#9242)
- Pinning max pandas version to 2.0 (lesser than) to allow pandas 1.0 (#7954)
- Update example webserver_config.py to show correct CSRF config (#8944)
- Fix displaying Executor Class Name in "Base Job" table (#8679)
- Use existing DagBag for 'dag_details' & 'trigger' Endpoints (#8501)
- Flush pending Sentry exceptions before exiting (#7232)
- Display DAG run conf in the list view (#6794)
- Fix performance degradation when updating dagrun state (#8435)
- Don't use the `|safe` filter in code, it's risky (#9180)
- Validate only task commands are run by executors (#9178)
- Show Deprecation warning on duplicate Task ids (#8728)
- Move DAG._schedule_interval logic out of `DAG.__init__` (#8225)
- Make retrieving Paused Dag ids a separate method (#7587)
- Bulk fetch paused_dag_ids (#7476)
- Add a configurable DAGs volume mount path for Kubernetes (#8147)
- Add schedulername option for KubernetesPodOperator (#6088)
- Support running git sync container as root (#6312)
- Add extra options for Slack Webhook operator and Slack hook (#9409)
- Monkey patch greenlet celery pools (#8559)
- Decrypt secrets from SystemsManagerParameterStoreBackend (#9214)
- Prevent clickable sorting on non sortable columns in TI view (#8681)
- Make hive macros py3 compatible (#8598)
- Fix SVG tooltip positioning with custom scripting (#8269)
- Avoid unnecessary sleep to maintain local task job heart rate (#6553)
- Include some missing RBAC roles on User and Viewer roles (#9133)
- Show Dag's Markdown docs on Tree View (#9448)
- Improved compatibility with Python 3.5+ - Convert signal.SIGTERM to int (#9207)
- Add 'main' param to template_fields in DataprocSubmitPySparkJobOperator (#9154)
- Make it possible to silence warnings from Airflow (#9208)
- Remove redundant count query in BaseOperator.clear() (#9362)
- Fix DB migration message (#8988)
- Fix awkward log info in dbapi_hook (#8482)
- Fix Celery default to no longer allow pickle (#7205)
- Further validation that only task commands are run by executors (#9240)
- Remove vendored nvd3 and slugify libraries (#9136)
- Enable configurable git sync depth (#9094)
- Reduce the required resources for the Kubernetes's sidecar (#6062)
- Refactor K8S codebase with k8s API models (#5481)
- Move k8s executor out of contrib to closer match master (#8904)
- Allow filtering using "event" and "owner" in "Log" view (#4881)
- Add Yandex.Cloud custom connection to 1.10 (#8791)
- Add table-hover css class to DAGs table (#5033)
- Show un/pause errors in dags view. (#7669)
- Restructure database queries on /home (#4872)
- Add Cross Site Scripting defense (#6913)
- Make Gantt tooltip the same as Tree and Graph view (#8220)
- Add config to only delete worker pod on task failure (#7507)(#8312)
- Remove duplicate error message on chart connection failure (#8476)
- Remove default value spark_binary (#8508)
- Expose Airflow Webserver Port in Production Docker Image (#8228)
- Commit after each alembic migration (#4797)
- KubernetesPodOperator fixes and test (#6524)
- Docker Image: Add ADDITIONAL_AIRFLOW_EXTRAS (#9032)
- Docker Image: Add ADDITIONAL_PYTHON_DEPS (#9031)
- Remove httplib2 from Google requirements (#9194)
- Merging multiple sql operators (#9124)
- Adds hive as extra in pyhive dependency (#9075)
- Change default auth for experimental backend to deny_all (#9611)
- Restrict changing XCom values from the Webserver (#9614)
- Add __repr__ for DagTag so tags display properly in /dagmodel/show (#8719)
- Functionality to shuffle HMS connections used by HiveMetastoreHook facilitating load balancing (#9280)
- Expose SQLAlchemy's connect_args and make it configurable (#6478)

Doc only changes

- Add docs on using DAGRun.conf (#9578)
- Enforce code-block directives in doc (#9443)
- Carefully parse warning messages when building documentation (#8693)
- Make KubernetesPodOperator clear in docs (#8444)
- Improve language in Pod Mutation Hook docs (#8445)
- Fix formatting of Pool docs in concepts.rst (#8443)
- Make doc clearer about Airflow Variables using Environment Variables (#8427)
- Fix pools doc for LocalExecutor (#7643)
- Add Local and Sequential Executors to Doc (#8084)
- Add documentation for CLI command airflow dags test (#8251)
- Fix typo in DAG Serialization documentation (#8317)
- Add scheduler in production section (#7351)
- Add a structural dag validation example (#6727)
- Adding Task re-run documentation (#6295)
- Fix outdated doc on settings.policy (#7532)
- Add docs about reload_on_plugin_change option (#9575)
- Add copy button to Code Blocks in Airflow Docs (#9450)
- Update commands in docs for v1.10+ (#9585)
- Add more info on dry-run CLI option (#9582)
- Document default timeout value for SSHOperator (#8744)
- Fix docs on creating CustomOperator (#8678)
- Enhanced documentation around Cluster Policy (#8661)
- Use sphinx syntax in concepts.rst (#7729)
- Update README to remove Py 3.8 limitation for Master (#9451)
- Add note about using dag_run.conf in BashOperator (#9143)
- Improve tutorial - Include all imports statements (#8670)
- Added more precise Python requirements to README.md (#8455)
- Fix Airflow Stable version in README.md (#9360)
- Update AWS connection example to show how to set from env var (#9191)
- Fix list formatting of plugins doc. (#8873)
- Add 'Version Added' on Secrets Backend docs (#8264)
- Simplify language re roll-your-own secrets backend (#8257)
- Add installation description for repeatable PyPi installation (#8513)
- Add note extra links only render on when using RBAC webserver (#8788)
- Remove unused airflow import from docs (#9274)
- Add PR/issue note in Contribution Workflow Example (#9177)
- Don't use the term "whitelist" - language matters (#9174)
- Add docs to change Colors on the Webserver (#9607)
- Change 'initiate' to 'initialize' in installation.rst (#9619)
- Replace old Variables View Screenshot with new (#9620)
- Replace old SubDag zoom screenshot with new (#9621)
- Update docs about the change to default auth for experimental API (#9617)

Airflow 1.10.10, 2020-04-09

New Features

- [AIRFLOW-7048] Allow user to chose timezone to use in UI (#8046)
- Add Production Docker image support (#7832)
- Get Airflow Variables from Environment Variables (#7923)
- Get Airflow Variables from Hashicorp Vault (#7944)
- Get Airflow Variables from AWS Systems Manager Parameter Store (#7945)
- Get Airflow Variables from GCP Secrets Manager (#7946)
- [AIRFLOW-5705] Add secrets backend and support for AWS SSM / Get Airflow Connections from AWS Parameter Store(#6376)
- [AIRFLOW-7104] Add Secret backend for GCP Secrets Manager / Get Airflow Connections from GCP Secrets Manager (#7795)
- [AIRFLOW-7076] Add support for HashiCorp Vault as Secrets Backend / Get Airflow Connections from Hashicorp Vault (#7741)
- [AIRFLOW-6685] Add ThresholdCheckOperator (#7353)
- [AIRFLOW-7080] Add API endpoint to return a DAG's paused state (#7737)

Bug Fixes

- BugFix: Show task_id in the Graph View tooltip (#7859)
- [AIRFLOW-6730] Use total_seconds instead of seconds (#7363)
- [AIRFLOW-6167] Escape column name in create table in hive (#6741)
- [AIRFLOW-6628] DAG auto-complete now suggests from all accessible DAGs (#7251)
- [AIRFLOW-7113] Fix gantt render error (#7913)
- [AIRFLOW-6399] Add _access control to validate deserialized DAGs (#7896)
- [AIRFLOW-6399] Serialization: DAG access_control field should be decorated field in DAG serialization (#7879)
- [AIRFLOW-4453] Make behavior of *none_failed* consistent with documentation (#7464)
- [AIRFLOW-4363] Fix JSON encoding error (#7628)
- [AIRFLOW-6683] Run REST API tests when DAGs are serialized (#7352)
- [AIRFLOW-6704] Copy common TaskInstance attributes from Task (#7324)
- [AIRFLOW-6734] Use configured base_template instead of hard-coding (#7367)
- [AIRFLOW-7098] Simple salesforce release 1.0.0 breaks the build (#7775)
- [AIRFLOW-6062] Executor would only delete workers in its own namespace (#7123)
- [AIRFLOW-7074] Add Permissions to view SubDAGs (#7752)
- [AIRFLOW-7025] Fix SparkSqlHook.run_query to handle its parameter properly (#7677)
- [AIRFLOW-6855] Escape project_dataset_table in SQL query in gcs to bq operator (#7475)
- [AIRFLOW-6949] Respect explicit conf to SparkSubmitOperator (#7575)
- [AIRFLOW-6588] write_stdout and json_format are boolean (#7199)
- [AIRFLOW-3439] Decode logs with 'utf-8' (#4474)
- [AIRFLOW-6878] Fix misconfigured default value for kube_client_request_args
- [AIRFLOW-5167] Update dependencies for GCP packages (#7116)
- [AIRFLOW-6821] Success callback not called when task marked as success from UI (#7447)
- [AIRFLOW-6740] Remove Undocumented, deprecated, dysfunctional PROXY_FIX_NUM_PROXIES (#7359)
- [AIRFLOW-6728] Change various DAG info methods to POST (#7364)
- [AIRFLOW-6997] Make sure worker pods initcontainers obtain env vars from config (#7663)
- [AIRFLOW-7062] Fix pydruide release breaking the build (#7720)
- [AIRFLOW-6040] ReadTimeoutError in KubernetesExecutor should not raise exception (#7616)
- [AIRFLOW-6943] Fix utf-8 encoded description in DAG in Python 2 (#7567)
- [AIRFLOW-6892] Fix broken non-wheel releases (#7514)
- [AIRFLOW-6789] BugFix: Fix Default Worker concurrency (#7494)
- [AIRFLOW-6840] Bump up version of future (#7471)
- [AIRFLOW-5705] Fix bugs in AWS SSM Secrets Backend (#7745)
- [AIRFLOW-5705] Fix bug in Secrets Backend (#7742)
- Fix CloudSecretsManagerBackend invalid connections_prefix (#7861)
- [AIRFLOW-7045] BugFix: DebugExecutor fails to change task state. (#8073)
- BugFix: Datetimepicker is stuck on the UI (#8092)
- [AIRFLOW-5277] Gantt chart respects per-user the Timezone UI setting (#8096)
- Fix timezones displayed in Task Instance tooltip (#8103)
- BugFix: Fix writing & deleting Dag Code for Serialized DAGs (#8151)
- Make the default TI pool slots '1' (#8153)
- Fix 500 error in Security screens (#8165)
- Fix Viewing Dag Code for Stateless Webserver (#8159)
- Fix issue with SQLAlchemy 1.3.16 (#8230)

Improvements

- Use same tooltip for Graph and Tree views for TaskInstances (#8043)
- Allow DateTimePicker in Webserver to actually pick times too (#8034)
- [AIRFLOW-5590] Add run_id to trigger DAG run API response (#6256)
- [AIRFLOW-6695] Can now pass dagrun conf when triggering dags via UI (#7312)
- [AIRFLOW-5336] Add ability to make updating FAB perms on webserver in it optional (#5940)
- [AIRFLOW-1467] Allow tasks to use more than one pool slot (#7160)
- [AIRFLOW-6987] Avoid creating default connections (#7629)
- [AIRFLOW-4175] S3Hook load_file should support ACL policy parameter (#7733)
- [AIRFLOW-4438] Add Gzip compression to S3_hook (#7680)
- Allow setting Airflow Variable values to empty string (#8021)
- Dont schedule dummy tasks (#7880)
- Prevent sequential scan of task instance table (#8014)
- [AIRFLOW-7017] Respect default dag view in trigger dag origin (#7667)
- [AIRFLOW-6837] Limit description length of a Dag on HomePage (#7457)
- [AIRFLOW-6989] Display Rendered template_fields without accessing Dag files (#7633)
- [AIRFLOW-5944] Rendering templated_fields without accessing DAG files (#6788)
- [AIRFLOW-5946] DAG Serialization: Store source code in db (#7217)

- [AIRFLOW-7079] Remove redundant code for storing template_fields (#7750)
- [AIRFLOW-7024] Add the verbose parameter support to SparkSqlOperator (#7676)
- [AIRFLOW-6733] Extend not replace template (#7366)
- [AIRFLOW-7001] Further fix for the MySQL 5.7 UtcDateTime (#7655)
- [AIRFLOW-6014] Handle pods which are preempted & deleted by kubernetes but not restarted (#6606)
- [AIRFLOW-6950] Remove refresh_executor_config from ti.refresh_from_db (#7577)
- [AIRFLOW-7016] Sort dag tags in the UI (#7661)
- [AIRFLOW-6762] Fix link to “Suggest changes on this page” (#7387)
- [AIRFLOW-6948] Remove ASCII Airflow from version command (#7572)
- [AIRFLOW-6767] Correct name for default Athena workgroup (#7394)
- [AIRFLOW-6905] Update pin.svg with new pinwheel (#7524)
- [AIRFLOW-6801] Make use of ImportError.timestamp (#7425)
- [AIRFLOW-6830] Add Subject/MessageAttributes to SNS hook and operator (#7451)
- [AIRFLOW-6630] Resolve handlebars advisory (#7284)
- [AIRFLOW-6945] MySQL 5.7 is used in v1-10-test as an option
- [AIRFLOW-6871] Optimize tree view for large DAGs (#7492)
- [AIRFLOW-7063] Fix dag.clear() slowness caused by count (#7723)
- [AIRFLOW-7023] Remove duplicated package definitions in setup.py (#7675)
- [AIRFLOW-7001] Time zone removed from MySQL TIMESTAMP field inserts
- [AIRFLOW-7105] Unify Secrets Backend method interfaces (#7830)
- Make BaseSecretsBackend.build_path generic (#7948)
- Allow hvac package installation using 'hashicorp' extra (#7915)
- Standardize SecretBackend class names (#7846)
- [AIRFLOW-5705] Make AwsSsmSecretsBackend consistent with VaultBackend (#7753)
- [AIRFLOW-7045] Update SQL query to delete RenderedTaskInstanceFields (#8051)
- Handle DST better in Task Instance tool tips (#8104)

Misc/Internal

- Fix Flaky TriggerDAG UI test (#8022)
- Remove unnecessary messages in CI (#7951)
- Fixes too high parallelism in CI (#7947)
- Install version is not persistent in breeze (#7914)
- Fixed automated check for image rebuild (#7912)
- Move Dockerfile to Dockerfile.ci (#7829)
- Generate requirements are now sorted (#8040)
- Change name of the common environment initialization function (#7805)
- Requirements now depend on python version (#7841)
- Bring back reset db explicitly called at CI entry (#7798)
- Fixes unclean installation of Airflow 1.10 (#7796)
- [AIRFLOW-7029] Use separate docker image for running license check (#7678)
- [AIRFLOW-5842] Switch to Debian buster image as a base (#7647)
- [AIRFLOW-5828] Move build logic out from hooks/build (#7618)
- [AIRFLOW-6839] Even more mypy speed improvements (#7460)
- [AIRFLOW-6820] split breeze into functions (#7433)
- [AIRFLOW-7097] Install gcloud beta components in CI image (#7772)
- [AIRFLOW-7018] fixing travis's job name escaping problem (#7668)
- [AIRFLOW-7054] Breeze has an option now to reset db at entry (#7710)
- [AIRFLOW-7005] Added exec command to Breeze (#7649)
- [AIRFLOW-7015] Detect Dockerhub repo/user when building on Dockerhub (#7673)
- [AIRFLOW-6727] Fix minor bugs in Release Management scripts (#7355)
- [AIRFLOW-7013] Automated check if Breeze image needs to be pulled (#7656)
- [AIRFLOW-7010] Skip in-container checks for Dockerhub builds (#7652)
- [AIRFLOW-7011] Pin JPYe release to allow to build 1.10 images
- [AIRFLOW-7006] Fix missing +e in Breeze script (#7648)
- [AIRFLOW-6979] Fix breeze test-target specific test param issue (#7614)
- [AIRFLOW-6932] Add restart-environment command to Breeze
- [AIRFLOW-6919] Make Breeze DAG-test friendly (#7539)
- [AIRFLOW-6838] Introduce real subcommands for Breeze (#7515)
- [AIRFLOW-6763] Make systems tests ready for backport tests (#7389)
- [AIRFLOW-6866] Fix wrong export for Mac on Breeze (#7485)
- [AIRFLOW-6842] Skip fixing ownership on Mac (#7469)
- [AIRFLOW-6841] Fixed unbounded variable on Mac (#7465)
- [AIRFLOW-7067] Pinned version of Apache Airflow (#7730)

- [AIRFLOW-7058] Add support for different DB versions (#7717)
- [AIRFLOW-7002] Get rid of yaml "parser" in bash (#7646)
- [AIRFLOW-6972] Shorter frequently used commands in Breeze (#7608)

Doc only changes

- Fix typo for store_serialized_dags config (#7952)
- Fix broken link in README.md (#7893)
- Separate supported Postgres versions with comma (#7892)
- Fix grammar in setup.py (#7877)
- Add Jiajie Zhong to committers list (#8047)
- Update Security doc for 1.10.* for auth backends (#8072)
- Fix Example in config_templates for Secrets Backend (#8074)
- Add backticks in IMAGES.rst command description (#8075)
- Change version_added for store_dag_code config (#8076)
- [AIRFLOW-XXXX] Remove duplicate docs
- [AIRFLOW-XXXX] Remove the defunct limitation of Dag Serialization (#7716)
- [AIRFLOW-XXXX] Add prerequisite tasks for all GCP operators guide (#6049)
- [AIRFLOW-XXXX] Simplify AWS/Azure/Databricks operators listing (#6047)
- [AIRFLOW-XXXX] Add external reference to all GCP operator guide (#6048)
- [AIRFLOW-XXXX] Simplify GCP operators listing
- [AIRFLOW-XXXX] Simplify Qubole operators listing
- [AIRFLOW-XXXX] Add autogenerated TOC (#6038)
- [AIRFLOW-XXXX] Create "Using the CLI" page (#5823)
- [AIRFLOW-XXXX] Group references in one section (#5776)
- [AIRFLOW-XXXX] Fix analytics doc (#5885)
- [AIRFLOW-XXXX] Add S3 Logging section (#6039)
- [AIRFLOW-XXXX] Move Azure Logging section above operators (#6040)
- [AIRFLOW-XXXX] Update temp link to a fixed link (#7715)
- [AIRFLOW-XXXX] Add Updating.md section for 1.10.9 (#7385)
- [AIRFLOW-XXXX] Remove duplication in BaseOperator docstring (#7321)
- [AIRFLOW-XXXX] Update tests info in CONTRIBUTING.rst (#7466)
- [AIRFLOW-XXXX] Small BREEZE.rst update (#7487)
- [AIRFLOW-XXXX] Add instructions for logging to localstack S3 (#7461)
- [AIRFLOW-XXXX] Remove travis config warnings (#7467)
- [AIRFLOW-XXXX] Add communication chapter to contributing (#7204)
- [AIRFLOW-XXXX] Add known issue - example_dags/__init__.py (#7444)
- [AIRFLOW-XXXX] Fix breeze build-docs (#7445)
- [AIRFLOW-XXXX] Less verbose docker builds
- [AIRFLOW-XXXX] Speed up mypy runs (#7421)
- [AIRFLOW-XXXX] Fix location of kubernetes tests (#7373)
- [AIRFLOW-XXXX] Remove quotes from domains in Google Oauth (#4226)
- [AIRFLOW-XXXX] Add explicit info about JIRAs for code-related PRs (#7318)
- [AIRFLOW-XXXX] Fix typo in the word committer (#7392)
- [AIRFLOW-XXXX] Remove duplicated paragraph in docs (#7662)
- Fix reference to KubernetesPodOperator (#8100)

Airflow 1.10.9, 2020-02-07

Bug Fixes

- [AIRFLOW-6751] Pin Werkzeug (dependency of a number of our dependencies) to < 1.0.0 (#7377)

Airflow 1.10.8, 2020-02-07

New Features

- [AIRFLOW-4026] Add filter by DAG tags (#6489)
- [AIRFLOW-6613] Center dag on graph view load (#7238)
- [AIRFLOW-5843] Add conf option to Add DAG Run view (#7281)
- [AIRFLOW-4495] Allow externally triggered dags to run for future exec dates (#7038)

Improvements

- [AIRFLOW-6438] Filter DAGs returned by blocked (#7019)
- [AIRFLOW-6666] Resolve js-yaml advisory (#7283)
- [AIRFLOW-6632] Bump dagre-d3 to resolve lodash CVE advisory (#7280)
- [AIRFLOW-6667] Resolve serialize-javascript advisory (#7282)
- [AIRFLOW-6451] self._print_stat() in dag_processing.py should be skipable (#7134)
- [AIRFLOW-6495] Load DAG only once when running a task using StandardTaskRunner (#7090)
- [AIRFLOW-6319] Add support for AWS Athena workgroups (#6871)
- [AIRFLOW-6677] Remove deprecation warning from SQLAlchemyChmeyer (#7289)
- [AIRFLOW-6428] Fix import path for airflow.utils.dates.days_ago in Example DAGs (#7007)
- [AIRFLOW-6595] Use TaskNotFound exception instead of AirflowException (#7210)
- [AIRFLOW-6620] Mock celery in worker cli test (#7243)
- [AIRFLOW-6608] Change logging level for Bash & PyOperator Env exports
- [AIRFLOW-2279] Clear tasks across DAGs if marked by ExternalTaskMarker (#6633)
- [AIRFLOW-6359] Make Spark status_poll_interval explicit (#6978)
- [AIRFLOW-6359] spark_submit_hook.py status polling interval config (#6909)
- [AIRFLOW-6316] Use exampleinclude directives in tutorial.rst (#6868)
- [AIRFLOW-6519] Make T1 logs constants in Webserver configurable (#7113)
- [AIRFLOW-6327] http_hook: Accept json= parameter for payload (#6886)
- [AIRFLOW-6261] flower_basic_auth eligible to _cmd (#6825)
- [AIRFLOW-6238] Filter dags returned by dag_stats
- [AIRFLOW-5616] Switch PrestoHook from pyhive to presto-python-client
- [AIRFLOW-6611] Add proxy_fix configs to default_airflow.cfg (#7236)
- [AIRFLOW-6557] Add test for newly added fields in BaseOperator (#7162)
- [AIRFLOW-6584] Pin cassandra driver (#7194)
- [AIRFLOW-6537] Fix backticks in rst files (#7140)
- [AIRFLOW-4428] Error if exec_date before default_args.start_date in trigger_dag (#6948)
- [AIRFLOW-6330] Show cli help when param blank or typo (#6883)
- [AIRFLOW-4113] Unpin boto3 (#6884)
- [AIRFLOW-6181] Add DebugExecutor (#6740)
- [AIRFLOW-6504] Allow specifying configmap for Airflow Local Setting (#7097)
- [AIRFLOW-6436] Cleanup for Airflow configs doc generator code (#7036)
- [AIRFLOW-6436] Add x_frame_enabled config in config.yml (#7024)
- [AIRFLOW-6436] Create & Automate docs on Airflow Configs (#7015)
- [AIRFLOW-6527] Make send_task_to_executor timeout configurable (#7143)
- [AIRFLOW-6272] Switch from npm to yarnpkg for managing front-end dependencies (#6844)
- [AIRFLOW-6350] Security - spark submit operator logging+exceptions should mask passwords
- [AIRFLOW-6358] Log details of failed task (#6908)
- [AIRFLOW-5149] Skip SLA checks config (#6923)
- [AIRFLOW-6057] Update template_fields of the PythonSensor (#6656)
- [AIRFLOW-4445] Mushroom cloud errors too verbose (#6952)
- [AIRFLOW-6394] Simplify github PR template (#6955)
- [AIRFLOW-5385] spark hook does not work on spark 2.3/2.4 (#6976)

Bug Fixes

- [AIRFLOW-6345] Ensure arguments to ProxyFix are integers (#6901)
- [AIRFLOW-6576] Fix scheduler crash caused by deleted task with sla misses (#7187)
- [AIRFLOW-6686] Fix syntax error constructing list of process ids (#7298)
- [AIRFLOW-6683] REST API respects store_serialized_dag setting (#7296)
- [AIRFLOW-6553] Add upstream_failed in instance state filter to WebUI (#7159)
- [AIRFLOW-6357] Highlight nodes in Graph UI if task id contains dots (#6904)
- [AIRFLOW-3349] Use None instead of False as value for encoding in StreamLogWriter (#7329)
- [AIRFLOW-6627] Email with incorrect DAG not delivered (#7250)
- [AIRFLOW-6637] Fix airflow test command in 1.10.x
- [AIRFLOW-6636] Avoid exceptions when printing task instance
- [AIRFLOW-6522] Clear task log file before starting to fix duplication in S3TaskHandler (#7120)
- [AIRFLOW-5501] Make default in_cluster value in KubernetesPodOperator respect config (#6124)
- [AIRFLOW-6514] Use RUNNING_DEPS to check run from UI (#6367)
- [AIRFLOW-6381] Remove styling based on DAG id from DAGs page (#6985)
- [AIRFLOW-6434] Add return statement back to DockerOperator.execute (#7013)
- [AIRFLOW-2516] Fix mysql deadlocks (#6988)
- [AIRFLOW-6528] Disable flake8 W503 line break before binary operator (#7124)

- [AIRFLOW-6517] Make merge_dicts function recursive (#7111)
- [AIRFLOW-5621] Failure callback is not triggered when marked Failed on UI (#7025)
- [AIRFLOW-6353] Security - ui - add click jacking defense (#6995)
- [AIRFLOW-6348] Security - cli.py is currently printing logs with password (#6915)
- [AIRFLOW-6323] Remove non-ascii letters from default config (#6878)
- [AIRFLOW-6506] Fix do_xcom_push defaulting to True in KubernetesPodOperator (#7122)
- [AIRFLOW-6516] BugFix: airflow.cfg does not exist in Volume Mounts (#7109)
- [AIRFLOW-6427] Fix broken example_qubole_operator dag (#7005)
- [AIRFLOW-6385] BugFix: SlackAPIPostOperator fails when blocks not set (#7022)
- [AIRFLOW-6347] BugFix: Can't get task logs when serialization is enabled (#7092)
- [AIRFLOW-XXXX] Fix downgrade of db migration 0e2a74e0fc9f (#6859)
- [AIRFLOW-6366] Fix migrations for MS SQL Server (#6920)
- [AIRFLOW-5406] Allow spark without kubernetes (#6921)
- [AIRFLOW-6229] SparkSubmitOperator polls forever if status json can't... (#6918)
- [AIRFLOW-6352] Security - ui - add login timeout (#6912)
- [AIRFLOW-6397] Ensure sub_process attribute exists before trying to kill it (#6958)
- [AIRFLOW-6400] Fix pytest not working on Windows (#6964)
- [AIRFLOW-6418] Remove SystemTest.skip decorator (#6991)
- [AIRFLOW-6425] Serialization: Add missing DAG parameters to Json Schema (#7002)

Misc/Internal

- [AIRFLOW-6467] Use self.dag i/o creating a new one (#7067)
- [AIRFLOW-6490] Improve time delta comparison in local task job tests (#7083)
- [AIRFLOW-5814] Implementing Presto hook tests (#6491)
- [AIRFLOW-5704] Improve Kind Kubernetes scripts for local testing (#6516)
- [AIRFLOW-XXXX] Move airflow-config.yaml pre-commit before pylint (#7108)
- [AIRFLOW-XXXX] Improve clarity of confirm message (#7110)
- [AIRFLOW-6662] install dumb init (#7300)
- [AIRFLOW-6705] One less chatty message at breeze initialisation (#7326)
- [AIRFLOW-6705] Less chatty integration/backend checks (#7325)
- [AIRFLOW-6662] Switch to --init docker flag for signal propagation (#7278)
- [AIRFLOW-6661] Fail after 50 failing tests (#7277)
- [AIRFLOW-6607] Get rid of old local scripts for Breeze (#7225)
- [AIRFLOW-6589] BAT tests run in pre-commit on bash script changes (#7203)
- [AIRFLOW-6592] Doc build is moved to test phase (#7208)
- [AIRFLOW-6641] Better diagnostics for kubernetes flaky tests (#7261)
- [AIRFLOW-6642] Make local task job test less flaky (#7262)
- [AIRFLOW-6643] Fix flakiness of kerberos tests
- [AIRFLOW-6638] Remove flakiness test from test_serialized_db remove
- [AIRFLOW-6701] Rat is downloaded from stable backup/mirrors (#7323)
- [AIRFLOW-6702] Dumping kind logs to file.io. (#7319)
- [AIRFLOW-6491] Improve handling of Breeze parameters (#7084)
- [AIRFLOW-6470] Avoid pipe to file when do curl (#7063)
- [AIRFLOW-6471] Add pytest-instafail plugin (#7064)
- [AIRFLOW-6462] Limit exported variables in Dockerfile/Breeze (#7057)
- [AIRFLOW-6465] Add bash autocomplete for airflow in Breeze (#7060)
- [AIRFLOW-6464] Add cloud providers CLI tools in Breeze (#7059)
- [AIRFLOW-6461] Remove silent flags in Dockerfile (#7052)
- [AIRFLOW-6459] Increase verbosity of pytest (#7049)
- [AIRFLOW-6370] Skip Cassandra tests if cluster is not up (#6926)
- [AIRFLOW-6511] Remove BATS docker containers (#7103)
- [AIRFLOW-6475] Remove duplication of volume mount specs in Breeze.. (#7065)
- [AIRFLOW-6489] Add BATS support for Bash unit testing (#7081)
- [AIRFLOW-6387] print details of success/skipped task (#6956)
- [AIRFLOW-6568] Add Emacs related files to .gitignore (#7175)
- [AIRFLOW-6575] Entropy source for CI tests is changed to unblocking (#7185)
- [AIRFLOW-6496] Separate integrations in tests (#7091)
- [AIRFLOW-6634] Set PYTHONPATH in interactive Breeze
- [AIRFLOW-6564] Additional diagnostics information on CI check failure (#7172)
- [AIRFLOW-6383] Add no trailing-whitespace pre-commit hook (#6941)

Doc only changes

- [AIRFLOW-XXXX] Consistency fixes in new documentation (#7207)
- [AIRFLOW-XXXX] Improve grammar and structure in FAQ doc (#7291)
- [AIRFLOW-XXXX] Fix email configuration link in CONTRIBUTING.rst (#7311)
- [AIRFLOW-XXXX] Update docs with new BranchPythonOperator behaviour (#4682)
- [AIRFLOW-XXXX] Fix Typo in scripts/ci/ci_run_airflow_testing.sh (#7235)
- [AIRFLOW-XXXX] Screenshot showing disk space configuration for OSX (#7226)
- [AIRFLOW-XXXX] Add mentoring information to contributing docs (#7202)
- [AIRFLOW-XXXX] Add rebase info to contributing (#7201)
- [AIRFLOW-XXXX] Increase verbosity of static checks in CI (#7200)
- [AIRFLOW-XXXX] Adds branching strategy to documentation (#7193)
- [AIRFLOW-XXXX] Move email configuration from the concept page (#7189)
- [AIRFLOW-XXXX] Update task lifecycle diagram (#7161)
- [AIRFLOW-XXXX] Fix reference in concepts doc (#7135)
- [AIRFLOW-XXXX] Clear debug docs (#7104)
- [AIRFLOW-XXXX] Fix typos and broken links in development docs (#7086)
- [AIRFLOW-XXXX] Clarify wait_for_downstream and execution_date (#6999)
- [AIRFLOW-XXXX] Add *airflow dags show* command guide (#7014)
- [AIRFLOW-XXXX] Update operation chaining documentation (#7018)
- [AIRFLOW-XXXX] Add *.autoenv_leave.zsh* to *.gitignore* (#6986)
- [AIRFLOW-XXXX] Fix development packages installation instructions (#6942)
- [AIRFLOW-XXXX] Update committers list (#7212)
- [AIRFLOW-XXXX] Move UPDATING changes into correct versions (#7166)
- [AIRFLOW-XXXX] Add Documentation for check_slas flag (#6974)
- [AIRFLOW-XXXX] Fix gcp keyfile_dict typo (#6962)
- [AIRFLOW-XXXX] Add tips for writing a note in UPDATIND.md (#6960)
- [AIRFLOW-XXXX] Add note warning that bash>4.0 is required for docs build script (#6947)
- [AIRFLOW-XXXX] Add autoenv to gitignore (#6946)
- [AIRFLOW-XXXX] Fix GCSTaskHandler Comment Typo (#6928)
- [AIRFLOW-XXXX] Fix broken DAG Serialization Link (#6891)
- [AIRFLOW-XXXX] Add versions_added field to configs

Airflow 1.10.7, 2019-12-24

New Features

- [AIRFLOW-5088] [AIP-24] Persisting serialized DAG in DB for webserver scalability (#5992)
- [AIRFLOW-6083] Adding ability to pass custom configuration to AWS Lambda client. (#6678)
- [AIRFLOW-5117] Automatically refresh EKS API tokens when needed (#5731)
- [AIRFLOW-5118] Add ability to specify optional components in DataprocClusterCreateOperator (#5821)
- [AIRFLOW-5681] Allow specification of a tag or hash for the git_sync init container (#6350)
- [AIRFLOW-6025] Add label to uniquely identify creator of Pod (#6621)
- [AIRFLOW-4843] Allow orchestration via Docker Swarm (SwarmOperator) (#5489)
- [AIRFLOW-5751] add get_uri method to Connection (#6426)
- [AIRFLOW-6056] Allow EmrAddStepsOperator to accept job_flow_name as alternative to job_flow_id (#6655)
- [AIRFLOW-2694] Declare permissions in DAG definition (#4642)
- [AIRFLOW-4940] Add DynamoDB to S3 operator (#5663)
- [AIRFLOW-4161] BigQuery to Mysql Operator (#5711)
- [AIRFLOW-6041] Add user agent to the Discovery API client (#6636)
- [AIRFLOW-6089] Reorder setup.py dependencies and add ci (#6681)
- [AIRFLOW-5921] Add bulk_load_custom to MySqlHook (#6575)
- [AIRFLOW-5854] Add support for tty parameter in Docker related operators (#6542)
- [AIRFLOW-4758] Add GcsToGDriveOperator operator (#5822)

Improvements

- [AIRFLOW-3656] Show doc link for the current installed version (#6690)
- [AIRFLOW-5665] Add path_exists method to SFTPHook (#6344)
- [AIRFLOW-5729] Make InputDataConfig optional in Sagemaker's training config (#6398)
- [AIRFLOW-5045] Add ability to create Google Dataproc cluster with custom image from a different project (#5752)
- [AIRFLOW-6132] Allow to pass in tags for the AzureContainerInstancesOperator (#6694)
- [AIRFLOW-5945] Make inbuilt OperatorLinks work when using Serialization (#6715)
- [AIRFLOW-5947] Make the json backend pluggable for DAG Serialization (#6630)
- [AIRFLOW-6239] Filter dags return by last_dagruns (to only select visible dags, not all dags) (#6804)

- [AIRFLOW-6095] Filter dags returned by task_stats (to only select visible dags, not all dags) (#6684)
- [AIRFLOW-4482] Add execution_date to “trigger DagRun” API response (#5260)
- [AIRFLOW-1076] Add get method for template variable accessor (#6793)
- [AIRFLOW-5194] Add error handler to action log (#5883)
- [AIRFLOW-5936] Allow explicit get_ptty in SSHOperator (#6586)
- [AIRFLOW-5474] Add Basic auth to Druid hook (#6095)
- [AIRFLOW-5726] Allow custom filename in RedshiftToS3Transfer (#6396)
- [AIRFLOW-5834] Option to skip serve_logs process with `airflow worker` (#6709)
- [AIRFLOW-5583] Extend the ‘DAG Details’ page to display the start_date / end_date (#6235)
- [AIRFLOW-6250] Ensure on_failure_callback always has a populated context (#6812)
- [AIRFLOW-6222] http hook logs response body for any failure (#6779)
- [AIRFLOW-6260] Drive _cmd config option by env var (`AIRFLOW__CORE__SQL_ALCHEMY_CONN_CMD` for example) (#6801)
- [AIRFLOW-6168] Allow proxy_fix middleware of webserver to be configurable (#6723)
- [AIRFLOW-5931] Use os.fork when appropriate to speed up task execution. (#6627)
- [AIRFLOW-4145] Allow RBAC roles permissions, ViewMenu to be over-rideable (#4960)
- [AIRFLOW-5928] Hive hooks load_file short circuit (#6582)
- [AIRFLOW-5313] Add params support for awsbatch_operator (#5900)
- [AIRFLOW-2227] Add delete method to Variable class (#4963)
- [AIRFLOW-5082] Add subject in AwsSnsHook (#5694)
- [AIRFLOW-5715] Make email, owner context available (#6385)
- [AIRFLOW-5345] Allow SqlSensor’s hook to be customized by subclasses (#5946)
- [AIRFLOW-5417] Fix DB disconnects during webserver startup (#6023)
- [AIRFLOW-5730] Enable get_pandas_df on PinotDbApiHook (#6399)
- [AIRFLOW-3235] Add list function in AzureDataLakeHook (#4070)
- [AIRFLOW-5442] implementing get_pandas_df method for druid broker hook (#6057)
- [AIRFLOW-5883] Improve count() queries in a few places (#6532)
- [AIRFLOW-5811] Add metric for externally killed task count (#6466)
- [AIRFLOW-5758] Support the custom cursor classes for the PostgreSQL hook (#6432)
- [AIRFLOW-5766] Use httpbin.org in http_default (#6438)
- [AIRFLOW-5798] Set default ExternalTaskSensor.external_task_id (#6431)
- [AIRFLOW-5643] Reduce duplicated logic in S3Hook (#6313)
- [AIRFLOW-5562] Skip grant single DAG permissions for Admin role. (#6199)
- [AIRFLOW-6192] Stop creating Hook from SFTPSensor.__init__ (#6748)
- [AIRFLOW-5749][AIRFLOW-4162] Support the “blocks” component for the Slack operators (#6418)
- [AIRFLOW-5693] Support the “blocks” component for the Slack messages (#6364)
- [AIRFLOW-5714] Collect SLA miss emails only from tasks missed SLA (#6384)
- [AIRFLOW-5049] Add validation for src_fmt_configs in bigquery hook (#5671)
- [AIRFLOW-6177] Log DAG processors timeout event at error level, not info (#6731)
- [AIRFLOW-6180] Improve kerberos init in pytest confest (#6735)
- [AIRFLOW-6159] Change logging level of the heartbeat message to DEBUG (#6716)
- [AIRFLOW-6144] Improve the log message of airflow scheduler (#6710)
- [AIRFLOW-6099] Add host name to task runner log (#6688)
- [AIRFLOW-6045] Error on failed execution of compile_assets (#6640)
- [AIRFLOW-5144] Add confirmation on delete button click (#6745)
- [AIRFLOW-6099] Add host name to task runner log (#6688)
- [AIRFLOW-5915] Add support for the new documentation theme (#6563)
- [AIRFLOW-5897] Allow setting -1 as pool slots value in webserver (#6550)
- [AIRFLOW-5888] Use psycopg2-binary for postgres operations (#6533)
- [AIRFLOW-5870] Allow -1 for pool size and optimise pool query (#6520)

Bug Fixes

- [AIRFLOW-XXX] Bump Jira version to fix issue with async
- [AIRFLOW-XXX] Add encoding to fix Cyrillic output when reading back task logs (#6631)
- [AIRFLOW-5304] Fix extra links in BigQueryOperator with multiple queries (#5906)
- [AIRFLOW-6268] Prevent (expensive) ajax calls on home page when no dags visible (#6839)
- [AIRFLOW-6259] Reset page to 1 with each new search for dags (#6828)
- [AIRFLOW-6185] SQLAlchemy Connection model schema not aligned with Alembic schema (#6754)
- [AIRFLOW-3632] Only replace microseconds if execution_date is None in trigger_dag REST API (#6380)
- [AIRFLOW-5458] Bump Flask-AppBuilder to 2.2.0 (for Python >= 3.6) (#6607)
- [AIRFLOW-5072] gcs_hook should download files once (#5685)
- [AIRFLOW-5744] Environment variables not correctly set in Spark submit operator (#6796)
- [AIRFLOW-3189] Remove schema from DbHook.get_uri response if None (#6833)
- [AIRFLOW-6195] Fixed TaskInstance attrs not correct on UI (#6758)

- [AIRFLOW-5889] Make polling for AWS Batch job status more resilient (#6765)
- [AIRFLOW-6043] Fix bug in UI when “filtering by root” to display section of dag (#6638)
- [AIRFLOW-6033] Fix UI Crash at “Landing Times” when task_id is changed (#6635)
- [AIRFLOW-3745] Fix viewer not able to view dag details (#4569)
- [AIRFLOW-6175] Fixes bug when tasks get stuck in “scheduled” state (#6732)
- [AIRFLOW-5463] Make Variable.set when replacing an atomic operation (#6807)
- [AIRFLOW-5582] Add get_autocommit to JdbcHook (#6232)
- [AIRFLOW-5867] Fix webserver unit_test_mode data type (#6517)
- [AIRFLOW-5819] Update AWSBatchOperator default value (#6473)
- [AIRFLOW-5709] Fix regression in setting custom operator resources. (#6331)
- [AIRFLOW-5658] Fix broken navigation links (#6374)
- [AIRFLOW-5727] SqoopHook: Build –connect parameter only if port/schema are defined (#6397)
- [AIRFLOW-5695] use RUNNING_DEPS to check run from UI (#6367)
- [AIRFLOW-6254] obscure conn extra in logs (#6817)
- [AIRFLOW-4824] Add charset handling for SQLAlchemy engine for MySQLHook (#6816)
- [AIRFLOW-6091] Add flushing in execute method for BigQueryCursor (#6683)
- [AIRFLOW-6256] Ensure Jobs table is cleared when resetting DB (#6818)
- [AIRFLOW-5224] Add encoding parameter to GoogleCloudStorageToBigQuery (#6297)
- [AIRFLOW-5179] Remove top level __init__.py (#5818)
- [AIRFLOW-5660] Attempt to find the task in DB from Kubernetes pod labels (#6340)
- [AIRFLOW-6241] Fix typo in airflow/gcp/operator/dataflow.py (#6806)
- [AIRFLOW-6171] Apply .airflowignore to correct subdirectories (#6784)
- [AIRFLOW-6018] Display task instance in table during backfilling (#6612)
- [AIRFLOW-6189] Reduce the maximum test duration to 8 minutes (#6744)
- [AIRFLOW-6141] Remove ReadyToRescheduleDep if sensor mode == poke (#6704)
- [AIRFLOW-6054] Add a command that starts the database consoles (#6653)
- [AIRFLOW-6047] Simplify the logging configuration template (#6644)
- [AIRFLOW-6017] Exclude PULL_REQUEST_TEMPLATE.md from RAT check (#6611)
- [AIRFLOW-4560] Fix Tez queue parameter name in mapred_queue (#5315)
- [AIRFLOW-2143] Fix TaskTries graph counts off-by-1 (#6526)
- [AIRFLOW-5873] KubernetesPodOperator fixes and test (#6523)
- [AIRFLOW-5869] BugFix: Some Deserialized tasks have no start_date (#6519)
- [AIRFLOW-4020] Remove DAG edit permissions from Viewer role (#4845)
- [AIRFLOW-6263] Fix broken WinRM integration (#6832)
- [AIRFLOW-5836] Pin azure-storage-blob version to <12 (#6486)
- [AIRFLOW-4488] Fix typo for non-RBAC UI in max_active_runs_per_dag (#6778)
- [AIRFLOW-5942] Pin PyMSSQL to <3.0 (#6592)
- [AIRFLOW-5451] SparkSubmitHook don't set default namespace (#6072)
- [AIRFLOW-6271] Printing log files read during load_test_config (#6842)
- [AIRFLOW-6308] Unpin Kombu for Python 3

Misc/Internal

- [AIRFLOW-6009] Switch off travis_wait for regular tests (#6600)
- [AIRFLOW-6226] Always reset warnings in tests
- [AIRFLOW-XXX] Remove cyclic imports and pylint hacks in Serialization (#6601)
- [AIRFLOW-XXX] Bump npm from 6.4.1 to 6.13.4 in /airflow/www (#6815)
- [AIRFLOW-XXX] Remove executable permission from file
- [AIRFLOW-XXX] Group AWS & Azure dependencies (old [\[emr\]](#) etc. extra still work)
- [AIRFLOW-5487] Fix unused warning var (#6111)
- [AIRFLOW-5925] Relax [funcsigs](#) and psutil version requirements (#6580)
- [AIRFLOW-5740] Fix Transient failure in Slack test (#6407)
- [AIRFLOW-6058] Running tests with pytest (#6472)
- [AIRFLOW-6066] Added pre-commit checks for accidental debug stmts (#6662)
- [AIRFLOW-6060] Improve conf_vars context manager (#6658)
- [AIRFLOW-6044] Standardize the Code Structure in kube_pod_operator.py (#6639)
- [AIRFLOW-4940] Simplify tests of DynamoDBToS3Operator (#6836)
- [AIRFLOW-XXX] Update airflow-jira release management script (#6772)
- [AIRFLOW-XXX] Add simple guidelines to unit test writing (#6846)
- [AIRFLOW-6309] Fix stable build on Travis

Doc only changes

- [AIRFLOW-6211] Doc how to use conda for local virtualenv (#6766)

- [AIRFLOW-5855] Fix broken reference in custom operator doc (#6508)
- [AIRFLOW-5875] Fix typo in example_qubole_operator.py (#6525)
- [AIRFLOW-5702] Fix common docstring issues (#6372)
- [AIRFLOW-5640] Document and test `email` parameters of BaseOperator (#6315)
- [AIRFLOW-XXX] Improve description OpenFaaS Hook (#6187)
- [AIRFLOW-XXX] GSoD: How to make DAGs production ready (#6515)
- [AIRFLOW-XXX] Use full command in examples (#5973)
- [AIRFLOW-XXX] Update docs to accurately describe the precedence of remote and local logs (#5607)
- [AIRFLOW-XXX] Fix example "extras" field in mysql connect doc (#5285)
- [AIRFLOW-XXX] Fix wrong inline code highlighting in docs (#5309)
- [AIRFLOW-XXX] Group executors in one section (#5834)
- [AIRFLOW-XXX] Add task lifecycle diagram to documentation (#6762)
- [AIRFLOW-XXX] Highlight code blocks (#6243)
- [AIRFLOW-XXX] Documents about task_concurrency and pool (#5262)
- [AIRFLOW-XXX] Fix incorrect docstring parameter (#6649)
- [AIRFLOW-XXX] Add link to XCom section in concepts.rst (#6791)
- [AIRFLOW-XXX] Update kubernetes doc with correct path (#6774)
- [AIRFLOW-XXX] Add information how to configure pytest runner (#6736)
- [AIRFLOW-XXX] more GSOD improvements (#6585)
- [AIRFLOW-XXX] Clarified a grammatically incorrect sentence (#6667)
- [AIRFLOW-XXX] Add notice for Mesos Executor deprecation in docs (#6712)
- [AIRFLOW-XXX] Update list of pre-commits (#6603)
- [AIRFLOW-XXX] Updates to Breeze documentation from GSOD (#6285)
- [AIRFLOW-XXX] Clarify daylight savings time behavior (#6324)
- [AIRFLOW-XXX] GSoD: Adding 'Create a custom operator' doc (#6348)
- [AIRFLOW-XXX] Add resources & links to CONTRIBUTING.rst (#6405)
- [AIRFLOW-XXX] Update chat channel details from gitter to slack (#4149)
- [AIRFLOW-XXX] Add logo info to readme (#6349)
- [AIRFLOW-XXX] Fixed case problem with CONTRIBUTING.rst (#6329)
- [AIRFLOW-XXX] Google Season of Docs updates to CONTRIBUTING doc (#6283)

Airflow 1.10.6, 2019-10-28

New Features

- [AIRFLOW-4908] Implement BigQuery Hooks/Operators for update_dataset, patch_dataset and get_dataset (#5546)
- [AIRFLOW-4741] Optionally report task errors to Sentry (#5407)
- [AIRFLOW-4939] Add default_task_retries config (#5570)
- [AIRFLOW-5508] Add config setting to limit which StatsD metrics are emitted (#6130)
- [AIRFLOW-4222] Add cli autocomplete for bash & zsh (#5789)
- [AIRFLOW-3871] Operators template fields can now render fields inside objects (#4743)

Improvements

- [AIRFLOW-5127] Gzip support for CassandraToGoogleCloudStorageOperator (#5738)
- [AIRFLOW-5125] Add gzip support for AdlsToGoogleCloudStorageOperator (#5737)
- [AIRFLOW-5124] Add gzip support for S3ToGoogleCloudStorageOperator (#5736)
- [AIRFLOW-5653] Log AirflowSkipException in task instance log to make it clearer why tasks might be skipped (#6330)
- [AIRFLOW-5343] Remove legacy SQLAlchemy pessimistic pool disconnect handling (#6034)
- [AIRFLOW-5561] Relax httplib2 version required for gcp extra (#6194)
- [AIRFLOW-5657] Update the upper bound for dill dependency (#6334)
- [AIRFLOW-5292] Allow ECSOperator to tag tasks (#5891)
- [AIRFLOW-4939] Simplify Code for Default Task Retries (#6233)
- [AIRFLOW-5126] Read `aws_session_token` in extra_config of the aws hook (#6303)
- [AIRFLOW-5636] Allow adding or overriding existing Operator Links (#6302)
- [AIRFLOW-4965] Handle quote exceptions in GCP AI operators (v1.10) (#6304)
- [AIRFLOW-3783] Speed up Redshift to S3 unload with HEADERS (#6309)
- [AIRFLOW-3388] Add support to Array Jobs for AWS Batch Operator (#6153)
- [AIRFLOW-4574] add option to provide private_key in SSHHook (#6104) (#6163)
- [AIRFLOW-5530] Fix typo in AWS SQS sensors (#6012)
- [AIRFLOW-5445] Reduce the required resources for the Kubernetes's sidecar (#6062)
- [AIRFLOW-5443] Use alpine image in Kubernetes's sidecar (#6059)
- [AIRFLOW-5344] Add `-proxy-user` parameter to SparkSubmitOperator (#5948)

- [AIRFLOW-3888] HA for Hive metastore connection (#4708)
- [AIRFLOW-5269] Reuse session in Scheduler Job from health endpoint (#5873)
- [AIRFLOW-5153] Option to force delete non-empty BQ datasets (#5768)
- [AIRFLOW-4443] Document LatestOnly behavior for external trigger (#5214)
- [AIRFLOW-2891] Make DockerOperator container_name be templateable (#5696)
- [AIRFLOW-2891] allow configurable docker_operator container name (#5689)
- [AIRFLOW-4285] Update task dependency context definition and usage (#5079)
- [AIRFLOW-5142] Fixed flaky Cassandra test (#5758)
- [AIRFLOW-5218] Less polling of AWS Batch job status (#5825)
- [AIRFLOW-4956] Fix LocalTaskJob heartbeat log spamming (#5589)
- [AIRFLOW-3160] Load latest_dagruns asynchronously on home page (#5339)
- [AIRFLOW-5560] Allow no confirmation on reset dags in *airflow backfill* command (#6195)
- [AIRFLOW-5280] conn: Remove aws_default's default region name (#5879)
- [AIRFLOW-5528] end_of_log_mark should not be a log record (#6159)
- [AIRFLOW-5526] Update docs configuration due to migration of GCP docs (#6154)
- [AIRFLOW-4835] Refactor operator render_template (#5461)

Bug Fixes

- [AIRFLOW-5459] Use a dynamic tmp location in Dataflow operator (#6078)
- [Airflow 4923] Fix Databricks hook leaks API secret in logs (#5635)
- [AIRFLOW-5133] Keep original env state in provide_gcp_credential_file (#5747)
- [AIRFLOW-5497] Update docstring in [airflow/utils/dag_processing.py](#) (#6314)
- Revert/and then rework "[AIRFLOW-4797] Improve performance and behaviour of zombie detection (#5511)" to improve performance (#5908)
- [AIRFLOW-5634] Don't allow editing of DagModelView (#6308)
- [AIRFLOW-4309] Remove Broken Dag error after Dag is deleted (#6102)
- [AIRFLOW-5387] Fix "show paused" pagination bug (#6100)
- [AIRFLOW-5489] Remove unneeded assignment of variable (#6106)
- [AIRFLOW-5491] mark_tasks pydoc is incorrect (#6108)
- [AIRFLOW-5492] added missing docstrings (#6107)
- [AIRFLOW-5503] Fix tree view layout on HDPI screen (#6125)
- [AIRFLOW-5481] Allow Deleting Renamed DAGs (#6101)
- [AIRFLOW-3857] spark_submit_hook cannot kill driver pod in Kubernetes (#4678)
- [AIRFLOW-4391] Fix tooltip for None-State Tasks in 'Recent Tasks' (#5909)
- [AIRFLOW-5554] Require statsd 3.3.0 minimum (#6185)
- [AIRFLOW-5306] Fix the display of links when they contain special characters (#5904)
- [AIRFLOW-3705] Fix PostgresHook get_conn to use conn_name_attr (#5841)
- [AIRFLOW-5581] Cleanly shutdown KubernetesJobWatcher for safe Scheduler shutdown on SIGTERM (#6237)
- [AIRFLOW-5634] Don't allow disabled fields to be edited in DagModelView (#6307)
- [AIRFLOW-4833] Allow to set Jinja env options in DAG declaration (#5943)
- [AIRFLOW-5408] Fix env variable name in Kubernetes template (#6016)
- [AIRFLOW-5102] Worker jobs should terminate themselves if they can't heartbeat (#6284)
- [AIRFLOW-5572] Clear task reschedules when clearing task instances (#6217)
- [AIRFLOW-5543] Fix tooltip disappears in tree and graph view (RBAC UI) (#6174)
- [AIRFLOW-5444] Fix action_logging so that request.form for POST is logged (#6064)
- [AIRFLOW-5484] fix PigCliHook has incorrect named parameter (#6112)
- [AIRFLOW-5342] Fix MSSQL breaking task_instance db migration (#6014)
- [AIRFLOW-5556] Add separate config for timeout from scheduler dag processing (#6186)
- [AIRFLOW-4858] Deprecate "Historical convenience functions" in airflow.configuration (#5495) (#6144)
- [AIRFLOW-774] Fix long-broken DAG parsing Statsd metrics (#6157)
- [AIRFLOW-5419] Use `sudo` to kill cleared tasks when running with impersonation (#6026) (#6176)
- [AIRFLOW-5537] Yamllint is not needed as dependency on host
- [AIRFLOW-5536] Better handling of temporary output files
- [AIRFLOW-5535] Fix name of VERBOSE parameter
- [AIRFLOW-5519] Fix sql_to_gcs operator missing multi-level default args by adding apply_defaults decorator (#6146)
- [AIRFLOW-5210] Make finding template files more efficient (#5815)
- [AIRFLOW-5447] Scheduler stalls because second watcher thread in default args (#6129)

Doc-only changes

- [AIRFLOW-5574] Fix Google Analytics script loading (#6218)
- [AIRFLOW-5588] Add Celery's architecture diagram (#6247)
- [AIRFLOW-5521] Fix link to GCP documentation (#6150)
- [AIRFLOW-5398] Update contrib example DAGs to context manager (#5998)

- [AIRFLOW-5268] Apply same DAG naming conventions as in literature (#5874)
- [AIRFLOW-5101] Fix inconsistent owner value in examples (#5712)
- [AIRFLOW-XXX] Fix typo - AWS DynamoDB Hook (#6319)
- [AIRFLOW-XXX] Fix Documentation for adding extra Operator Links (#6301)
- [AIRFLOW-XXX] Add section on task lifecycle & correct casing in docs (#4681)
- [AIRFLOW-XXX] Make it clear that 1.10.5 was not accidentally omitted from UPDATING.md (#6240)
- [AIRFLOW-XXX] Improve format in code-block directives (#6242)
- [AIRFLOW-XXX] Format Sendgrid docs (#6245)
- [AIRFLOW-XXX] Update to new logo (#6066)
- [AIRFLOW-XXX] Typo in FAQ - schedule_interval (#6291)
- [AIRFLOW-XXX] Add message about breaking change in DAG#get_task_instances in 1.10.4 (#6226)
- [AIRFLOW-XXX] Fix incorrect units in docs for metrics using Timers (#6152)
- [AIRFLOW-XXX] Fix backtick issues in .rst files & Add Precommit hook (#6162)
- [AIRFLOW-XXX] Update documentation about variables forcing answer (#6158)
- [AIRFLOW-XXX] Add a third way to configure authorization (#6134)
- [AIRFLOW-XXX] Add example of running pre-commit hooks on single file (#6143)
- [AIRFLOW-XXX] Add information about default pool to docs (#6019)
- [AIRFLOW-XXX] Make Breeze The default integration test environment (#6001)

Misc/Internal

- [AIRFLOW-5687] Upgrade pip to 19.0.2 in CI build pipeline (#6358) (#6361)
- [AIRFLOW-5533] Fixed failing CRON build (#6167)
- [AIRFLOW-5130] Use GOOGLE_APPLICATION_CREDENTIALS constant from library (#5744)
- [AIRFLOW-5369] Adds interactivity to pre-commits (#5976)
- [AIRFLOW-5531] Replace deprecated log.warn() with log.warning() (#6165)
- [AIRFLOW-4686] Make dags Pylint compatible (#5753)
- [AIRFLOW-4864] Remove calls to load_test_config (#5502)
- [AIRFLOW-XXX] Pin version of mypy so we are stable over time (#6198)
- [AIRFLOW-XXX] Add tests that got missed from #5127
- [AIRFLOW-4928] Move config parses to class properties inside DagBag (#5557)
- [AIRFLOW-5003] Making AWS Hooks pylint compatible (#5627)
- [AIRFLOW-5580] Add base class for system test (#6229)

Airflow 1.10.5, 2019-09-04

New Features

- [AIRFLOW-1498] Add feature for users to add Google Analytics to Airflow UI (#5850)
- [AIRFLOW-4074] Add option to add labels to Dataproc jobs (#5606)
- [AIRFLOW-4846] Allow specification of an existing secret containing git credentials for init containers (#5475)

Improvements

- [AIRFLOW-5335] Update GCSHook methods so they need min IAM perms (#5939)
- [AIRFLOW-2692] Allow AWS Batch Operator to use templates in job_name parameter (#3557)
- [AIRFLOW-4768] Add Timeout parameter in example_gcp_video_intelligence (#5862)
- [AIRFLOW-5165] Make Dataproc highly available (#5781)
- [AIRFLOW-5139] Allow custom ES configs (#5760)
- [AIRFLOW-5340] Fix GCP DLP example (#594)
- [AIRFLOW-5211] Add pass_value to template_fields BigQueryValueCheckOperator (#5816)
- [AIRFLOW-5113] Support icon url in slack web hook (#5724)
- [AIRFLOW-4230] bigquery schema update options should be a list (#5766)
- [AIRFLOW-1523] Clicking on Graph View should display related DAG run (#5866)
- [AIRFLOW-5027] Generalized CloudWatch log grabbing for ECS and SageMaker operators (#5645)
- [AIRFLOW-5244] Add all possible themes to default_webserver_config.py (#5849)
- [AIRFLOW-5245] Add more metrics around the scheduler (#5853)
- [AIRFLOW-5048] Improve display of Kubernetes resources (#5665)
- [AIRFLOW-5284] Replace deprecated log.warn by log.warning (#5881)
- [AIRFLOW-5276] Remove unused helpers from airflow.utils.helpers (#5878)
- [AIRFLOW-4316] Support setting kubernetes_environment_variables config section from env var (#5668)

Bug fixes

- [AIRFLOW-5168] Fix Dataproc operators that failed in 1.10.4 (#5928)
- [AIRFLOW-5136] Fix Bug with Incorrect template_fields in DataProc(*) Operators (#5751)
- [AIRFLOW-5169] Pass GCP Project ID explicitly to StorageClient in GCSHook (#5783)
- [AIRFLOW-5302] Fix bug in none_skipped Trigger Rule (#5902)
- [AIRFLOW-5350] Fix bug in the num_retries field in BigQueryHook (#5955)
- [AIRFLOW-5145] Fix rbac ui presents false choice to encrypt or not encrypt variable values (#5761)
- [AIRFLOW-5104] Set default schedule for GCP Transfer operators (#5726)
- [AIRFLOW-4462] Use datetime2 column types when using MSSQL backend (#5707)
- [AIRFLOW-5282] Add default timeout on kubeclient & catch HTTPError (#5880)
- [AIRFLOW-5315] TaskInstance not updating from DB when user changes executor_config (#5926)
- [AIRFLOW-4013] Mark success/failed is picking all execution date (#5616)
- [AIRFLOW-5152] Fix autodetect default value in GoogleCloudStorageToBigQueryOperator (#5771)
- [AIRFLOW-5100] Airflow scheduler does not respect safe mode setting (#5757)
- [AIRFLOW-4763] Allow list in DockerOperator.command (#5408)
- [AIRFLOW-5260] Allow empty uri arguments in connection strings (#5855)
- [AIRFLOW-5257] Fix Elasticsearch log handler errors when attempting to close logs (#5863)
- [AIRFLOW-1772] Google Updated Sensor doesnt work with CRON expressions (#5730)
- [AIRFLOW-5085] When you run kubernetes git-sync test from TAG, it fails (#5699)
- [AIRFLOW-5258] Elasticsearch log handler, has 2 times of hours (%H and %I) in _clean_execution_dat (#5864)
- [AIRFLOW-5348] Escape Label in deprecated chart view when set via JS (#5952)
- [AIRFLOW-5357] Fix Content-Type for exported variables.json file (#5963)
- [AIRFLOW-5109] Fix process races when killing processes (#5721)
- [AIRFLOW-5240] Latest version of Kombu is breaking airflow for py2

Misc/Internal

- [AIRFLOW-5111] Remove apt-get upgrade from the Dockerfile (#5722)
- [AIRFLOW-5209] Fix Documentation build (#5814)
- [AIRFLOW-5083] Check licence image building can be faster and moved to before-install (#5695)
- [AIRFLOW-5119] Cron job should always rebuild everything from scratch (#5733)
- [AIRFLOW-5108] In the CI local environment long-running kerberos might fail sometimes (#5719)
- [AIRFLOW-5092] Latest python image should be pulled locally in force_pull_and_build (#5705)
- [AIRFLOW-5225] Consistent licences can be added automatically for all JS files (#5827)
- [AIRFLOW-5229] Add licence to all other file types (#5831)
- [AIRFLOW-5227] Consistent licences for all .sql files (#5829)
- [AIRFLOW-5161] Add pre-commit hooks to run static checks for only changed files (#5777)
- [AIRFLOW-5159] Optimise checklicence image build (do not build if not needed) (#5774)
- [AIRFLOW-5263] Show diff on failure of pre-commit checks (#5869)
- [AIRFLOW-5204] Shell files should be checked with shellcheck and have identical licence (#5807)
- [AIRFLOW-5233] Check for consistency in whitespace (tabs/eols) and common problems (#5835)
- [AIRFLOW-5247] Getting all dependencies from NPM can be moved up in Dockerfile (#5870)
- [AIRFLOW-5143] Corrupted rat.jar became part of the Docker image (#5759)
- [AIRFLOW-5226] Consistent licences for all html JINJA templates (#5828)
- [AIRFLOW-5051] Coverage is not properly reported in the new CI system (#5732)
- [AIRFLOW-5239] Small typo and incorrect tests in CONTRIBUTING.md (#5844)
- [AIRFLOW-5287] Checklicence base image is not pulled (#5886)
- [AIRFLOW-5301] Some not-yet-available files from breeze are committed to master (#5901)
- [AIRFLOW-5285] Pre-commit pylint runs over todo files (#5884)
- [AIRFLOW-5288] Temporary container for static checks should be auto-removed (#5887)
- [AIRFLOW-5326] Fix teething problems for Airflow breeze (#5933)
- [AIRFLOW-5206] All .md files should have all common licence, TOC (where applicable) (#5809)
- [AIRFLOW-5329] Easy way to add local files to docker (#5933)
- [AIRFLOW-4027] Make experimental api tests more stateless (#4854)

Doc-only changes

- [AIRFLOW-XXX] Fixed Azkaban link (#5865)
- [AIRFLOW-XXX] Remove duplicate lines from CONTRIBUTING.md (#5830)
- [AIRFLOW-XXX] Fix incorrect docstring parameter in SchedulerJob (#5729)

Airflow 1.10.4, 2019-08-06

New Features

- [AIRFLOW-4811] Implement GCP Data Loss Prevention Hook and Operators (#5539)
- [AIRFLOW-5035] Replace multiprocessing.Manager with a golang-“channel” style (#5615)
- [AIRFLOW-4883] Kill hung file process managers (#5605)
- [AIRFLOW-4929] Pretty print JSON Variables in UI (#5573)
- [AIRFLOW-4884] Roll up import_errors in RBAC UI (#5516)
- [AIRFLOW-4871] Allow creating DagRuns via RBAC UI (#5507)
- [AIRFLOW-4591] Make default_pool a real pool (#5349)
- [AIRFLOW-4844] Add optional is_paused_upon_creation argument to DAG (#5473)
- [AIRFLOW-4456] Add sub-classable BaseBranchOperator (#5231)
- [AIRFLOW-4343] Show warning in UI if scheduler is not running (#5127)
- [AIRFLOW-4739] Add ability to arbitrarily define kubernetes worker pod labels (#5376)
- [AIRFLOW-4348] Add GCP console link in BigQueryOperator (#5195)
- [AIRFLOW-4306] Global operator extra links (#5094)
- [AIRFLOW-4812] Add batch images annotation (#5433)
- [AIRFLOW-4135] Add Google Cloud Build operator and hook (#5251)
- [AIRFLOW-4781] Add the ability to specify ports in KubernetesPodOperator (#5410)
- [AIRFLOW-4521] Pause dag also pause its subdags (#5283)
- [AIRFLOW-4738] Enforce exampleinclude for example DAGs (#5375)
- [AIRFLOW-4326] Airflow AWS SQS Operator (#5110)
- [AIRFLOW-3729] Support *DownwardAPI* in env variables for KubernetesPodOperator (#4554)
- [AIRFLOW-4585] Implement Kubernetes Pod Mutation Hook (#5359)
- [AIRFLOW-161] New redirect route and extra links (#5059)
- [AIRFLOW-4420] Backfill respects task_concurrency (#5221)
- [AIRFLOW-4147] Add Operator to publish event to Redis (#4967)
- [AIRFLOW-3359] Add option to pass customer encryption keys to Dataproc (#4200)
- [AIRFLOW-4318] Create Google Cloud Translate Speech Operator (#5102)
- [AIRFLOW-3960] Adds Google Cloud Speech operators (#4780)
- [AIRFLOW-1501] Add GoogleCloudStorageDeleteOperator (#5230)
- [AIRFLOW-3672] Add support for Mongo DB DNS Seedlist Connection Format (#4481)
- [AIRFLOW-4397] add integrations docs manually for gcs sensors (#5204)
- [AIRFLOW-4251] Instrument DagRun schedule delay (#5050)
- [AIRFLOW-4118] instrument DagRun duration (#4946)
- [AIRFLOW-4361] Fix flaky test_integration_run_dag_with_scheduler_failure (#5182)
- [AIRFLOW-4361] Fix flaky test_integration_run_dag_with_scheduler_failure (#5140)
- [AIRFLOW-4168] Create Google Cloud Video Intelligence Operators (#4985)
- [AIRFLOW-4397] Add GCSUploadSessionCompleteSensor (#5166)
- [AIRFLOW-4335] Add default num_retries to GCP connection (#5117)
- [AIRFLOW-3808] Add cluster_fields to BigQueryHook's create_empty_table (#4654)
- [AIRFLOW-4362] Fix test_execution_limited_parallelism (#5141)
- [AIRFLOW-4307] Backfill respects concurrency limit (#5128)
- [AIRFLOW-4268] Add MsSqlToGoogleCloudStorageOperator (#5077)
- [AIRFLOW-4169] Add Google Cloud Vision Detect Operators (#4986)
- [AIRFLOW-XXX] Fix WS-2019-0032 (#5384)
- [AIRFLOW-XXX] Fix CVE-2019-11358 (#5197)
- [AIRFLOW-XXX] Change allowed version of Jinja2 to fix CVE-2019-10906 (#5075)

Improvement

- [AIRFLOW-5022] Fix DockerHook for registries with port numbers (#5644)
- [AIRFLOW-4961] Insert TaskFail.duration as int match DB schema column type (#5593)
- [AIRFLOW-5038] skip pod deleted log message when pod deletion is disabled (#5656)
- [AIRFLOW-5067] Update pagination symbols (#5682)
- [AIRFLOW-4981][AIRFLOW-4788] Always use pendulum DateTimes in task instance context (#5654)
- [AIRFLOW-4880] Add success, failure and fail_on_empty params to SqlSensor (#5488)
- [AIRFLOW-3617] Add gpu limits option in configurations for Kube executor and pod (#5643)
- [AIRFLOW-4998] Run multiple queries in BigQueryOperator (#5619)
- [AIRFLOW-4929] Improve display of JSON Variables in UI (#5641)
- [AIRFLOW-4959] Add .hql support for the DataProcHiveOperator (#5591)
- [AIRFLOW-4962] Fix Werkzeug v0.15 deprecation notice for DispatcherMiddleware import (#5595)
- [AIRFLOW-4797] Improve performance and behaviour of zombie detection (#5511)
- [AIRFLOW-4911] Silence the FORBIDDEN errors from the KubernetesExecutor (#5547)
- [AIRFLOW-3495] Validate one of query and query_uri passed to DataProcSparkSqlOperator (#5510)

- [AIRFLOW-4925] Improve css style for Variables Import file field (#5552)
- [AIRFLOW-4906] Improve debugging for the SparkSubmitHook (#5542)
- [AIRFLOW-4904] unittest.cfg name and path can be overridden by setting \$AIRFLOW_TEST_CONFIG (#5540)
- [AIRFLOW-4920] Use html.escape instead of cgi.escape to fix DeprecationWarning (#5551)
- [AIRFLOW-4919] DataProcJobBaseOperator dataproc_*_properties templated (#5555)
- [AIRFLOW-4478] Lazily instantiate default resources objects. (#5259)
- [AIRFLOW-4564] AzureContainerInstance bugfixes and improvements (#5319)
- [AIRFLOW-4237] Including Try Number of Task in Gantt Chart (#5037)
- [AIRFLOW-4862] Allow directly using IP address as hostname for webserver logs (#5501)
- [AIRFLOW-4857] Add templated fields to SlackWebhookOperator (#5490)
- [AIRFLOW-3502] Add celery config option for setting "pool" (#4308)
- [AIRFLOW-3217] Button to toggle line wrapping in log and code views (#4277)
- [AIRFLOW-4491] Add a "Jump to end" button for logs (#5266)
- [AIRFLOW-4422] Pool utilization stats (#5453)
- [AIRFLOW-4805] Add py_file as templated field in DataflowPythonOperator (#5451)
- [AIRFLOW-4838] Surface Athena errors in AWSAthenaOperator (#5467)
- [AIRFLOW-4831] conf.has_option no longer throws if section is missing. (#5455)
- [AIRFLOW-4829] More descriptive exceptions for EMR sensors (#5452)
- [AIRFLOW-4414] AWSAthenaOperator: Push QueryExecutionID to XCom (#5276)
- [AIRFLOW-4791] add "schema" keyword arg to SnowflakeOperator (#5415)
- [AIRFLOW-4759] Don't error when marking successful run as failed (#5435)
- [AIRFLOW-4716] Instrument dag loading time duration (#5350)
- [AIRFLOW-3958] Support list tasks as upstream in chain (#4779)
- [AIRFLOW-4409] Prevent task duration break by null value (#5178)
- [AIRFLOW-4418] Add "failed only" option to task modal (#5193)
- [AIRFLOW-4740] Accept string `end_date` in DAG default_args (#5381)
- [AIRFLOW-4423] Improve date handling in mysql to gcs operator. (#5196)
- [AIRFLOW-4447] Display task duration as human friendly format in UI (#5218)
- [AIRFLOW-4377] Remove needless object conversion in DAG.owner() (#5144)
- [AIRFLOW-4766] Add autoscaling option for DataprocClusterCreateOperator (#5425)
- [AIRFLOW-4795] Upgrade alembic to latest release. (#5411)
- [AIRFLOW-4793] Add signature_name to mlengine operator (#5417)
- [AIRFLOW-3211] Reattach to GCP Dataproc jobs upon Airflow restart (#4083)
- [AIRFLOW-4750] Log identified zombie task instances (#5389)
- [AIRFLOW-3870] STFPOperator: Update log level and return value (#4355)
- [AIRFLOW-4759] Batch queries in set_state API. (#5403)
- [AIRFLOW-2737] Restore original license header to airflow.api.auth.backend.kerberos_auth
- [AIRFLOW-3635] Fix incorrect logic in delete_dag (introduced in PR#4406) (#4445)
- [AIRFLOW-3599] Removed Dagbag from delete dag (#4406)
- [AIRFLOW-4737] Increase and document celery queue name limit (#5383)
- [AIRFLOW-4505] Correct Tag ALL for PY3 (#5275)
- [AIRFLOW-4743] Add environment variables support to SSHOperator (#5385)
- [AIRFLOW-4725] Fix setup.py PEP440 & Sphinx-PyPI-upload dependency (#5363)
- [AIRFLOW-3370] Add stdout output options to Elasticsearch task log handler (#5048)
- [AIRFLOW-4396] Provide a link to external Elasticsearch logs in UI. (#5164)
- [AIRFLOW-1381] Allow setting host temporary directory in DockerOperator (#5369)
- [AIRFLOW-4598] Task retries are not exhausted for K8s executor (#5347)
- [AIRFLOW-4218] Support to Provide http args to K8executor while calling k8 python client lib apis (#5060)
- [AIRFLOW-4159] Add support for additional static pod labels for K8sExecutor (#5134)
- [AIRFLOW-4720] Allow comments in .airflowignore files. (#5355)
- [AIRFLOW-4486] Add AWS IAM authentication in MySQLHook (#5334)
- [AIRFLOW-4417] Add AWS IAM authentication for PostgresHook (#5223)
- [AIRFLOW-3990] Compile regular expressions. (#4813)
- [AIRFLOW-4572] Rename prepare_classpath() to prepare_syspath() (#5328)
- [AIRFLOW-3869] Raise consistent exception in AirflowConfigParser.getboolean (#4692)
- [AIRFLOW-4571] Add headers to templated field for SimpleHttpOperator (#5326)
- [AIRFLOW-3867] Rename GCP's subpackage (#4690)
- [AIRFLOW-3725] Add private_key to bigquery_hook get_pandas_df (#4549)
- [AIRFLOW-4546] Upgrade google-cloud-bigtable. (#5307)
- [AIRFLOW-4519] Optimise operator classname sorting in views (#5282)
- [AIRFLOW-4503] Support fully pig options (#5271)
- [AIRFLOW-4468] add sqlalchemy_max_overflow parameter (#5249)
- [AIRFLOW-4467] Add dataproc_jars to templated fields in Dataproc oper... (#5248)
- [AIRFLOW-4381] Use get_direct_relative_ids get task relatives (#5147)
- [AIRFLOW-3624] Add masterType parameter to MLEngineTrainingOperator (#4428)

- [AIRFLOW-3143] Support Auto-Zone in DataprocClusterCreateOperator (#5169)
- [AIRFLOW-3874] Improve BigQueryHook.run_with_configuration's location support (#4695)
- [AIRFLOW-4399] Avoid duplicated os.path.isfile() check in models.dagbag (#5165)
- [AIRFLOW-4031] Allow for key pair auth in snowflake hook (#4875)
- [AIRFLOW-3901] add role as optional config parameter for SnowflakeHook (#4721)
- [AIRFLOW-3455] add region in snowflake connector (#4285)
- [AIRFLOW-4073] add template_ext for AWS Athena operator (#4907)
- [AIRFLOW-4093] AWSAthenaOperator: Throw exception if job failed/cancelled/reach max retries (#4919)
- [AIRFLOW-4356] Add extra RuntimeEnvironment keys to DataFlowHook (#5149)
- [AIRFLOW-4337] Fix docker-compose deprecation warning in CI (#5119)
- [AIRFLOW-3603] QuboleOperator: Remove SQLCommand from SparkCmd documentation (#4411)
- [AIRFLOW-4328] Fix link to task instances from Pool page (#5124)
- [AIRFLOW-4255] Make GCS Hook Backwards compatible (#5089)
- [AIRFLOW-4103] Allow uppercase letters in dataflow job names (#4925)
- [AIRFLOW-4255] Replace Discovery based api with client based for GCS (#5054)
- [AIRFLOW-4311] Remove sleep in localexecutor (#5096)
- [AIRFLOW-2836] Minor improvement-contrib.sensors.FileSensor (#3674)
- [AIRFLOW-4104] Add type annotations to common classes. (#4926)
- [AIRFLOW-3910] Raise exception explicitly in Connection.get_hook() (#4728)
- [AIRFLOW-3322] Update QuboleHook to fetch args dynamically from qds_sdk (#4165)
- [AIRFLOW-4565] instrument celery executor (#5321)
- [AIRFLOW-4573] Import airflow_local_settings after prepare_classpath (#5330)
- [AIRFLOW-4448] Don't bake ENV and _cmd into tmp config for non-sudo (#4050)
- [AIRFLOW-4295] Make `method` attribute case insensitive in HttpHook (#5313)
- [AIRFLOW-3703] Add dnsPolicy option for KubernetesPodOperator (#4520)
- [AIRFLOW-3057] add prev_*_date_success to template context (#5372)
- [AIRFLOW-4336] Stop showing entire GCS files bytes in log for gcs_download_operator (#5151)
- [AIRFLOW-4528] Cancel DataProc task on timeout (#5293)

Bug fixes

- [AIRFLOW-5089] Change version requirement on google-cloud-spanner to work around version incompatibility (#5703)
- [AIRFLOW-4289] fix spark_binary argument being ignored in SparkSubmitHook (#5564)
- [AIRFLOW-5075] Let HttpHook handle connections with empty host fields (#5686)
- [AIRFLOW-4822] Fix bug where parent-dag task instances are wrongly cleared when using subdags (#5444)
- [AIRFLOW-5050] Correctly delete FAB permission m2m objects in `airflow sync_perms` (#5679)
- [AIRFLOW-5030] fix env var expansion for config key contains `__` (#5650)
- [AIRFLOW-4590] changing log level to be proper library to suppress warning in WinRM (#5337)
- [AIRFLOW-4451] Allow named tuples to be templated (#5673)
- [AIRFLOW-XXX] Fix bug where Kube pod limits were not applied (requests were, but not limits) (#5657)
- [AIRFLOW-4775] Fix incorrect parameter order in GceHook (#5613)
- [AIRFLOW-4995] Fix DB initialisation on MySQL >=8.0.16 (#5614)
- [AIRFLOW-4934] Fix ProxyFix due to Werkzeug upgrade (#5563) (#5571)
- [AIRFLOW-4136] fix key_file of hook is overwritten by SSHHook connection (#5558)
- [AIRFLOW-4587] Replace self.conn with self.get_conn() in AWSAthenaHook (#5545)
- [AIRFLOW-1740] Fix xcom creation and update via UI (#5530) (#5531)
- [AIRFLOW-4900] Resolve incompatible version of Werkzeug (#5535)
- [AIRFLOW-4510] Don't mutate default_args during DAG initialization (#5277)
- [AIRFLOW-3360] Make the DAGs search respect other querystring parameters with url-search-params-polyfill for IE support (#5503)
- [AIRFLOW-4896] Make KubernetesExecutorConfig's default args immutable (#5534)
- [AIRFLOW-4494] Remove `shell=True` in DaskExecutor (#5273)
- [AIRFLOW-4890] Fix Log link in TaskInstance's View for Non-RBAC (#5525)
- [AIRFLOW-4892] Fix connection creation via UIs (#5527)
- [AIRFLOW-4406] Fix a method name typo: NullFernet.decrypt to decrypt (#5509)
- [AIRFLOW-4849] Add gcp_conn_id to cloudsqldatabehook class to use correctly CloudSqlProxyRunner class (#5478)
- [AIRFLOW-4769] Pass gcp_conn_id to BigtableHook (#5445)
- [AIRFLOW-4524] Fix incorrect field names in view for Mark Success/Failure (#5486)
- [AIRFLOW-3671] Remove arg `replace` of MongoToS3Operator from `kwargs` (#4480)
- [AIRFLOW-4845] Fix bug where runAsUser 0 doesn't get set in k8s security context (#5474)
- [AIRFLOW-4354] Fix exception in "between" date filter in classic UI (#5480)
- [AIRFLOW-4587] Replace self.conn with self.get_conn() in AWSAthenaHook (#5462)
- [AIRFLOW-4516] K8s runAsUser and fsGroup cannot be strings (#5429)
- [AIRFLOW-4298] Stop Scheduler repeatedly warning "connection invalidated" (#5470)
- [AIRFLOW-4559] JenkinsJobTriggerOperator bugfix (#5318)

- [AIRFLOW-4841] Pin Sphinx AutoApi to 1.0.0 (#5468)
- [AIRFLOW-4479] Include s3_overwrite kwarg in load_bytes method (#5312)
- [AIRFLOW-3746] Fix DockerOperator missing container exit (#4583)
- [AIRFLOW-4233] Remove Template Extension from Bq to GCS Operator (#5456)
- [AIRFLOW-2141][AIRFLOW-3157][AIRFLOW-4170] Serialize non-str value by JSON when importing Variables (#4991)
- [AIRFLOW-4826] Remove warning from `airflow resetdb` command (#5447)
- [AIRFLOW-4148] Fix editing DagRuns when clicking state column (#5436)
- [AIRFLOW-4455] dag_details broken for subdags in RBAC UI (#5234)
- [AIRFLOW-2955] Fix kubernetes pod operator to set requests and limits on task pods (#4551)
- [AIRFLOW-4459] Fix wrong DAG count in /home page when DAG count is zero (#5235)
- [AIRFLOW-3876] AttributeError: module `distutils` has no attribute 'util'
- [AIRFLOW-4146] Fix CgroupTaskRunner errors (#5224)
- [AIRFLOW-4524] Fix bug with "Ignore *" toggles in RBAC mode (#5378)
- [AIRFLOW-4765] Fix DataProcPigOperator execute method (#5426)
- [AIRFLOW-4798] obviate interdependencies for dagbag and TI tests (#5422)
- [AIRFLOW-4800] fix GKEClusterHook ctor calls (#5424)
- [AIRFLOW-4799] don't mutate self.env in BashOperator execute method (#5421)
- [AIRFLOW-4393] Add retry logic when fetching pod status and/or logs in KubernetesPodOperator (#5284)
- [AIRFLOW-4174] Fix HttpHook run with backoff (#5213)
- [AIRFLOW-4463] Handle divide-by-zero errors in short retry intervals (#5243)
- [AIRFLOW-2614] Speed up trigger_dag API call when lots of DAGs in system
- [AIRFLOW-4756] add ti.state to ti.start_date as criteria for gantt (#5399)
- [AIRFLOW-4760] Fix zip-packaged DAGs disappearing from DagBag when reloaded (#5404)
- [AIRFLOW-4731] Fix GCS hook with google-storage-client 1.16 (#5368)
- [AIRFLOW-3506] use match_phrase to query log_id in elasticsearch (#4342)
- [AIRFLOW-4084] fix ElasticSearch log download (#5177)
- [AIRFLOW-4501] Register pendulum datetime converter for sqla+pymysql (#5190)
- [AIRFLOW-986] HiveCliHook ignores 'proxy_user' value in a connection's extra parameter (#5305)
- [AIRFLOW-4442] fix hive_tblproperties in HiveToDruidTransfer (#5211)
- [AIRFLOW-4557] Add gcp_conn_id parameter to get_sqlproxy_runner() of CloudSqlDatabaseHook (#5314)
- [AIRFLOW-4545] Upgrade FAB to latest version (#4955)
- [AIRFLOW-4492] Change Dataproc Cluster operators to poll Operations (#5269)
- [AIRFLOW-4452] Webserver and Scheduler keep crashing because of slackclient update (#5225)
- [AIRFLOW-4450] Fix request arguments in has_dag_access (#5220)
- [AIRFLOW-4434] Support Impala with the HiveServer2Hook (#5206)
- [AIRFLOW-3449] Write local dag parsing logs when remote logging enabled. (#5175)
- [AIRFLOW-4300] Fix graph modal call when DAG has not yet run (#5185)
- [AIRFLOW-4401] Use managers for Queue synchronization (#5200)
- [AIRFLOW-3626] Fixed triggering DAGs contained within zip files (#4439)
- [AIRFLOW-3720] Fix mismatch while comparing GCS and S3 files (#4766)
- [AIRFLOW-4403] search by `dag_id` or `owners` in UI (#5184)
- [AIRFLOW-4308] Fix TZ-loop around DST on python 3.6+ (#5095)
- [AIRFLOW-4324] fix DAG fuzzy search in RBAC UI (#5131)
- [AIRFLOW-4297] Temporary hot fix on manage_slas() for 1.10.4 release (#5150)
- [AIRFLOW-4299] Upgrade to Celery 4.3.0 to fix crashing workers (#5116)
- [AIRFLOW-4291] Correctly render doc_md in DAG graph page (#5121)
- [AIRFLOW-4310] Fix incorrect link on Dag Details page (#5122)
- [AIRFLOW-4331] Correct filter for Null-state runs from Dag Detail page (#5123)
- [AIRFLOW-4294] Fix missing dag & task runs in UI dag_id contains a dot (#5111)
- [AIRFLOW-4332] Upgrade sqlalchemy to remove security Vulnerability (#5113)
- [AIRFLOW-4312] Add template_fields & template_ext to BigQueryCheckO... (#5097)
- [AIRFLOW-4293] Fix downgrade in d4ecb8fbee3_add_schedule_interval_to_dag.py (#5086)
- [AIRFLOW-4267] Fix TI duration in Graph View (#5071)
- [AIRFLOW-4163] IntervalCheckOperator supports relative diff and not ignore 0 (#4983)
- [AIRFLOW-3938] QuboleOperator Fixes and Support for SqlCommand (#4832)
- [AIRFLOW-2903] Change default owner to `airflow` (#4151)
- [AIRFLOW-4136] Fix overwrite of key_file by constructor (#5155)
- [AIRFLOW-3241] Remove Invalid template ext in GCS Sensors (#4076)

Misc/Internal

- [AIRFLOW-4338] Change k8s pod_request_factory to use yaml safe_load (#5120)
- [AIRFLOW-4869] Reorganize sql to gcs operators. (#5504)
- [AIRFLOW-5021] move gitpython into setup_requires (#5640)

- [AIRFLOW-4583] Fixes type error in GKEPodOperator (#5612)
- [AIRFLOW-4116] Dockerfile now supports CI image build on DockerHub (#4937)
- [AIRFLOW-4115] Multi-staging Airflow Docker image (#4936)
- [AIRFLOW-4963] Avoid recreating task context (#5596)
- [AIRFLOW-4865] Add context manager to set temporary config values in tests. (#5569)
- [AIRFLOW-4937] Fix Iodash security issue with version below 4.17.13 (#5572) (used only in build-pipeline, not runtime)
- [AIRFLOW-4868] Fix typo in kubernetes/docker/build.sh (#5505)
- [AIRFLOW-4211] Add tests for WebHDFSHook (#5015)
- [AIRFLOW-4320] Add tests for SegmentTrackEventOperator (#5104)
- [AIRFLOW-4319] Add tests for Bigquery related Operators (#5101)
- [AIRFLOW-4014] Change DatastoreHook and add tests (#4842)
- [AIRFLOW-4322] Add test for VerticaOperator (#5107)
- [AIRFLOW-4323] Add 2 tests for WinRMOperator (#5108)
- [AIRFLOW-3677] Improve CheckOperator test coverage (#4756)
- [AIRFLOW-4659] Fix pylint problems for api module (#5398)
- [AIRFLOW-4358] Speed up test_jobs by not running tasks (#5162)
- [AIRFLOW-4394] Don't test behaviour of BackfillJob from CLI tests (#5160)
- [AIRFLOW-3471] Move XCom out of models.py (#4629)
- [AIRFLOW-4379] Remove duplicate code & Add validation in gcs_to_gcs.py (#5145)
- [AIRFLOW-4259] Move models out of models.py (#5056)
- [AIRFLOW-XXX] Speed up building of Cassandra module on Travis (#5233)
- [AIRFLOW-4535] Break jobs.py into multiple files (#5303)
- [AIRFLOW-1464] Batch update task_instance state (#5323)
- [AIRFLOW-4554] Test for sudo command, add some other test docs (#5310)
- [AIRFLOW-4419] Refine concurrency check in scheduler (#5194)
- [AIRFLOW-4269] Minor acceleration of jobs._process_task_instances() (#5076)
- [AIRFLOW-4341] Remove `View.render()` already exists in fab.BaseView (#5125)
- [AIRFLOW-4342] Use `@cached_property` instead of re-implementing it each time (#5126)
- [AIRFLOW-4256] Remove noqa from migrations (#5055)
- [AIRFLOW-4034] Remove unnecessary string formatting with `**locals()` (#4861)
- [AIRFLOW-3944] Remove code smells (#4762)

Doc-only changes

- [AIRFLOW-XXX] Add missing doc for annotations param of KubernetesPodOperator (#5666)
- [AIRFLOW-XXX] Fix typos in CONTRIBUTING.md (#5626)
- [AIRFLOW-XXX] Correct BaseSensorOperator docs (#5562)
- [AIRFLOW-4926] Fix example dags where its start_date is datetime.utcnow() (#5553)
- [AIRFLOW-4860] Remove Redundant Information in Example Dags (#5497)
- [AIRFLOW-4767] Fix errors in the documentation of Dataproc Operator (#5487)
- [AIRFLOW-1684] Branching based on XCom variable (Docs) (#4365)
- [AIRFLOW-3341] FAQ return DAG object example (#4605)
- [AIRFLOW-4433] Add missing type in DockerOperator doc string (#5205)
- [AIRFLOW-4321] Replace incorrect info of Max Size limit of GCS Object Size (#5106)
- [AIRFLOW-XXX] Add information about user list (#5341)
- [AIRFLOW-XXX] Clarify documentation related to autodetect parameter in GCS_to_BQ Op (#5294)
- [AIRFLOW-XXX] Remove mention of pytz compatibility from timezone documentation (#5316)
- [AIRFLOW-XXX] Add missing docs for GoogleCloudStorageDeleteOperator (#5274)
- [AIRFLOW-XXX] Remove incorrect note about Scopes of GCP connection (#5242)
- [AIRFLOW-XXX] Fix mistakes in docs of Dataproc operators (#5192)
- [AIRFLOW-XXX] Link to correct class for timedelta in macros.rst (#5226)
- [AIRFLOW-XXX] Add Kamil as committer (#5216)
- [AIRFLOW-XXX] Add Joshua and Kevin as committer (#5207)
- [AIRFLOW-XXX] Reduce log spam in tests (#5174)
- [AIRFLOW-XXX] Speed up tests for PythonSensor (#5158)
- [AIRFLOW-XXX] Add Bas Harens as committer (#5157)
- [AIRFLOW-XXX] Add Jarek Potiuk to committer list (#5132)
- [AIRFLOW-XXX] Update docstring for SchedulerJob (#5105)
- [AIRFLOW-XXX] Fix docstrings for CassandraToGoogleCloudStorageOperator (#5103)
- [AIRFLOW-XXX] update SlackWebhookHook and SlackWebhookOperator docstring (#5074)
- [AIRFLOW-XXX] Ignore python files under node_modules in docs (#5063)
- [AIRFLOW-XXX] Build a universal wheel with LICNESE files (#5052)
- [AIRFLOW-XXX] Fix docstrings of SQSHook (#5099)
- [AIRFLOW-XXX] Use Py3.7 on readthedocs

- [AIRFLOW-4446] Fix typos (#5217)

Airflow 1.10.3, 2019-04-09

New Feature

- [AIRFLOW-4232] Add `none_skipped` trigger rule (#5032)
- [AIRFLOW-3971] Add Google Cloud Natural Language operators (#4980)
- [AIRFLOW-4069] Add Opsgenie Alert Hook and Operator (#4903)
- [AIRFLOW-3552] Fix encoding issue in ImapAttachmentToS3Operator (#5040)
- [AIRFLOW-3552] Add ImapAttachmentToS3Operator (#4476)
- [AIRFLOW-1526] Add dingding hook and operator (#4895)
- [AIRFLOW-3490] Add BigQueryHook's Ability to Patch Table/View (#4299)
- [AIRFLOW-3918] Add ssh private-key support to git-sync for KubernetesExecutor (#4777)
- [AIRFLOW-3659] Create Google Cloud Transfer Service Operators (#4792)
- [AIRFLOW-3939] Add Google Cloud Translate operator (#4755)
- [AIRFLOW-3541] Add Avro logical type conversion to bigquery hook (#4553)
- [AIRFLOW-4106] instrument staving tasks in pool (#4927)
- [AIRFLOW-2568] Azure Container Instances operator (#4121)
- [AIRFLOW-4107] instrument executor (#4928)
- [AIRFLOW-4033] record stats of task duration (#4858)
- [AIRFLOW-3892] Create Redis pub sub sensor (#4712)
- [AIRFLOW-4124] add `get_table` and `get_table_location` in `aws_glue_hook` and tests (#4942)
- [AIRFLOW-1262] Adds missing docs for email configuration (#4557)
- [AIRFLOW-3701] Add Google Cloud Vision Product Search operators (#4665)
- [AIRFLOW-3766] Add support for kubernetes annotations (#4589)
- [AIRFLOW-3741] Add extra config to Oracle hook (#4584)
- [AIRFLOW-1262] Allow configuration of email alert subject and body (#2338)
- [AIRFLOW-2985] Operators for S3 object copying/deleting (#3823)
- [AIRFLOW-2993] `s3_to_sftp` and `sftp_to_s3` operators (#3828)
- [AIRFLOW-3799] Add `compose` method to `GoogleCloudStorageHook` (#4641)
- [AIRFLOW-3218] add support for poking a whole DAG (#4058)
- [AIRFLOW-3315] Add ImapAttachmentSensor (#4161)
- [AIRFLOW-3556] Add cross join set dependency function (#4356)

Improvement

- [AIRFLOW-3823] Exclude branch's downstream tasks from the tasks to skip (#4666)
- [AIRFLOW-3274] Add `run_as_user` and `fs_group` options for Kubernetes (#4648)
- [AIRFLOW-4247] Template Region on the DataprocOperators (#5046)
- [AIRFLOW-4008] add `envFrom` for Kubernetes Executor (#4952)
- [AIRFLOW-3947] Flash msg for no DAG-level access error (#4767)
- [AIRFLOW-3287] Moving database clean-up code into the `CoreTest.tearDown()` (#4122)
- [AIRFLOW-4058] Name models test file to get automatically picked up (#4901)
- [AIRFLOW-3830] Remove `DagBag` from `/dag_details` (#4831)
- [AIRFLOW-3596] Clean up undefined template variables. (#4401)
- [AIRFLOW-3573] Remove `DagStat` table (#4378)
- [AIRFLOW-3623] Fix bugs in Download task logs (#5005)
- [AIRFLOW-4173] Improve `SchedulerJob.process_file()` (#4993)
- [AIRFLOW-3540] Warn if old `airflow.cfg` file is found (#5006)
- [AIRFLOW-4000] Return response when no file (#4822)
- [AIRFLOW-3383] Rotate fernet keys. (#4225)
- [AIRFLOW-3003] Pull the `krb5` image instead of building (#3844)
- [AIRFLOW-3862] Check types with `mypy`. (#4685)
- [AIRFLOW-251] Add option `SQL_ALCHEMY_SCHEMA` parameter to specify schema for metadata (#4199)
- [AIRFLOW-1814] Temple `PythonOperator` `{op_args,op_kwargs}` fields (#4691)
- [AIRFLOW-3730] Standarization use of logs mechanisms (#4556)
- [AIRFLOW-3770] Validation of documentation on CI] (#4593)
- [AIRFLOW-3866] Run `docker-compose` pull silently in CI (#4688)
- [AIRFLOW-3685] Move licence header check (#4497)
- [AIRFLOW-3670] Add stages to Travis build (#4477)
- [AIRFLOW-3937] `KubernetesPodOperator` support for `envFrom` `configMapRef` and `secretRef` (#4772)
- [AIRFLOW-3408] Remove outdated info from Systemd Instructions (#4269)

- [AIRFLOW-3202] add missing documentation for AWS hooks/operator (#4048)
- [AIRFLOW-3908] Add more Google Cloud Vision operators (#4791)
- [AIRFLOW-2915] Add example DAG for GoogleCloudStorageToBigQueryOperator (#3763)
- [AIRFLOW-3062] Add Qubole in integration docs (#3946)
- [AIRFLOW-3288] Add SNS integration (#4123)
- [AIRFLOW-3148] Remove unnecessary arg "parameters" in RedshiftToS3Transfer (#3995)
- [AIRFLOW-3049] Add extra operations for Mongo hook (#3890)
- [AIRFLOW-3559] Add missing options to DatadogHook. (#4362)
- [AIRFLOW-1191] Simplify override of spark submit command. (#4360)
- [AIRFLOW-3155] Add ability to filter by a last modified time in GCS Operator (#4008)
- [AIRFLOW-2864] Fix docstrings for SubDagOperator (#3712)
- [AIRFLOW-4062] Improve docs on install extra package commands (#4966)
- [AIRFLOW-3743] Unify different methods of working out AIRFLOW_HOME (#4705)
- [AIRFLOW-4002] Option to open debugger on errors in *airflow test*. (#4828)
- [AIRFLOW-3997] Extend Variable.get so it can return None when var not found (#4819)
- [AIRFLOW-4009] Fix docstring issue in GCSToBQOperator (#4836)
- [AIRFLOW-3980] Unify logger (#4804)
- [AIRFLOW-4076] Correct port type of beeline_default in init_db (#4908)
- [AIRFLOW-4046] Add validations for poke_interval & timeout for Sensor (#4878)
- [AIRFLOW-3744] Abandon the use of obsolete aliases of methods (#4568)
- [AIRFLOW-3865] Add API endpoint to get python code of dag by id (#4687)
- [AIRFLOW-3516] Support to create k8 worker pods in batches (#4434)
- [AIRFLOW-2843] Add flag in ExternalTaskSensor to check if external DAG/task exists (#4547)
- [AIRFLOW-2224] Add support CSV files in MySQLToGoogleCloudStorageOperator (#4738)
- [AIRFLOW-3895] GoogleCloudStorageHook/Op create_bucket takes optional resource params (#4717)
- [AIRFLOW-3950] Improve AirflowSecurityManager.update_admin_perm_view (#4774)
- [AIRFLOW-4006] Make better use of Set in AirflowSecurityManager (#4833)
- [AIRFLOW-3917] Specify alternate kube config file/context when running out of cluster (#4859)
- [AIRFLOW-3911] Change Harvesting DAG parsing results to DEBUG log level (#4729)
- [AIRFLOW-3584] Use ORM DAGs for index view. (#4390)
- [AIRFLOW-2821] Refine Doc "Plugins" (#3664)
- [AIRFLOW-3561] Improve queries (#4368)
- [AIRFLOW-3600] Remove dagbag from trigger (#4407)
- [AIRFLOW-3713] Updated documentation for GCP optional project_id (#4541)
- [AIRFLOW-2767] Upgrade gunicorn to 19.5.0 to avoid moderate-severity CVE (#4795)
- [AIRFLOW-3795] provide_context param is now used (#4735)
- [AIRFLOW-4012] Upgrade tabulate to 0.8.3 (#4838)
- [AIRFLOW-3623] Support download logs by attempts from UI (#4425)
- [AIRFLOW-2715] Use region setting when launching Dataflow templates (#4139)
- [AIRFLOW-3932] Update unit tests and documentation for safe mode flag. (#4760)
- [AIRFLOW-3932] Optionally skip dag discovery heuristic. (#4746)
- [AIRFLOW-3258] K8S executor environment variables section. (#4627)
- [AIRFLOW-3931] set network, subnetwork when launching dataflow template (#4744)
- [AIRFLOW-4095] Add template_fields for S3CopyObjectOperator & S3DeleteObjectsOperator (#4920)
- [AIRFLOW-2798] Remove needless code from models.py
- [AIRFLOW-3731] Constrain mysqlclient to <1.4 (#4558)
- [AIRFLOW-3139] include parameters into log.info in SQL operators, if any (#3986)
- [AIRFLOW-3174] Refine Docstring for SQL Operators & Hooks (#4043)
- [AIRFLOW-3933] Fix various typos (#4747)
- [AIRFLOW-3905] Allow using "parameters" in SqlSensor (#4723)
- [AIRFLOW-2761] Parallelize enqueue in celery executor (#4234)
- [AIRFLOW-3540] Respect environment config when looking up config file. (#4340)
- [AIRFLOW-2156] Parallelize Celery Executor task state fetching (#3830)
- [AIRFLOW-3702] Add backfill option to run backwards (#4676)
- [AIRFLOW-3821] Add replicas logic to GCP SQL example DAG (#4662)
- [AIRFLOW-3547] Fixed Jinja templating in SparkSubmitOperator (#4347)
- [AIRFLOW-3647] Add archives config option to SparkSubmitOperator (#4467)
- [AIRFLOW-3802] Updated documentation for HiveServer2Hook (#4647)
- [AIRFLOW-3817] Corrected task ids returned by BranchPythonOperator to match the dummy operator ids (#4659)
- [AIRFLOW-3782] Clarify docs around celery worker_autoscale in default_airflow.cfg (#4609)
- [AIRFLOW-1945] Add Autoscale config for Celery workers (#3989)
- [AIRFLOW-3590] Change log message of executor exit status (#4616)
- [AIRFLOW-3591] Fix start date, end date, duration for rescheduled tasks (#4502)
- [AIRFLOW-3709] Validate *allowed_states* for ExternalTaskSensor (#4536)
- [AIRFLOW-3522] Add support for sending Slack attachments (#4332)

- [AIRFLOW-3569] Add "Trigger DAG" button in DAG page (/www only) (#4373)
- [AIRFLOW-3569] Add "Trigger DAG" button in DAG page (/www_rbac only) (#4373)
- [AIRFLOW-3044] Dataflow operators accept templated job_name param (#3887)
- [AIRFLOW-3023] Fix docstring datatypes
- [AIRFLOW-2928] Use uuid4 instead of uuid1 (#3779)
- [AIRFLOW-2988] Run specifically python2 for dataflow (#3826)
- [AIRFLOW-3697] Vendorize nvd3 and slugify (#4513)
- [AIRFLOW-3692] Remove ENV variables to avoid GPL (#4506)
- [AIRFLOW-3907] Upgrade flask and set cookie security flags. (#4725)
- [AIRFLOW-3698] Add documentation for AWS Connection (#4514)
- [AIRFLOW-3616][AIRFLOW-1215] Add aliases for schema with underscore (#4523)
- [AIRFLOW-3375] Support returning multiple tasks with BranchPythonOperator (#4215)
- [AIRFLOW-3742] Fix handling of "fallback" for AirflowConfigParsxer.getint/boolean (#4674)
- [AIRFLOW-3742] Respect the *fallback* arg in airflow.configuration.get (#4567)
- [AIRFLOW-3789] Fix flake8 3.7 errors. (#4617)
- [AIRFLOW-3602] Improve ImapHook handling of retrieving no attachments (#4475)
- [AIRFLOW-3631] Update flake8 and fix lint. (#4436)

Bug fixes

- [AIRFLOW-4248] Fix *FileExistsError* makedirs race in file_processor_handler (#5047)
- [AIRFLOW-4240] State-changing actions should be POST requests (#5039)
- [AIRFLOW-4246] Flask-Oauthlib needs downstream dependencies pinning due to breaking changes (#5045)
- [AIRFLOW-3887] Downgrade dagre-d3 to 0.4.18 (#4713)
- [AIRFLOW-3419] Fix S3Hook.select_key on Python3 (#4970)
- [AIRFLOW-4127] Correct AzureContainerInstanceHook._get_instance_view's return (#4945)
- [AIRFLOW-4172] Fix changes for driver class path option in Spark Submit (#4992)
- [AIRFLOW-3615] Preserve case of UNIX socket paths in Connections (#4591)
- [AIRFLOW-3417] ECSOperator: pass platformVersion only for FARGATE launch type (#4256)
- [AIRFLOW-3884] Fixing doc checker, no warnings allowed anymore and fixed the current... (#4702)
- [AIRFLOW-2652] implement / enhance baseOperator deepcopy
- [AIRFLOW-4001] Update docs about how to run tests (#4826)
- [AIRFLOW-3699] Speed up Flake8 (#4515)
- [AIRFLOW-4160] Fix redirecting of 'Trigger Dag' Button in DAG Page (#4982)
- [AIRFLOW-3650] Skip running on mysql for the flaky test (#4457)
- [AIRFLOW-3423] Fix mongo hook to work with anonymous access (#4258)
- [AIRFLOW-3982] Fix race condition in CI test (#4968)
- [AIRFLOW-3982] Update DagRun state based on its own tasks (#4808)
- [AIRFLOW-3737] Kubernetes executor cannot handle long dag/task names (#4636)
- [AIRFLOW-3945] Stop inserting row when permission views unchanged (#4764)
- [AIRFLOW-4123] Add Exception handling for _change_state method in K8 Executor (#4941)
- [AIRFLOW-3771] Minor refactor securityManager (#4594)
- [AIRFLOW-987] pass kerberos cli args keytab and principal to kerberos.run() (#4238)
- [AIRFLOW-3736] Allow int value in SqoopOperator.extra_import_options (#4906)
- [AIRFLOW-4063] Fix exception string in BigQueryHook [2/2] (#4902)
- [AIRFLOW-4063] Fix exception string in BigQueryHook (#4899)
- [AIRFLOW-4037] Log response in SimpleHttpOperator even if the response check fails
- [AIRFLOW-4044] The documentation of *query_params* in *BigQueryOperator* is wrong. (#4876)
- [AIRFLOW-4015] Make missing API endpoints available in classic mode
- [AIRFLOW-3153] Send DAG processing stats to statsd (#4748)
- [AIRFLOW-2966] Catch ApiException in the Kubernetes Executor (#4209)
- [AIRFLOW-4129] Escape HTML in generated tooltips (#4950)
- [AIRFLOW-4070] AirflowException -> log.warning for duplicate task dependencies (#4904)
- [AIRFLOW-4054] Fix assertEqualIgnoreMultipleSpaces util & add tests (#4886)
- [AIRFLOW-3239] Fix test recovery further (#4074)
- [AIRFLOW-4053] Fix KubePodOperator Xcom on Kube 1.13.0 (#4883)
- [AIRFLOW-2961] Refactor tests.BackfillJobTest.test_backfill_examples test (#3811)
- [AIRFLOW-3606] Fix Flake8 test & fix the Flake8 errors introduced since Flake8 test was broken (#4415)
- [AIRFLOW-3543] Fix deletion of DAG with rescheduled tasks (#4646)
- [AIRFLOW-2548] Output plugin import errors to web UI (#3930)
- [AIRFLOW-4019] Fix AWS Athena Sensor object has no attribute 'mode' (#4844)
- [AIRFLOW-3758] Fix circular import in WasbTaskHandler (#4601)
- [AIRFLOW-3706] Fix tooltip max-width by correcting ordering of CSS files (#4947)
- [AIRFLOW-4100] Correctly JSON escape data for tree/graph views (#4921)

- [AIRFLOW-3636] Fix a test introduced in #4425 (#4446)
- [AIRFLOW-3977] Add examples of trigger rules in doc (#4805)
- [AIRFLOW-2511] Fix improper failed session commit handling causing deadlocks (#4769)
- [AIRFLOW-3962] Added graceful handling for creation of dag_run of a dag which doesn't have any task (#4781)
- [AIRFLOW-3881] Correct to_csv row number (#4699)
- [AIRFLOW-3875] Simplify SlackWebhookHook code and change docstring (#4696)
- [AIRFLOW-3733] Don't raise NameError in HQL hook to_csv when no rows returned (#4560)
- [AIRFLOW-3734] Fix hql not run when partition is None (#4561)
- [AIRFLOW-3767] Correct bulk insert function (#4773)
- [AIRFLOW-4087] remove sudo in basetaskrunner on_finish (#4916)
- [AIRFLOW-3768] Escape search parameter in pagination controls (#4911)
- [AIRFLOW-4045] Fix hard-coded URLs in FAB-based UI (#4914)
- [AIRFLOW-3123] Use a stack for DAG context management (#3956)
- [AIRFLOW-3060] DAG context manager fails to exit properly in certain circumstances
- [AIRFLOW-3924] Fix try number in alert emails (#4741)
- [AIRFLOW-4083] Add tests for link generation utils (#4912)
- [AIRFLOW-2190] Send correct HTTP status for base_url not found (#4910)
- [AIRFLOW-4015] Add get_dag_runs GET endpoint to "classic" API (#4884)
- [AIRFLOW-3239] Enable existing CI tests (#4131)
- [AIRFLOW-1390] Update Alembic to 0.9 (#3935)
- [AIRFLOW-3885] Fix race condition in scheduler test (#4737)
- [AIRFLOW-3885] ~10x speed-up of SchedulerJobTest suite (#4730)
- [AIRFLOW-3780] Fix some incorrect when base_url is used (#4643)
- [AIRFLOW-3807] Fix Graph View Highlighting of Tasks (#4653)
- [AIRFLOW-3009] Import Hashable from collection.abc to fix Python 3.7 deprecation warning (#3849)
- [AIRFLOW-2231] Fix relativedelta DAG schedule_interval (#3174)
- [AIRFLOW-2641] Fix MySqlToHiveTransfer to handle MySQL DECIMAL correctly
- [AIRFLOW-3751] Option to allow malformed schemas for LDAP authentication (#4574)
- [AIRFLOW-2888] Add deprecation path for task_runner config change (#4851)
- [AIRFLOW-2930] Fix celery executor scheduler crash (#3784)
- [AIRFLOW-2888] Remove shell=True and bash from task launch (#3740)
- [AIRFLOW-3885] ~2.5x speed-up for backfill tests (#4731)
- [AIRFLOW-3885] ~20x speed-up of slowest unit test (#4726)
- [AIRFLOW-2508] Handle non string types in Operators templated fields (#4292)
- [AIRFLOW-3792] Fix validation in BQ for useLegacySQL & queryParameters (#4626)
- [AIRFLOW-3749] Fix Edit Dag Run page when using RBAC (#4613)
- [AIRFLOW-3801] Fix DagBag collect dags invocation to prevent examples to be loaded (#4677)
- [AIRFLOW-3774] Register blueprints with RBAC web app (#4598)
- [AIRFLOW-3719] Handle StopIteration in CloudWatch logs retrieval (#4516)
- [AIRFLOW-3108] Define get_autocommit method for MsSqlHook (#4525)
- [AIRFLOW-3074] Add relevant ECS options to ECS operator. (#3908)
- [AIRFLOW-3353] Upgrade Redis client (#4834)
- [AIRFLOW-3250] Fix for Redis Hook for not authorised connection calls (#4090)
- [AIRFLOW-2009] Fix dataflow hook connection-id (#4563)
- [AIRFLOW-2190] Fix TypeError when returning 404 (#4596)
- [AIRFLOW-2876] Update Tenacity to 4.12 (#3723)
- [AIRFLOW-3923] Update flask-admin dependency to 1.5.3 to resolve security vulnerabilities from safety (#4739)
- [AIRFLOW-3683] Fix formatting of error message for invalid TriggerRule (#4490)
- [AIRFLOW-2787] Allow is_backfill to handle NULL DagRun.run_id (#3629)
- [AIRFLOW-3780] Fix some incorrect when base_url is used (#4643)
- [AIRFLOW-3639] Fix request creation in Jenkins Operator (#4450)
- [AIRFLOW-3779] Don't install enum34 backport when not needed (#4620)
- [AIRFLOW-3079] Improve migration scripts to support MSSQL Server (#3964)
- [AIRFLOW-2735] Use equality, not identity, check for detecting AWS Batch failures[]
- [AIRFLOW-2706] AWS Batch Operator should use top-level job state to determine status
- [AIRFLOW-XXX] Fix typo in http_operator.py
- [AIRFLOW-XXX] Solve lodash security warning (#4820)
- [AIRFLOW-XXX] Pin version of tornado pulled in by Celery. (#4815)
- [AIRFLOW-XXX] Upgrade FAB to 1.12.3 (#4694)
- [AIRFLOW-XXX] Pin pinodb dependency (#4704)
- [AIRFLOW-XXX] Pin version of Pip in tests to work around pypa/pip#6163 (#4576)
- [AIRFLOW-XXX] Fix spark submit hook KeyError (#4578)
- [AIRFLOW-XXX] Pin psycpg2 due to breaking change (#5036)
- [AIRFLOW-XXX] Pin Sendgrid dep. (#5031)
- [AIRFLOW-XXX] Fix flaky test - test_execution_unlimited_parallelism (#4988)

Misc/Internal

- [AIRFLOW-4144] add description of is_delete_operator_pod (#4943)
- [AIRFLOW-3476][AIRFLOW-3477] Move Kube classes out of models.py (#4443)
- [AIRFLOW-3464] Move SkipMixin out of models.py (#4386)
- [AIRFLOW-3463] Move Log out of models.py (#4639)
- [AIRFLOW-3458] Move connection tests (#4680)
- [AIRFLOW-3461] Move TaskFail out of models.py (#4630)
- [AIRFLOW-3462] Move TaskReschedule out of models.py (#4618)
- [AIRFLOW-3474] Move SlaMiss out of models.py (#4608)
- [AIRFLOW-3475] Move ImportError out of models.py (#4383)
- [AIRFLOW-3459] Move DagPickle to separate file (#4374)
- [AIRFLOW-3925] Don't pull docker-images on pretest (#4740)
- [AIRFLOW-4154] Correct string formatting in jobs.py (#4972)
- [AIRFLOW-3458] Deprecation path for moving models.Connection
- [AIRFLOW-3458] Move models.Connection into separate file (#4335)
- [AIRFLOW-XXX] Remove old/non-test files that nose ignores (#4930)

Doc-only changes

- [AIRFLOW-3996] Add view source link to included fragments
- [AIRFLOW-3811] automatic generation of API Reference in docs (#4788)
- [AIRFLOW-3810] Remove duplicate autoclass directive (#4656)
- [AIRFLOW-XXX] Mention that statsd must be installed to gather metrics (#5038)
- [AIRFLOW-XXX] Add contents to cli (#4825)
- [AIRFLOW-XXX] fix check docs failure on CI (#4998)
- [AIRFLOW-XXX] Fix syntax docs errors (#4789)
- [AIRFLOW-XXX] Docs rendering improvement (#4684)
- [AIRFLOW-XXX] Automatically link Jira/GH on doc's changelog page (#4587)
- [AIRFLOW-XXX] Mention Oracle in the Extra Packages documentation (#4987)
- [AIRFLOW-XXX] Drop deprecated sudo option; use default docker compose on Travis. (#4732)
- [AIRFLOW-XXX] Update kubernetes.rst docs (#3875)
- [AIRFLOW-XXX] Improvements to formatted content in documentation (#4835)
- [AIRFLOW-XXX] Add Daniel to committer list (#4961)
- [AIRFLOW-XXX] Add Xiaodong Deng to committers list
- [AIRFLOW-XXX] Add history become ASF top level project (#4757)
- [AIRFLOW-XXX] Move out the examples from integration.rst (#4672)
- [AIRFLOW-XXX] Extract reverse proxy info to a separate file (#4657)
- [AIRFLOW-XXX] Reduction of the number of warnings in the documentation (#4585)
- [AIRFLOW-XXX] Fix GCS Operator docstrings (#4054)
- [AIRFLOW-XXX] Fix Docstrings in Hooks, Sensors & Operators (#4137)
- [AIRFLOW-XXX] Split guide for operators to multiple files (#4814)
- [AIRFLOW-XXX] Split connection guide to multiple files (#4824)
- [AIRFLOW-XXX] Remove almost all warnings from building docs (#4588)
- [AIRFLOW-XXX] Add backreference in docs between operator and integration (#4671)
- [AIRFLOW-XXX] Improve linking to classes (#4655)
- [AIRFLOW-XXX] Mock optional modules when building docs (#4586)
- [AIRFLOW-XXX] Update plugin macros documentation (#4971)
- [AIRFLOW-XXX] Add missing docstring for 'autodetect' in GCS to BQ Operator (#4979)
- [AIRFLOW-XXX] Add missing GCP operators to Docs (#4260)
- [AIRFLOW-XXX] Fixing the issue in Documentation (#3756)
- [AIRFLOW-XXX] Add Hint at user defined macros (#4885)
- [AIRFLOW-XXX] Correct schedule_interval in Scheduler docs (#4157)
- [AIRFLOW-XXX] Improve airflow-jira script to make RelManager's life easier (#4857)
- [AIRFLOW-XXX] Add missing class references to docs (#4644)
- [AIRFLOW-XXX] Fix typo (#4564)
- [AIRFLOW-XXX] Add a doc about fab security (#4595)
- [AIRFLOW-XXX] Speed up DagBagTest cases (#3974)
- [AIRFLOW-XXX] Reduction of the number of warnings in the documentation (#4585)

Airflow 1.10.2, 2019-01-19

New features

- [AIRFLOW-2658] Add GCP specific k8s pod operator (#3532)
- [AIRFLOW-2440] Google Cloud SQL import/export operator (#4251)
- [AIRFLOW-3212] Add AwsGlueCatalogPartitionSensor (#4112)
- [AIRFLOW-2750] Add subcommands to delete and list users
- [AIRFLOW-3480] Add GCP Spanner Database Operators (#4353)
- [AIRFLOW-3560] Add DayOfWeek Sensor (#4363)
- [AIRFLOW-3371] BigQueryHook's Ability to Create View (#4213)
- [AIRFLOW-3332] Add method to allow inserting rows into BQ table (#4179)
- [AIRFLOW-3055] add get_dataset and get_datasets_list to bigquery_hook (#3894)
- [AIRFLOW-2887] Added BigQueryCreateEmptyDatasetOperator and create_empty_dataset to bigquery_hook (#3876)
- [AIRFLOW-2758] Add a sensor for MongoDB
- [AIRFLOW-2640] Add Cassandra table sensor
- [AIRFLOW-3398] Google Cloud Spanner instance database query operator (#4314)
- [AIRFLOW-3310] Google Cloud Spanner deploy / delete operators (#4286)
- [AIRFLOW-3406] Implement an Azure CosmosDB operator (#4265)
- [AIRFLOW-3434] Allows creating intermediate dirs in SFTPOperator (#4270)
- [AIRFLOW-3345] Add Google Cloud Storage (GCS) operators for ACL (#4192)
- [AIRFLOW-3266] Add AWS Athena Hook and Operator (#4111)
- [AIRFLOW-3346] Add hook and operator for GCP transfer service (#4189)
- [AIRFLOW-2983] Add prev_ds_nodash and next_ds_nodash macro (#3821)
- [AIRFLOW-3403] Add AWS Athena Sensor (#4244)
- [AIRFLOW-3323] Support HTTP basic authentication for Airflow Flower (#4166)
- [AIRFLOW-3410] Add feature to allow Host Key Change for SSH Op (#4249)
- [AIRFLOW-3275] Add Google Cloud SQL Query operator (#4170)
- [AIRFLOW-2691] Manage JS dependencies via npm
- [AIRFLOW-2795] Oracle to Oracle Transfer Operator (#3639)
- [AIRFLOW-2596] Add Oracle to Azure Datalake Transfer Operator
- [AIRFLOW-3220] Add Instance Group Manager Operators for GCE (#4167)
- [AIRFLOW-2882] Add import and export for pool cli using JSON
- [AIRFLOW-2965] CLI tool to show the next execution datetime (#3834)
- [AIRFLOW-2874] Enables FAB's theme support (#3719)
- [AIRFLOW-3336] Add new TriggerRule for 0 upstream failures (#4182)

Improvements

- [AIRFLOW-3680] Consistency update in tests for All GCP-related operators (#4493)
- [AIRFLOW-3675] Use googleapiclient for google apis (#4484)
- [AIRFLOW-3205] Support multipart uploads to GCS (#4084)
- [AIRFLOW-2826] Add GoogleCloudKMSHook (#3677)
- [AIRFLOW-3676] Add required permission to CloudSQL export/import example (#4489)
- [AIRFLOW-3679] Added Google Cloud Base Hook to documentation (#4487)
- [AIRFLOW-3594] Unify different License Header
- [AIRFLOW-3197] Remove invalid parameter KeepJobFlowAliveWhenNoSteps in example DAG (#4404)
- [AIRFLOW-3504] Refine the functionality of "/health" endpoint (#4309)
- [AIRFLOW-3103][AIRFLOW-3147] Update flask-appbuilder (#3937)
- [AIRFLOW-3168] More resilient database use in CI (#4014)
- [AIRFLOW-3076] Remove preloading of MySQL testdata (#3911)
- [AIRFLOW-3035] Allow custom 'job_error_states' in dataproc ops (#3884)
- [AIRFLOW-3246] Make hmsclient optional in airflow.hooks.hive_hooks (#4080)
- [AIRFLOW-3059] Log how many rows are read from Postgres (#3905)
- [AIRFLOW-2463] Make task instance context available for hive queries
- [AIRFLOW-3190] Make flake8 compliant (#4035)
- [AIRFLOW-1998] Implemented DatabricksRunNowOperator for jobs/run-now ... (#3813)
- [AIRFLOW-2267] Airflow DAG level access (#3197)
- [AIRFLOW-2359] Add set failed for DagRun and task in tree view (#3255)
- [AIRFLOW-3008] Move Kubernetes example DAGs to contrib
- [AIRFLOW-3402] Support global k8s affinity and toleration configs (#4247)
- [AIRFLOW-3610] Add region param for EMR jobflow creation (#4418)
- [AIRFLOW-3531] Fix test for GCS to GCS Transfer Hook (#4452)
- [AIRFLOW-3531] Add gcs to gcs transfer operator. (#4331)
- [AIRFLOW-3034]: Readme updates : Add Slack & Twitter, remove Gitter
- [AIRFLOW-3028] Update Text & Images in Readme.md

- [AIRFLOW-208] Add badge to show supported Python versions (#3839)
- [AIRFLOW-2238] Update PR tool to push directly to GitHub
- [AIRFLOW-2238] Flake8 fixes on dev/airflow-pr
- [AIRFLOW-2238] Update PR tool to remove outdated info (#3978)
- [AIRFLOW-3005] Replace 'Airbnb Airflow' with 'Apache Airflow' (#3845)
- [AIRFLOW-3150] Make execution_date templated in TriggerDagRunOperator (#4359)
- [AIRFLOW-1196][AIRFLOW-2399] Add templated field in TriggerDagRunOperator (#4228)
- [AIRFLOW-3340] Placeholder support in connections form (#4185)
- [AIRFLOW-3446] Add Google Cloud BigTable operators (#4354)
- [AIRFLOW-1921] Add support for https and user auth (#2879)
- [AIRFLOW-2770] Read *days_in_image* config value as a boolean (#4319)
- [AIRFLOW-3022] Add volume mount to KubernetesExecutorConfig (#3855)
- [AIRFLOW-2917] Set AIRFLOW__CORE__SQL_ALCHEMY_CONN only when needed (#3766)
- [AIRFLOW-2712] Pass annotations to KubernetesExecutorConfig
- [AIRFLOW-461] Support autodetected schemas in BigQuery run_load (#3880)
- [AIRFLOW-2997] Support cluster fields in bigquery (#3838)
- [AIRFLOW-2916] Arg *verify* for AwsHook() & S3 sensors/operators (#3764)
- [AIRFLOW-491] Add feature to pass extra api configs to BQ Hook (#3733)
- [AIRFLOW-2889] Fix typos detected by github.com/client9/misspell (#3732)
- [AIRFLOW-850] Add a PythonSensor (#4349)
- [AIRFLOW-2747] Explicit re-schedule of sensors (#3596)
- [AIRFLOW-3392] Add index on dag_id in sla_miss table (#4235)
- [AIRFLOW-3001] Add index 'ti_dag_date' to taskinstance (#3885)
- [AIRFLOW-2861] Add index on log table (#3709)
- [AIRFLOW-3518] Performance fixes for topological_sort of Tasks (#4322)
- [AIRFLOW-3521] Fetch more than 50 items in *airflow-jira compare* script (#4300)
- [AIRFLOW-1919] Add option to query for DAG runs given a DAG ID
- [AIRFLOW-3444] Explicitly set transfer operator description. (#4279)
- [AIRFLOW-3411] Add OpenFaaS hook (#4267)
- [AIRFLOW-2785] Add context manager entry points to mongoHook
- [AIRFLOW-2524] Add SageMaker doc to AWS integration section (#4278)
- [AIRFLOW-3479] Keeps records in Log Table when DAG is deleted (#4287)
- [AIRFLOW-2948] Arg check & better doc - SSHOperator & SFTPOperator (#3793)
- [AIRFLOW-2245] Add remote_host of SSH/SFTP operator as templated field (#3765)
- [AIRFLOW-2670] Update SSH Operator's Hook to respect timeout (#3666)
- [AIRFLOW-3380] Add metrics documentation (#4219)
- [AIRFLOW-3361] Log the task_id in the PendingDeprecationWarning from BaseOperator (#4030)
- [AIRFLOW-3213] Create ADLS to GCS operator (#4134)
- [AIRFLOW-3395] added the REST API endpoints to the doc (#4236)
- [AIRFLOW-3294] Update connections form and integration docs (#4129)
- [AIRFLOW-3236] Create AzureDataLakeStorageListOperator (#4094)
- [AIRFLOW-3062] Add Qubole in integration docs (#3946)
- [AIRFLOW-3306] Disable flask-sqlalchemy modification tracking. (#4146)
- [AIRFLOW-2867] Refactor Code to conform standards (#3714)
- [AIRFLOW-2753] Add dataproc_job_id instance var holding actual DP jobld
- [AIRFLOW-3132] Enable specifying auto_remove option for DockerOperator (#3977)
- [AIRFLOW-2731] Raise psutil restriction to <6.0.0
- [AIRFLOW-3384] Allow higher versions of SQLAlchemy and Jinja2 (#4227)
- [Airflow-2760] Decouple DAG parsing loop from scheduler loop (#3873)
- [AIRFLOW-3004] Add config disabling scheduler cron (#3899)
- [AIRFLOW-3175] Fix docstring format in airflow/jobs.py (#4025)
- [AIRFLOW-3589] Visualize reschedule state in all views (#4408)
- [AIRFLOW-2698] Simplify Kerberos code (#3563)
- [AIRFLOW-2499] Dockerise CI pipeline (#3393)
- [AIRFLOW-3432] Add test for feature "Delete DAG in UI" (#4266)
- [AIRFLOW-3301] Update DockerOperator CI test for PR #3977 (#4138)
- [AIRFLOW-3478] Make sure that the session is closed
- [AIRFLOW-3687] Add missing @apply_defaults decorators (#4498)
- [AIRFLOW-3691] Update notice to 2019 (#4503)
- [AIRFLOW-3689] Update pop-up message when deleting DAG in RBAC UI (#4505)
- [AIRFLOW-2801] Skip test_mark_success_no_kill in PostgreSQL on CI (#3642)
- [AIRFLOW-3693] Replace pycpg2-binary by pycpg2 (#4508)
- [AIRFLOW-3700] Change the lowest allowed version of "requests" (#4517)
- [AIRFLOW-3704] Support SSL Protection When Redis is Used as Broker for CeleryExecutor (#4521)
- [AIRFLOW-3681] All GCP operators have now optional GCP Project ID (#4500)

- [Airflow 2782] Upgrades Dagre D3 version to latest possible
- [Airflow 2783] Implement eslint for JS code check (#3641)
- [AIRFLOW-2805] Display multiple timezones on UI (#3687)
- [AIRFLOW-3302] Small CSS fixes (#4140)
- [Airflow-2766] Respect shared datetime across tabs
- [AIRFLOW-2776] Compress tree view JSON
- [AIRFLOW-2407] Use feature detection for reload() (#3298)
- [AIRFLOW-3452] Removed an unused/dangerous display-none (#4295)
- [AIRFLOW-3348] Update run statistics on dag refresh (#4197)
- [AIRFLOW-3125] Monitor Task Instances creation rates (#3966)

Bug fixes

- [AIRFLOW-3191] Fix not being able to specify execution_date when creating dagrun (#4037)
- [AIRFLOW-3657] Fix zendesk integration (#4466)
- [AIRFLOW-3605] Load plugins from entry_points (#4412)
- [AIRFLOW-3646] Rename plugins_manager.py to test_xx to trigger tests (#4464)
- [AIRFLOW-3655] Escape links generated in model views (#4463)
- [AIRFLOW-3662] Add dependency for Enum (#4468)
- [AIRFLOW-3630] Cleanup of GCP Cloud SQL Connection (#4451)
- [AIRFLOW-1837] Respect task start_date when different from dag's (#4010)
- [AIRFLOW-2829] Brush up the CI script for minikube
- [AIRFLOW-3519] Fix example http operator (#4455)
- [AIRFLOW-2811] Fix scheduler_ops_metrics.py to work (#3653)
- [AIRFLOW-2751] add job properties update in hive to druid operator.
- [AIRFLOW-2918] Remove unused imports
- [AIRFLOW-2918] Fix Flake8 violations (#3931)
- [AIRFLOW-2771] Add except type to broad S3Hook try catch clauses
- [AIRFLOW-2918] Fix Flake8 violations (#3772)
- [AIRFLOW-2099] Handle getsource() calls gracefully
- [AIRFLOW-3397] Fix integrity error in rbac AirflowSecurityManager (#4305)
- [AIRFLOW-3281] Fix Kubernetes operator with git-sync (#3770)
- [AIRFLOW-2615] Limit DAGs parsing to once only
- [AIRFLOW-2952] Fix Kubernetes CI (#3922)
- [AIRFLOW-2933] Enable Codecov on Docker-CI Build (#3780)
- [AIRFLOW-2082] Resolve a bug in adding password_auth to api as auth method (#4343)
- [AIRFLOW-3612] Remove incubation/incubator mention (#4419)
- [AIRFLOW-3581] Fix next_ds/prev_ds semantics for manual runs (#4385)
- [AIRFLOW-3527] Update Cloud SQL Proxy to have shorter path for UNIX socket (#4350)
- [AIRFLOW-3316] For gcs_to_bq: add missing init of schema_fields var (#4430)
- [AIRFLOW-3583] Fix AirflowException import (#4389)
- [AIRFLOW-3578] Fix Type Error for BigQueryOperator (#4384)
- [AIRFLOW-2755] Added *kubernetes.worker_dags_folder* configuration (#3612)
- [AIRFLOW-2655] Fix inconsistency of default config of kubernetes worker
- [AIRFLOW-2645][AIRFLOW-2617] Add worker_container_image_pull_policy
- [AIRFLOW-2661] fix config dags_volume_subpath and logs_volume_subpath
- [AIRFLOW-3550] Standardize GKE hook (#4364)
- [AIRFLOW-2863] Fix GKEClusterHook catching wrong exception (#3711)
- [AIRFLOW-2939][AIRFLOW-3568] Fix TypeError in GCSToS3Op & S3ToGCSOp (#4371)
- [AIRFLOW-3327] Add support for location in BigQueryHook (#4324)
- [AIRFLOW-3438] Fix default values in BigQuery Hook & BigQueryOperator (...)
- [AIRFLOW-3355] Fix BigQueryCursor.execute to work with Python3 (#4198)
- [AIRFLOW-3447] Add 2 options for ts_nodash Macro (#4323)
- [AIRFLOW-1552] Airflow Filter_by_owner not working with password_auth (#4276)
- [AIRFLOW-3484] Fix Over-logging in the k8s executor (#4296)
- [AIRFLOW-3309] Add MongoDB connection (#4154)
- [AIRFLOW-3414] Fix reload_module in DagFileProcessorAgent (#4253)
- [AIRFLOW-1252] API accept JSON when invoking a trigger dag (#2334)
- [AIRFLOW-3425] Fix setting default scope in hook (#4261)
- [AIRFLOW-3416] Fixes Python 3 compatibility with CloudSqlQueryOperator (#4254)
- [AIRFLOW-3263] Ignore exception when 'run' kills already killed job (#4108)
- [AIRFLOW-3264] URL decoding when parsing URI for connection (#4109)
- [AIRFLOW-3365][AIRFLOW-3366] Allow celery_broker_transport_options to be set with environment variables (#4211)
- [AIRFLOW-2642] fix wrong value git-sync initcontainer env GIT_SYNC_ROOT (#3519)

- [AIRFLOW-3353] Pin redis version (#4195)
- [AIRFLOW-3251] KubernetesPodOperator now uses 'image_pull_secrets' argument when creating Pods (#4188)
- [AIRFLOW-2705] Move class-level moto decorator to method-level
- [AIRFLOW-3233] Fix deletion of DAGs in the UI (#4069)
- [AIRFLOW-2908] Allow retries with KubernetesExecutor. (#3758)
- [AIRFLOW-1561] Fix scheduler to pick up example DAGs without other DAGs (#2635)
- [AIRFLOW-3352] Fix expose_config not honoured on RBAC UI (#4194)
- [AIRFLOW-3592] Fix logs when task is in rescheduled state (#4492)
- [AIRFLOW-3634] Fix GCP Spanner Test (#4440)
- [AIRFLOW-XXX] Fix PythonVirtualenvOperator tests (#3968)
- [AIRFLOW-3239] Fix/refine tests for api/common/experimental/ (#4255)
- [AIRFLOW-2951] Update dag_run table end_date when state change (#3798)
- [AIRFLOW-2756] Fix bug in set DAG run state workflow (#3606)
- [AIRFLOW-3690] Fix bug to set state of a task for manually-triggered DAGs (#4504)
- [AIRFLOW-3319] KubernetesExecutor: Need in try_number in labels if getting them later (#4163)
- [AIRFLOW-3724] Fix the broken refresh button on Graph View in RBAC UI
- [AIRFLOW-3732] Fix issue when trying to edit connection in RBAC UI
- [AIRFLOW-2866] Fix missing CSRF token head when using RBAC UI (#3804)
- [AIRFLOW-3259] Fix internal server error when displaying charts (#4114)
- [AIRFLOW-3271] Fix issue with persistence of RBAC Permissions modified via UI (#4118)
- [AIRFLOW-3141] Handle duration View for missing dag (#3984)
- [AIRFLOW-2766] Respect shared datetime across tabs
- [AIRFLOW-1413] Fix FTPSensor failing on error message with unexpected (#2450)
- [AIRFLOW-3378] KubernetesPodOperator does not delete on timeout failure (#4218)
- [AIRFLOW-3245] Fix list processing in resolve_template_files (#4086)
- [AIRFLOW-2703] Catch transient DB exceptions from scheduler's heartbeat it does not crash (#3650)
- [AIRFLOW-1298] Clear UPSTREAM_FAILED using the clean cli (#3886)

Doc-only changes

- [AIRFLOW-XXX] GCP operators documentation clarifications (#4273)
- [AIRFLOW-XXX] Docs: Fix paths to GCS transfer operator (#4479)
- [AIRFLOW-XXX] Add missing GCP operators to Docs (#4260)
- [AIRFLOW-XXX] Fix Docstrings for Operators (#3820)
- [AIRFLOW-XXX] Fix inconsistent comment in example_python_operator.py (#4337)
- [AIRFLOW-XXX] Fix incorrect parameter in SFTPOperator example (#4344)
- [AIRFLOW-XXX] Add missing remote logging field (#4333)
- [AIRFLOW-XXX] Revise template variables documentation (#4172)
- [AIRFLOW-XXX] Fix typo in docstring of gcs_to_bq (#3833)
- [AIRFLOW-XXX] Fix display of SageMaker operators/hook docs (#4263)
- [AIRFLOW-XXX] Better instructions for airflow flower (#4214)
- [AIRFLOW-XXX] Make pip install commands consistent (#3752)
- [AIRFLOW-XXX] Add *BigQueryGetDataOperator* to Integration Docs (#4063)
- [AIRFLOW-XXX] Don't spam test logs with "bad cron expression" messages (#3973)
- [AIRFLOW-XXX] Update committer list based on latest TLP discussion (#4427)
- [AIRFLOW-XXX] Fix incorrect statement in contributing guide (#4104)
- [AIRFLOW-XXX] Fix Broken Link in CONTRIBUTING.md
- [AIRFLOW-XXX] Update Contributing Guide - Git Hooks (#4120)
- [AIRFLOW-3426] Correct Python Version Documentation Reference (#4259)
- [AIRFLOW-2663] Add instructions to install SSH dependencies
- [AIRFLOW-XXX] Clean up installation extra packages table (#3750)
- [AIRFLOW-XXX] Remove redundant space in Kerberos (#3866)
- [AIRFLOW-3086] Add extras group for google auth to setup.py (#3917)
- [AIRFLOW-XXX] Add Kubernetes Dependency in Extra Packages Doc (#4281)
- [AIRFLOW-3696] Add Version info to Airflow Documentation (#4512)
- [AIRFLOW-XXX] Correct Typo in sensor's exception (#4545)
- [AIRFLOW-XXX] Fix a typo of config (#4544)
- [AIRFLOW-XXX] Fix BashOperator Docstring (#4052)
- [AIRFLOW-3018] Fix Minor issues in Documentation
- [AIRFLOW-XXX] Fix Minor issues with Azure Cosmos Operator (#4289)
- [AIRFLOW-3382] Fix incorrect docstring in DatastoreHook (#4222)
- [AIRFLOW-XXX] Fix copy&paste mistake (#4212)
- [AIRFLOW-3260] Correct misleading BigQuery error (#4098)
- [AIRFLOW-XXX] Fix Typo in SFTPOperator docstring (#4016)

- [AIRFLOW-XXX] Fixing the issue in Documentation (#3998)
- [AIRFLOW-XXX] Fix undocumented params in S3_hook
- [AIRFLOW-XXX] Fix SlackWebhookOperator execute method comment (#3963)
- [AIRFLOW-3070] Refine web UI authentication-related docs (#3863)

Airflow 1.10.1, 2018-11-13

New features

- [AIRFLOW-2524] Airflow integration with AWS Sagemaker
- [AIRFLOW-2657] Add ability to delete DAG from web ui
- [AIRFLOW-2780] Adds IMAP Hook to interact with a mail server
- [AIRFLOW-2794] Add delete support for Azure blob
- [AIRFLOW-2912] Add operators for Google Cloud Functions
- [AIRFLOW-2974] Add Start/Restart/Terminate methods Databricks Hook
- [AIRFLOW-2989] No Parameter to change bootDiskType for DataprocClusterCreateOperator
- [AIRFLOW-3078] Basic operators for Google Compute Engine
- [AIRFLOW-3147] Update Flask-AppBuilder version
- [AIRFLOW-3231] Basic operators for Google Cloud SQL (deploy / patch / delete)
- [AIRFLOW-3276] Google Cloud SQL database create / patch / delete operators

Improvements

- [AIRFLOW-393] Add progress callbacks for FTP downloads
- [AIRFLOW-520] Show Airflow version on web page
- [AIRFLOW-843] Exceptions now available in context during on_failure_callback
- [AIRFLOW-2476] Update tabulate dependency to v0.8.2
- [AIRFLOW-2592] Bump Bleach dependency
- [AIRFLOW-2622] Add "confirm=False" option to SFTPOperator
- [AIRFLOW-2662] support affinity & nodeSelector policies for kubernetes executor/operator
- [AIRFLOW-2709] Improve error handling in Databricks hook
- [AIRFLOW-2723] Update lxml dependency to >= 4.0.
- [AIRFLOW-2763] No precheck mechanism in place during worker initialisation for the connection to metadata database
- [AIRFLOW-2789] Add ability to create single node cluster to DataprocClusterCreateOperator
- [AIRFLOW-2797] Add ability to create Google Dataproc cluster with custom image
- [AIRFLOW-2854] kubernetes_pod_operator add more configuration items
- [AIRFLOW-2855] Need to Check Validity of Cron Expression When Process DAG File/Zip File
- [AIRFLOW-2904] Clean an unnecessary line in airflow/executors/celery_executor.py
- [AIRFLOW-2921] A trivial incorrectness in CeleryExecutor()
- [AIRFLOW-2922] Potential deal-lock bug in CeleryExecutor()
- [AIRFLOW-2932] GoogleCloudStorageHook - allow compression of file
- [AIRFLOW-2949] Syntax Highlight for Single Quote
- [AIRFLOW-2951] dag_run end_date Null after a dag is finished
- [AIRFLOW-2956] Kubernetes tolerations for pod operator
- [AIRFLOW-2997] Support for clustered tables in Bigquery hooks/operators
- [AIRFLOW-3006] Fix error when schedule_interval="None"
- [AIRFLOW-3008] Move Kubernetes related example DAGs to contrib/example_dags
- [AIRFLOW-3025] Allow to specify dns and dns-search parameters for DockerOperator
- [AIRFLOW-3067] (www_rbac) Flask flash messages are not displayed properly (no background color)
- [AIRFLOW-3069] Decode output of S3 file transform operator
- [AIRFLOW-3072] Assign permission get_logs_with_metadata to viewer role
- [AIRFLOW-3090] INFO logs are too verbose
- [AIRFLOW-3103] Update Flask-Login
- [AIRFLOW-3112] Align SFTP hook with SSH hook
- [AIRFLOW-3119] Enable loglevel on celery worker and inherit from airflow.cfg
- [AIRFLOW-3137] Make ProxyFix middleware optional
- [AIRFLOW-3173] Add _cmd options for more password config options
- [AIRFLOW-3177] Change scheduler_heartbeat metric from gauge to counter
- [AIRFLOW-3193] Pin docker requirement version to v3
- [AIRFLOW-3195] Druid Hook: Log ingestion spec and task id
- [AIRFLOW-3197] EMR Hook is missing some parameters to valid on the AWS API
- [AIRFLOW-3232] Make documentation for GCF Functions operator more readable
- [AIRFLOW-3262] Can't get log containing Response when using SimpleHttpOperator

- [AIRFLOW-3265] Add support for “unix_socket” in connection extra for Mysql Hook

Doc-only changes

- [AIRFLOW-1441] Tutorial Inconsistencies Between Example Pipeline Definition and Recap
- [AIRFLOW-2682] Add how-to guide(s) for how to use basic operators like BashOperator and PythonOperator
- [AIRFLOW-3104] .airflowignore feature is not mentioned at all in documentation
- [AIRFLOW-3237] Refactor example DAGs
- [AIRFLOW-3187] Update airflow.gif file with a slower version
- [AIRFLOW-3159] Update Airflow documentation on GCP Logging
- [AIRFLOW-3030] Command Line docs incorrect subdir
- [AIRFLOW-2990] Docstrings for Hooks/Operators are in incorrect format
- [AIRFLOW-3127] Celery SSL Documentation is out-dated
- [AIRFLOW-2779] Add license headers to doc files
- [AIRFLOW-2779] Add project version to license

Bug fixes

- [AIRFLOW-839] docker_operator.py attempts to log status key without first checking existence
- [AIRFLOW-1104] Concurrency check in scheduler should count queued tasks as well as running
- [AIRFLOW-1163] Add support for x-forwarded-* headers to support access behind AWS ELB
- [AIRFLOW-1195] Cleared tasks in SubDagOperator do not trigger Parent dag_runs
- [AIRFLOW-1508] Skipped state not part of State.task_states
- [AIRFLOW-1762] Use key_file in SSHHook.create_tunnel()
- [AIRFLOW-1837] Differing start_dates on tasks not respected by scheduler.
- [AIRFLOW-1874] Support standard SQL in Check, ValueCheck and IntervalCheck BigQuery operators
- [AIRFLOW-1917] print() from python operators end up with extra new line
- [AIRFLOW-1970] Database cannot be initialized if an invalid fernet key is provided
- [AIRFLOW-2145] Deadlock after clearing a running task
- [AIRFLOW-2216] Cannot specify a profile for AWS Hook to load with s3 config file
- [AIRFLOW-2574] initdb fails when mysql password contains percent sign
- [AIRFLOW-2707] Error accessing log files from web UI
- [AIRFLOW-2716] Replace new Python 3.7 keywords
- [AIRFLOW-2744] RBAC app doesn't integrate plugins (blueprints etc)
- [AIRFLOW-2772] BigQuery hook does not allow specifying both the partition field name and table name at the same time
- [AIRFLOW-2778] Bad Import in collect_dag in DagBag
- [AIRFLOW-2786] Variables view fails to render if a variable has an empty key
- [AIRFLOW-2799] Filtering UI objects by datetime is broken
- [AIRFLOW-2800] Remove airflow/ low-hanging linting errors
- [AIRFLOW-2825] S3ToHiveTransfer operator may not may able to handle GZIP file with uppercase ext in S3
- [AIRFLOW-2848] dag_id is missing in metadata table “job” for LocalTaskJob
- [AIRFLOW-2860] DruidHook: time variable is not updated correctly when checking for timeout
- [AIRFLOW-2865] Race condition between on_success_callback and LocalTaskJob's cleanup
- [AIRFLOW-2893] Stuck dataflow job due to jobName mismatch.
- [AIRFLOW-2895] Prevent scheduler from spamming heartbeats/logs
- [AIRFLOW-2900] Code not visible for Packaged DAGs
- [AIRFLOW-2905] Switch to regional dataflow job service.
- [AIRFLOW-2907] Sendgrid - Attachments - ERROR - Object of type 'bytes' is not JSON serializable
- [AIRFLOW-2938] Invalid 'extra' field in connection can raise an AttributeError when attempting to edit
- [AIRFLOW-2979] Deprecated Celery Option not in Options list
- [AIRFLOW-2981] TypeError in dataflow operators when using GCS jar or py_file
- [AIRFLOW-2984] Cannot convert naive_datetime when task has a naive start_date/end_date
- [AIRFLOW-2994] flatten_results in BigQueryOperator/BigQueryHook should default to None
- [AIRFLOW-3002] ValueError in dataflow operators when using GCS jar or py_file
- [AIRFLOW-3012] Email on sla miss is send only to first address on the list
- [AIRFLOW-3046] ECS Operator mistakenly reports success when task is killed due to EC2 host termination
- [AIRFLOW-3064] No output from *airflow test* due to default logging config
- [AIRFLOW-3072] Only admin can view logs in RBAC UI
- [AIRFLOW-3079] Improve initdb to support MSSQL Server
- [AIRFLOW-3089] Google auth doesn't work under http
- [AIRFLOW-3099] Errors raised when some blocs are missing in airflow.cfg
- [AIRFLOW-3109] Default user permission should contain 'can_clear'
- [AIRFLOW-3111] Confusing comments and instructions for log templates in UPDATING.md and default_airflow.cfg
- [AIRFLOW-3124] Broken webserver debug mode (RBAC)

- [AIRFLOW-3136] Scheduler Failing the Task retries run while processing Executor Events
- [AIRFLOW-3138] Migration cc1e65623dc7 creates issues with postgres
- [AIRFLOW-3161] Log Url link does not link to task instance logs in RBAC UI
- [AIRFLOW-3162] HttpHook fails to parse URL when port is specified
- [AIRFLOW-3183] Potential Bug in utils/dag_processing/DagFileProcessorManager.max_runs_reached()
- [AIRFLOW-3203] Bugs in DockerOperator & Some operator test scripts were named incorrectly
- [AIRFLOW-3238] Dags, removed from the filesystem, are not deactivated on initdb
- [AIRFLOW-3268] Cannot pass SSL dictionary to mysql connection via URL
- [AIRFLOW-3277] Invalid timezone transition handling for cron schedules
- [AIRFLOW-3295] Require encryption in DaskExecutor when certificates are configured.
- [AIRFLOW-3297] EmrStepSensor marks cancelled step as successful

Airflow 1.10.0, 2018-08-03

- [AIRFLOW-2870] Use abstract TaskInstance for migration
- [AIRFLOW-2859] Implement own UtcDateTime (#3708)
- [AIRFLOW-2140] Don't require kubernetes for the SparkSubmit hook
- [AIRFLOW-2869] Remove smart quote from default config
- [AIRFLOW-2857] Fix Read the Docs env
- [AIRFLOW-2817] Force explicit choice on GPL dependency
- [AIRFLOW-2716] Replace async and await py3.7 keywords
- [AIRFLOW-2810] Fix typo in Xcom model timestamp
- [AIRFLOW-2710] Clarify fernet key value in documentation
- [AIRFLOW-2606] Fix DB schema and SQLAlchemy model
- [AIRFLOW-2646] Fix setup.py not to install snakebite on Python3
- [AIRFLOW-2604] Add index to task_fail
- [AIRFLOW-2650] Mark SchedulerJob as succeed when hitting Ctrl-c
- [AIRFLOW-2678] Fix db schema unit test to remove checking fab models
- [AIRFLOW-2624] Fix webserver login as anonymous
- [AIRFLOW-2654] Fix incorrect URL on refresh in Graph View of FAB UI
- [AIRFLOW-2668] Handle missing optional cryptography dependency
- [AIRFLOW-2681] Include last dag run of externally triggered DAGs in UI.
- [AIRFLOW-1840] Support back-compat on old celery config
- [AIRFLOW-2612][AIRFLOW-2534] Clean up Hive-related tests
- [AIRFLOW-2608] Implements/Standardize custom exceptions for experimental APIs
- [AIRFLOW-2607] Fix failing TestLocalClient
- [AIRFLOW-2638] dbapi_hook: support REPLACE INTO
- [AIRFLOW-2542][AIRFLOW-1790] Rename AWS Batch Operator queue to job_queue
- [AIRFLOW-2567] Extract result from the kubernetes pod as Xcom
- [AIRFLOW-XXX] Adding REA Group to readme
- [AIRFLOW-2601] Allow user to specify k8s config
- [AIRFLOW-2559] Azure Fileshare hook
- [AIRFLOW-1786] Enforce correct behavior for soft-fail sensors
- [AIRFLOW-2355] Airflow trigger tag parameters in subdag
- [AIRFLOW-2613] Fix Airflow searching .zip bug
- [AIRFLOW-2627] Add a sensor for Cassandra
- [AIRFLOW-2634][AIRFLOW-2534] Remove dependency for impyla
- [AIRFLOW-2611] Fix wrong dag volume mount path for kubernetes executor
- [AIRFLOW-2562] Add Google Kubernetes Engine Operators
- [AIRFLOW-2630] Fix classname in test_sql_sensor.py
- [AIRFLOW-2534] Fix bug in HiveServer2Hook
- [AIRFLOW-2586] Stop getting AIRFLOW_HOME value from config file in bash operator
- [AIRFLOW-2605] Fix autocommit for MySqlHook
- [AIRFLOW-2539][AIRFLOW-2359] Move remaining log config to configuration file
- [AIRFLOW-1656] Tree view dags query changed
- [AIRFLOW-2617] add imagePullPolicy config for kubernetes executor
- [AIRFLOW-2429] Fix security/task/sensors/ti_deps folders flake8 error
- [AIRFLOW-2550] Implements API endpoint to list DAG runs
- [AIRFLOW-2512][AIRFLOW-2522] Use google-auth instead of oauth2client
- [AIRFLOW-2429] Fix operators folder flake8 error
- [AIRFLOW-2585] Fix several bugs in CassandraHook and CassandraToGCSSOperator
- [AIRFLOW-2597] Restore original dbapi.run() behavior
- [AIRFLOW-2590] Fix commit in DbApiHook.run() for no-autocommit DB
- [AIRFLOW-1115] fix github oauth api URL

- [AIRFLOW-2587] Add TIMESTAMP type mapping to MySqlToHiveTransfer
- [AIRFLOW-2591][AIRFLOW-2581] Set default value of autocommit to False in DbApiHook.run()
- [AIRFLOW-59] Implement bulk_dump and bulk_load for the Postgres hook
- [AIRFLOW-2533] Fix path to DAG's on kubernetes executor workers
- [AIRFLOW-2581] [AIRFLOW-2581] Fix DbApiHook autocommit
- [AIRFLOW-2578] Add option to use proxies in JiraHook
- [AIRFLOW-2575] Make gcs to gcs operator work with large files
- [AIRFLOW-437] Send TI context in kill zombies
- [AIRFLOW-2566] Change backfill to rerun failed tasks
- [AIRFLOW-1021] Fix double login for new users with LDAP
- [AIRFLOW-XXX] Typo fix
- [AIRFLOW-2561] Fix typo in EmailOperator
- [AIRFLOW-2573] Cast BigQuery TIMESTAMP field to float
- [AIRFLOW-2560] Adding support for internalOnly to DataprocClusterCreateOperator
- [AIRFLOW-2565] templatize cluster_label
- [AIRFLOW-83] add mongo hook and operator
- [AIRFLOW-2558] Clear task/dag is clearing all executions
- [AIRFLOW-XXX] Fix doc typos
- [AIRFLOW-2513] Change *bql* to *sql* for BigQuery Hooks & Ops
- [AIRFLOW-2557] Fix pagination for s3
- [AIRFLOW-2545] Eliminate DeprecationWarning
- [AIRFLOW-2500] Fix MySqlToHiveTransfer to transfer unsigned type properly
- [AIRFLOW-2462] Change PasswordUser setter to correct syntax
- [AIRFLOW-2525] Fix a bug introduced by commit dabf1b9
- [AIRFLOW-2553] Add webserver.pid to .gitignore
- [AIRFLOW-1863][AIRFLOW-2529] Add dag run selection widgets to gantt view
- [AIRFLOW-2504] Log username correctly and add extra to search columns
- [AIRFLOW-2551] Encode binary data with base64 standard rather than base64 url
- [AIRFLOW-2537] Add reset-dagrun option to backfill command
- [AIRFLOW-2526] dag_run.conf can override params
- [AIRFLOW-2544][AIRFLOW-1967] Guard against next major release of Celery, Flower
- [AIRFLOW-XXX] Add Yieldr to who is using airflow
- [AIRFLOW-2547] Describe how to run tests using Docker
- [AIRFLOW-2538] Update faq doc on how to reduce airflow scheduler latency
- [AIRFLOW-2529] Improve graph view performance and usability
- [AIRFLOW-2517] backfill support passing key values through CLI
- [AIRFLOW-2532] Support logs_volume_subpath for KubernetesExecutor
- [AIRFLOW-2466] consider task_id in _change_state_for_tis_without_dagrun
- [AIRFLOW-2519] Fix CeleryExecutor with SQLAlchemy
- [AIRFLOW-2402] Fix RBAC task log
- [AIRFLOW-XXX] Add M4U to user list
- [AIRFLOW-2536] docs about how to deal with airflow initdb failure
- [AIRFLOW-2530] KubernetesOperator supports multiple clusters
- [AIRFLOW-1499] Eliminate duplicate and unneeded code
- [AIRFLOW-2521] backfill - make variable name and logging messages more accurate
- [AIRFLOW-2429] Fix hook, macros folder flake8 error
- [Airflow-XXX] add Prime to company list
- [AIRFLOW-2525] Fix PostgresHook.copy_expert to work with "COPY FROM"
- [AIRFLOW-2515] Add dependency on thrift_sasl to hive extra
- [AIRFLOW-2523] Add how-to for managing GCP connections
- [AIRFLOW-2510] Introduce new macros: prev_ds and next_ds
- [AIRFLOW-1730] Unpickle value of XCom queried from DB
- [AIRFLOW-2518] Fix broken ToC links in integration.rst
- [AIRFLOW-1472] Fix SLA misses triggering on skipped tasks.
- [AIRFLOW-2520] CLI - make backfill less verbose
- [AIRFLOW-2107] add time_partitioning to run_query on BigQueryBaseCursor
- [AIRFLOW-1057][AIRFLOW-1380][AIRFLOW-2362][2362] AIRFLOW Update DockerOperator to new API
- [AIRFLOW-2415] Make airflow DAG templating render numbers
- [AIRFLOW-2473] Fix wrong skip condition for TransferTests
- [AIRFLOW-2472] Implement MySqlHook.bulk_dump
- [AIRFLOW-2419] Use default view for subdag operator
- [AIRFLOW-2498] Fix Unexpected argument in SFTP Sensor
- [AIRFLOW-2509] Separate config docs into how-to guides
- [AIRFLOW-2429] Add BaseExecutor back
- [AIRFLOW-2429] Fix dag, example_dags, executors flake8 error

- [AIRFLOW-2502] Change Single triple quotes to double for docstrings
- [AIRFLOW-2503] Fix broken links in CONTRIBUTING.md
- [AIRFLOW-2501] Refer to devel instructions in docs contrib guide
- [AIRFLOW-2429] Fix contrib folder's flake8 errors
- [AIRFLOW-2471] Fix HiveCliHook.load_df to use unused parameters
- [AIRFLOW-2495] Update celery to 4.1.1
- [AIRFLOW-2429] Fix api, bin, config_templates folders flake8 error
- [AIRFLOW-2493] Mark template_fields of all Operators in the API document as "templated"
- [AIRFLOW-2489] Update FlaskAppBuilder to 1.11.1
- [AIRFLOW-2448] Enhance HiveCliHook.load_df to work with datetime
- [AIRFLOW-2487] Enhance druid ingestion hook
- [AIRFLOW-2397] Support affinity policies for Kubernetes executor/operator
- [AIRFLOW-2482] Add test for rewrite method in GCS Hook
- [AIRFLOW-2481] Fix flaky Kubernetes test
- [AIRFLOW-2479] Improve doc FAQ section
- [AIRFLOW-2485] Fix Incorrect logging for Qubole Sensor
- [AIRFLOW-2486] Remove unnecessary slash after port
- [AIRFLOW-2429] Make Airflow flake8 compliant
- [AIRFLOW-2491] Resolve flask version conflict
- [AIRFLOW-2484] Remove duplicate key in MySQL to GCS Op
- [AIRFLOW-2458] Add cassandra-to-gcs operator
- [AIRFLOW-2477] Improve time units for task duration and landing times charts for RBAC UI
- [AIRFLOW-2474] Only import snakebite if using py2
- [AIRFLOW-48] Parse connection uri querystring
- [AIRFLOW-2467][AIRFLOW-2] Update import direct warn message to use the module name
- [AIRFLOW-XXX] Fix order of companies
- [AIRFLOW-2452] Document field_dict must be OrderedDict
- [AIRFLOW-2420] Azure Data Lake Hook
- [AIRFLOW-2213] Add Qubole check operator
- [AIRFLOW-2465] Fix wrong module names in the doc
- [AIRFLOW-1929] Modifying TriggerDagRunOperator to accept execution_date
- [AIRFLOW-2460] Users can now use volume mounts and volumes
- [AIRFLOW-2110][AIRFLOW-2122] Enhance Http Hook
- [AIRFLOW-XXX] Updated contributors list
- [AIRFLOW-2435] Add launch_type to ECSOperator to allow FARGATE
- [AIRFLOW-2451] Remove extra slash (') char when using wildcard in gcs_to_gcs operator
- [AIRFLOW-2461] Add support for cluster scaling on dataproc operator
- [AIRFLOW-2376] Fix no hive section error
- [AIRFLOW-2425] Add lineage support
- [AIRFLOW-2430] Extend query batching to additional slow queries
- [AIRFLOW-2453] Add default nil value for kubernetes/git_subpath
- [AIRFLOW-2396] Add support for resources in kubernetes operator
- [AIRFLOW-2169] Encode binary data with base64 before importing to BigQuery
- [AIRFLOW-XXX] Add spotahome in user list
- [AIRFLOW-2457] Update FAB version requirement
- [AIRFLOW-2454][Airflow 2454] Support imagePullPolicy for k8s
- [AIRFLOW-2450] update supported k8s versions to 1.9 and 1.10
- [AIRFLOW-2333] Add Segment Hook and TrackEventOperator
- [AIRFLOW-2442][AIRFLOW-2] Airflow run command leaves database connections open
- [AIRFLOW-2016] assign template_fields for Dataproc Workflow Template sub-classes, not base class
- [AIRFLOW-2446] Add S3ToRedshiftTransfer into the "Integration" doc
- [AIRFLOW-2449] Fix operators.py to run all test cases
- [AIRFLOW-2424] Add dagrun status endpoint and increased k8s test coverage
- [AIRFLOW-2441] Fix bugs in HiveCliHook.load_df
- [AIRFLOW-2358][AIRFLOW-201804] Make the Kubernetes example optional
- [AIRFLOW-2436] Remove cli_logger in initdb
- [AIRFLOW-2444] Remove unused option(include_adhoc) in cli backfill command
- [AIRFLOW-2447] Fix TestHiveMetastoreHook to run all cases
- [AIRFLOW-2445] Allow templating in kubernetes operator
- [AIRFLOW-2086][AIRFLOW-2393] Customize default dagrun number in tree view
- [AIRFLOW-2437] Add PubNub to list of current airflow users
- [AIRFLOW-XXX] Add Quantopian to list of Airflow users
- [AIRFLOW-1978] Add WinRM windows operator and hook
- [AIRFLOW-2427] Add tests to named hive sensor

- [AIRFLOW-2412] Fix HiveCliHook.load_file to address HIVE-10541
- [AIRFLOW-2431] Add the navigation bar color parameter for RBAC UI
- [AIRFLOW-2407] Resolve Python undefined names
- [AIRFLOW-1952] Add the navigation bar color parameter
- [AIRFLOW-2222] Implement GoogleCloudStorageHook.rewrite
- [AIRFLOW-2426] Add Google Cloud Storage Hook tests
- [AIRFLOW-2418] Bump Flask-WTF
- [AIRFLOW-2417] Wait for pod is not running to end task
- [AIRFLOW-1914] Add other charset support to email utils
- [AIRFLOW-XXX] Update README.md with [Craig@Work](#)
- [AIRFLOW-1899] Fix Kubernetes tests
- [AIRFLOW-1812] Update logging example
- [AIRFLOW-2313] Add TTL parameters for Dataproc
- [AIRFLOW-2411] add dataproc_jars to templated_fields
- [AIRFLOW-XXX] Add Reddit to Airflow users
- [AIRFLOW-XXX] Fix wrong table header in scheduler.rst
- [AIRFLOW-2409] Supply password as a parameter
- [AIRFLOW-2410][AIRFLOW-75] Set the timezone in the RBAC Web UI
- [AIRFLOW-2394] default cmds and arguments in kubernetes operator
- [AIRFLOW-2406] Add Apache2 License Shield to Readme
- [AIRFLOW-2404] Add additional documentation for unqueued task
- [AIRFLOW-2400] Add Ability to set Environment Variables for K8s
- [AIRFLOW-XXX] Add Twine Labs as an Airflow user
- [AIRFLOW-1853] Show only the desired number of runs in tree view
- [AIRFLOW-2401] Document the use of variables in Jinja template
- [AIRFLOW-2403] Fix License Headers
- [AIRFLOW-1313] Fix license header
- [AIRFLOW-2398] Add BounceX to list of current airflow users
- [AIRFLOW-2363] Fix return type bug in TaskHandler
- [AIRFLOW-2389] Create a pinot db api hook
- [AIRFLOW-2390] Resolve FlaskWTFDeprecationWarning
- [AIRFLOW-1933] Fix some typos
- [AIRFLOW-1960] Add support for secrets in kubernetes operator
- [AIRFLOW-1313] Add vertica_to_mysql operator
- [AIRFLOW-1575] Add AWS Kinesis Firehose Hook for inserting batch records
- [AIRFLOW-2266][AIRFLOW-2343] Remove google-cloud-dataflow dependency
- [AIRFLOW-2370] Implement --use_random_password in create_user
- [AIRFLOW-2348] Strip path prefix from the destination_object when source_object contains a wildcard[]
- [AIRFLOW-2391] Fix to Flask 0.12.2
- [AIRFLOW-2381] Fix the flaky ApiPasswordTests test
- [AIRFLOW-2378] Add Groupon to list of current users
- [AIRFLOW-2382] Fix wrong description for delimiter
- [AIRFLOW-2380] Add support for environment variables in Spark submit operator.
- [AIRFLOW-2377] Improve Sendgrid sender support
- [AIRFLOW-2331] Support init action timeout on dataproc cluster create
- [AIRFLOW-1835] Update docs: Variable file is json
- [AIRFLOW-1781] Make search case-insensitive in LDAP group
- [AIRFLOW-2042] Fix browser menu appearing over the autocomplete menu
- [AIRFLOW-XXX] Remove wheelhouse files from travis not owned by travis
- [AIRFLOW-2336] Use hmsclient in hive_hook
- [AIRFLOW-2041] Correct Syntax in python examples
- [AIRFLOW-74] SubdagOperators can consume all celeryd worker processes
- [AIRFLOW-2369] Fix gcs tests
- [AIRFLOW-2365] Fix autocommit attribute check
- [AIRFLOW-2068] MesosExecutor allows optional Docker image
- [AIRFLOW-1652] Push DatabricksRunSubmitOperator metadata into XCOM
- [AIRFLOW-2234] Enable insert_rows for PrestoHook
- [AIRFLOW-2208][Airflow-22208] Link to same DagRun graph from TaskInstance view
- [AIRFLOW-1153] Allow HiveOperators to take hiveconfs
- [AIRFLOW-775] Fix autocommit settings with Jdbc hook
- [AIRFLOW-2364] Warn when setting autocommit on a connection which does not support it
- [AIRFLOW-2357] Add persistent volume for the logs
- [AIRFLOW-766] Skip conn.commit() when in Auto-commit
- [AIRFLOW-2351] Check for valid default_args start_date
- [AIRFLOW-1433] Set default rbac to initdb

- [AIRFLOW-2270] Handle removed tasks in backfill
- [AIRFLOW-2344] Fix *connections -l* to work with pipe/redirect
- [AIRFLOW-2300] Add S3 Select functionality to S3ToHiveTransfer
- [AIRFLOW-1314] Cleanup the config
- [AIRFLOW-1314] Polish some of the Kubernetes docs/config
- [AIRFLOW-1314] Improve error handling
- [AIRFLOW-1999] Add per-task GCP service account support
- [AIRFLOW-1314] Rebasing against master
- [AIRFLOW-1314] Small cleanup to address PR comments (#24)
- [AIRFLOW-1314] Add executor_config and tests
- [AIRFLOW-1314] Improve k8s support
- [AIRFLOW-1314] Use VolumeClaim for transporting DAGs
- [AIRFLOW-1314] Create integration testing environment
- [AIRFLOW-1314] Git Mode to pull in DAGs for Kubernetes Executor
- [AIRFLOW-1314] Add support for volume mounts & Secrets in Kubernetes Executor
- [AIRFLOW-1314] Basic Kubernetes Mode
- [AIRFLOW-2326][AIRFLOW-2222] remove contrib.gcs_copy_operator
- [AIRFLOW-2328] Fix empty GCS blob in S3ToGoogleCloudStorageOperator
- [AIRFLOW-2350] Fix grammar in UPDATING.md
- [AIRFLOW-2302] Fix documentation
- [AIRFLOW-2345] pip is not used in this setup.py
- [AIRFLOW-2347] Add Banco de Formaturas to Readme
- [AIRFLOW-2346] Add Investorise as official user of Airflow
- [AIRFLOW-2330] Do not append destination prefix if not given
- [AIRFLOW-2240][DASK] Added TLS/SSL support for the dask-distributed scheduler.
- [AIRFLOW-2309] Fix duration calculation on TaskFail
- [AIRFLOW-2335] fix issue with jdk8 download for ci
- [AIRFLOW-2184] Add druid_checker_operator
- [AIRFLOW-2299] Add S3 Select functionality to S3FileTransformOperator
- [AIRFLOW-2254] Put header as first row in unload
- [AIRFLOW-610] Respect _cmd option in config before defaults
- [AIRFLOW-2287] Fix incorrect ASF headers
- [AIRFLOW-XXX] Add Zego as an Apache Airflow user
- [AIRFLOW-952] fix save empty extra field in UI
- [AIRFLOW-1325] Add ElasticSearch log handler and reader
- [AIRFLOW-2301] Sync files of an S3 key with a GCS path
- [AIRFLOW-2293] Fix S3FileTransformOperator to work with boto3
- [AIRFLOW-3212][AIRFLOW-2314] Remove only leading slash in GCS path
- [AIRFLOW-1509][AIRFLOW-442] SFTP Sensor
- [AIRFLOW-2291] Add optional params to ML Engine
- [AIRFLOW-1774] Allow consistent templating of arguments in MLEngineBatchPredictionOperator
- [AIRFLOW-2302] Add missing operators and hooks
- [AIRFLOW-2312] Docs Typo Correction: Corresponding
- [AIRFLOW-1623] Trigger on_kill method in operators
- [AIRFLOW-2162] When impersonating another user, pass env variables to sudo
- [AIRFLOW-2304] Update quickstart doc to mention scheduler part
- [AIRFLOW-1633] docker_operator needs a way to set shm_size
- [AIRFLOW-1340] Add S3 to Redshift transfer operator
- [AIRFLOW-2303] Lists the keys inside an S3 bucket
- [AIRFLOW-2209] restore flask_login imports
- [AIRFLOW-2306] Add Bonnier Broadcasting to list of current users
- [AIRFLOW-2305][AIRFLOW-2027] Fix CI failure caused by []
- [AIRFLOW-2281] Add support for Sendgrid categories
- [AIRFLOW-2027] Only trigger sleep in scheduler after all files have parsed
- [AIRFLOW-2256] SparkOperator: Add Client Standalone mode and retry mechanism
- [AIRFLOW-2284] GCS to S3 operator
- [AIRFLOW-2287] Update license notices
- [AIRFLOW-2296] Add Cinimex DataLab to Readme
- [AIRFLOW-2298] Add Kalibr to who uses airflow
- [AIRFLOW-2292] Fix docstring for S3Hook.get_wildcard_key
- [AIRFLOW-XXX] Update PR template
- [AIRFLOW-XXX] Remove outdated migrations.sql
- [AIRFLOW-2287] Add license header to docs/Makefile
- [AIRFLOW-2286] Add tokopedia to the readme

- [AIRFLOW-2273] Add Discord webhook operator/hook
- [AIRFLOW-2282] Fix grammar in UPDATING.md
- [AIRFLOW-2200] Add snowflake operator with tests
- [AIRFLOW-2178] Add handling on SLA miss errors
- [AIRFLOW-2169] Fix type 'bytes' is not JSON serializable in python3
- [AIRFLOW-2215] Pass environment to subprocess.Popen in base_task_runner
- [AIRFLOW-2253] Add Airflow CLI instrumentation
- [AIRFLOW-2274] Fix Dataflow tests
- [AIRFLOW-2269] Add Custom Ink as an Airflow user
- [AIRFLOW-2259] Dataflow Hook Index out of range
- [AIRFLOW-2233] Update updating.md to include the info of hdfs_sensors renaming
- [AIRFLOW-2217] Add Slack webhook operator
- [AIRFLOW-1729] improve dagBag time
- [AIRFLOW-2264] Improve create_user cli help message
- [AIRFLOW-2260] [AIRFLOW-2260] SSHOperator add command template .sh files
- [AIRFLOW-2261] Check config/env for remote base log folder
- [AIRFLOW-2258] Allow import of Parquet-format files into BigQuery
- [AIRFLOW-1430] Include INSTALL instructions to avoid GPL
- [AIRFLOW-1430] Solve GPL dependency
- [AIRFLOW-2251] Add Thinknear as an Airflow user
- [AIRFLOW-2244] bugfix: remove legacy LongText code from models.py
- [AIRFLOW-2247] Fix RedshiftToS3Transfer not to fail with ValueError
- [AIRFLOW-2249] Add side-loading support for Zendesk Hook
- [AIRFLOW-XXX] Add Qplum to Airflow users
- [AIRFLOW-2228] Enhancements in ValueCheckOperator
- [AIRFLOW-1206] Typos
- [AIRFLOW-2060] Update pendulum version to 1.4.4
- [AIRFLOW-2248] Fix wrong param name in RedshiftToS3Transfer doc
- [AIRFLOW-1433][AIRFLOW-85] New Airflow Webserver UI with RBAC support
- [AIRFLOW-1235] Fix webserver's odd behaviour
- [AIRFLOW-1460] Allow restoration of REMOVED TI's
- [airflow-2235] Fix wrong docstrings in two operators
- [AIRFLOW-XXX] Fix chronological order for companies using Airflow
- [AIRFLOW-2124] Upload Python file to a bucket for Dataproc
- [AIRFLOW-2212] Fix ungenerated sensor API reference
- [AIRFLOW-2226] Rename google_cloud_storage_default to google_cloud_default
- [AIRFLOW-2211] Rename hdfs_sensors.py to hdfs_sensor.py for consistency
- [AIRFLOW-2225] Update document to include DruidDbApiHook
- [Airflow-2202] Add filter support in HiveMetastoreHook().max_partition()
- [AIRFLOW-2220] Remove duplicate numeric list entry in security.rst
- [AIRFLOW-XXX] Update tutorial documentation
- [AIRFLOW-2215] Update celery task to preserve environment variables and improve logging on exception
- [AIRFLOW-2185] Use state instead of query param
- [AIRFLOW-2183] Refactor DruidHook to enable sql
- [AIRFLOW-2203] Defer cycle detection
- [AIRFLOW-2203] Remove Useless Commands.
- [AIRFLOW-2203] Cache signature in apply_defaults
- [AIRFLOW-2203] Speed up Operator Resources
- [AIRFLOW-2203] Cache static rules (trigger/weight)
- [AIRFLOW-2203] Store task ids as sets not lists
- [AIRFLOW-2205] Remove unsupported args from JdbcHook doc
- [AIRFLOW-2207] Fix flaky test that uses app.cached_app()
- [AIRFLOW-2206] Remove unsupported args from JdbcOperator doc
- [AIRFLOW-2140] Add Kubernetes scheduler to SparkSubmitOperator
- [AIRFLOW-XXX] Add Xero to list of users
- [AIRFLOW-2204] Fix webserver debug mode
- [AIRFLOW-102] Fix test_complex_template always succeeds
- [AIRFLOW-442] Add SFTPHook
- [AIRFLOW-2169] Add schema to MySqlToGoogleCloudStorageOperator
- [AIRFLOW-2184][AIRFLOW-2138] Google Cloud Storage allow wildcards
- [AIRFLOW-1588] Cast Variable value to string
- [AIRFLOW-2199] Fix invalid reference to logger
- [AIRFLOW-2191] Change scheduler heartbeat logs from info to debug
- [AIRFLOW-2106] Salesforce hook sandbox option
- [AIRFLOW-2197] Silence hostname_callable config error message

- [AIRFLOW-2150] Use lighter call in HiveMetastoreHook().max_partition()
- [AIRFLOW-2186] Change the way logging is carried out in few ops
- [AIRFLOW-2181] Convert password_auth and test_password_endpoints from DOS to UNIX
- [AIRFLOW-2187] Fix Broken Travis CI due to AIRFLOW-2123
- [AIRFLOW-2175] Check that filepath is not None
- [AIRFLOW-2173] Don't check task IDs for concurrency reached check
- [AIRFLOW-2168] Remote logging for Azure Blob Storage
- [AIRFLOW-XXX] Add DocuTAP to list of users
- [AIRFLOW-2176] Change the way logging is carried out in BQ Get Data Operator
- [AIRFLOW-2177] Add mock test for GCS Download op
- [AIRFLOW-2123] Install CI dependencies from setup.py
- [AIRFLOW-2129] Presto hook calls _parse_exception_message but defines _get_pretty_exception_message
- [AIRFLOW-2174] Fix typos and wrongly rendered documents
- [AIRFLOW-2171] Store delegated credentials
- [AIRFLOW-2166] Restore BQ run_query dialect param
- [AIRFLOW-2163] Add HBC Digital to users of airflow
- [AIRFLOW-2065] Fix race-conditions when creating loggers
- [AIRFLOW-2147] Plugin manager: added 'sensors' attribute
- [AIRFLOW-2059] taskinstance query is awful, un-indexed, and does not scale
- [AIRFLOW-2159] Fix a few typos in salesforce_hook
- [AIRFLOW-2132] Add step to initialize database
- [AIRFLOW-2160] Fix bad rowid deserialization
- [AIRFLOW-2161] Add Vevo to list of companies using Airflow
- [AIRFLOW-2149] Add link to apache Beam documentation to create self executing Jar
- [AIRFLOW-2151] Allow getting the session from AwsHook
- [AIRFLOW-2097] tz referenced before assignment
- [AIRFLOW-2152] Add Multiply to list of companies using Airflow
- [AIRFLOW-1551] Add operator to trigger Jenkins job
- [AIRFLOW-2034] Fix mixup between %s and {} when using str.format Convention is to use .format for string formatting outside logging, else use lazy format See comment in related issue <https://github.com/apache/airflow/pull/2823/files> Identified problematic case using following command line `.git/COMMIT_EDITMSG:grep -r '%s'/* | grep '.format'`
- [AIRFLOW-2102] Add custom_args to Sendgrid personalizations
- [AIRFLOW-1035][AIRFLOW-1053] import unicode_literals to parse Unicode in HQL
- [AIRFLOW-2127] Keep loggers during DB migrations
- [AIRFLOW-2146] Resolve issues with BQ using DbApiHook methods
- [AIRFLOW-2087] Scheduler Report shows incorrect Total task number
- [AIRFLOW-2139] Remove unnecessary boilerplate to get DataFrame using pandas_gbq
- [AIRFLOW-2125] Using binary package pycpg2-binary
- [AIRFLOW-2142] Include message on mkdir failure
- [AIRFLOW-1615] SSHHook: use port specified by Connection
- [AIRFLOW-2122] Handle boolean values in sshHook
- [AIRFLOW-XXX] Add Tile to the list of users
- [AIRFLOW-2130] Add missing Operators to API Reference docs
- [AIRFLOW-XXX] Add timeout units (seconds)
- [AIRFLOW-2134] Add Alan to the list of companies that use Airflow
- [AIRFLOW-2133] Remove references to GitHub issues in CONTRIBUTING
- [AIRFLOW-2131] Remove confusing AirflowImport docs
- [AIRFLOW-1852] Allow hostname to be overridable.
- [AIRFLOW-2126] Add Bluecore to active users
- [AIRFLOW-1618] Add feature to create GCS bucket
- [AIRFLOW-2108] Fix log indentation in BashOperator
- [AIRFLOW-2115] Fix doc links to PythonHosted
- [AIRFLOW-XXX] Add contributor from Easy company
- [AIRFLOW-1882] Add ignoreUnknownValues option to gcs_to_bq operator
- [AIRFLOW-2089] Add on kill for SparkSubmit in Standalone Cluster
- [AIRFLOW-2113] Address missing DagRun callbacks Given that the handle_callback method belongs to the DAG object, we are able to get the list of task directly with get_task and reduce the communication with the database, making airflow more lightweight.
- [AIRFLOW-2112] Fix svg width for Recent Tasks on UI.
- [AIRFLOW-2116] Set CI Cloudant version to <2.0
- [AIRFLOW-XXX] Add PMC to list of companies using Airflow
- [AIRFLOW-2100] Fix Broken Documentation Links
- [AIRFLOW-1404] Add 'flatten_results' & 'maximum_bytes_billed' to BQ Operator
- [AIRFLOW-800] Initialize valid Google BigQuery Connection
- [AIRFLOW-1319] Fix misleading SparkSubmitOperator and SparkSubmitHook docstring

- [AIRFLOW-1983] Parse environment parameter as template
- [AIRFLOW-2095] Add operator to create External BigQuery Table
- [AIRFLOW-2085] Add SparkJdbc operator
- [AIRFLOW-1002] Add ability to clean all dependencies of removed DAG
- [AIRFLOW-2094] Jinjafied project_id, region & zone in DataProc{*} Operators
- [AIRFLOW-2092] Fixed incorrect parameter in docstring for FTPHook
- [AIRFLOW-XXX] Add SocialCops to Airflow users
- [AIRFLOW-2088] Fix duplicate keys in MySQL to GCS Helper function
- [AIRFLOW-2091] Fix incorrect docstring parameter in BigQuery Hook
- [AIRFLOW-2090] Fix typo in DataStore Hook
- [AIRFLOW-1157] Fix missing pools crashing the scheduler
- [AIRFLOW-713] Jinjafy {EmrCreateJobFlow,EmrAddSteps}Operator attributes
- [AIRFLOW-2083] Docs: Use “its” instead of “it’s” where appropriate
- [AIRFLOW-2066] Add operator to create empty BQ table
- [AIRFLOW-XXX] add Karmic to list of companies
- [AIRFLOW-2073] Make FileSensor fail when the file doesn't exist
- [AIRFLOW-2078] Improve task_stats and dag_stats performance
- [AIRFLOW-2080] Use a log-out icon instead of a power button
- [AIRFLOW-2077] Fetch all pages of list_objects_v2 response
- [AIRFLOW-XXX] Add TM to list of companies
- [AIRFLOW-1985] Impersonation fixes for using *run_as_user*
- [AIRFLOW-2018][AIRFLOW-2] Make Sensors backward compatible
- [AIRFLOW-XXX] Fix typo in concepts doc (dag_md)
- [AIRFLOW-2069] Allow Bytes to be uploaded to S3
- [AIRFLOW-2074] Fix log var name in GHE auth
- [AIRFLOW-1927] Convert naive datetimes for TaskInstances
- [AIRFLOW-1760] Password auth for experimental API
- [AIRFLOW-2038] Add missing kubernetes dependency for dev
- [AIRFLOW-2040] Escape special chars in task instance logs URL
- [AIRFLOW-1968][AIRFLOW-1520] Add role_arn and aws_account_id/aws_iam_role support back to aws hook
- [AIRFLOW-2048] Fix task instance failure string formatting
- [AIRFLOW-2046] Fix kerberos error to work with python 3.x
- [AIRFLOW-2063] Add missing docs for GCP
- [AIRFLOW-XXX] Fix typo in docs
- [AIRFLOW-1793] Use docker_url instead of invalid base_url
- [AIRFLOW-2055] Elaborate on slightly ambiguous documentation
- [AIRFLOW-2039] BigQueryOperator supports priority property
- [AIRFLOW-2053] Fix quote character bug in BQ hook
- [AIRFLOW-2057] Add Overstock to list of companies
- [AIRFLOW-XXX] Add Plaid to Airflow users
- [AIRFLOW-2044] Add SparkSubmitOperator to documentation
- [AIRFLOW-2037] Add methods to get Hash values of a GCS object
- [AIRFLOW-2050] Fix Travis permission problem
- [AIRFLOW-2043] Add Intercom to list of companies
- [AIRFLOW-2023] Add debug logging around number of queued files
- [AIRFLOW-XXX] Add Pernod-ricard as a airflow user
- [AIRFLOW-1453] Add 'steps' into template_fields in EmrAddSteps
- [AIRFLOW-2015] Add flag for interactive runs
- [AIRFLOW-1895] Fix primary key integrity for mysql
- [AIRFLOW-2030] Fix KeyError:i in DbApiHook for insert
- [AIRFLOW-1943] Add External BigQuery Table feature
- [AIRFLOW-2033] Add Google Cloud Storage List Operator
- [AIRFLOW-2006] Add local log catching to kubernetes operator
- [AIRFLOW-2031] Add missing gcp_conn_id in the example in DataFlow docstrings
- [AIRFLOW-2029] Fix AttributeError in BigQueryPandasConnector
- [AIRFLOW-2028] Add JobTeaser to official users list
- [AIRFLOW-2016] Add support for Dataproc Workflow Templates
- [AIRFLOW-2025] Reduced Logging verbosity
- [AIRFLOW-1267][AIRFLOW-1874] Add dialect parameter to BigQueryHook
- [AIRFLOW-XXX] Fixed a typo
- [AIRFLOW-XXX] Typo node to nodes
- [AIRFLOW-2019] Update DataflowHook for updating Streaming type job
- [AIRFLOW-2017][Airflow 2017] adding query output to PostgresOperator
- [AIRFLOW-1889] Split sensors into separate files
- [AIRFLOW-1950] Optionally pass xcom_pull task_ids

- [AIRFLOW-1755] Allow mount below root
- [AIRFLOW-511][Airflow 511] add success/failure callbacks on dag level
- [AIRFLOW-192] Add weight_rule param to BaseOperator
- [AIRFLOW-2008] Use callable for python column defaults
- [AIRFLOW-1984] Fix to AWS Batch operator
- [AIRFLOW-2000] Support non-main dataflow job class
- [AIRFLOW-2003] Use flask-caching instead of flask-cache
- [AIRFLOW-2002] Do not swallow exception on logging import
- [AIRFLOW-2004] Import flash from flask not flask.login
- [AIRFLOW-1997] Fix GCP operator doc strings
- [AIRFLOW-1996] Update DataflowHook wait_for_done for Streaming type job
- [AIRFLOW-1995][Airflow 1995] add on_kill method to SqoopOperator
- [AIRFLOW-1770] Allow HiveOperator to take in a file
- [AIRFLOW-1994] Change background color of Scheduled state Task Instances
- [AIRFLOW-1436][AIRFLOW-1475] EmrJobFlowSensor considers Cancelled step as Successful
- [AIRFLOW-1517] Kubernetes operator PR fixes
- [AIRFLOW-1517] addressed PR comments
- [AIRFLOW-1517] started documentation of k8s operator
- [AIRFLOW-1517] Restore authorship of resources
- [AIRFLOW-1517] Remove authorship of resources
- [AIRFLOW-1517] Add minikube for kubernetes integration tests
- [AIRFLOW-1517] Restore authorship of resources
- [AIRFLOW-1517] fixed license issues
- [AIRFLOW-1517] Created more accurate failures for kube cluster issues
- [AIRFLOW-1517] Remove authorship of resources
- [AIRFLOW-1517] Add minikube for kubernetes integration tests
- [AIRFLOW-1988] Change BG color of None state TIs
- [AIRFLOW-790] Clean up TaskInstances without DagRuns
- [AIRFLOW-1949] Fix var upload, str() produces "b'..." which is not json
- [AIRFLOW-1930] Convert func.now() to timezone.utcnow()
- [AIRFLOW-1688] Support load.time_partitioning in bigquery_hook
- [AIRFLOW-1975] Make TriggerDagRunOperator callback optional
- [AIRFLOW-1480] Render template attributes for ExternalTaskSensor fields
- [AIRFLOW-1958] Add kwargs to send_email
- [AIRFLOW-1976] Fix for missing log/logger attribute FileProcessHandler
- [AIRFLOW-1982] Fix Executor event log formatting
- [AIRFLOW-1971] Propagate hive config on impersonation
- [AIRFLOW-1969] Always use HTTPS URIs for Google OAuth2
- [AIRFLOW-1954] Add DataFlowTemplateOperator
- [AIRFLOW-1963] Add config for HiveOperator mapred_queue
- [AIRFLOW-1946][AIRFLOW-1855] Create a BigQuery Get Data Operator
- [AIRFLOW-1953] Add labels to dataflow operators
- [AIRFLOW-1967] Update Celery to 4.0.2
- [AIRFLOW-1964] Add Upsight to list of Airflow users
- [AIRFLOW-XXX] Changelog for 1.9.0
- [AIRFLOW-1470] Implement BashSensor operator
- [AIRFLOW-XXX] Pin sqlalchemy dependency
- [AIRFLOW-1955] Do not reference unassigned variable
- [AIRFLOW-1957] Add contributor to BalanceHero in Readme
- [AIRFLOW-1517] Restore authorship of secrets and init container
- [AIRFLOW-1517] Remove authorship of secrets and init container
- [AIRFLOW-1935] Add BalanceHero to readme
- [AIRFLOW-1939] add astronomer contributors
- [AIRFLOW-1517] Kubernetes Operator
- [AIRFLOW-1928] Fix @once with catchup=False
- [AIRFLOW-1937] Speed up scheduling by committing in batch
- [AIRFLOW-1821] Enhance default logging config by removing extra loggers
- [AIRFLOW-1904] Correct DAG fileloc to the right filepath
- [AIRFLOW-1909] Update docs with supported versions of MySQL server
- [AIRFLOW-1915] Relax flask-wtf dependency specification
- [AIRFLOW-1920] Update CONTRIBUTING.md to reflect enforced linting rules
- [AIRFLOW-1942] Update Sphinx docs to remove deprecated import structure
- [AIRFLOW-1846][AIRFLOW-1697] Hide Ad Hoc Query behind secure_mode config
- [AIRFLOW-1948] Include details for on_kill failure

- [AIRFLOW-1938] Clean up unused exception
- [AIRFLOW-1932] Add GCP Pub/Sub Pull and Ack
- [AIRFLOW-XXX] Purge coveralls
- [AIRFLOW-XXX] Remove unused coveralls token
- [AIRFLOW-1938] Remove tag version check in setup.py
- [AIRFLOW-1916] Don't upload logs to remote from *run -raw*
- [AIRFLOW-XXX] Fix failing PubSub tests on Python3
- [AIRFLOW-XXX] Upgrade to python 3.5 and disable dask tests
- [AIRFLOW-1913] Add new GCP PubSub operators
- [AIRFLOW-1525] Fix minor LICENSE and NOTICE issues
- [AIRFLOW-1687] fix fernet error without encryption
- [AIRFLOW-1912] airflow.processor should not propagate logging
- [AIRFLOW-1911] Rename celeryd_concurrency
- [AIRFLOW-1885] Fix IndexError in ready_prefix_on_cmdline
- [AIRFLOW-1854] Improve Spark Submit operator for standalone cluster mode
- [AIRFLOW-1908] Fix celery broker options config load
- [AIRFLOW-1907] Pass max_ingestion_time to Druid hook
- [AIRFLOW-1909] Add away to list of users
- [AIRFLOW-1893][AIRFLOW-1901] Propagate PYTHONPATH when using impersonation
- [AIRFLOW-1892] Modify BQ hook to extract data filtered by column
- [AIRFLOW-1829] Support for schema updates in query jobs
- [AIRFLOW-1840] Make celery configuration congruent with Celery 4
- [AIRFLOW-1878] Fix stderr/stdout redirection for tasks
- [AIRFLOW-1897][AIRFLOW-1873] Task Logs for running instance not visible in WebUI
- [AIRFLOW-1896] FIX bleach <> html5lib incompatibility
- [AIRFLOW-1884][AIRFLOW-1059] Reset orphaned task state for external dagruns
- [AIRFLOW-XXX] Fix typo in comment
- [AIRFLOW-1869] Do not emit spurious warning on missing logs
- [AIRFLOW-1888] Add AWS Redshift Cluster Sensor
- [AIRFLOW-1887] Renamed endpoint url variable
- [AIRFLOW-1873] Set TI.try_number to right value depending TI state
- [AIRFLOW-1891] Fix non-ascii typo in default configuration template
- [AIRFLOW-1879] Handle ti log entirely within ti
- [AIRFLOW-1869] Write more error messages into gcs and file logs
- [AIRFLOW-1876] Write subtask id to task log header
- [AIRFLOW-1554] Fix wrong DagFileProcessor termination method call
- [AIRFLOW-342] Do not use amqp, rpc as result backend
- [AIRFLOW-966] Make celery broker_transport_options configurable
- [AIRFLOW-1881] Make operator log in task log
- [AIRFLOW-XXX] Added DataReply to the list of Airflow Users
- [AIRFLOW-1883] Get File Size for objects in Google Cloud Storage
- [AIRFLOW-1872] Set context for all handlers including parents
- [AIRFLOW-1855][AIRFLOW-1866] Add GCS Copy Operator to copy multiple files
- [AIRFLOW-1870] Enable flake8 tests
- [AIRFLOW-1785] Enable Python 3 tests
- [AIRFLOW-1850] Copy cmd before masking
- [AIRFLOW-1665] Reconnect on database errors
- [AIRFLOW-1559] Dispose SQLAlchemy engines on exit
- [AIRFLOW-1559] Close file handles in subprocesses
- [AIRFLOW-1559] Make database pooling optional
- [AIRFLOW-1848][Airflow-1848] Fix DataFlowPythonOperator py_file extension doc comment
- [AIRFLOW-1843] Add Google Cloud Storage Sensor with prefix
- [AIRFLOW-1803] Time zone documentation
- [AIRFLOW-1826] Update views to use timezone aware objects
- [AIRFLOW-1827] Fix api endpoint date parsing
- [AIRFLOW-1806] Use naive datetime when using cron
- [AIRFLOW-1809] Update tests to use timezone aware objects
- [AIRFLOW-1806] Use naive datetime for cron scheduling
- [AIRFLOW-1807] Force use of time zone aware db fields
- [AIRFLOW-1808] Convert all utcnow() to time zone aware
- [AIRFLOW-1804] Add time zone configuration options
- [AIRFLOW-1802] Convert database fields to timezone aware
- [AIRFLOW-XXX] Add dask lock files to excludes
- [AIRFLOW-1790] Add support for AWS Batch operator
- [AIRFLOW-XXX] Update README.md

- [AIRFLOW-1820] Remove timestamp from metric name
- [AIRFLOW-1810] Remove unused mysql import in migrations.
- [AIRFLOW-1838] Properly log collect_dags exception
- [AIRFLOW-1842] Fixed Super class name for the gcs to gcs copy operator
- [AIRFLOW-1845] Modal background now covers long or tall pages
- [AIRFLOW-1229] Add link to Run Id, incl execution_date
- [AIRFLOW-1842] Add gcs to gcs copy operator with renaming if required
- [AIRFLOW-1841] change False to None in operator and hook
- [AIRFLOW-1839] Fix more bugs in S3Hook boto -> boto3 migration
- [AIRFLOW-1830] Support multiple domains in Google authentication backend
- [AIRFLOW-1831] Add driver-classpath spark submit
- [AIRFLOW-1795] Correctly call S3Hook after migration to boto3
- [AIRFLOW-1811] Fix render Druid operator
- [AIRFLOW-1819] Fix slack operator unittest bug
- [AIRFLOW-1805] Allow Slack token to be passed through connection
- [AIRFLOW-1816] Add region param to Dataproc operators
- [AIRFLOW-868] Add postgres_to_gcs operator and unittests
- [AIRFLOW-1613] make mysql_to_gcs_operator py3 compatible
- [AIRFLOW-1817] use boto3 for s3 dependency
- [AIRFLOW-1813] Bug SSH Operator empty buffer
- [AIRFLOW-1801][AIRFLOW-288] Url encode execution dates
- [AIRFLOW-1563] Catch OSError while symlinking the latest log directory
- [AIRFLOW-1794] Remove uses of Exception.message for Python 3
- [AIRFLOW-1799] Fix logging line which raises errors
- [AIRFLOW-1102] Upgrade Gunicorn >=19.4.0
- [AIRFLOW-1756] Fix S3TaskHandler to work with Boto3-based S3Hook
- [AIRFLOW-1797] S3Hook.load_string did not work on Python3
- [AIRFLOW-646] Add docutils to setup_requires
- [AIRFLOW-1792] Missing intervals DruidOperator
- [AIRFLOW-1789][AIRFLOW-1712] Log SSHOperator stderr to log.warning
- [AIRFLOW-1787] Fix task instance batch clear and set state bugs
- [AIRFLOW-1780] Fix long output lines with unicode from hanging parent
- [AIRFLOW-387] Close SQLAlchemy sessions properly
- [AIRFLOW-1779] Add keepalive packets to ssh hook
- [AIRFLOW-1669] Fix Docker and pin Moto to 1.1.19
- [AIRFLOW-71] Add support for private Docker images
- [AIRFLOW-XXX] Give a clue what the 'ds' variable is
- [AIRFLOW-XXX] Correct typos in the faq docs page
- [AIRFLOW-1571] Add AWS Lambda Hook
- [AIRFLOW-1675] Fix docstrings for API docs
- [AIRFLOW-1712][AIRFLOW-756][AIRFLOW-751] Log SSHOperator output
- [AIRFLOW-1776] Capture stdout and stderr for logging
- [AIRFLOW-1765] Make experimental API securable without needing Kerberos.
- [AIRFLOW-1764] The web interface should not use the experimental API
- [AIRFLOW-1771] Rename heartbeat to avoid confusion
- [AIRFLOW-1769] Add support for templates in VirtualenvOperator
- [AIRFLOW-1763] Fix S3TaskHandler unit tests
- [AIRFLOW-1315] Add Qubole File & Partition Sensors
- [AIRFLOW-1018] Make processor use logging framework
- [AIRFLOW-1695] Add RedshiftHook using boto3
- [AIRFLOW-1706] Fix query error for MSSQL backend
- [AIRFLOW-1711] Use ldap3 dict for group membership
- [AIRFLOW-1723] Make sendgrid a plugin
- [AIRFLOW-1757] Add missing options to SparkSubmitOperator
- [AIRFLOW-1734][Airflow 1734] Sqoop hook/operator enhancements
- [AIRFLOW-1761] Fix type in scheduler.rst
- [AIRFLOW-1731] Set pythonpath for logging
- [AIRFLOW-1641] Handle executor events in the scheduler
- [AIRFLOW-1744] Make sure max_tries can be set
- [AIRFLOW-1732] Improve dataflow hook logging
- [AIRFLOW-1736] Add HotelQuickly to Who Uses Airflow
- [AIRFLOW-1657] Handle failing qubole operator
- [AIRFLOW-1677] Fix typo in example_qubole_operator
- [AIRFLOW-926] Fix JDBC Hook

- [AIRFLOW-1520] Boto3 S3Hook, S3Log
- [AIRFLOW-1716] Fix multiple __init__ def in SimpleDag
- [AIRFLOW-XXX] Fix DateTime in Tree View
- [AIRFLOW-1719] Fix small typo
- [AIRFLOW-1432] Charts label for Y axis not visible
- [AIRFLOW-1743] Verify ldap filters correctly
- [AIRFLOW-1745] Restore default signal disposition
- [AIRFLOW-1741] Correctly hide second chart on task duration page
- [AIRFLOW-1728] Add networkUri, subnet, tags to Dataproc operator
- [AIRFLOW-1726] Add copy_expert psychopg2 method to PostgresHook
- [AIRFLOW-1330] Add conn_type argument to CLI when adding connection
- [AIRFLOW-1698] Remove SCHEDULER_RUNS env var in systemd
- [AIRFLOW-1694] Stop using itertools.izip
- [AIRFLOW-1692] Change test_views filename to support Windows
- [AIRFLOW-1722] Fix typo in scheduler autorestart output filename
- [AIRFLOW-1723] Support sendgrid in email backend
- [AIRFLOW-1718] Set num_retries on Dataproc job request execution
- [AIRFLOW-1727] Add unit tests for DataProcHook
- [AIRFLOW-1631] Fix timing issue in unit test
- [AIRFLOW-1631] Fix local executor unbound parallelism
- [AIRFLOW-1724] Add Fundera to Who uses Airflow?
- [AIRFLOW-1683] Cancel BigQuery job on timeout.
- [AIRFLOW-1714] Fix misspelling: s/separate/separate/
- [AIRFLOW-1681] Add batch clear in task instance view
- [AIRFLOW-1696] Fix dataproc version label error
- [AIRFLOW-1613] Handle binary field in MySqlToGoogleCloudStorageOperator
- [AIRFLOW-1697] Mode to disable charts endpoint
- [AIRFLOW-1691] Add better Google cloud logging documentation
- [AIRFLOW-1690] Add detail to gcs error messages
- [AIRFLOW-1682] Make S3TaskHandler write to S3 on close
- [AIRFLOW-1634] Adds task_concurrency feature
- [AIRFLOW-1676] Make GCSTaskHandler write to GCS on close
- [AIRFLOW-1678] Fix erroneously repeated word in function docstrings
- [AIRFLOW-1323] Made Dataproc operator parameter names consistent
- [AIRFLOW-1590] fix unused module and variable
- [AIRFLOW-1671] Add @apply_defaults back to gcs download operator
- [AIRFLOW-988] Fix repeating SLA miss callbacks
- [AIRFLOW-1611] Customize logging
- [AIRFLOW-1668] Expose keepalives_idle for Postgres connections
- [AIRFLOW-1658] Kill Druid task on timeout
- [AIRFLOW-1669][AIRFLOW-1368] Fix Docker import
- [AIRFLOW-891] Make webserver clock include date
- [AIRFLOW-1560] Add AWS DynamoDB hook and operator for inserting batch items
- [AIRFLOW-1654] Show tooltips for link icons in DAGs view
- [AIRFLOW-1660] Change webpage width to full-width
- [AIRFLOW-1664] write file as binary instead of str
- [AIRFLOW-1659] Fix invalid obj attribute bug in file_task_handler.py
- [AIRFLOW-1635] Allow creating GCP connection without requiring a JSON file
- [AIRFLOW-1650] Fix custom celery config loading
- [AIRFLOW-1647] Fix Spark-sql hook
- [AIRFLOW-1587] Fix CeleryExecutor import error
- [Airflow-1640][AIRFLOW-1640] Add qubole default connection
- [AIRFLOW-1576] Added region param to Dataproc(*)Operators
- [AIRFLOW-1643] Add healthjump to officially using list
- [AIRFLOW-1626] Add Azri Solutions to Airflow users
- [AIRFLOW-1636] Add AWS and EMR connection type
- [AIRFLOW-1527] Refactor celery config
- [AIRFLOW-1639] Fix Fernet error handling
- [AIRFLOW-1637] Fix Travis CI build status link
- [AIRFLOW-1628] Fix docstring of sqlsensor
- [AIRFLOW-1331] add SparkSubmitOperator option
- [AIRFLOW-1627] Only query pool in SubDAG init when necessary
- [AIRFLOW-1629] Make extra a textarea in edit connections form
- [AIRFLOW-1368] Automatically remove Docker container on exit
- [AIRFLOW-289] Make airflow timezone independent

- [AIRFLOW-1356] Add `-celery_hostname` to *airflow worker*
- [AIRFLOW-1247] Fix `ignore_all_dependencies` argument ignored
- [AIRFLOW-1621] Add tests for server side paging
- [AIRFLOW-1591] Avoid attribute error when rendering logging filename
- [AIRFLOW-1031] Replace hard-code to `DagRun.ID_PREFIX`
- [AIRFLOW-1604] Rename logger to log
- [AIRFLOW-1512] Add `PythonVirtualenvOperator`
- [AIRFLOW-1617] Fix XSS vulnerability in Variable endpoint
- [AIRFLOW-1497] Reset hidden fields when changing connection type
- [AIRFLOW-1619] Add `poll_sleep` parameter to GCP dataflow operator
- [AIRFLOW-XXX] Remove `landscape.io` config
- [AIRFLOW-XXX] Remove non working service badges
- [AIRFLOW-1177] Fix `Variable.setdefault` w/existing JSON
- [AIRFLOW-1600] Fix exception handling in `get_fernet`
- [AIRFLOW-1614] Replace `inspect.stack()` with `sys._getframe()`
- [AIRFLOW-1519] Add server side paging in DAGs list
- [AIRFLOW-1309] Allow `hive_to_druid` to take `tblproperties`
- [AIRFLOW-1613] Make `MySQLToGoogleCloudStorageOperator` compatible with python3
- [AIRFLOW-1603] add PAYMILL to companies list
- [AIRFLOW-1609] Fix gitignore to ignore all venvs
- [AIRFLOW-1601] Add configurable task cleanup time

Airflow 1.9.0, 2018-01-02

- [AIRFLOW-1525] Fix minor LICENSE and NOTICE issues
- [AIRFLOW-XXX] Bump version to 1.9.0
- [AIRFLOW-1897][AIRFLOW-1873] Task Logs for running instance not visible in WebUI
- [AIRFLOW-XXX] Make sure session is committed
- [AIRFLOW-1896] FIX bleach <> html5lib incompatibility
- [AIRFLOW-XXX] Fix log handler test
- [AIRFLOW-1873] Set `TI.try_number` to right value depending TI state
- [AIRFLOW-1554] Fix wrong `DagFileProcessor` termination method call
- [AIRFLOW-1872] Set context for all handlers including parents
- [AIRFLOW-XXX] Add dask lock files to excludes
- [AIRFLOW-1839] Fix more bugs in S3Hook boto -> boto3 migration
- [AIRFLOW-1795] Correctly call S3Hook after migration to boto3
- [AIRFLOW-1813] Bug SSH Operator empty buffer
- [AIRFLOW-1794] Remove uses of `Exception.message` for Python 3
- [AIRFLOW-1799] Fix logging line which raises errors
- [AIRFLOW-1102] Upgrade Gunicorn >=19.4.0
- [AIRFLOW-1756] Fix `S3TaskHandler` to work with Boto3-based S3Hook
- [AIRFLOW-1797] S3Hook.load_string did not work on Python3
- [AIRFLOW-1792] Missing intervals `DruidOperator`
- [AIRFLOW-1789][AIRFLOW-1712] Log `SSHOperator` stderr to log.warning
- [AIRFLOW-1669] Fix Docker and pin Moto to 1.1.19
- [AIRFLOW-71] Add support for private Docker images
- [AIRFLOW-1779] Add keepalive packets to ssh hook
- [AIRFLOW-XXX] Give a clue what the 'ds' variable is
- [AIRFLOW-XXX] Correct typos in the faq docs page
- [AIRFLOW-1571] Add AWS Lambda Hook
- [AIRFLOW-1675] Fix docstrings for API docs
- [AIRFLOW-1712][AIRFLOW-756][AIRFLOW-751] Log `SSHOperator` output
- [AIRFLOW-1776] Capture stdout and stderr for logging
- [AIRFLOW-1765] Make experimental API securable without needing Kerberos.
- [AIRFLOW-1764] The web interface should not use the experimental API
- [AIRFLOW-1634] Adds `task_concurrency` feature
- [AIRFLOW-1018] Make processor use logging framework
- [AIRFLOW-1695] Add `RedshiftHook` using boto3
- [AIRFLOW-1706] Fix query error for MSSQL backend
- [AIRFLOW-1711] Use `Idap3` dict for group membership
- [AIRFLOW-1757] Add missing options to `SparkSubmitOperator`
- [AIRFLOW-1734][Airflow 1734] Sqoop hook/operator enhancements
- [AIRFLOW-1731] Set `pythonpath` for logging
- [AIRFLOW-1641] Handle executor events in the scheduler

- [AIRFLOW-1744] Make sure max_tries can be set
- [AIRFLOW-1330] Add conn_type argument to CLI when adding connection
- [AIRFLOW-926] Fix JDBC Hook
- [AIRFLOW-1520] Boto3 S3Hook, S3Log
- [AIRFLOW-XXX] Fix DateTime in Tree View
- [AIRFLOW-1432] Charts label for Y axis not visible
- [AIRFLOW-1743] Verify ldap filters correctly
- [AIRFLOW-1745] Restore default signal disposition
- [AIRFLOW-1741] Correctly hide second chart on task duration page
- [AIRFLOW-1726] Add copy_expert psychopg2 method to PostgresHook
- [AIRFLOW-1698] Remove SCHEDULER_RUNS env var in systemd
- [AIRFLOW-1694] Stop using itertools.izip
- [AIRFLOW-1692] Change test_views filename to support Windows
- [AIRFLOW-1722] Fix typo in scheduler autorestart output filename
- [AIRFLOW-1691] Add better Google cloud logging documentation
- [AIRFLOW-1690] Add detail to gcs error messages
- [AIRFLOW-1682] Make S3TaskHandler write to S3 on close
- [AIRFLOW-1676] Make GCSTaskHandler write to GCS on close
- [AIRFLOW-1635] Allow creating GCP connection without requiring a JSON file
- [AIRFLOW-1323] Made Dataproc operator parameter names consistent
- [AIRFLOW-1590] fix unused module and variable
- [AIRFLOW-988] Fix repeating SLA miss callbacks
- [AIRFLOW-1611] Customize logging
- [AIRFLOW-1668] Expose keepalives_idle for Postgres connections
- [AIRFLOW-1658] Kill Druid task on timeout
- [AIRFLOW-1669][AIRFLOW-1368] Fix Docker import
- [AIRFLOW-1560] Add AWS DynamoDB hook and operator for inserting batch items
- [AIRFLOW-1654] Show tooltips for link icons in DAGs view
- [AIRFLOW-1660] Change webpage width to full-width
- [AIRFLOW-1664] write file as binary instead of str
- [AIRFLOW-1659] Fix invalid obj attribute bug in file_task_handler.py
- [AIRFLOW-1650] Fix custom celery config loading
- [AIRFLOW-1647] Fix Spark-sql hook
- [AIRFLOW-1587] Fix CeleryExecutor import error
- [AIRFLOW-1636] Add AWS and EMR connection type
- [AIRFLOW-1527] Refactor celery config
- [AIRFLOW-1639] Fix Fernet error handling
- [AIRFLOW-1628] Fix docstring of sqlsensor
- [AIRFLOW-1331] add SparkSubmitOperator option
- [AIRFLOW-1627] Only query pool in SubDAG init when necessary
- [AIRFLOW-1629] Make extra a textarea in edit connections form
- [AIRFLOW-1621] Add tests for server side paging
- [AIRFLOW-1519] Add server side paging in DAGs list
- [AIRFLOW-289] Make airflow timezone independent
- [AIRFLOW-1356] Add `-celery_hostname` to *airflow worker*
- [AIRFLOW-1591] Avoid attribute error when rendering logging filename
- [AIRFLOW-1031] Replace hard-code to DagRun.ID_PREFIX
- [AIRFLOW-1604] Rename logger to log
- [AIRFLOW-1512] Add PythonVirtualenvOperator
- [AIRFLOW-1617] Fix XSS vulnerability in Variable endpoint
- [AIRFLOW-1497] Reset hidden fields when changing connection type
- [AIRFLOW-1177] Fix Variable.setdefault w/existing JSON
- [AIRFLOW-1600] Fix exception handling in get_fernet
- [AIRFLOW-1614] Replace inspect.stack() with sys._getframe()
- [AIRFLOW-1613] Make MySQLToGoogleCloudStorageOperator compatible with python3
- [AIRFLOW-1609] Fix gitignore to ignore all venvs
- [AIRFLOW-1601] Add configurable task cleanup time
- [AIRFLOW-XXX] Bumping Airflow 1.9.0alpha0 version
- [AIRFLOW-1608] Handle pending job state in GCP Dataflow hook
- [AIRFLOW-1606] Use non static DAG.sync_to_db
- [AIRFLOW-1606][Airflow-1606][AIRFLOW-1605][AIRFLOW-160] DAG.sync_to_db is now a normal method
- [AIRFLOW-1602] LoggingMixin in DAG class
- [AIRFLOW-1593] expose load_string in WasbHook
- [AIRFLOW-1597] Add GameWisp as Airflow user
- [AIRFLOW-1594] Don't install test packages into python root.[]

- [AIRFLOW-1582] Improve logging within Airflow
- [AIRFLOW-1476] add INSTALL instruction for source releases
- [AIRFLOW-XXX] Save username and password in airflow-pr
- [AIRFLOW-1522] Increase text size for var field in variables for MySQL
- [AIRFLOW-950] Missing AWS integrations on documentation::integrations
- [AIRFLOW-XXX] 1.8.2 release notes
- [AIRFLOW-1573] Remove *thrift* < 0.10.0 requirement
- [AIRFLOW-1584] Remove insecure /headers endpoint
- [AIRFLOW-1586] Add mapping for date type to mysql_to_gcs operator
- [AIRFLOW-1579] Adds support for jagged rows in Bigquery hook for BQ load jobs
- [AIRFLOW-1577] Add token support to DatabricksHook
- [AIRFLOW-1580] Error in string formatting
- [AIRFLOW-1567] Updated docs for Google ML Engine operators/hooks
- [AIRFLOW-1574] add 'to' attribute to templated vars of email operator
- [AIRFLOW-1572] add carbonite to company list
- [AIRFLOW-1568] Fix typo in BigQueryHook
- [AIRFLOW-1493][AIRFLOW-XXX][WIP] fixed dumb thing
- [AIRFLOW-1567][Airflow-1567] Renamed cloudml hook and operator to mlengine
- [AIRFLOW-1568] Add datastore export/import operators
- [AIRFLOW-1564] Use Jinja2 to render logging filename
- [AIRFLOW-1562] Spark-sql logging contains deadlock
- [AIRFLOW-1556][Airflow 1556] Add support for SQL parameters in BigQueryBaseCursor
- [AIRFLOW-108] Add CreditCards.com to companies list
- [AIRFLOW-1541] Add channel to template fields of slack_operator
- [AIRFLOW-1535] Add service account/scopes in dataproc
- [AIRFLOW-1384] Add to README.md CaDC/ARGO
- [AIRFLOW-1546] add Zymergen 80to org list in README
- [AIRFLOW-1545] Add Nextdoor to companies list
- [AIRFLOW-1544] Add DataFox to companies list
- [AIRFLOW-1529] Add logic supporting quoted newlines in Google BigQuery load jobs
- [AIRFLOW-1521] Fix template rendering for BigqueryTableDeleteOperator
- [AIRFLOW-1324] Generalize Druid operator and hook
- [AIRFLOW-1516] Fix error handling getting fernet
- [AIRFLOW-1420][AIRFLOW-1473] Fix deadlock check
- [AIRFLOW-1495] Fix migration on index on job_id
- [AIRFLOW-1483] Making page size consistent in list
- [AIRFLOW-1495] Add TaskInstance index on job_id
- [AIRFLOW-855] Replace PickleType with LargeBinary in XCom
- [AIRFLOW-1505] Document when Jinja substitution occurs
- [AIRFLOW-1504] Log dataproc cluster name
- [AIRFLOW-1239] Fix unicode error for logs in base_task_runner
- [AIRFLOW-1280] Fix Gantt chart height
- [AIRFLOW-1507] Template parameters in file_to_gcs operator
- [AIRFLOW-1452] workaround lock on method
- [AIRFLOW-1385] Make Airflow task logging configurable
- [AIRFLOW-940] Handle error on variable decrypt
- [AIRFLOW-1492] Add gauge for task successes/failures
- [AIRFLOW-1443] Update Airflow configuration documentation
- [AIRFLOW-1486] Unexpected S3 writing log error
- [AIRFLOW-1487] Added links to all companies officially using Airflow
- [AIRFLOW-1489] Fix typo in BigQueryCheckOperator
- [AIRFLOW-1349] Fix backfill to respect limits
- [AIRFLOW-1478] Chart owner column should be sortable
- [AIRFLOW-1397][AIRFLOW-1] No Last Run column data displayed in Airflow UI 1.8.1
- [AIRFLOW-1474] Add dag_id regex feature for *airflow clear* command
- [AIRFLOW-1445] Changing HivePartitionSensor UI color to lighter shade
- [AIRFLOW-1359] Use default_args in Cloud ML eval
- [AIRFLOW-1389] Support createDisposition in BigQueryOperator
- [AIRFLOW-1349] Refactor BackfillJob _execute
- [AIRFLOW-1459] Fixed broken integration .rst formatting
- [AIRFLOW-1448] Revert "Fix cli reading logfile in memory"
- [AIRFLOW-1398] Allow ExternalTaskSensor to wait on multiple runs of a task
- [AIRFLOW-1399] Fix cli reading logfile in memory
- [AIRFLOW-1442] Remove extra space from ignore_all_deps generated command

- [AIRFLOW-1438] Change batch size per query in scheduler
- [AIRFLOW-1439] Add max billing tier for the BQ Hook and Operator
- [AIRFLOW-1437] Modify BigQueryTableDeleteOperator
- [Airflow 1332] Split logs based on try number
- [AIRFLOW-1385] Create abstraction for Airflow task logging
- [AIRFLOW-756][AIRFLOW-751] Replace ssh hook, operator & sftp operator with paramiko based
- [AIRFLOW-1393][AIRFLOW-1393] Enable Py3 tests in contrib/spark_submit_hook[
- [AIRFLOW-1345] Dont expire Tls on each scheduler loop
- [AIRFLOW-1059] Reset orphaned tasks in batch for scheduler
- [AIRFLOW-1255] Fix SparkSubmitHook output deadlock
- [AIRFLOW-1359] Add Google CloudML utils for model evaluation
- [AIRFLOW-1247] Fix ignore all dependencies argument ignored
- [AIRFLOW-1401] Standardize cloud ml operator arguments
- [AIRFLOW-1394] Add quote_character param to GCS hook and operator
- [AIRFLOW-1402] Cleanup SafeConfigParser DeprecationWarning
- [AIRFLOW-1326][AIRFLOW-1326][AIRFLOW-1184] Don't split argument array – it's already an array.[
- [AIRFLOW-1384] Add ARGO/CaDC as a Airflow user
- [AIRFLOW-1357] Fix scheduler zip file support
- [AIRFLOW-1382] Add working dir option to DockerOperator
- [AIRFLOW-1388] Add Cloud ML Engine operators to integration doc
- [AIRFLOW-1387] Add unicode string prefix
- [AIRFLOW-1366] Add max_tries to task instance
- [AIRFLOW-1300] Enable table creation with TBLPROPERTIES
- [AIRFLOW-1271] Add Google CloudML Training Operator
- [AIRFLOW-300] Add Google Pubsub hook and operator
- [AIRFLOW-1343] Fix dataproc label format
- [AIRFLOW-1367] Pass Content-ID To reference inline images in an email, we need to be able to add to the HTML. However currently the Content-ID (cid) is not passed, so we need to add it
- [AIRFLOW-1265] Fix celery executor parsing CELERY_SSL_ACTIVE
- [AIRFLOW-1272] Google Cloud ML Batch Prediction Operator
- [AIRFLOW-1352][AIRFLOW-1335] Revert MemoryHandler change ()[]
- [AIRFLOW-1350] Add query_uri param to Hive/SparkSQL DataProc operator
- [AIRFLOW-1334] Check if tasks are backfill on scheduler in a join
- [AIRFLOW-1343] Add Airflow default label to the dataproc operator
- [AIRFLOW-1273] Add Google Cloud ML version and model operators
- [AIRFLOW-1273]AIRFLOW-1273] Add Google Cloud ML version and model operators
- [AIRFLOW-1321] Fix hidden field key to ignore case
- [AIRFLOW-1337] Make log_format key names lowercase
- [AIRFLOW-1338][AIRFLOW-782] Add GCP dataflow hook runner change to UPDATING.md
- [AIRFLOW-801] Remove outdated docstring on BaseOperator
- [AIRFLOW-1344] Fix text encoding bug when reading logs for Python 3.5
- [AIRFLOW-1338] Fix incompatible GCP dataflow hook
- [AIRFLOW-1333] Enable copy function for Google Cloud Storage Hook
- [AIRFLOW-1337] Allow log format customization via airflow.cfg
- [AIRFLOW-1320] Update LetsBonus users in README
- [AIRFLOW-1335] Use MemoryHandler for buffered logging
- [AIRFLOW-1339] Add Drivy to the list of users
- [AIRFLOW-1275] Put 'airflow pool' into API
- [AIRFLOW-1296] Propagate SKIPPED to all downstream tasks
- [AIRFLOW-1317] Fix minor issues in API reference
- [AIRFLOW-1308] Disable nanny usage for Dask
- [AIRFLOW-1172] Support nth weekday of the month cron expression
- [AIRFLOW-936] Add clear/mark success for DAG in the UI
- [AIRFLOW-1294] Backfills can loose tasks to execute
- [AIRFLOW-1299] Support imageVersion in Google Dataproc cluster
- [AIRFLOW-1291] Update NOTICE and LICENSE files to match ASF requirements
- [AIRFLOW-1301] Add New Relic to list of companies
- [AIRFLOW-1289] Removes restriction on number of scheduler threads
- [AIRFLOW-1024] Ignore celery executor errors (#49)
- [AIRFLOW-1265] Fix exception while loading celery configurations
- [AIRFLOW-1290] set docs author to 'Apache Airflow'
- [AIRFLOW-1242] Allowing project_id to have a colon in it.
- [AIRFLOW-1282] Fix known event column sorting
- [AIRFLOW-1166] Speed up _change_state_for_tis_without_dagrun
- [AIRFLOW-1208] Speed-up cli tests

- [AIRFLOW-1192] Some enhancements to qubole_operator
- [AIRFLOW-1281] Sort variables by key field by default
- [AIRFLOW-1277] Forbid KE creation with empty fields
- [AIRFLOW-1276] Forbid event creation with end_data earlier than start_date
- [AIRFLOW-1263] Dynamic height for charts
- [AIRFLOW-1266] Increase width of gantt y axis
- [AIRFLOW-1244] Forbid creation of a pool with empty name
- [AIRFLOW-1274][HTTPSensor] Rename parameter params to data
- [AIRFLOW-654] Add SSL Config Option for CeleryExecutor w/ RabbitMQ - Add BROKER_USE_SSL config to give option to send AMQP messages over SSL - Can be set using usual airflow options (e.g. airflow.cfg, env vars, etc.)
- [AIRFLOW-1256] Add United Airlines to readme
- [AIRFLOW-1251] Add eRevalue to Airflow users
- [AIRFLOW-908] Print hostname at the start of cli run
- [AIRFLOW-1237] Fix IN-predicate sqlalchemy warning
- [AIRFLOW-1243] DAGs table has no default entries to show
- [AIRFLOW-1245] Fix random failure in test_trigger_dag_for_date
- [AIRFLOW-1248] Fix wrong conf name for worker timeout
- [AIRFLOW-1197] : SparkSubmitHook on_kill error
- [AIRFLOW-1191] : SparkSubmitHook custom cmd
- [AIRFLOW-1234] Cover utils.operator_helpers with UTs
- [AIRFLOW-1217] Enable Sqoop logging
- [AIRFLOW-645] Support HTTPS connections in HttpHook
- [AIRFLOW-1231] Use flask_wtf.CSRFProtect
- [AIRFLOW-1232] Remove deprecated readfp warning
- [AIRFLOW-1233] Cover utils.json with unit tests
- [AIRFLOW-1227] Remove empty column on the Logs view
- [AIRFLOW-1226] Remove empty column on the Jobs view
- [AIRFLOW-1221] Fix templating bug with DatabricksSubmitRunOperator
- [AIRFLOW-1210] Enable DbApiHook unit tests
- [AIRFLOW-1199] Fix create modal
- [AIRFLOW-1200] Forbid creation of a variable with an empty key
- [AIRFLOW-1207] Enable utils.helpers unit tests
- [AIRFLOW-1213] Add hcatalog parameters to sqoop
- [AIRFLOW-1201] Update deprecated 'nose-parameterized'
- [AIRFLOW-1186] Sort dag.get_task_instances by execution_date
- [AIRFLOW-1203] Pin Google API client version to fix OAuth issue
- [AIRFLOW-1145] Fix closest_date_partition function with before set to True If we're looking for the closest date before, we should take the latest date in the list of date before.
- [AIRFLOW-1180] Fix flask-wtf version for test_csrf_rejection
- [AIRFLOW-993] Update date inference logic
- [AIRFLOW-1170] DbApiHook insert_rows inserts parameters separately
- [AIRFLOW-1041] Do not shadow xcom_push method[]
- [AIRFLOW-860][AIRFLOW-935] Fix plugin executor import cycle and executor selection
- [AIRFLOW-1189] Fix get a DataFrame using BigQueryHook failing
- [AIRFLOW-1184] SparkSubmitHook does not split args
- [AIRFLOW-1182] SparkSubmitOperator template field
- [AIRFLOW-823] Allow specifying execution date in task_info API
- [AIRFLOW-1175] Add Pronto Tools to Airflow user list
- [AIRFLOW-1150] Fix scripts execution in sparksql hook[]
- [AIRFLOW-1141] remove crawl_for_tasks
- [AIRFLOW-1193] Add Checkr to company using Airflow
- [AIRFLOW-1168] Add closing() to all connections and cursors
- [AIRFLOW-1188] Add max_bad_records param to GoogleCloudStorageToBigQueryOperator
- [AIRFLOW-1187][AIRFLOW-1185] Fix PyPi package names in documents
- [AIRFLOW-1185] Fix PyPi URL in templates
- [AIRFLOW-XXX] Updating CHANGELOG, README, and UPDATING after 1.8.1 release
- [AIRFLOW-1181] Add delete and list functionality to gcs_hook
- [AIRFLOW-1179] Fix Pandas 0.2x breaking Google BigQuery change
- [AIRFLOW-1167] Support microseconds in FTPHook modification time
- [AIRFLOW-1173] Add Robinhood to who uses Airflow
- [AIRFLOW-945][AIRFLOW-941] Remove pycopg2 connection workaround
- [AIRFLOW-1140] DatabricksSubmitRunOperator should template the "json" field.
- [AIRFLOW-1160] Update Spark parameters for Mesos
- [AIRFLOW 1149][AIRFLOW-1149] Allow for custom filters in Jinja2 templates

- [AIRFLOW-1036] Randomize exponential backoff
- [AIRFLOW-1155] Add Tails.com to community
- [AIRFLOW-1142] Do not reset orphaned state for backfills
- [AIRFLOW-492] Make sure stat updates cannot fail a task
- [AIRFLOW-1119] Fix unload query so headers are on first row[]
- [AIRFLOW-1089] Add Spark application arguments
- [AIRFLOW-1125] Document encrypted connections
- [AIRFLOW-1122] Increase stroke width in UI
- [AIRFLOW-1138] Add missing licenses to files in scripts directory
- (AIRFLOW-11-38) [AIRFLOW-1136] Capture invalid arguments for Sqoop
- [AIRFLOW-1127] Move license notices to LICENSE
- [AIRFLOW-1118] Add evo.company to Airflow users
- [AIRFLOW-1121][AIRFLOW-1004] Fix *airflow webserver* `-pid` to write out pid file
- [AIRFLOW-1124] Do not set all tasks to scheduled in backfill
- [AIRFLOW-1120] Update version view to include Apache prefix
- [AIRFLOW-1091] Add script that can compare jira target against merges
- [AIRFLOW-1107] Add support for ftps non-default port
- [AIRFLOW-1000] Rebrand distribution to Apache Airflow
- [AIRFLOW-1094] Run unit tests under contrib in Travis
- [AIRFLOW-1112] Log which pool when pool is full in scheduler
- [AIRFLOW-1106] Add Groupalia/Letsbonus to the ReadMe
- [AIRFLOW-1109] Use kill signal to kill processes and log results
- [AIRFLOW-1074] Don't count queued tasks for concurrency limits
- [AIRFLOW-1095] Make `ldap_auth` memberOf come from configuration
- [AIRFLOW-1090] Add HBO
- [AIRFLOW-1035] Use binary exponential backoff
- [AIRFLOW-1081] Improve performance of duration chart
- [AIRFLOW-1078] Fix `latest_runs` endpoint for old flask versions
- [AIRFLOW-1085] Enhance the `SparkSubmitOperator`
- [AIRFLOW-1050] Do not count `up_for_retry` as not ready
- [AIRFLOW-1028] Databricks Operator for Airflow
- [AIRFLOW-1075] Security docs cleanup
- [AIRFLOW-1033][AIRFLOW-1033] Fix `ti_deps` for no schedule dags
- [AIRFLOW-1016] Allow HTTP HEAD request method on `HTTPSensor`
- [AIRFLOW-970] Load `latest_runs` on homepage async
- [AIRFLOW-111] Include queued tasks in scheduler concurrency check
- [AIRFLOW-1001] Fix landing times if there is no following schedule
- [AIRFLOW-1065] Add functionality for Azure Blob Storage over `wasb://`
- [AIRFLOW-947] Improve exceptions for unavailable Presto cluster
- [AIRFLOW-1067] use `example.com` in examples
- [AIRFLOW-1064] Change default sort to `job_id` for `TaskInstanceModelView`
- [AIRFLOW-1030][AIRFLOW-1] Fix hook import for `HttpSensor`
- [AIRFLOW-1051] Add a test for `resetdb` to `CliTests`
- [AIRFLOW-1004][AIRFLOW-276] Fix *airflow webserver* `-D` to run in background
- [AIRFLOW-1062] Fix `DagRun#find` to return correct result
- [AIRFLOW-1011] Fix bug in `BackfillJob._execute()` for SubDAGs
- [AIRFLOW-1038] Specify celery serialization options explicitly
- [AIRFLOW-1054] Fix broken import in `test_dag`
- [AIRFLOW-1007] Use Jinja sandbox for `chart_data` endpoint
- [AIRFLOW-719] Fix race condition in `ShortCircuit`, `Branch` and `LatestOnly`
- [AIRFLOW-1043] Fix doc strings of operators
- [AIRFLOW-840] Make ticket renewer python3 compatible
- [AIRFLOW-985] Extend the sqoop operator and hook
- [AIRFLOW-1034] Make it possible to connect to S3 in sigv4 regions
- [AIRFLOW-1045] Make log level configurable via `airflow.cfg`
- [AIRFLOW-1047] Sanitize strings passed to Markup
- [AIRFLOW-1040] Fix some small typos in comments and docstrings
- [AIRFLOW-1017] `get_task_instance` should not throw exception when no TI
- [AIRFLOW-1006] Add `config_templates` to MANIFEST
- [AIRFLOW-999] Add support for Redis database
- [AIRFLOW-1009] Remove `SQLOperator` from Concepts page
- [AIRFLOW-1006] Move config templates to separate files
- [AIRFLOW-1005] Improve Airflow startup time
- [AIRFLOW-1010] Add convenience script for signing releases
- [AIRFLOW-995] Remove reference to actual Airflow issue

- [AIRFLOW-681] homepage doc link should pointing to apache repo not airbnb repo
- [AIRFLOW-705][AIRFLOW-706] Fix run_command bugs
- [AIRFLOW-990] Fix Py27 unicode logging in DockerOperator
- [AIRFLOW-963] Fix non-rendered code examples
- [AIRFLOW-969] Catch bad python_callable argument
- [AIRFLOW-984] Enable subclassing of SubDagOperator
- [AIRFLOW-997] Update setup.cfg to point to Apache
- [AIRFLOW-994] Add MinODES to the official airflow user list
- [AIRFLOW-995][AIRFLOW-1] Update GitHub PR Template
- [AIRFLOW-989] Do not mark dag run successful if unfinished tasks
- [AIRFLOW-903] New configuration setting for the default dag view
- [AIRFLOW-979] Add GovTech GDS
- [AIRFLOW-933] Replace eval with literal_eval to prevent RCE
- [AIRFLOW-974] Fix makedirs race condition
- [AIRFLOW-917] Fix formatting of error message
- [AIRFLOW-770] Refactor BaseHook so env vars are always read
- [AIRFLOW-900] Double trigger should not kill original task instance
- [AIRFLOW-900] Fixes bugs in LocalTaskJob for double run protection
- [AIRFLOW-932][AIRFLOW-932][AIRFLOW-921][AIRFLOW-910] Do not mark tasks removed when backfilling[
- [AIRFLOW-961] run onkill when SIGTERM
- [AIRFLOW-910] Use parallel task execution for backfills
- [AIRFLOW-967] Wrap strings in native for py2 ldap compatibility
- [AIRFLOW-958] Improve tooltip readability
- AIRFLOW-959 Cleanup and reorganize .gitignore
- AIRFLOW-960 Add .editorconfig file
- [AIRFLOW-931] Do not set QUEUED in TaskInstances
- [AIRFLOW-956] Get docs working on readthedocs.org
- [AIRFLOW-954] Fix configparser ImportError
- [AIRFLOW-941] Use defined parameters for psycpg2
- [AIRFLOW-943] Update Digital First Media in users list
- [AIRFLOW-942] Add mytaxi to Airflow users
- [AIRFLOW-939] add .swp to gitignore
- [AIRFLOW-719] Prevent DAGs from ending prematurely
- [AIRFLOW-938] Use test for True in task_stats queries
- [AIRFLOW-937] Improve performance of task_stats
- [AIRFLOW-933] use ast.literal_eval rather eval because ast.literal_eval does not execute input.
- [AIRFLOW-925] Revert airflow.hooks change that cherry-pick picked
- [AIRFLOW-919] Running tasks with no start date should not break a DAGs UI
- [AIRFLOW-802][AIRFLOW-1] Add spark-submit operator/hook
- [AIRFLOW-725] Use keyring to store credentials for JIRA
- [AIRFLOW-916] Remove deprecated readfp function
- [AIRFLOW-911] Add coloring and timing to tests
- [AIRFLOW-906] Update Code icon from lightning bolt to file
- [AIRFLOW-897] Prevent dagruns from failing with unfinished tasks
- [AIRFLOW-896] Remove unicode to 8-bit conversion in BigQueryOperator
- [AIRFLOW-899] Tasks in SCHEDULED state should be white in the UI instead of black
- [AIRFLOW-895] Address Apache release incompliances
- [AIRFLOW-893][AIRFLOW-510] Fix crashing webserver when a dagrun has no start date
- [AIRFLOW-880] Make webserver serve logs in a sane way for remote logs
- [AIRFLOW-889] Fix minor error in the docstrings for BaseOperator
- [AIRFLOW-809][AIRFLOW-1] Use __eq__ ColumnOperator When Testing Booleans
- [AIRFLOW-875] Add template to HttpSensor params
- [AIRFLOW-866] Add FTPSensor
- [AIRFLOW-881] Check if SubDagOperator is in DAG context manager
- [AIRFLOW-885] Add change.org to the users list
- [AIRFLOW-836] Use POST and CSRF for state changing endpoints
- [AIRFLOW-862] Fix Unit Tests for DaskExecutor
- [AIRFLOW-887] Support future v0.16
- [AIRFLOW-886] Pass result to post_execute() hook
- [AIRFLOW-871] change logging.warn() into warning()
- [AIRFLOW-882] Remove unnecessary dag>>op assignment in docs
- [AIRFLOW-861] make pickle_info endpoint be login_required
- [AIRFLOW-869] Refactor mark success functionality
- [AIRFLOW-877] Remove .sql template extension from GCS download operator

- [AIRFLOW-826] Add Zendesk hook
- [AIRFLOW-842] do not query the DB with an empty IN clause
- [AIRFLOW-834] change raise StopIteration into return
- [AIRFLOW-832] Let debug server run without SSL
- [AIRFLOW-862] Add DaskExecutor
- [AIRFLOW-858] Configurable database name for DB operators
- [AIRFLOW-863] Example DAGs should have recent start dates
- [AIRFLOW-853] use utf8 encoding for stdout line decode
- [AIRFLOW-857] Use library assert statements instead of conditionals
- [AIRFLOW-856] Make sure execution date is set for local client
- [AIRFLOW-854] Add OKI as Airflow user
- [AIRFLOW-830][AIRFLOW-829][AIRFLOW-88] Reduce Travis log verbosity
- [AIRFLOW-814] Fix Presto*CheckOperator.__init__
- [AIRFLOW-793] Enable compressed loading in S3ToHiveTransfer
- [AIRFLOW-844] Fix cgroups directory creation
- [AIRFLOW-831] Restore import to fix broken tests
- [AIRFLOW-794] Access DAGS_FOLDER and SQL_ALCHEMY_CONN exclusively from settings
- [AIRFLOW-694] Fix config behaviour for empty envvar
- [AIRFLOW-365] Set dag.fileloc explicitly and use for Code view
- [AIRFLOW-781] Allow DataFlowOperators to accept jobs stored in GCS

Airflow 1.8.2, 2017-09-04

- [AIRFLOW-809][AIRFLOW-1] Use __eq__ ColumnOperator When Testing Booleans
- [AIRFLOW-1296] Propagate SKIPPED to all downstream tasks
- Re-enable caching for hadoop components
- Pin Hive and Hadoop to a specific version and create writable warehouse dir
- [AIRFLOW-1308] Disable nanny usage for Dask
- Updating CHANGELOG for 1.8.2rc1
- [AIRFLOW-1294] Backfills can loose tasks to execute
- [AIRFLOW-1291] Update NOTICE and LICENSE files to match ASF requirements
- [AIRFLOW-XXX] Set version to 1.8.2rc1
- [AIRFLOW-1160] Update Spark parameters for Mesos
- [AIRFLOW 1149][AIRFLOW-1149] Allow for custom filters in Jinja2 templates
- [AIRFLOW-1119] Fix unload query so headers are on first row[]
- [AIRFLOW-1089] Add Spark application arguments
- [AIRFLOW-1078] Fix latest_runs endpoint for old flask versions
- [AIRFLOW-1074] Don't count queued tasks for concurrency limits
- [AIRFLOW-1064] Change default sort to job_id for TaskInstanceModelView
- [AIRFLOW-1038] Specify celery serialization options explicitly
- [AIRFLOW-1036] Randomize exponential backoff
- [AIRFLOW-993] Update date inference logic
- [AIRFLOW-1167] Support microseconds in FTPHook modification time
- [AIRFLOW-1179] Fix Pandas 0.2x breaking Google BigQuery change
- [AIRFLOW-1263] Dynamic height for charts
- [AIRFLOW-1266] Increase width of gantt y axis
- [AIRFLOW-1290] set docs author to 'Apache Airflow'
- [AIRFLOW-1282] Fix known event column sorting
- [AIRFLOW-1166] Speed up _change_state_for_tis_without_dagrun
- [AIRFLOW-1192] Some enhancements to qubole_operator
- [AIRFLOW-1281] Sort variables by key field by default
- [AIRFLOW-1244] Forbid creation of a pool with empty name
- [AIRFLOW-1243] DAGs table has no default entries to show
- [AIRFLOW-1227] Remove empty column on the Logs view
- [AIRFLOW-1226] Remove empty column on the Jobs view
- [AIRFLOW-1199] Fix create modal
- [AIRFLOW-1200] Forbid creation of a variable with an empty key
- [AIRFLOW-1186] Sort dag.get_task_instances by execution_date
- [AIRFLOW-1145] Fix closest_date_partition function with before set to True If we're looking for the closest date before, we should take the latest date in the list of date before.
- [AIRFLOW-1180] Fix flask-wtf version for test_csrf_rejection
- [AIRFLOW-1170] DbApiHook insert_rows inserts parameters separately
- [AIRFLOW-1150] Fix scripts execution in sparksql hook[]
- [AIRFLOW-1168] Add closing() to all connections and cursors

- [AIRFLOW-XXX] Updating CHANGELOG, README, and UPDATING after 1.8.1 release

Airflow 1.8.1, 2017-05-09

- [AIRFLOW-1142] SubDAG Tasks Not Executed Even Though All Dependencies Met
- [AIRFLOW-1138] Add licenses to files in scripts directory
- [AIRFLOW-1127] Move license notices to LICENSE instead of NOTICE
- [AIRFLOW-1124] Do not set all task instances to scheduled on backfill
- [AIRFLOW-1120] Update version view to include Apache prefix
- [AIRFLOW-1062] DagRun#find returns wrong result if external_trigger=False is specified
- [AIRFLOW-1054] Fix broken import on test_dag
- [AIRFLOW-1050] Retries ignored - regression
- [AIRFLOW-1033] TypeError: can't compare datetime.datetime to None
- [AIRFLOW-1017] get_task_instance should return None instead of throw an exception for non-existent TIs
- [AIRFLOW-1011] Fix bug in BackfillJob._execute() for SubDAGs
- [AIRFLOW-1004] *airflow webserver -D* runs in foreground
- [AIRFLOW-1001] Landing Time shows "unsupported operand type(s) for -: 'datetime.datetime' and NoneType" on example_subdag_operator
- [AIRFLOW-1000] Rebrand to Apache Airflow instead of Airflow
- [AIRFLOW-989] Clear Task Regression
- [AIRFLOW-974] airflow.util.file mkdir has a race condition
- [AIRFLOW-906] Update Code icon from lightning bolt to file
- [AIRFLOW-858] Configurable database name for DB operators
- [AIRFLOW-853] ssh_execute_operator.py stdout decode default to ASCII
- [AIRFLOW-832] Fix debug server
- [AIRFLOW-817] Trigger dag fails when using CLI + API
- [AIRFLOW-816] Make sure to pull nvd3 from local resources
- [AIRFLOW-815] Add previous/next execution dates to available default variables.
- [AIRFLOW-813] Fix unterminated unit tests in tests.job (tests/job.py)
- [AIRFLOW-812] Scheduler job terminates when there is no dag file
- [AIRFLOW-806] UI should properly ignore DAG doc when it is None
- [AIRFLOW-794] Consistent access to DAGS_FOLDER and SQL_ALCHEMY_CONN
- [AIRFLOW-785] ImportError if cgroupspy is not installed
- [AIRFLOW-784] Cannot install with **funcsigs** > 1.0.0
- [AIRFLOW-780] The UI no longer shows broken DAGs
- [AIRFLOW-777] dag_is_running is initialized to True instead of False
- [AIRFLOW-719] Skipped operations make DAG finish prematurely
- [AIRFLOW-694] Empty env vars do not overwrite non-empty config values
- [AIRFLOW-492] Insert into dag_stats table results into failed task while task itself succeeded
- [AIRFLOW-139] Executing VACUUM with PostgresOperator
- [AIRFLOW-111] DAG concurrency is not honored
- [AIRFLOW-88] Improve clarity Travis CI reports

Airflow 1.8.0, 2017-03-12

- [AIRFLOW-900] Double trigger should not kill original task instance
- [AIRFLOW-900] Fixes bugs in LocalTaskJob for double run protection
- [AIRFLOW-932] Do not mark tasks removed when backfilling
- [AIRFLOW-961] run onkill when SIGTERMd
- [AIRFLOW-910] Use parallel task execution for backfills
- [AIRFLOW-967] Wrap strings in native for py2 ldap compatibility
- [AIRFLOW-941] Use defined parameters for pycpg2
- [AIRFLOW-719] Prevent DAGs from ending prematurely
- [AIRFLOW-938] Use test for True in task_stats queries
- [AIRFLOW-937] Improve performance of task_stats
- [AIRFLOW-933] use ast.literal_eval rather eval because ast.literal_eval does not execute input.
- [AIRFLOW-925] Revert airflow.hooks change that cherry-pick picked
- [AIRFLOW-919] Running tasks with no start date should not break a DAGs UI
- [AIRFLOW-802] Add spark-submit operator/hook
- [AIRFLOW-897] Prevent dagruns from failing with unfinished tasks
- [AIRFLOW-861] make pickle_info endpoint be login_required
- [AIRFLOW-853] use utf8 encoding for stdout line decode
- [AIRFLOW-856] Make sure execution date is set for local client
- [AIRFLOW-830][AIRFLOW-829][AIRFLOW-88] Reduce Travis log verbosity
- [AIRFLOW-831] Restore import to fix broken tests

- [AIRFLOW-794] Access DAGS_FOLDER and SQL_ALCHEMY_CONN exclusively from settings
- [AIRFLOW-694] Fix config behaviour for empty envvar
- [AIRFLOW-365] Set dag.fileloc explicitly and use for Code view
- [AIRFLOW-931] Do not set QUEUED in TaskInstances
- [AIRFLOW-899] Tasks in SCHEDULED state should be white in the UI instead of black
- [AIRFLOW-895] Address Apache release incomplicancies
- [AIRFLOW-893][AIRFLOW-510] Fix crashing webserver when a dagrun has no start date
- [AIRFLOW-793] Enable compressed loading in S3ToHiveTransfer
- [AIRFLOW-863] Example DAGs should have recent start dates
- [AIRFLOW-869] Refactor mark success functionality
- [AIRFLOW-856] Make sure execution date is set for local client
- [AIRFLOW-814] Fix Presto*CheckOperator.__init__
- [AIRFLOW-844] Fix cgroups directory creation
- [AIRFLOW-816] Use static nvd3 and d3
- [AIRFLOW-821] Fix py3 compatibility
- [AIRFLOW-817] Check for None value of execution_date in endpoint
- [AIRFLOW-822] Close db before exception
- [AIRFLOW-815] Add prev/next execution dates to template variables
- [AIRFLOW-813] Fix unterminated unit tests in SchedulerJobTest
- [AIRFLOW-813] Fix unterminated scheduler unit tests
- [AIRFLOW-806] UI should properly ignore DAG doc when it is None
- [AIRFLOW-812] Fix the scheduler termination bug.
- [AIRFLOW-780] Fix dag import errors no longer working
- [AIRFLOW-783] Fix py3 incompatibility in BaseTaskRunner
- [AIRFLOW-810] Correct down_revision dag_id/state index creation
- [AIRFLOW-807] Improve scheduler performance for large DAGs
- [AIRFLOW-798] Check return_code before forcing termination
- [AIRFLOW-139] Let psycopg2 handle autocommit for PostgresHook
- [AIRFLOW-776] Add missing cgroups devel dependency
- [AIRFLOW-777] Fix expression to check if a DagRun is in running state
- [AIRFLOW-785] Don't import CgroupTaskRunner at global scope
- [AIRFLOW-784] Pin `funcsigs` to 1.0.0
- [AIRFLOW-624] Fix setup.py to not import airflow.version as version
- [AIRFLOW-779] Task should fail with specific message when deleted
- [AIRFLOW-778] Fix completely broken MetastorePartitionSensor
- [AIRFLOW-739] Set pickle_info log to debug
- [AIRFLOW-771] Make S3 logs append instead of clobber
- [AIRFLOW-773] Fix flaky datetime addition in api test
- [AIRFLOW-219][AIRFLOW-398] Cgroups + impersonation
- [AIRFLOW-683] Add jira hook, operator and sensor
- [AIRFLOW-762] Add Google DataProc delete operator
- [AIRFLOW-760] Update systemd config
- [AIRFLOW-759] Use previous dag_run to verify depend_on_past
- [AIRFLOW-757] Set child_process_log_directory default more sensible
- [AIRFLOW-692] Open XCom page to super-admins only
- [AIRFLOW-737] Fix HDFS Sensor directory.
- [AIRFLOW-747] Fix retry_delay not honoured
- [AIRFLOW-558] Add Support for dag.catchup=(True|False) Option
- [AIRFLOW-489] Allow specifying execution date in trigger_dag API
- [AIRFLOW-738] Commit deleted xcom items before insert
- [AIRFLOW-729] Add Google Cloud Dataproc cluster creation operator
- [AIRFLOW-728] Add Google BigQuery table sensor
- [AIRFLOW-741] Log to debug instead of info for app.py
- [AIRFLOW-731] Fix period bug for NamedHivePartitionSensor
- [AIRFLOW-740] Pin jinja2 to < 2.9.0
- [AIRFLOW-663] Improve time units for task performance charts
- [AIRFLOW-665] Fix email attachments
- [AIRFLOW-734] Fix SMTP auth regression when not using user/pass
- [AIRFLOW-702] Fix LDAP Regex Bug
- [AIRFLOW-717] Add Cloud Storage updated sensor
- [AIRFLOW-695] Retries do not execute because dagrun is in FAILED state
- [AIRFLOW-673] Add operational metrics test for SchedulerJob
- [AIRFLOW-727] try_number is not increased
- [AIRFLOW-715] A more efficient HDFS Sensor:
- [AIRFLOW-716] Allow AVRO BigQuery load-job without schema

- [AIRFLOW-718] Allow the query URI for DataProc Pig
- Log needs to be part of try/catch block
- [AIRFLOW-721] Descendant process can disappear before termination
- [AIRFLOW-403] Bash operator's kill method leaves underlying processes running
- [AIRFLOW-657] Add AutoCommit Parameter for MSSQL
- [AIRFLOW-641] Improve pull request instructions
- [AIRFLOW-685] Add test for MySQLHook.bulk_load()
- [AIRFLOW-686] Match auth backend config section
- [AIRFLOW-691] Add SSH KeepAlive option to SSH_hook
- [AIRFLOW-709] Use same engine for migrations and reflection
- [AIRFLOW-700] Update to reference to web authentication documentation
- [AIRFLOW-649] Support non-sched DAGs in LatestOnlyOp
- [AIRFLOW-712] Fix AIRFLOW-667 to use proper HTTP error properties
- [AIRFLOW-710] Add OneFineStay as official user
- [AIRFLOW-703][AIRFLOW-1] Stop Xcom being cleared too early
- [AIRFLOW-679] Stop concurrent task instances from running
- [AIRFLOW-704][AIRFLOW-1] Fix invalid syntax in BQ hook
- [AIRFLOW-667] Handle BigQuery 503 error
- [AIRFLOW-680] Disable connection pool for commands
- [AIRFLOW-678] Prevent scheduler from double triggering TIs
- [AIRFLOW-677] Kill task if it fails to heartbeat
- [AIRFLOW-674] Ability to add descriptions for DAGs
- [AIRFLOW-682] Bump MAX_PERIODS to make mark_success work for large DAGs
- Use jdk selector to set required jdk
- [AIRFLOW-647] Restore dag.get_active_runs
- [AIRFLOW-662] Change seasons to months in project description
- [AIRFLOW-656] Add dag/task/date index to xcom table
- [AIRFLOW-658] Improve schema_update_options in GCP
- [AIRFLOW-41] Fix pool oversubscription
- [AIRFLOW-489] Add API Framework
- [AIRFLOW-653] Add some missing endpoint tests
- [AIRFLOW-652] Remove obsolete endpoint
- [AIRFLOW-345] Add contrib ECSOperator
- [AIRFLOW-650] Adding Celect to user list
- [AIRFLOW-510] Filter Paused Dags, show Last Run & Trigger Dag
- [AIRFLOW-643] Improve date handling for sf_hook
- [AIRFLOW-638] Add schema_update_options to GCP ops
- [AIRFLOW-640] Install and enable nose-ignore-docstring
- [AIRFLOW-639]AIRFLOW-639] Alphasort package names
- [AIRFLOW-375] Fix pylint errors
- [AIRFLOW-347] Show empty DAG runs in tree view
- [AIRFLOW-628] Adding SalesforceHook to contrib/hooks
- [AIRFLOW-514] hive hook loads data from pandas DataFrame into hive and infers types
- [AIRFLOW-565] Fixes DockerOperator on Python3.x
- [AIRFLOW-635] Encryption option for S3 hook
- [AIRFLOW-137] Fix max_active_runs on clearing tasks
- [AIRFLOW-343] Fix schema plumbing in HiveServer2Hook
- [AIRFLOW-130] Fix ssh operator macosx
- [AIRFLOW-633] Show TI attributes in TI view
- [AIRFLOW-626][AIRFLOW-1] HTML Content does not show up when sending email with attachment
- [AIRFLOW-533] Set autocommit via set_autocommit
- [AIRFLOW-629] stop pinning lxml
- [AIRFLOW-464] Add setdefault method to Variable
- [AIRFLOW-626][AIRFLOW-1] HTML Content does not show up when sending email with attachment
- [AIRFLOW-591] Add datadog hook & sensor
- [AIRFLOW-561] Add RedshiftToS3Transfer operator
- [AIRFLOW-570] Pass root to date form on gantt
- [AIRFLOW-504] Store fractional seconds in MySQL tables
- [AIRFLOW-623] LDAP attributes not always a list
- [AIRFLOW-611] source_format in BigQueryBaseCursor
- [AIRFLOW-619] Fix exception in Gantt chart
- [AIRFLOW-618] Cast DateTimes to avoid sqlite errors
- [AIRFLOW-422] Add JSON endpoint for task info
- [AIRFLOW-616][AIRFLOW-617] Minor fixes to PR tool UX

- [AIRFLOW-179] Fix DbApiHook with non-ASCII chars
- [AIRFLOW-566] Add timeout while fetching logs
- [AIRFLOW-615] Set graph glyphicon first
- [AIRFLOW-609] Add application_name to PostgresHook
- [AIRFLOW-604] Revert .first() to .one()
- [AIRFLOW-370] Create AirflowConfigException in exceptions.py
- [AIRFLOW-582] Fixes Tl.get_dagrun filter (removes start_date)
- [AIRFLOW-568] Fix double task_stats count if a DagRun is active
- [AIRFLOW-585] Fix race condition in backfill execution loop
- [AIRFLOW-580] Prevent landscape warning on .format
- [AIRFLOW-597] Check if content is None, not false-equivalent
- [AIRFLOW-586] test_dag_v1 fails from 0 to 3 a.m.
- [AIRFLOW-453] Add XCom Admin Page
- [AIRFLOW-588] Add Google Cloud Storage Object sensor[]
- [AIRFLOW-592] example_xcom import Error
- [AIRFLOW-587] Fix incorrect scope for Google Auth[]
- [AIRFLOW-589] Add templatable job_name[]
- [AIRFLOW-227] Show running config in config view
- [AIRFLOW-319]AIRFLOW-319] xcom push response in HTTP Operator
- [AIRFLOW-385] Add symlink to latest scheduler log directory
- [AIRFLOW-583] Fix decode error in gcs_to_bq
- [AIRFLOW-96] s3_conn_id using environment variable
- [AIRFLOW-575] Clarify tutorial and FAQ about *schedule_interval* always inheriting from DAG object
- [AIRFLOW-577] Output BigQuery job for improved debugging
- [AIRFLOW-560] Get URI & SQLA engine from Connection
- [AIRFLOW-518] Require DataProfilingMixin for Variables CRUD
- [AIRFLOW-553] Fix load path for filters.js
- [AIRFLOW-554] Add Jinja support to Spark-sql
- [AIRFLOW-550] Make ssl config check empty string safe
- [AIRFLOW-500] Use id for github allowed teams
- [AIRFLOW-556] Add UI PR guidelines
- [AIRFLOW-358][AIRFLOW-430] Add *connections* cli
- [AIRFLOW-548] Load DAGs immediately & continually
- [AIRFLOW-539] Updated BQ hook and BQ operator to support Standard SQL.
- [AIRFLOW-378] Add string casting to params of spark-sql operator
- [AIRFLOW-544] Add Pause/Resume toggle button
- [AIRFLOW-333][AIRFLOW-258] Fix non-module plugin components
- [AIRFLOW-542] Add tooltip to DAGs links icons
- [AIRFLOW-530] Update docs to reflect connection environment var has to be in uppercase
- [AIRFLOW-525] Update template_fields in Qubole Op
- [AIRFLOW-480] Support binary file download from GCS
- [AIRFLOW-198] Implement latest_only_operator
- [AIRFLOW-91] Add SSL config option for the webserver
- [AIRFLOW-191] Fix connection leak with PostgreSQL backend
- [AIRFLOW-512] Fix 'bellow' typo in docs & comments
- [AIRFLOW-509][AIRFLOW-1] Create operator to delete tables in BigQuery
- [AIRFLOW-498] Remove hard-coded gcp project id
- [AIRFLOW-505] Support unicode characters in authors' names
- [AIRFLOW-494] Add per-operator success/failure metrics
- [AIRFLOW-488] Fix test_simple fail
- [AIRFLOW-468] Update Panda requirement to 0.17.1
- [AIRFLOW-159] Add cloud integration section + GCP documentation
- [AIRFLOW-477][AIRFLOW-478] Restructure security section for clarity
- [AIRFLOW-467] Allow defining of project_id in BigQueryHook
- [AIRFLOW-483] Change print to logging statement
- [AIRFLOW-475] make the segment granularity in Druid hook configurable

Airflow 1.7.2

- [AIRFLOW-463] Link Airflow icon to landing page
- [AIRFLOW-149] Task Dependency Engine + Why Isn't My Task Running View
- [AIRFLOW-361] Add default failure handler for the Qubole Operator
- [AIRFLOW-353] Fix dag run status update failure
- [AIRFLOW-447] Store source URIs in Python 3 compatible list

- [AIRFLOW-443] Make module names unique when importing
- [AIRFLOW-444] Add Google authentication backend
- [AIRFLOW-446][AIRFLOW-445] Adds missing dataproc submit options
- [AIRFLOW-431] Add CLI for CRUD operations on pools
- [AIRFLOW-329] Update Dag Overview Page with Better Status Columns
- [AIRFLOW-360] Fix style warnings in models.py
- [AIRFLOW-425] Add white fill for null state tasks in tree view.
- [AIRFLOW-69] Use dag runs in backfill jobs
- [AIRFLOW-415] Make dag_id not found error clearer
- [AIRFLOW-416] Use ordinals in README's company list
- [AIRFLOW-369] Allow setting default DAG orientation
- [AIRFLOW-410] Add 2 Q/A to the FAQ in the docs
- [AIRFLOW-407] Add different colors for some sensors
- [AIRFLOW-414] Improve error message for missing FERNET_KEY
- [AIRFLOW-406] Sphinx/rst fixes
- [AIRFLOW-412] Fix lxml dependency
- [AIRFLOW-413] Fix unset path bug when backfilling via pickle
- [AIRFLOW-78] Airflow clear leaves dag_runs
- [AIRFLOW-402] Remove NamedHivePartitionSensor static check, add docs
- [AIRFLOW-394] Add an option to the Task Duration graph to show cumulative times
- [AIRFLOW-404] Retry download if unpacking fails for hive
- [AIRFLOW-276] Unicorn rolling restart
- [AIRFLOW-399] Remove dags/testdruidd.py
- [AIRFLOW-400] models.py/DAG.set_dag_runs_state() does not correctly set state
- [AIRFLOW-395] Fix colon/equal signs typo for resources in default config
- [AIRFLOW-397] Documentation: Fix typo in the word "instantiating"
- [AIRFLOW-395] Remove trailing commas from resources in config
- [AIRFLOW-388] Add a new chart for Task_Tries for each DAG
- [AIRFLOW-322] Fix typo in FAQ section
- [AIRFLOW-375] Pylint fixes
- limit scope to user email only AIRFLOW-386
- [AIRFLOW-383] Cleanup example qubole operator dag
- [AIRFLOW-160] Parse DAG files through child processes
- [AIRFLOW-381] Manual UI Dag Run creation: require dag_id field
- [AIRFLOW-373] Enhance CLI variables functionality
- [AIRFLOW-379] Enhance Variables page functionality: import/export variables
- [AIRFLOW-331] modify the LDAP authentication config lines in 'Security' sample codes
- [AIRFLOW-356][AIRFLOW-355][AIRFLOW-354] Replace nobr, enable DAG only exists locally message, change edit DAG icon
- [AIRFLOW-362] Import __future__ division
- [AIRFLOW-359] Pin flask-login to 0.2.11
- [AIRFLOW-261] Add bcc and cc fields to EmailOperator
- [AIRFLOW-348] Fix code style warnings
- [AIRFLOW-349] Add metric for number of zombies killed
- [AIRFLOW-340] Remove unused dependency on Babel
- [AIRFLOW-339]: Ability to pass a flower conf file
- [AIRFLOW-341][operators] Add resource requirement attributes to operators
- [AIRFLOW-335] Fix simple style errors/warnings
- [AIRFLOW-337] Add __repr__ to VariableAccessor and VariableJsonAccessor
- [AIRFLOW-334] Fix using undefined variable
- [AIRFLOW-315] Fix blank lines code style warnings
- [AIRFLOW-306] Add Spark-sql Hook and Operator
- [AIRFLOW-327] Add rename method to the FTPHook
- [AIRFLOW-321] Fix a wrong code example about tests/dags
- [AIRFLOW-316] Always check DB state for Backfill Job execution
- [AIRFLOW-264] Adding workload management for Hive
- [AIRFLOW-297] support exponential backoff option for retry delay
- [AIRFLOW-31][AIRFLOW-200] Add note to updating.md
- [AIRFLOW-307] There is no __neq__ python magic method.
- [AIRFLOW-309] Add requirements of develop dependencies to docs
- [AIRFLOW-307] Rename __neq__ to __ne__ python magic method.
- [AIRFLOW-313] Fix code style for sqoop_hook.py
- [AIRFLOW-311] Fix wrong path in CONTRIBUTING.md
- [AIRFLOW-24] DataFlow Java Operator
- [AIRFLOW-308] Add link to refresh DAG within DAG view header
- [AIRFLOW-314] Fix BigQuery cursor run_table_upsert method

- [AIRFLOW-298] fix incubator disclaimer in docs
- [AIRFLOW-284] HiveServer2Hook fix for cursor scope for get_results
- [AIRFLOW-260] More graceful exit when issues can't be closed
- [AIRFLOW-260] Handle case when no version is found
- [AIRFLOW-228] Handle empty version list in PR tool
- [AIRFLOW-302] Improve default squash commit message
- [AIRFLOW-187] Improve prompt styling
- [AIRFLOW-187] Fix typo in argument name
- [AIRFLOW-187] Move "Close XXX" message to end of squash commit
- [AIRFLOW-247] Add EMR hook, operators and sensors. Add AWS base hook
- [AIRFLOW-301] Fix broken unit test
- [AIRFLOW-100] Add execution_date_fn to ExternalTaskSensor
- [AIRFLOW-282] Remove PR Tool logic that depends on version formatting
- [AIRFLOW-291] Add index for state in TI table
- [AIRFLOW-269] Add some unit tests for PostgreSQL
- [AIRFLOW-296] template_ext is being treated as a string rather than a tuple in qubole operator
- [AIRFLOW-286] Improve FTPHook to implement context manager interface
- [AIRFLOW-243] Create NamedHivePartitionSensor
- [AIRFLOW-246] Improve dag_stats endpoint query
- [AIRFLOW-189] Highlighting of Parent/Child nodes in Graphs
- [AIRFLOW-255] Check dagrun timeout when comparing active runs
- [AIRFLOW-281] Add port to mssql_hook
- [AIRFLOW-285] Use Airflow 2.0 style imports for all remaining hooks/operators
- [AIRFLOW-40] Add LDAP group filtering feature.
- [AIRFLOW-277] Multiple deletions does not work in Task Instances view if using SQLite backend
- [AIRFLOW-200] Make hook/operator imports lazy, and print proper exceptions
- [AIRFLOW-283] Make store_to_xcom_key a templated field in GoogleCloudStorageDownloadOperator
- [AIRFLOW-278] Support utf-8 encoding for SQL
- [AIRFLOW-280] clean up tmp druid table no matter if an ingestion job succeeds or not
- [AIRFLOW-274] Add XCom functionality to GoogleCloudStorageDownloadOperator
- [AIRFLOW-273] Create an svg version of the airflow logo.
- [AIRFLOW-275] Update contributing guidelines
- [AIRFLOW-244] Modify hive operator to inject analysis data
- [AIRFLOW-162] Allow variable to be accessible into templates
- [AIRFLOW-248] Add Apache license header to all files
- [AIRFLOW-263] Remove temp backtick file
- [AIRFLOW-252] Raise Sqlite exceptions when deleting tasks instance in WebUI
- [AIRFLOW-180] Fix timeout behavior for sensors
- [AIRFLOW-262] Simplify commands in MANIFEST.in
- [AIRFLOW-31] Add zope dependency
- [AIRFLOW-6] Remove dependency on Highcharts
- [AIRFLOW-234] make task that are not *running* self-terminate
- [AIRFLOW-256] Fix test_scheduler_reschedule heartrate
- Add Python 3 compatibility fix
- [AIRFLOW-31] Use standard imports for hooks/operators
- [AIRFLOW-173] Initial implementation of FileSensor
- [AIRFLOW-224] Collect orphaned tasks and reschedule them
- [AIRFLOW-239] Fix tests indentation
- [AIRFLOW-225] Better units for task duration graph
- [AIRFLOW-241] Add testing done section to PR template
- [AIRFLOW-222] Show duration of task instances in ui
- [AIRFLOW-231] Do not eval user input in PrestoHook
- [AIRFLOW-216] Add Sqoop Hook and Operator
- [AIRFLOW-171] Add upgrade notes on email and S3 to 1.7.1.2
- [AIRFLOW-238] Make compatible with flask-admin 1.4.1
- [AIRFLOW-230] [HiveServer2Hook] adding multi statements support
- [AIRFLOW-142] setup_env.sh doesn't download hive tarball if hdp is specified as distro
- [AIRFLOW-223] Make parametable the IP on which Flower binds to
- [AIRFLOW-218] Added option to enable webserver gunicorn access/err logs
- [AIRFLOW-213] Add "Closes #X" phrase to commit messages
- [AIRFLOW-68] Align start_date with the schedule_interval
- [AIRFLOW-9] Improving docs to meet Apache's standards
- [AIRFLOW-131] Make XCom.clear more selective
- [AIRFLOW-214] Fix occasion of detached taskinstance

- [AIRFLOW-206] Add commit to close PR
- [AIRFLOW-206] Always load local log files if they exist
- [AIRFLOW-211] Fix JIRA "resolve" vs "close" behavior
- [AIRFLOW-64] Add note about relative DAGS_FOLDER
- [AIRFLOW-114] Sort plugins dropdown
- [AIRFLOW-209] Add scheduler tests and improve lineage handling
- [AIRFLOW-207] Improve JIRA auth workflow
- [AIRFLOW-187] Improve PR tool UX
- [AIRFLOW-155] Documentation of Qubole Operator
- Optimize and refactor process_dag
- [AIRFLOW-185] Handle empty versions list
- [AIRFLOW-201] Fix for HiveMetastoreHook + kerberos
- [AIRFLOW-202]: Fixes stray print line
- [AIRFLOW-196] Fix bug that exception is not handled in HttpSensor
- [AIRFLOW-195]: Add toggle support to subdag clearing in the CLI
- [AIRFLOW-23] Support for Google Cloud DataProc
- [AIRFLOW-25] Configuration for Celery always required
- [AIRFLOW-190] Add codecov and remove download count
- [AIRFLOW-168] Correct evaluation of @once schedule
- [AIRFLOW-183] Fetch log from remote when worker returns 4xx/5xx response
- [AIRFLOW-181] Fix failing unpacking of hadoop by redownloading
- [AIRFLOW-176] remove unused formatting key
- [AIRFLOW-167]: Add dag_state option in cli
- [AIRFLOW-178] Fix bug so that zip file is detected in DAG folder
- [AIRFLOW-176] Improve PR Tool JIRA workflow
- AIRFLOW-45: Support Hidden Airflow Variables
- [AIRFLOW-175] Run git-reset before checkout in PR tool
- [AIRFLOW-157] Make PR tool Py3-compatible; add JIRA command
- [AIRFLOW-170] Add missing @apply_defaults

Airflow 1.7.1, 2016-05-19

- Fix : Don't treat premature tasks as could_not_run tasks
- AIRFLOW-92 Avoid unneeded upstream_failed session closes apache/airflow#1485
- Add logic to lock DB and avoid race condition
- Handle queued tasks from multiple jobs/executors
- AIRFLOW-52 Warn about overwriting tasks in a DAG
- Fix corner case with joining processes/queues (#1473)
- [AIRFLOW-52] Fix bottlenecks when working with many tasks
- Add columns to toggle extra detail in the connection list view.
- Log the number of errors when importing DAGs
- Log dagbag metrics duplicate messages in queue into Statsd (#1406)
- Clean up issue template (#1419)
- correct missed arg.foreground to arg.daemon in cli
- Reinstate imports for github enterprise auth
- Use os.execvp instead of subprocess.Popen for the webserver
- Revert from using "--foreground" to "--daemon"
- Implement a Cloudant hook
- Add missing args to *airflow clear*
- Fixed a bug in the scheduler: num_runs used where runs intended
- Add multiprocessing support to the scheduler
- Partial fix to make sure next_run_date cannot be None
- Support list/get/set variables in the CLI
- Properly handle BigQuery booleans in BigQuery hook.
- Added the ability to view XCom variables in webserver
- Change DAG.tasks from a list to a dict
- Add support for zipped dags
- Stop creating hook on instantiating of S3 operator
- User subquery in views to find running DAGs
- Prevent DAGs from being reloaded on every scheduler iteration
- Add a missing word to docs
- Document the parameters of *DbApiHook*
- added oracle operator with existing oracle hook
- Add PyOpenSSL to Google cloud gcp_api.

- Remove executor error unit test
- Add DAG inference, deferral, and context manager
- Don't return error when writing files to Google cloud storage.
- Fix GCS logging for gcp_api.
- Ensure attr is in scope for error message
- Fixing misnamed PULL_REQUEST_TEMPLATE
- Extract non_pooled_task_slot_count into a configuration param
- Update plugins.rst for clarity on the example (#1309)
- Fix s3 logging issue
- Add twitter feed example dag
- GitHub ISSUE_TEMPLATE & PR_TEMPLATE cleanup
- Reduce logger verbosity
- Adding a PR Template
- Add Lucid to list of users
- Fix usage of asciiart
- Use session instead of outdated main_session for are_dependencies_met
- Fix celery flower port allocation
- Fix for missing edit actions due to flask-admin upgrade
- Fix typo in comment in prioritize_queued method
- Add HipchatOperator
- Include all example dags in backfill unit test
- Make sure skipped jobs are actually skipped
- Fixing a broken example dag, example_skip_dag.py
- Add consistent and thorough signal handling and logging
- Allow Operators to specify SKIPPED status internally
- Update docstring for executor trap unit test
- Doc: explain the usage of Jinja templating for templated params
- Don't schedule runs before the DAG's start_date
- Fix infinite retries with pools, with test
- Fix handling of deadlocked jobs
- Show only Airflow's deprecation warnings
- Set DAG_FOLDER for unit tests
- Missing comma in setup.py
- Deprecate args and kwargs in BaseOperator
- Raise deep scheduler exceptions to force a process restart.
- Change inconsistent example DAG owners
- Fix module path of send_email_smtp in configuration
- added Gentner Lab to list of users
- Increase timeout time for unit test
- Fix reading strings from conf
- CHORE - Remove Trailing Spaces
- Fix SSHExecuteOperator crash when using a custom ssh port
- Add note about airflow components to template
- Rewrite BackfillJob logic for clarity
- Add unit tests
- Fix miscellaneous bugs and clean up code
- Fix logic for determining DagRun states
- Make SchedulerJob not run EVERY queued task
- Improve BackfillJob handling of queued/deadlocked tasks
- Introduce ignore_depends_on_past parameters
- Use Popen with CeleryExecutor
- Rename user table to users to avoid conflict with postgres
- Beware of negative pool slots.
- Add support for calling_format from boto to S3_Hook
- Add PyPI meta data and sync version number
- Set dags_are_paused_at_creation's default value to True
- Resurface S3Log class eaten by rebase/push -f
- Add missing session.commit() at end of initdb
- Validate that subdag tasks have pool slots available, and test
- Use urlparse for remote GCS logs, and add unit tests
- Make webserver worker timeout configurable
- Fixed scheduling for @once interval
- Use psycopg2's API for serializing postgres cell values
- Make the provide_session decorator more robust
- update link to Lyft's website

- use num_shards instead of partitions to be consistent with batch ingestion
- Add documentation links to README
- Update docs with separate configuration section
- Fix airflow.utils deprecation warning code being Python 3 incompatible
- Extract dbapi cell serialization into its own method
- Set Postgres autocommit as supported only if server version is < 7.4
- Use refactored utils module in unit test imports
- Add changelog for 1.7.0
- Use LocalExecutor on Travis if possible
- remove unused logging, ermo, MiniHiveCluster imports
- remove extra import of logging lib
- Fix required gcloud version
- Refactoring utils into smaller submodules
- Properly measure number of task retry attempts
- Add function to get configuration as dict, plus unit tests
- Merge branch 'master' into hivemeta_sasl
- Add wiki link to README.md
- [hotfix] make email.Utils > email.utils for py3
- Add the missing "Date" header to the warning e-mails
- Add the missing "Date" header to the warning e-mails
- Check name of SubDag class instead of class itself
- [hotfix] removing repo_token from .coveralls.yml
- Set the service_name in coveralls.yml
- Fixes #1223
- Update Airflow docs for remote logging
- Add unit tests for trapping Executor errors
- Make sure Executors properly trap errors
- Fix HttpOpSensorTest to use fake request session
- Linting
- Add an example on pool usage in the documentation
- Add two methods to bigquery hook's base cursor: run_table_upsert, which adds a table or updates an existing table; and run_grant_dataset_view_access, which grants view access to a given dataset for a given table.
- Tasks references upstream and downstream tasks using strings instead of references
- Fix typos in models.py
- Fix broken links in documentation
- [hotfix] fixing the Scheduler CLI to make dag_id optional
- Update link to Common Pitfalls wiki page in README
- Allow disabling periodic committing when inserting rows with DbApiHook
- added Glassdoor to "who uses airflow"
- Fix typo preventing from launching webserver
- Documentation badge
- Fixing ISSUE_TEMPLATE name to include .md suffix
- Adding an ISSUE_TEMPLATE to ensure that issues are adequately defined
- Linting & debugging
- Refactoring the CLI to be data-driven
- Updating the Bug Reporting protocol in the Contributing.md file
- Fixing the docs
- clean up references to old session
- remove session reference
- resolve conflict
- clear xcom data when task instance starts
- replace main_session with @provide_session
- Add extras to installation.rst
- Changes to Contributing to reflect more closely the current state of development.
- Modifying README to link to the wiki committer list
- docs: fixes a spelling mistake in default config
- Set killMode to 'control-group' for webservice.service
- Set KillMode to 'control-group' for worker.service
- Linting
- Fix WebHdfsSensor
- Adding more licenses to pass checks
- fixing landscape's config
- [hotfix] typo that made it in master
- [hotfix] fixing landscape requirement detection

- Make testing on hive conditional
- Merge remote-tracking branch 'upstream/master' into minicluster
- Update README.md
- Throwing in a few license to pass the build
- Adding a reqs.txt for landscape.io
- Pointing to a reqs file
- Some linting
- Adding a .landscape.yml file
- badge for PyPI version
- Add license and ignore for sql and csv
- Use correct connection id
- Use correct table name
- Provide data for ci tests
- new badge for showing staleness of reqs
- removing requirements.txt as it is uni-dimensional
- Make it work on py3
- Remove decode for logging
- Also keep py2 compatible
- More py3 fixes
- Convert to bytes for py3 compat
- Make sure to be py3 compatible
- Use unicodcsv to make it py3 compatible
- Replace tab with spaces Remove unused import
- Merge remote-tracking branch 'upstream/master'
- Support decimal types in MySQL to GCS
- Make sure to write binary as string can be unicode
- Ignore metastore
- More impyla fixes
- Test HivemetaStore if python 2
- Allow users to set hdfs_namenode_principal in HDFSHook config
- Add tests for Hiveserver2 and fix some issues from impyla
- Merge branch 'impyla' into minicluster
- This patch allows for testing of hive operators and hooks. Sasl is used (NoSasl in connection string is not possible). Tests have been adjusted.
- Treat SKIPPED and SUCCESS the same way when evaluating depends_on_past=True
- fix bigquery hook
- version cap for gcp_api
- Fix typo when returning VerticaHook
- Adding fernet key to use it as part of stdout commands
- Adding support for ssl parameters. (picking up from jthomas123)
- more detail in error message.
- make sure paths don't conflict bc of trailing /
- change gcs_hook to self.hook
- refactor remote log read/write and add GCS support
- Only use multipart upload in S3Hook if file is large enough
- Merge branch 'airbnb/master'
- Add GSSAPI SASL to HiveMetaStoreHook.
- Add warning for deprecated setting
- Use kerberos_service_name = 'hive' as standard instead of 'impala'.
- Use GSSAPI instead of KERBEROS and provide backwards compatibility
- ISSUE-1123 Use impyla instead of pyhs2
- set celery_executor to use queue name as exchange

[Previous](#)
[Next](#)

Was this entry helpful?



Want to be a part of Apache Airflow?

[Join community](#)

License Donate Thanks

Security

© The Apache Software Foundation 2019

Apache Airflow, Apache, Airflow, the Airflow logo, and the Apache feather logo are either registered trademarks or trademarks of The Apache Software Foundation. All other products or name brands are trademarks of their respective holders, including The Apache Software Foundation.