

Let's build something!

October 2012 3:







Data Model (1)

- Put DataModel code in separate JavaScript file
 - DataModel.js
- Include it via <script>
- Advantages

Separation of concerns (class)

Easier testing (class)

Code organization (file)

October 2012 32

Data Model (2)

```
function AddressBook() {

// array index will be contact id, entries are Contact instances
var contacts = [];

// returns id for new contact
this.addContact( contact ) { ..... };

// remove from contacts list
this.deleteContact( id );

// hand back contact at id
this.getContactDetails( id ) { .... };

// hand back new array of first + last names with correct ids for idx
this.getAllNames() { .... };

}
```

* Additional coolness coming later.

Data Model (3)

```
function Contact( fn, ln, em ) {
    this.fname = fn;
    this.lname = ln;
    this.email = em;
}


var niek =
    new Contact( "Niek", "Sanders", "niek.sanders@gmail.com" );
```

October 2012 3

Progress Review

- Data model that can drive our front end GUI
- · Neatly organized in to separate file
- Easy to replace with a mock for testing purposes
 - Important for AJAX
- Same code interface, more behavior
 - Custom jQuery events

October 2012 324



Contact List (1)

- Put ContactList code in separate JavaScript file
 - ContactList.js
- Include it via <script>
- In your document ready handler (index.html)
 - Create a datamodel
 - Add a handful of contacts to datamodel
 - createContactList(dataModel, div\$)

Contact List (2)

```
function createContactList( dataModel, div$) {

// pull all our contacts from datamodel

// create , add each contact as 

// append  to div$

}
```

Progress Review

October 2012

- Visualization of data model
- Not yet linked to data model updates
 - Change data model, list still the same
- · About to add sort and search!

Sorting Contact List


October 2012 3

Sorting Contacts (1)

- · Sort contact list alphabetically by name
- http://tinyurl.com/avld6cw
- For fun, try doing descending sort Z -> A
- Pluggable sort common technique
 - PHP, C++
 - Bugs if not implemented correctly

October 2012 330

```
function createContactList( dataModel, div$) {
    // pull all our contacts from datamodel
    // sort the contacts!
    // create , add each contact as 
    // append  to div$
}
```



Search Contacts (1)

- Create the search text box
- · When creating contact list
 - Search box listen to keyup events http://api.jquery.com/keyup/
 - Call back has access to
 hides non-matching elements
 - http://tinyurl.com/98mg64c

October 2012 33

Search Contacts (2)

October 2012

```
function createContactList( dataModel, div$) {

// pull all our contacts from datamodel

// sort the contacts!

// create , add each contact as 

// append <form> and <input> to div$

// bind to input keyup, add search call back

// bind to form submit, prevent form submission

// append  to div$
}
```

9

Progress Review

- First interactive component!
 - User types search, show matching names
- Still no persistent updating between data model and contact list